



wwPDB EM Validation Summary Report ⓘ

Jun 1, 2026 – 01:05 PM EDT

PDB ID : 9NUF / pdb_00009nuf
EMDB ID : EMD-49803
Title : Cryo-EM structure of the Nipah Virus nucleocapsid complex
Authors : Liu, B.; Yang, G.
Deposited on : 2025-03-19
Resolution : 2.96 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	13155 (2.46 - 3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	532	
1	E	532	
1	F	532	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	532	
1	H	532	
1	I	532	
1	J	532	
1	K	532	
1	L	532	
1	M	532	
1	N	532	
1	O	532	
1	P	532	
1	Q	532	
2	Z	84	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 44996 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	E	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	F	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	G	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	H	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	I	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	J	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	K	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	L	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	M	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	N	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	O	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	P	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		
1	Q	398	Total	C	N	O	S	0	0
			3094	1959	537	582	16		


- Molecule 2 is a RNA chain called RNA (84-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Z	84	Total	C	N	O	P	0	0
			1680	756	168	672	84		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nucleoprotein



• Molecule 1: Nucleoprotein



SER	VAL	PRO	SER	SER	SER	VAL	SER	THR	SER	GLY	GLY	THR	ARG	LEU	THR	ASN	SER	SER	LEU	LEU	ASN	ASN	LEU	ARG	ARG	SER	SER	LEU	ARG	LEU	ALA	ALA	LYS	LYS	GLU	ALA	ALA	ALA	SER	SER	SER	ASN	ASN	ALA	THR	ASP	ASP	PRO	PRO	ALA	ILE	SER	ASN	ARG	THR	GLN	GLY	GLU	SER	GLU	GLU	LYS	LYS	ASN	ASN	GLN	ASP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
LEU	LYS	PRO	ALA	GLN	ASN	ASP	LEU	ASP	PHE	VAL	ARG	ALA	ALA	ASP	VAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

● Molecule 1: Nucleoprotein



ASP	ASP	PRO	ALA	ILE	SER	ASN	ARG	THR	THR	GLN	GLY	GLU	SER	LYS	ASN	ASN	GLN	ASP	LEU	LYS	VAL	PRO	ALA	ALA	GLN	ASN	ASP	LEU	VAL	ARG	ALA	ASP	VAL			
GLN	SER	GLY	ARG	GLN	SER	VAL	THR	PHE	LYS	ARG	GLY	GLU	MET	ILE	SER	SER	LEU	ALA	ASN	SER	VAL	PRO	SER	SER	GLY	THR	THR	LEU	LEU	THR	THR	ASN	VAL			
E276	L282	Q288	L291	L294	I304	A308	Y327	P328	W331	G373	I374	S400	GLY	ARG	GLN	GLU	SER	THR	GLY	VAL	ASN	GLN	ALA	ARG	ARG	GLU	ALA	LYS	PHE	ALA	ALA	GLY	VAL			
MET	SER	D3	D21	G22	R23	I37	F38	V39	P40	E50	S61	A72	T75	L76	I77	P84	I101	G105	V108	N109	M114	E115	R116	D119	A135	R154	I168	Q171	I172	R192	Q199	M217	V227	M231	T270	L276

● Molecule 1: Nucleoprotein




PRO	ALA	ILE	SER	ASN	ARG	THR	GLN	GLY	GLU	SER	LYS	ASN	ASN	GLN	ASP	LEU	LYS	PRO	PRO	ALA	GLN	ASN	ASP	ASP	PHE	ASN	VAL	ARG	ALA	ALA	ASP	VAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
GLY	ARG	GLN	SER	VAL	THR	PHE	LYS	ARG	GLU	MET	ILE	SER	SER	LEU	ALA	ASN	VAL	PRO	SER	SER	SER	SER	VAL	THR	GLY	GLY	THR	ARG	LEU	THR	ASN	LYS	PHE	ALA	ASN	LEU	GLY	THR	ARG	GLN	GLY	VAL	GLY	ARG	GLN	SER	THR	GLU	SER	THR	GLU	GLY	GLY	ASP	GLN	SER	ASP	GLY	ASP	THR	ASN	PRO	ILE	GLU	GLY	ASP	GLN	ASP	LEU	ILE	ASP	GLY	ASP	GLY	GLY	GLY	ASP	GLN	ASP	LEU	ILE	ASP	GLY	VAL	ARG	GLY	ALA	ALA	ALA	ASN	GLY	GLY	VAL	THR	GLU	GLY	GLY	GLY	GLU	GLY	GLY	GLU	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	

● Molecule 1: Nucleoprotein




SER	VAL	THR	PHE	LYS	ARG	GLU	MET	SER	ILE	SER	SER	LEU	ALA	ASN	SER	VAL	PRO	SER	SER	SER	THR	GLY	THR	ARG	LEU	ASN	ALA	ALA	LYS	ALA	ALA	SER	THR	ASP	PRO	ALA	ILE			
L291	N292			I304	A308	P328	L329	L330	W331	S332		I374	D375	Q376		S400	ALA	GLY	GLN	GLU	SER	THR	GLY	THR	ALA	ARG	GLU	ALA	GLY	VAL	LEU	ASP	ILE	GLY	GLY	PRO	ILE			
MET	SER	D3	I37	F38	V39	P40	A41	T42		L47		E50		S61		A72	T75	P84	I101	G105	S106	V107	V108		R116	G127	I131		A135	R154	I168	I172	Q199	M217	V227	M231	E276	P280	L284	Q288

Chain L:  69% 6% 25%




• Molecule 1: Nucleoprotein

Chain M:  68% 6% 25%



• Molecule 1: Nucleoprotein

Chain N:  69% 6% 25%




• Molecule 1: Nucleoprotein

Chain O:  67% 8% 25%



PHE
VAL
ARG
ALA
ASP
VAL

● Molecule 2: RNA (84-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	138389	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.568	Depositor
Minimum map value	-0.240	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	478.08, 478.08, 478.08	wwPDB
Map dimensions	540, 540, 540	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8853333, 0.8853333, 0.8853333	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	0.21	0/3147	0.51	2/4252 (0.0%)
1	E	0.22	0/3147	0.52	0/4252
1	F	0.22	0/3147	0.51	0/4252
1	G	0.23	0/3147	0.52	0/4252
1	H	0.27	0/3147	0.58	1/4252 (0.0%)
1	I	0.25	0/3147	0.56	1/4252 (0.0%)
1	J	0.27	0/3147	0.59	1/4252 (0.0%)
1	K	0.25	0/3147	0.55	0/4252
1	L	0.26	0/3147	0.56	1/4252 (0.0%)
1	M	0.23	0/3147	0.52	1/4252 (0.0%)
1	N	0.23	0/3147	0.60	3/4252 (0.1%)
1	O	0.25	0/3147	0.55	4/4252 (0.1%)
1	P	0.22	0/3147	0.56	4/4252 (0.1%)
1	Q	0.21	0/3147	0.48	0/4252
2	Z	0.16	0/1847	0.40	0/2852
All	All	0.24	0/45905	0.54	18/62380 (0.0%)

There are no bond length outliers.

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	375	ASP	N-CA-C	-14.26	87.42	109.52
1	N	375	ASP	N-CA-C	-14.11	87.94	109.24
1	J	375	ASP	N-CA-C	-14.03	88.24	109.14
1	L	375	ASP	N-CA-C	-12.23	90.75	108.60
1	I	375	ASP	N-CA-C	-12.07	91.07	109.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	3094	0	3141	21	0
1	E	3094	0	3141	22	0
1	F	3094	0	3141	22	0
1	G	3094	0	3141	23	0
1	H	3094	0	3141	29	0
1	I	3094	0	3141	26	0
1	J	3094	0	3141	22	0
1	K	3094	0	3141	18	0
1	L	3094	0	3141	24	0
1	M	3094	0	3141	20	0
1	N	3094	0	3141	16	0
1	O	3094	0	3141	48	0
1	P	3094	0	3141	26	0
1	Q	3094	0	3141	23	0
2	Z	1680	0	841	13	0
All	All	44996	0	44815	319	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 319 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:51:LEU:CD1	1:O:107:MET:HE1	1.82	1.09
1:O:107:MET:HE3	1:O:113:VAL:CG2	1.84	1.08
1:O:51:LEU:HD13	1:O:107:MET:HE1	1.40	1.03
1:O:107:MET:HG2	1:O:108:VAL:H	1.25	1.01
1:O:107:MET:CE	1:O:113:VAL:HG22	1.92	0.99

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	396/532 (74%)	382 (96%)	14 (4%)	0	100	100
1	E	396/532 (74%)	383 (97%)	13 (3%)	0	100	100
1	F	396/532 (74%)	384 (97%)	12 (3%)	0	100	100
1	G	396/532 (74%)	384 (97%)	12 (3%)	0	100	100
1	H	396/532 (74%)	381 (96%)	15 (4%)	0	100	100
1	I	396/532 (74%)	385 (97%)	11 (3%)	0	100	100
1	J	396/532 (74%)	387 (98%)	9 (2%)	0	100	100
1	K	396/532 (74%)	384 (97%)	12 (3%)	0	100	100
1	L	396/532 (74%)	383 (97%)	13 (3%)	0	100	100
1	M	396/532 (74%)	384 (97%)	12 (3%)	0	100	100
1	N	396/532 (74%)	386 (98%)	10 (2%)	0	100	100
1	O	396/532 (74%)	385 (97%)	11 (3%)	0	100	100
1	P	396/532 (74%)	383 (97%)	13 (3%)	0	100	100
1	Q	396/532 (74%)	383 (97%)	13 (3%)	0	100	100
All	All	5544/7448 (74%)	5374 (97%)	170 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	328/436 (75%)	328 (100%)	0	100	100
1	E	328/436 (75%)	328 (100%)	0	100	100
1	F	328/436 (75%)	328 (100%)	0	100	100
1	G	328/436 (75%)	328 (100%)	0	100	100
1	H	328/436 (75%)	328 (100%)	0	100	100
1	I	328/436 (75%)	328 (100%)	0	100	100
1	J	328/436 (75%)	328 (100%)	0	100	100
1	K	328/436 (75%)	328 (100%)	0	100	100
1	L	328/436 (75%)	328 (100%)	0	100	100
1	M	328/436 (75%)	328 (100%)	0	100	100
1	N	328/436 (75%)	328 (100%)	0	100	100
1	O	328/436 (75%)	328 (100%)	0	100	100
1	P	328/436 (75%)	328 (100%)	0	100	100
1	Q	328/436 (75%)	328 (100%)	0	100	100
All	All	4592/6104 (75%)	4592 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 21 such sidechains are listed below:

Mol	Chain	Res	Type
1	N	199	GLN
1	O	109	ASN
1	Q	257	ASN
1	O	199	GLN
1	N	377	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	Z	83/84 (98%)	3 (3%)	0

All (3) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	Z	9	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Z	75	U
2	Z	81	U

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-49803. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 270




Y Index: 270




Z Index: 270

6.2.2 Raw map



X Index: 270



Y Index: 270




Z Index: 270


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 269




Y Index: 331




Z Index: 212


6.3.2 Raw map



X Index: 269



Y Index: 317




Z Index: 226


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 682 nm^3 ; this corresponds to an approximate mass of 616 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.338 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.338 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.96	-	-
Author-provided FSC curve	2.96	3.41	3.01
Unmasked-calculated*	3.95	7.35	4.04

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.95 differs from the reported value 2.96 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-49803 and PDB model 9NUF. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion ⓘ



At the recommended contour level, 95% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8610	0.3980
D	0.5800	0.1560
E	0.7510	0.2840
F	0.8600	0.4080
G	0.9000	0.4590
H	0.9210	0.4850
I	0.9280	0.4980
J	0.9390	0.5050
K	0.9390	0.5030
L	0.9390	0.4940
M	0.9330	0.4740
N	0.9170	0.4420
O	0.8860	0.3860
P	0.8120	0.2730
Q	0.6790	0.1660
Z	0.9910	0.4720

