



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 06:11 AM UTC

PDB ID : 7NWY / pdb_00007nwy
Title : Crystal structure of alpha carbonic anhydrase from schistosoma mansoni with 4-(3-(4-fluorophenyl)ureido)benzenesulfonamide
Authors : Angeli, A.; Ferraroni, M.
Deposited on : 2021-03-17
Resolution : 1.81 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	312	4% 79% 9% 11%
1	BBB	312	3% 79% 9% 11%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4973 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	277	Total	C	N	O	S	0	7	0
			2275	1453	388	426	8			
1	BBB	277	Total	C	N	O	S	0	7	0
			2276	1454	387	428	7			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	12	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	13	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	14	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	15	GLN	-	expression tag	UNP A0A3Q0KSG2
AAA	16	PRO	-	expression tag	UNP A0A3Q0KSG2
AAA	17	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	18	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	19	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	20	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	299	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	300	GLY	-	expression tag	UNP A0A3Q0KSG2
AAA	301	GLY	-	expression tag	UNP A0A3Q0KSG2
AAA	302	PRO	-	expression tag	UNP A0A3Q0KSG2
AAA	303	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	304	GLN	-	expression tag	UNP A0A3Q0KSG2
AAA	305	LYS	-	expression tag	UNP A0A3Q0KSG2
AAA	306	LEU	-	expression tag	UNP A0A3Q0KSG2
AAA	307	ILE	-	expression tag	UNP A0A3Q0KSG2
AAA	308	SER	-	expression tag	UNP A0A3Q0KSG2
AAA	309	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	310	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	311	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	312	LEU	-	expression tag	UNP A0A3Q0KSG2
AAA	313	ASN	-	expression tag	UNP A0A3Q0KSG2
AAA	314	SER	-	expression tag	UNP A0A3Q0KSG2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	315	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	316	VAL	-	expression tag	UNP A0A3Q0KSG2
AAA	317	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	318	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	319	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	320	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	321	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	322	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	323	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	12	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	13	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	14	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	15	GLN	-	expression tag	UNP A0A3Q0KSG2
BBB	16	PRO	-	expression tag	UNP A0A3Q0KSG2
BBB	17	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	18	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	19	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	20	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	299	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	300	GLY	-	expression tag	UNP A0A3Q0KSG2
BBB	301	GLY	-	expression tag	UNP A0A3Q0KSG2
BBB	302	PRO	-	expression tag	UNP A0A3Q0KSG2
BBB	303	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	304	GLN	-	expression tag	UNP A0A3Q0KSG2
BBB	305	LYS	-	expression tag	UNP A0A3Q0KSG2
BBB	306	LEU	-	expression tag	UNP A0A3Q0KSG2
BBB	307	ILE	-	expression tag	UNP A0A3Q0KSG2
BBB	308	SER	-	expression tag	UNP A0A3Q0KSG2
BBB	309	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	310	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	311	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	312	LEU	-	expression tag	UNP A0A3Q0KSG2
BBB	313	ASN	-	expression tag	UNP A0A3Q0KSG2
BBB	314	SER	-	expression tag	UNP A0A3Q0KSG2
BBB	315	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	316	VAL	-	expression tag	UNP A0A3Q0KSG2
BBB	317	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	318	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	319	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	320	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	321	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	322	HIS	-	expression tag	UNP A0A3Q0KSG2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	323	HIS	-	expression tag	UNP A0A3Q0KSG2

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	AAA	1	Total Zn 1 1	0	0
2	BBB	1	Total Zn 1 1	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	Total C N O 14 8 1 5	0	0
3	AAA	1	Total C N O 14 8 1 5	0	0
3	BBB	1	Total C N O 14 8 1 5	0	0
3	BBB	1	Total C N O 14 8 1 5	0	0
3	BBB	1	Total C N O 14 8 1 5	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	AAA	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 4-[(4-fluorophenyl)carbamoyl]amino}benzenesulfonamide (CCD ID: WWZ) (formula: $C_{13}H_{12}FN_3O_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	AAA	1	Total	C	F	N	O	S	0	0
			21	13	1	3	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	BBB	1	Total	C	F	N	O	S	0	0
			21	13	1	3	3	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	AAA	161	Total	O	0	0
			161	161		
6	BBB	141	Total	O	0	0
			141	141		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Carbonic anhydrase



- Molecule 1: Carbonic anhydrase



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.48Å 103.48Å 132.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	53.33 – 1.81 53.33 – 1.81	Depositor EDS
% Data completeness (in resolution range)	95.5 (53.33-1.81) 95.5 (53.33-1.81)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.190 , 0.226 (Not available) , 0.229	Depositor DCC
R_{free} test set	3591 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 26.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4973	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, WWZ, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AAA	1.04	0/2358	1.23	4/3207 (0.1%)
1	BBB	1.04	1/2359 (0.0%)	1.23	2/3210 (0.1%)
All	All	1.04	1/4717 (0.0%)	1.23	6/6417 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	BBB	119	HIS	CE1-NE2	5.54	1.38	1.32

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	200	PRO	N-CA-CB	5.62	106.14	103.22
1	BBB	114	ILE	CB-CA-C	-5.33	106.38	111.44
1	AAA	267	GLU	CA-C-N	5.28	127.62	120.44
1	AAA	267	GLU	C-N-CA	5.28	127.62	120.44
1	BBB	295	ARG	CG-CD-NE	-5.22	100.52	112.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2275	0	2204	19	0
1	BBB	2276	0	2205	18	0
2	AAA	1	0	0	0	0
2	BBB	1	0	0	0	0
3	AAA	28	0	26	1	0
3	BBB	42	0	39	0	0
4	AAA	6	0	8	3	0
5	AAA	21	0	11	0	0
5	BBB	21	0	11	0	0
6	AAA	161	0	0	4	0
6	BBB	141	0	0	1	0
All	All	4973	0	4504	36	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 36 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:117[B]:HIS:CD2	6:AAA:543:HOH:O	2.16	0.98
1:BBB:114:ILE:HG22	1:BBB:115[B]:GLN:HG3	1.69	0.74
1:AAA:24:GLU:HA	1:AAA:24:GLU:OE1	1.88	0.73
1:BBB:154:PRO:O	1:BBB:158:ILE:HG23	1.91	0.71
1:BBB:130:HIS:HE1	1:BBB:226:TYR:OH	1.77	0.67

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	282/312 (90%)	273 (97%)	8 (3%)	1 (0%)	30	19
1	BBB	282/312 (90%)	273 (97%)	8 (3%)	1 (0%)	30	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	564/624 (90%)	546 (97%)	16 (3%)	2 (0%)	30	19

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	AAA	299	ARG
1	BBB	299	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	126/279 (45%)	123 (98%)	3 (2%)	43	31
1	BBB	257/279 (92%)	252 (98%)	5 (2%)	50	41
All	All	383/558 (69%)	375 (98%)	8 (2%)	47	36

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	BBB	297	THR
1	BBB	263	TYR
1	BBB	178	LYS
1	BBB	30	ILE
1	BBB	253	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	AAA	404	-	5,5,5	0.22	0	5,5,5	1.02	0
3	NAG	BBB	402	1	14,14,15	1.02	0	17,19,21	1.47	1 (5%)
5	WWZ	BBB	405	2	22,22,22	0.53	1 (4%)	31,31,31	0.47	0
3	NAG	BBB	404	1	14,14,15	1.08	0	17,19,21	2.31	7 (41%)
5	WWZ	AAA	405	2	22,22,22	0.57	1 (4%)	31,31,31	0.48	0
3	NAG	BBB	403	1	14,14,15	0.85	0	17,19,21	2.65	6 (35%)
3	NAG	AAA	403	1	14,14,15	1.22	2 (14%)	17,19,21	1.60	5 (29%)
3	NAG	AAA	402	1	14,14,15	1.04	1 (7%)	17,19,21	1.54	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	AAA	404	-	-	0/4/4/4	-
3	NAG	BBB	402	1	-	0/6/23/26	0/1/1/1
5	WWZ	BBB	405	2	-	2/14/14/14	0/2/2/2
3	NAG	BBB	404	1	-	2/6/23/26	0/1/1/1
5	WWZ	AAA	405	2	-	3/14/14/14	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	BBB	403	1	-	1/6/23/26	0/1/1/1
3	NAG	AAA	403	1	-	2/6/23/26	0/1/1/1
3	NAG	AAA	402	1	-	0/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AAA	402	NAG	O5-C5	2.44	1.48	1.43
3	AAA	403	NAG	C1-C2	2.41	1.55	1.52
3	AAA	403	NAG	O5-C5	2.32	1.48	1.43
5	AAA	405	WWZ	O2-S1	-2.12	1.40	1.43
5	BBB	405	WWZ	O2-S1	-2.11	1.40	1.43

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	BBB	403	NAG	C1-O5-C5	7.26	121.92	112.19
3	BBB	403	NAG	O5-C5-C6	-4.77	98.38	107.66
3	BBB	404	NAG	C8-C7-N2	4.76	124.01	116.12
3	BBB	404	NAG	C1-O5-C5	4.38	118.05	112.19
3	AAA	402	NAG	C1-O5-C5	4.02	117.58	112.19

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	AAA	403	NAG	C4-C5-C6-O6
3	BBB	404	NAG	C8-C7-N2-C2
3	BBB	404	NAG	O7-C7-N2-C2
3	AAA	403	NAG	O5-C5-C6-O6
3	BBB	403	NAG	O5-C5-C6-O6


There are no ring outliers.



2 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	AAA	404	GOL	3	0
3	AAA	403	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand NAG BBB 403



Ligand NAG AAA 403





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	277/312 (88%)	0.17	12 (4%) 40 39	16, 29, 51, 78	7 (2%)
1	BBB	277/312 (88%)	0.27	9 (3%) 50 50	18, 30, 52, 70	7 (2%)
All	All	554/624 (88%)	0.22	21 (3%) 44 44	16, 30, 52, 78	14 (2%)

The worst 5 of 21 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	300	GLY	5.7
1	AAA	300	GLY	4.8
1	BBB	299	ARG	3.8
1	AAA	31	LEU	3.7
1	AAA	298	ALA	3.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	BBB	404	14/15	0.57	0.17	69,78,90,94	0
3	NAG	BBB	403	14/15	0.80	0.14	44,51,63,64	0
3	NAG	AAA	402	14/15	0.85	0.14	44,59,69,71	0
3	NAG	AAA	403	14/15	0.85	0.13	43,49,57,58	0
3	NAG	BBB	402	14/15	0.89	0.12	43,51,64,65	0
5	WWZ	AAA	405	21/21	0.91	0.23	21,30,40,42	21
5	WWZ	BBB	405	21/21	0.91	0.21	22,34,47,49	21
4	GOL	AAA	404	6/6	0.93	0.12	25,35,37,46	0
2	ZN	AAA	401	1/1	0.99	0.03	23,23,23,23	1
2	ZN	BBB	401	1/1	0.99	0.04	28,28,28,28	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAG BBB 404:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG BBB 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG AAA 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG AAA 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG BBB 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around WWZ AAA 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WWZ BBB 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL AAA 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around ZN AAA 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN BBB 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**6.5 Other polymers** ⓘ

There are no such residues in this entry.