



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:30 AM UTC

PDB ID : 2NXZ / pdb_00002nxz
Title : HIV-1 gp120 Envelope Glycoprotein (T257S, S334A, S375W) Complexed with CD4 and Antibody 17b
Authors : Zhou, T.; Xu, L.; Dey, B.; Hessel, A.J.; Van Ryk, D.; Xiang, S.H.; Yang, X.; Zhang, M.Y.; Zwick, M.B.; Arthos, J.; Burton, D.R.; Dimitrov, D.S.; Sodroski, J.; Wyatt, R.; Nabel, G.J.; Kwong, P.D.
Deposited on : 2006-11-20
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	9% 82% 13% ..
2	B	184	6% 84% 12% ..
3	C	214	87% 11% .
4	D	229	4% 86% 9% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	2	 100%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 7913 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENVELOPE GLYCOPROTEIN GP120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	306	Total	C	N	O	S	0	1	0
			2375	1492	413	450	20			

- Molecule 2 is a protein called T-cell surface glycoprotein CD4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	181	Total	C	N	O	S	0	1	0
			1418	889	249	276	4			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1000	MET	-	initiating methionine	UNP P01730


- Molecule 3 is a protein called ANTIBODY 17B, LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	214	Total	C	N	O	S	0	0	0
			1646	1028	282	331	5			

- Molecule 4 is a protein called ANTIBODY 17B, HEAVY CHAIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	222	Total	C	N	O	S	0	1	0
			1682	1065	283	329	5			

- Molecule 5 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	E	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is HEXANE-1,6-DIOL (CCD ID: HEZ) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 9 is ISOPROPYL ALCOHOL (CCD ID: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			4	3	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	190	Total 190	O 190	0	0
10	B	87	Total 87	O 87	0	0
10	C	124	Total 124	O 124	0	0
10	D	162	Total 162	O 162	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ENVELOPE GLYCOPROTEIN GP120




- Molecule 2: T-cell surface glycoprotein CD4



- Molecule 3: ANTIBODY 17B, LIGHT CHAIN



- Molecule 4: ANTIBODY 17B, HEAVY CHAIN



- Molecule 5: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose

Chain E:

100%

GLU1
FRU2

4 Data and refinement statistics

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	71.92Å 88.13Å 197.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.38 – 2.04 35.38 – 2.04	Depositor EDS
% Data completeness (in resolution range)	87.1 (35.38-2.04) 87.2 (35.38-2.04)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.05Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.206 , 0.244 0.202 , 0.240	Depositor DCC
R_{free} test set	3578 reflections (4.44%)	wwPDB-VP
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7913	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FRU, IPA, GLC, EDO, NAG, HEZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	1/2427 (0.0%)	0.71	0/3292
2	B	0.37	0/1443	0.68	0/1945
3	C	0.61	3/1683 (0.2%)	0.72	2/2288 (0.1%)
4	D	0.41	0/1727	0.73	0/2353
All	All	0.47	4/7280 (0.1%)	0.71	2/9878 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	2192	LYS	CE-NZ	14.97	1.94	1.49
3	C	2192	LYS	CG-CD	10.42	1.83	1.52
1	A	490	LYS	C-N	6.19	1.42	1.33
3	C	2192	LYS	CD-CE	5.18	1.68	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2192	LYS	CB-CG-CD	-6.08	97.33	111.30
3	C	2192	LYS	CG-CD-CE	-5.21	99.31	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2375	0	2317	28	0
2	B	1418	0	1444	16	0
3	C	1646	0	1590	23	0
4	D	1682	0	1647	19	0
5	E	23	0	21	4	0
6	A	182	0	169	1	0
7	A	8	0	12	0	0
7	C	4	0	6	1	0
8	A	8	0	14	3	0
9	B	4	0	6	1	0
10	A	190	0	0	2	1
10	B	87	0	0	3	0
10	C	124	0	0	0	0
10	D	162	0	0	3	0
All	All	7913	0	7226	88	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:2192:LYS:CD	3:C:2192:LYS:CG	1.83	1.52
3:C:2192:LYS:CE	3:C:2192:LYS:NZ	1.94	1.29
4:D:3215:HIS:HB3	4:D:3220:THR:HG22	1.34	1.07
4:D:3046:GLU:OE2	4:D:3063[B]:HIS:CE1	2.23	0.91
4:D:3046:GLU:OE2	4:D:3063[B]:HIS:HE1	1.55	0.89
4:D:3065:GLN:NE2	10:D:36:HOH:O	2.11	0.83
3:C:2192:LYS:CD	3:C:2192:LYS:CB	2.59	0.81
1:A:223:PHE:CE2	1:A:490:LYS:HD2	2.16	0.81
4:D:3215:HIS:HB3	4:D:3220:THR:CG2	2.11	0.79
3:C:2029:VAL:HG11	3:C:2090:GLN:HG3	1.67	0.76
4:D:3166:THR:HG22	4:D:3214:ASN:HB3	1.66	0.75
4:D:3134:PRO:HD2	4:D:3220:THR:HG21	1.69	0.73
3:C:2192:LYS:CG	3:C:2192:LYS:CE	2.68	0.72
1:A:462:ASN:HD22	1:A:462:ASN:H	1.38	0.71
2:B:1027[B]:HIS:CD2	2:B:1029:LYS:HE3	2.26	0.70
1:A:426:MET:HE1	1:A:429:LYS:HE2	1.76	0.67
2:B:1118:LEU:O	2:B:1142:LYS:HD3	1.95	0.66
4:D:3063[B]:HIS:CD2	5:E:2:FRU:O6	2.48	0.66
4:D:3063[B]:HIS:NE2	5:E:2:FRU:O6	2.29	0.65
1:A:378:CYS:HB3	1:A:383:PHE:CE1	2.34	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:2029:VAL:HG11	3:C:2090:GLN:CG	2.28	0.63
4:D:3043:GLN:HG3	10:D:118:HOH:O	1.99	0.61
1:A:371:ILE:HD11	1:A:473:GLY:HA3	1.82	0.61
2:B:1104:SER:O	10:B:545:HOH:O	2.16	0.61
4:D:3203:SER:HG	4:D:3209:TYR:HH	1.37	0.61
1:A:371:ILE:HD11	1:A:473:GLY:CA	2.31	0.60
2:B:1033:GLN:NE2	10:B:207:HOH:O	2.33	0.60
1:A:294:ILE:HD12	1:A:333:ILE:HD11	1.84	0.60
9:B:4004:IPA:H12	10:B:71:HOH:O	2.00	0.60
3:C:2013:VAL:CG1	3:C:2078:LEU:HD12	2.32	0.59
1:A:83:GLU:HG2	1:A:246:GLN:HE21	1.69	0.57
3:C:2094:TRP:HA	3:C:2095:PRO:C	2.29	0.57
1:A:350:ARG:HD3	1:A:396:PHE:CD1	2.39	0.57
2:B:1077:GLU:H	2:B:1077:GLU:CD	2.12	0.57
8:A:4005:HEZ:H52	3:C:2094:TRP:HB2	1.87	0.56
2:B:1118:LEU:O	2:B:1142:LYS:CD	2.53	0.56
1:A:123:THR:HG21	1:A:429:LYS:HE3	1.86	0.55
3:C:2185:LYS:HE2	3:C:2189:GLU:OE2	2.05	0.55
3:C:2171:LYS:HA	3:C:2171:LYS:HE3	1.89	0.55
10:D:470:HOH:O	5:E:2:FRU:O1	2.18	0.55
2:B:1164:ASN:O	2:B:1166:LYS:HD2	2.07	0.54
3:C:2013:VAL:HG11	3:C:2078:LEU:HD12	1.89	0.54
1:A:104:MET:O	1:A:108:ILE:HG12	2.07	0.54
1:A:205:CYS:SG	8:A:4005:HEZ:H32	2.48	0.54
1:A:488:VAL:HG12	10:A:4031:HOH:O	2.07	0.53
1:A:213:ILE:HG13	1:A:214:PRO:HD2	1.91	0.53
3:C:2040:PRO:HA	7:C:4002:EDO:H12	1.92	0.52
3:C:2094:TRP:CE3	3:C:2096:PRO:HD3	2.45	0.51
1:A:333:ILE:HD12	1:A:390:LEU:HD21	1.94	0.50
4:D:3063[B]:HIS:CE1	5:E:2:FRU:HO6	2.29	0.50
1:A:461:SER:C	1:A:463:ASN:H	2.20	0.49
2:B:1109:LEU:HB2	2:B:1112:GLN:CD	2.39	0.48
3:C:2188:TYR:CZ	3:C:2213:ARG:HG3	2.49	0.48
2:B:1083:ILE:HG13	2:B:1092:GLU:HG3	1.95	0.47
1:A:223:PHE:HE2	1:A:490:LYS:HD2	1.75	0.46
4:D:3002:VAL:HG21	4:D:3024:ALA:HB1	1.96	0.46
3:C:2029:VAL:CG1	3:C:2090:GLN:HG3	2.42	0.46
3:C:2192:LYS:CD	3:C:2192:LYS:HB3	2.43	0.46
1:A:122:LEU:HD22	1:A:200:VAL:HG22	1.97	0.45
2:B:1164:ASN:O	2:B:1165:GLN:HB2	2.16	0.45
4:D:3036:TRP:CE2	4:D:3081:LEU:HB2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:SER:OG	1:A:399:THR:N	2.50	0.45
3:C:2188:TYR:CE2	3:C:2213:ARG:HG3	2.52	0.45
4:D:3166:THR:CG2	4:D:3214:ASN:HB3	2.42	0.44
3:C:2183:LEU:HD13	3:C:2188:TYR:HB2	2.00	0.44
8:A:4005:HEZ:H31	3:C:2094:TRP:HB3	1.99	0.44
4:D:3216:LYS:N	4:D:3217:PRO:CD	2.81	0.44
2:B:1104:SER:HB3	2:B:1106:THR:HG22	1.98	0.44
4:D:3054:ILE:HG23	4:D:3055:LEU:HD13	2.00	0.43
1:A:121:LYS:HE2	10:A:4170:HOH:O	2.19	0.43
3:C:2054:ARG:NH1	3:C:2062:PHE:O	2.50	0.43
1:A:295:ASN:HD22	6:A:795:NAG:H83	1.83	0.43
1:A:412:ASP:OD2	1:A:413:THR:HG23	2.18	0.42
1:A:462:ASN:HD22	1:A:462:ASN:N	2.11	0.42
4:D:3048:MET:HE3	4:D:3064:LEU:HD21	2.01	0.42
1:A:350:ARG:HG3	1:A:355:ASN:HD22	1.85	0.42
1:A:84:VAL:HG23	1:A:244:THR:HB	2.00	0.42
2:B:1010:ASP:O	2:B:1074:LEU:HD22	2.20	0.42
1:A:291:SER:HB2	1:A:448:ASN:HB3	2.02	0.41
1:A:462:ASN:H	1:A:462:ASN:ND2	2.13	0.41
2:B:1102:ALA:HA	2:B:1116:LEU:HD23	2.02	0.41
3:C:2011:LEU:HD23	3:C:2106:LEU:HD13	2.03	0.41
1:A:476:ARG:O	1:A:480:ARG:HG3	2.20	0.41
2:B:1166:LYS:HD2	2:B:1166:LYS:N	2.36	0.41
2:B:1181:LYS:HB3	2:B:1181:LYS:HE3	1.89	0.41
2:B:1166:LYS:HD2	2:B:1166:LYS:H	1.85	0.41
3:C:2090:GLN:OE1	3:C:2092:ASN:N	2.50	0.40
4:D:3011:VAL:HG21	4:D:3162:PRO:HG3	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:4133:HOH:O	10:A:4133:HOH:O[4_556]	1.55	0.65

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/317 (96%)	284 (94%)	16 (5%)	3 (1%)	12	6
2	B	180/184 (98%)	173 (96%)	7 (4%)	0	100	100
3	C	212/214 (99%)	203 (96%)	9 (4%)	0	100	100
4	D	219/229 (96%)	214 (98%)	5 (2%)	0	100	100
All	All	914/944 (97%)	874 (96%)	37 (4%)	3 (0%)	36	30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	464	GLU
1	A	462	ASN
1	A	398	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/280 (97%)	262 (97%)	9 (3%)	33	28
2	B	165/166 (99%)	153 (93%)	12 (7%)	13	7
3	C	184/184 (100%)	175 (95%)	9 (5%)	22	15
4	D	188/193 (97%)	180 (96%)	8 (4%)	26	20
All	All	808/823 (98%)	770 (95%)	38 (5%)	23	17

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	VAL
1	A	86	LEU
1	A	87	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	226	LEU
1	A	371	ILE
1	A	416	LEU
1	A	462	ASN
1	A	490	LYS
1	A	491	ILE
2	B	1002	LYS
2	B	1037	LEU
2	B	1064	GLN
2	B	1069	LEU
2	B	1074	LEU
2	B	1077	GLU
2	B	1089	GLN
2	B	1096	LEU
2	B	1104	SER
2	B	1109	LEU
2	B	1142	LYS
2	B	1149	LEU
3	C	2073	LEU
3	C	2107	GLU
3	C	2119	ILE
3	C	2127	LEU
3	C	2156	LEU
3	C	2171	LYS
3	C	2183	LEU
3	C	2193	VAL
3	C	2204	SER
4	D	3054	ILE
4	D	3055	LEU
4	D	3064	LEU
4	D	3081	LEU
4	D	3083	LEU
4	D	3165	VAL
4	D	3220	THR
4	D	3221	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	GLN
1	A	246	GLN
1	A	355	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	462	ASN
2	B	1033	GLN
2	B	1040	GLN
3	C	2037	GLN
3	C	2038	GLN
4	D	3003	GLN
4	D	3039	GLN
4	D	3085	ASN
4	D	3179	HIS
4	D	3207	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	GLC	E	1	5	11,11,12	0.54	0	15,15,17	0.78	1 (6%)
5	FRU	E	2	5	11,12,12	0.50	0	10,18,18	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GLC	E	1	5	-	0/2/19/22	0/1/1/1
5	FRU	E	2	5	-	5/5/24/24	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1	GLC	C1-O5-C5	2.07	114.97	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	E	2	FRU	O1-C1-C2-C3
5	E	2	FRU	O1-C1-C2-O2
5	E	2	FRU	O1-C1-C2-O5
5	E	2	FRU	C4-C5-C6-O6
5	E	2	FRU	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	2	FRU	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	839	1	14,14,15	0.54	0	17,19,21	0.81	0
9	IPA	B	4004	-	3,3,3	1.63	1 (33%)	3,3,3	1.33	0
6	NAG	A	741	1	14,14,15	0.59	0	17,19,21	0.84	1 (5%)
6	NAG	A	734	1	14,14,15	0.56	0	17,19,21	0.74	0
6	NAG	A	948	1	14,14,15	0.53	0	17,19,21	0.74	0
6	NAG	A	776	1	14,14,15	0.57	0	17,19,21	0.86	0
7	EDO	C	4002	-	3,3,3	0.44	0	2,2,2	0.37	0
6	NAG	A	762	1	14,14,15	0.60	0	17,19,21	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	A	789	1	14,14,15	0.55	0	17,19,21	0.74	0
6	NAG	A	588	1	14,14,15	0.52	0	17,19,21	0.60	0
6	NAG	A	795	1	14,14,15	0.57	0	17,19,21	0.99	0
6	NAG	A	892	1	14,14,15	0.57	0	17,19,21	0.60	0
7	EDO	A	4001	-	3,3,3	0.39	0	2,2,2	0.38	0
8	HEZ	A	4005	-	7,7,7	0.25	0	6,6,6	0.57	0
6	NAG	A	697	1	14,14,15	0.45	0	17,19,21	0.84	1 (5%)
6	NAG	A	730	1	14,14,15	0.53	0	17,19,21	0.74	0
7	EDO	A	4003	-	3,3,3	0.43	0	2,2,2	0.38	0
6	NAG	A	886	1	14,14,15	0.54	0	17,19,21	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	839	1	-	2/6/23/26	0/1/1/1
6	NAG	A	741	1	-	6/6/23/26	0/1/1/1
6	NAG	A	734	1	-	5/6/23/26	0/1/1/1
6	NAG	A	948	1	-	0/6/23/26	0/1/1/1
6	NAG	A	776	1	-	0/6/23/26	0/1/1/1
7	EDO	C	4002	-	-	0/1/1/1	-
6	NAG	A	762	1	-	0/6/23/26	0/1/1/1
6	NAG	A	789	1	-	0/6/23/26	0/1/1/1
6	NAG	A	588	1	-	5/6/23/26	0/1/1/1
6	NAG	A	795	1	-	2/6/23/26	0/1/1/1
6	NAG	A	892	1	-	3/6/23/26	0/1/1/1
7	EDO	A	4001	-	-	0/1/1/1	-
8	HEZ	A	4005	-	-	4/5/5/5	-
6	NAG	A	697	1	-	5/6/23/26	0/1/1/1
6	NAG	A	730	1	-	2/6/23/26	0/1/1/1
7	EDO	A	4003	-	-	0/1/1/1	-
6	NAG	A	886	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	4004	IPA	C3-C2	-2.37	1.33	1.48

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	741	NAG	C4-C3-C2	2.24	114.30	111.02
6	A	697	NAG	O5-C1-C2	-2.03	108.15	111.29

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	588	NAG	C1-C2-N2-C7
6	A	697	NAG	C3-C2-N2-C7
6	A	697	NAG	C8-C7-N2-C2
6	A	697	NAG	O7-C7-N2-C2
6	A	734	NAG	C8-C7-N2-C2
6	A	734	NAG	O7-C7-N2-C2
6	A	839	NAG	C8-C7-N2-C2
6	A	839	NAG	O7-C7-N2-C2
6	A	886	NAG	C8-C7-N2-C2
6	A	886	NAG	O7-C7-N2-C2
6	A	697	NAG	C4-C5-C6-O6
6	A	697	NAG	O5-C5-C6-O6
6	A	588	NAG	C4-C5-C6-O6
6	A	741	NAG	C8-C7-N2-C2
6	A	741	NAG	C4-C5-C6-O6
6	A	741	NAG	O5-C5-C6-O6
6	A	588	NAG	O5-C5-C6-O6
6	A	741	NAG	O7-C7-N2-C2
6	A	795	NAG	C8-C7-N2-C2
6	A	795	NAG	O7-C7-N2-C2
6	A	892	NAG	C8-C7-N2-C2
6	A	892	NAG	O7-C7-N2-C2
6	A	734	NAG	C4-C5-C6-O6
6	A	588	NAG	C8-C7-N2-C2
8	A	4005	HEZ	C2-C3-C4-C5
6	A	734	NAG	O5-C5-C6-O6
8	A	4005	HEZ	C3-C4-C5-C6
6	A	741	NAG	C1-C2-N2-C7
6	A	588	NAG	O7-C7-N2-C2
6	A	730	NAG	O7-C7-N2-C2
6	A	730	NAG	O5-C5-C6-O6
6	A	734	NAG	C3-C2-N2-C7
6	A	741	NAG	C3-C2-N2-C7
8	A	4005	HEZ	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	4005	HEZ	O1-C1-C2-C3
6	A	892	NAG	O5-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	4004	IPA	1	0
7	C	4002	EDO	1	0
6	A	795	NAG	1	0
8	A	4005	HEZ	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	306/317 (96%)	0.24	27 (8%)	15 16	7, 24, 56, 87	1 (0%)
2	B	181/184 (98%)	0.27	11 (6%)	27 27	11, 29, 51, 61	1 (0%)
3	C	214/214 (100%)	-0.12	1 (0%)	87 89	6, 22, 50, 60	0
4	D	222/229 (96%)	-0.15	10 (4%)	38 38	7, 18, 47, 69	1 (0%)
All	All	923/944 (97%)	0.07	49 (5%)	32 32	6, 23, 53, 87	3 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	399	THR	5.4
4	D	3001	GLU	4.5
1	A	129	ALA	3.9
1	A	84	VAL	3.7
2	B	1103	ASN	3.5
2	B	1130	CYS	3.4
1	A	491	ILE	3.4
3	C	2001	ASP	3.3
1	A	221	ALA	3.2
1	A	410	GLY	3.2
4	D	3229	LYS	3.0
2	B	1104	SER	3.0
4	D	3150	THR	2.9
2	B	1106	THR	2.9
1	A	247	CYS	2.8
1	A	445	CYS	2.8
2	B	1181	LYS	2.8
4	D	3206	THR	2.7
1	A	462	ASN	2.7
1	A	398	SER	2.6
4	D	3205	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	D	3149	GLY	2.5
1	A	355	ASN	2.5
1	A	461	SER	2.5
1	A	119	CYS	2.4
1	A	195	SER	2.4
1	A	196	CYS	2.4
1	A	412	ASP	2.4
1	A	197	ASN	2.3
4	D	3003	GLN	2.3
1	A	222	GLY	2.3
1	A	87	VAL	2.3
1	A	242	VAL	2.3
1	A	411	SER	2.2
4	D	3002	VAL	2.2
2	B	1001	LYS	2.2
4	D	3228	PRO	2.2
2	B	1105	ASP	2.2
1	A	89	VAL	2.2
2	B	1166	LYS	2.2
1	A	127	VAL	2.1
2	B	1107	HIS	2.1
1	A	128	GLY	2.1
1	A	126	CYS	2.1
4	D	3155	CYS	2.1
1	A	396	PHE	2.1
2	B	1088	ASP	2.0
1	A	125	LEU	2.0
2	B	1141	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	FRU	E	2	12/12	0.74	0.15	40,41,41,42	0
5	GLC	E	1	11/12	0.81	0.11	39,40,41,42	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	A	730	14/15	0.34	0.18	58,63,65,65	0
6	NAG	A	588	14/15	0.37	0.17	36,49,52,52	0
6	NAG	A	697	14/15	0.49	0.15	44,48,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	A	839	14/15	0.50	0.18	42,47,48,48	0
6	NAG	A	741	14/15	0.54	0.16	43,47,48,48	0
6	NAG	A	892	14/15	0.54	0.16	38,42,43,44	0
6	NAG	A	734	14/15	0.59	0.18	41,45,47,47	0
6	NAG	A	948	14/15	0.73	0.14	37,39,41,42	0
6	NAG	A	886	14/15	0.77	0.12	30,33,34,35	0
9	IPA	B	4004	4/4	0.78	0.16	31,31,31,31	0
6	NAG	A	776	14/15	0.80	0.12	31,34,36,37	0
8	HEZ	A	4005	8/8	0.81	0.15	41,43,44,45	0
6	NAG	A	789	14/15	0.83	0.10	29,31,33,33	0
6	NAG	A	795	14/15	0.85	0.12	23,26,28,28	0
7	EDO	C	4002	4/4	0.85	0.13	32,33,33,33	0
7	EDO	A	4003	4/4	0.89	0.13	31,31,32,32	0
6	NAG	A	762	14/15	0.90	0.09	21,25,27,28	0
7	EDO	A	4001	4/4	0.97	0.06	16,17,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.