



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:11 PM UTC

PDB ID : 5NXH / pdb_00005nxh
Title : Crystal structure of the carboxy-terminal region of the bacteriophage T4 proximal long tail fibre protein gp34, residues 744-1289 at 2.9 Angstrom resolution
Authors : Namura, M.; van Raaij, M.J.; Kanamaru, S.
Deposited on : 2017-05-10
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	564	6% 84% 12% ..
1	B	564	4% 82% 14% ..
1	C	564	5% 84% 12% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 12797 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Long-tail fiber proximal subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	546	Total	C	N	O	S	0	0	0
			4147	2586	722	834	5			
1	B	546	Total	C	N	O	S	0	0	0
			4147	2586	722	834	5			
1	C	546	Total	C	N	O	S	0	0	0
			4147	2586	722	834	5			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	105	Total 105	O 105	0	0
3	B	126	Total 126	O 126	0	0
3	C	119	Total 119	O 119	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Long-tail fiber proximal subunit



- Molecule 1: Long-tail fiber proximal subunit



- Molecule 1: Long-tail fiber proximal subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.30Å 76.13Å 139.87Å 90.00° 97.62° 90.00°	Depositor
Resolution (Å)	45.18 – 2.89 45.18 – 2.89	Depositor EDS
% Data completeness (in resolution range)	96.5 (45.18-2.89) 96.7 (45.18-2.89)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.92 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.200 , 0.263 0.206 , 0.263	Depositor DCC
R_{free} test set	1911 reflections (3.77%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12797	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/4227	0.90	2/5754 (0.0%)
1	B	0.75	0/4227	0.91	5/5754 (0.1%)
1	C	0.74	0/4227	0.90	4/5754 (0.1%)
All	All	0.74	0/12681	0.90	11/17262 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	751	GLY	N-CA-C	6.91	120.72	110.42
1	A	751	GLY	N-CA-C	6.89	120.57	110.38
1	B	1288	VAL	N-CA-C	6.89	117.85	111.45
1	C	751	GLY	N-CA-C	6.82	120.70	110.75
1	B	746	ASN	N-CA-C	5.72	116.95	108.60
1	C	1181	ARG	N-CA-C	5.20	117.57	110.24
1	B	1049	ALA	N-CA-C	-5.19	105.53	111.14
1	A	1049	ALA	N-CA-C	-5.08	105.39	111.03
1	B	1062	PHE	N-CA-C	5.07	116.78	109.07
1	C	1062	PHE	N-CA-C	5.05	116.75	109.07
1	C	1049	ALA	N-CA-C	-5.05	105.69	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4147	0	4052	61	0
1	B	4147	0	4052	60	0
1	C	4147	0	4052	62	0
2	B	6	0	8	0	0
3	A	105	0	0	4	0
3	B	126	0	0	1	0
3	C	119	0	0	0	0
All	All	12797	0	12164	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:745:ALA:HB2	1:B:753:LEU:HD21	1.40	1.03
1:B:834:THR:HG21	1:C:858:LYS:O	1.74	0.85
1:A:776:LEU:HD13	1:A:777:LEU:HD23	1.65	0.78
1:B:985:THR:HG22	1:C:966:MET:HE2	1.67	0.77
1:B:1207:THR:O	1:B:1216:THR:HG23	1.85	0.77
1:A:789:ILE:CG2	1:B:789:ILE:HD11	2.18	0.72
1:A:775:LYS:NZ	1:B:767:ASP:OD1	2.23	0.72
1:B:1216:THR:HG21	1:C:1222:THR:OG1	1.92	0.69
1:A:1258:MET:HE2	1:B:1261:LEU:HD11	1.74	0.69
1:A:819:GLU:OE2	1:A:821:THR:HG22	1.93	0.68
1:A:745:ALA:HB2	1:A:751:GLY:HA3	1.77	0.66
1:A:840:THR:HG21	1:A:867:GLU:HG3	1.77	0.66
1:A:766:LEU:HD13	1:A:769:VAL:HG21	1.78	0.65
1:C:844:ASN:C	1:C:874:ASN:HD21	2.04	0.65
1:A:985:THR:HG22	1:B:966:MET:HE2	1.79	0.64
1:A:823:ALA:HB2	1:B:829:ARG:NH1	2.13	0.63
1:A:897:ILE:HD12	1:C:897:ILE:HB	1.81	0.62
1:A:966:MET:HE3	1:C:987:PHE:HB2	1.80	0.61
1:A:1013:GLY:N	1:B:1018:ILE:HD12	2.16	0.61
1:C:922:VAL:O	1:C:922:VAL:HG13	2.01	0.60
1:A:770:LEU:CD2	1:C:770:LEU:HD21	2.32	0.60
1:A:782:THR:C	1:C:791:VAL:HG12	2.27	0.60
1:A:966:MET:HE2	1:C:985:THR:HG22	1.85	0.59
1:B:897:ILE:HB	1:C:897:ILE:HD12	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1211:THR:HG22	1:A:1212:PRO:HD2	1.87	0.56
1:A:1026:MET:HE1	1:C:1026:MET:SD	2.45	0.56
1:B:933:LEU:HD23	1:B:934:ALA:N	2.20	0.56
1:A:745:ALA:HB2	1:A:751:GLY:CA	2.35	0.55
1:C:745:ALA:HB2	1:C:751:GLY:CA	2.37	0.55
1:C:933:LEU:HD23	1:C:934:ALA:N	2.22	0.55
1:B:752:THR:HG1	1:C:751:GLY:C	2.15	0.55
1:B:765:THR:O	1:B:766:LEU:HG	2.07	0.55
1:C:1181:ARG:NH2	1:C:1247:ASP:OD2	2.40	0.54
1:C:886:ASN:O	1:C:887:LEU:HD12	2.08	0.54
1:B:797:THR:HG22	1:B:815:ILE:CD1	2.38	0.54
1:C:868:LEU:O	1:C:871:VAL:HG12	2.08	0.53
1:B:773:PRO:HA	1:C:771:ILE:HD11	1.91	0.53
1:B:752:THR:OG1	1:C:751:GLY:C	2.51	0.53
1:B:905:VAL:O	1:C:912:THR:HG22	2.09	0.53
1:A:933:LEU:HD23	1:A:934:ALA:N	2.23	0.52
1:A:771:ILE:HD13	1:C:776:LEU:HD22	1.92	0.52
1:A:770:LEU:HD23	1:C:770:LEU:HD21	1.92	0.52
1:A:789:ILE:HG22	1:B:789:ILE:HD11	1.92	0.52
1:A:1143:THR:HG21	3:A:1345:HOH:O	2.10	0.52
1:B:781:SER:HB3	1:B:789:ILE:HG23	1.91	0.52
1:A:886:ASN:O	1:A:887:LEU:HD12	2.09	0.52
1:C:781:SER:HB3	1:C:789:ILE:HG23	1.92	0.52
1:B:1258:MET:HE2	1:C:1261:LEU:HD11	1.92	0.51
1:C:921:LEU:HD23	1:C:922:VAL:N	2.26	0.51
1:B:1034:PHE:HB3	3:B:1409:HOH:O	2.11	0.51
1:B:772:THR:HG23	1:B:773:PRO:HD2	1.91	0.51
1:B:797:THR:HG22	1:B:815:ILE:HD12	1.93	0.51
1:C:745:ALA:HB2	1:C:751:GLY:HA3	1.93	0.51
1:B:921:LEU:HD23	1:B:922:VAL:N	2.25	0.51
1:C:797:THR:HG22	1:C:815:ILE:CD1	2.41	0.51
1:A:1206:ILE:HD12	1:A:1206:ILE:N	2.27	0.50
1:C:1206:ILE:N	1:C:1206:ILE:HD12	2.27	0.50
1:A:1287:TRP:CZ3	1:C:1281:LYS:HA	2.46	0.50
1:B:1206:ILE:HD12	1:B:1206:ILE:N	2.27	0.50
1:A:868:LEU:C	1:A:868:LEU:HD13	2.37	0.50
1:B:789:ILE:CD1	1:C:789:ILE:HD11	2.42	0.49
1:B:893:SER:HB3	1:C:888:LEU:HD22	1.94	0.49
1:B:789:ILE:O	1:C:781:SER:OG	2.17	0.49
1:A:788:VAL:HG13	1:B:787:GLY:CA	2.43	0.49
1:A:829:ARG:HE	1:C:831:PHE:HB2	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1211:THR:HG22	1:A:1212:PRO:CD	2.41	0.49
1:A:1261:LEU:HD11	1:C:1258:MET:HE2	1.94	0.49
3:A:1353:HOH:O	1:B:1249:GLY:HA2	2.11	0.49
1:B:886:ASN:O	1:B:887:LEU:HD12	2.11	0.49
1:C:1258:MET:HE3	1:C:1261:LEU:HB2	1.94	0.49
1:A:1267:LEU:HD11	1:C:1263:ILE:HD12	1.95	0.49
1:A:1147:TRP:CZ3	1:A:1149:ILE:HD12	2.49	0.48
1:B:911:LEU:HD12	1:B:911:LEU:N	2.29	0.48
1:A:1143:THR:CG2	3:A:1345:HOH:O	2.62	0.47
1:B:1147:TRP:CZ3	1:B:1149:ILE:HD12	2.49	0.47
1:B:832:VAL:HG21	1:B:862:ALA:HB2	1.96	0.47
1:A:893:SER:HB2	1:B:889:ASP:HB2	1.97	0.47
1:B:906:ASN:HA	1:C:912:THR:HG22	1.97	0.47
1:B:1258:MET:CE	1:C:1261:LEU:HD11	2.44	0.47
1:B:789:ILE:HD12	1:B:806:ALA:HB2	1.97	0.46
1:C:844:ASN:O	1:C:874:ASN:ND2	2.32	0.46
1:B:752:THR:OG1	1:C:751:GLY:CA	2.63	0.46
1:A:777:LEU:HG	1:B:764:GLY:HA3	1.96	0.46
1:C:1147:TRP:CZ3	1:C:1149:ILE:HD12	2.50	0.46
1:A:834:THR:HG21	1:B:859:ASN:HA	1.98	0.46
1:C:832:VAL:HG21	1:C:862:ALA:HB2	1.96	0.46
1:A:832:VAL:HG21	1:A:862:ALA:HB2	1.96	0.45
1:A:901:ILE:HG22	1:A:902:ALA:N	2.31	0.45
1:A:1018:ILE:HA	1:B:1023:SER:OG	2.17	0.45
1:A:789:ILE:HG21	1:B:789:ILE:HD11	1.97	0.45
1:A:770:LEU:HD13	1:B:770:LEU:CD2	2.47	0.45
1:A:789:ILE:HD13	1:A:806:ALA:HB2	1.99	0.45
1:A:949:SER:HB3	3:A:1310:HOH:O	2.16	0.45
1:A:1272:VAL:HG11	1:C:1283:VAL:HG11	2.00	0.44
1:B:975:PHE:CD1	1:C:957:ALA:HB1	2.53	0.44
1:C:888:LEU:HD23	1:C:889:ASP:N	2.32	0.44
1:A:946:ALA:HB1	1:A:947:PRO:HD2	1.99	0.44
1:A:954:LYS:O	1:A:961:ASN:ND2	2.51	0.44
1:C:797:THR:HG22	1:C:815:ILE:HD12	2.00	0.43
1:C:954:LYS:O	1:C:961:ASN:ND2	2.51	0.43
1:C:1166:MET:HE3	1:C:1179:LEU:HB3	1.99	0.43
1:A:776:LEU:CD1	1:A:777:LEU:HD23	2.44	0.43
1:B:1121:ASN:HA	1:B:1122:SER:HA	1.74	0.43
1:A:770:LEU:HD22	1:C:770:LEU:HD21	2.00	0.43
1:C:757:THR:HG22	1:C:760:GLU:OE1	2.19	0.43
1:A:953:GLU:OE1	1:C:942:ARG:HA	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:954:LYS:O	1:B:961:ASN:ND2	2.51	0.43
1:A:962:PRO:HG3	1:C:970:VAL:HG12	1.99	0.43
1:B:776:LEU:HD11	1:C:776:LEU:CD1	2.49	0.43
1:B:823:ALA:HB2	1:C:829:ARG:NH1	2.33	0.43
1:B:906:ASN:HA	1:C:912:THR:CG2	2.49	0.42
1:C:1269:ILE:O	1:C:1272:VAL:HG12	2.20	0.42
1:A:807:VAL:HG23	1:C:807:VAL:O	2.18	0.42
1:B:1263:ILE:HD12	1:C:1267:LEU:HD11	2.01	0.42
1:B:757:THR:HG22	1:B:760:GLU:OE1	2.20	0.42
1:A:1099:ILE:HD12	1:B:1101:ILE:HG23	2.02	0.42
1:A:911:LEU:HD12	1:A:911:LEU:N	2.35	0.42
1:A:1121:ASN:HA	1:A:1122:SER:HA	1.71	0.41
1:B:1066:ASP:O	1:B:1067:ALA:HB3	2.20	0.41
1:A:1272:VAL:HG11	1:C:1283:VAL:CG1	2.50	0.41
1:B:789:ILE:HG13	1:C:789:ILE:HD11	2.03	0.41
1:A:1281:LYS:HA	1:B:1287:TRP:CZ3	2.56	0.41
1:B:1194:PHE:HB2	1:B:1202:TYR:CZ	2.57	0.41
1:C:946:ALA:HB1	1:C:947:PRO:HD2	2.03	0.41
1:A:911:LEU:HD23	1:A:915:THR:HB	2.03	0.40
1:B:755:VAL:HA	1:B:770:LEU:HB2	2.02	0.40
1:A:1269:ILE:O	1:A:1272:VAL:HG12	2.21	0.40
1:A:755:VAL:HA	1:A:770:LEU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	544/564 (96%)	522 (96%)	22 (4%)	0	100	100
1	B	544/564 (96%)	521 (96%)	22 (4%)	1 (0%)	43	72
1	C	544/564 (96%)	519 (95%)	25 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1632/1692 (96%)	1562 (96%)	69 (4%)	1 (0%)	48 77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	766	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	452/468 (97%)	436 (96%)	16 (4%)	32 66
1	B	452/468 (97%)	432 (96%)	20 (4%)	25 59
1	C	452/468 (97%)	433 (96%)	19 (4%)	26 60
All	All	1356/1404 (97%)	1301 (96%)	55 (4%)	27 61

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	758	GLN
1	A	776	LEU
1	A	783	GLU
1	A	840	THR
1	A	842	VAL
1	A	868	LEU
1	A	870	ARG
1	A	889	ASP
1	A	915	THR
1	A	975	PHE
1	A	981	THR
1	A	993	THR
1	A	1002	ASN
1	A	1154	SER
1	A	1211	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1254	ASP
1	B	744	GLU
1	B	755	VAL
1	B	758	GLN
1	B	769	VAL
1	B	789	ILE
1	B	796	GLU
1	B	840	THR
1	B	842	VAL
1	B	889	ASP
1	B	915	THR
1	B	932	SER
1	B	981	THR
1	B	993	THR
1	B	1010	ASN
1	B	1154	SER
1	B	1183	GLU
1	B	1211	THR
1	B	1254	ASP
1	B	1258	MET
1	B	1269	ILE
1	C	744	GLU
1	C	758	GLN
1	C	769	VAL
1	C	770	LEU
1	C	771	ILE
1	C	789	ILE
1	C	840	THR
1	C	842	VAL
1	C	878	LEU
1	C	888	LEU
1	C	889	ASP
1	C	928	GLU
1	C	932	SER
1	C	981	THR
1	C	993	THR
1	C	1010	ASN
1	C	1154	SER
1	C	1211	THR
1	C	1264	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	811	ASN
1	A	859	ASN
1	A	874	ASN
1	A	895	GLN
1	A	914	GLN
1	A	936	ASN
1	A	961	ASN
1	A	964	GLN
1	A	1094	ASN
1	A	1224	GLN
1	A	1235	GLN
1	B	859	ASN
1	B	874	ASN
1	B	914	GLN
1	B	961	ASN
1	B	1010	ASN
1	B	1098	GLN
1	C	859	ASN
1	C	913	GLN
1	C	914	GLN
1	C	961	ASN
1	C	964	GLN
1	C	1010	ASN
1	C	1159	GLN
1	C	1224	GLN
1	C	1241	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	B	1301	-	5,5,5	0.29	0	5,5,5	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	1301	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1301	GOL	C1-C2-C3-O3
2	B	1301	GOL	O2-C2-C3-O3
2	B	1301	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	546/564 (96%)	0.38	33 (6%) 27 21	25, 66, 117, 153	0
1	B	546/564 (96%)	0.32	23 (4%) 40 32	20, 62, 117, 176	0
1	C	546/564 (96%)	0.34	26 (4%) 35 28	23, 63, 120, 157	0
All	All	1638/1692 (96%)	0.35	82 (5%) 34 27	20, 64, 118, 176	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	901	ILE	4.0
1	C	756	ALA	3.7
1	B	891	LEU	3.4
1	C	753	LEU	3.4
1	A	847	VAL	3.3
1	C	803	ALA	3.3
1	C	762	ALA	3.3
1	B	907	GLY	3.3
1	A	761	ALA	3.2
1	B	1282	THR	3.2
1	C	755	VAL	3.2
1	B	753	LEU	3.1
1	A	765	THR	3.1
1	A	770	LEU	3.1
1	A	766	LEU	3.1
1	B	775	LYS	3.0
1	A	762	ALA	2.9
1	A	784	ALA	2.8
1	C	873	ALA	2.8
1	A	1279	VAL	2.7
1	C	822	TRP	2.7
1	B	822	TRP	2.7
1	B	1277	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	756	ALA	2.7
1	B	1276	PRO	2.6
1	B	771	ILE	2.6
1	A	900	ASP	2.6
1	B	835	SER	2.6
1	C	923	SER	2.6
1	A	1288	VAL	2.5
1	A	760	GLU	2.5
1	B	880	ALA	2.5
1	A	779	THR	2.5
1	C	767	ASP	2.5
1	C	779	THR	2.5
1	B	750	ARG	2.5
1	C	874	ASN	2.5
1	B	770	LEU	2.5
1	C	826	THR	2.5
1	A	755	VAL	2.4
1	A	781	SER	2.4
1	C	769	VAL	2.4
1	A	754	ARG	2.4
1	A	769	VAL	2.4
1	C	801	THR	2.4
1	A	886	ASN	2.3
1	C	899	ARG	2.3
1	A	883	ALA	2.3
1	A	948	THR	2.3
1	C	752	THR	2.3
1	C	938	THR	2.3
1	B	1278	PRO	2.3
1	A	849	SER	2.3
1	C	960	ALA	2.2
1	B	785	GLN	2.2
1	A	752	THR	2.2
1	A	919	ALA	2.2
1	C	745	ALA	2.2
1	B	856	TYR	2.2
1	B	878	LEU	2.2
1	C	878	LEU	2.2
1	B	842	VAL	2.2
1	B	836	SER	2.2
1	A	867	GLU	2.2
1	C	786	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	749	GLN	2.1
1	A	871	VAL	2.1
1	A	881	LYS	2.1
1	A	882	ALA	2.1
1	C	845	ASP	2.1
1	A	912	THR	2.1
1	C	978	GLY	2.1
1	A	763	ALA	2.1
1	B	901	ILE	2.1
1	C	791	VAL	2.1
1	C	847	VAL	2.1
1	A	753	LEU	2.1
1	C	789	ILE	2.1
1	B	1283	VAL	2.0
1	B	870	ARG	2.0
1	A	892	ASP	2.0
1	A	791	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	B	1301	6/6	0.92	0.09	50,60,64,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.