



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:10 PM UTC

PDB ID : 6NXB / pdb_00006nxb
Title : ECAII IN COMPLEX WITH CITRATE AT PH 7
Authors : Lubkowski, J.; Wlodawer, A.
Deposited on : 2019-02-08
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	4% 86% 10% ..
1	B	333	3% 80% 13% 6%
1	C	333	2% 83% 11% 5%
1	D	333	3% 85% 11% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CIT	C	401	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-asparaginase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	326	Total	C	N	O	S	0	4	0
			2464	1540	424	491	9			
1	B	314	Total	C	N	O	S	0	3	0
			2379	1487	410	474	8			
1	C	315	Total	C	N	O	S	0	4	0
			2390	1494	411	476	9			
1	D	321	Total	C	N	O	S	0	5	0
			2424	1511	416	489	8			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P00805
A	-5	HIS	-	expression tag	UNP P00805
A	-4	HIS	-	expression tag	UNP P00805
A	-3	HIS	-	expression tag	UNP P00805
A	-2	HIS	-	expression tag	UNP P00805
A	-1	HIS	-	expression tag	UNP P00805
A	0	HIS	-	expression tag	UNP P00805
B	-6	MET	-	initiating methionine	UNP P00805
B	-5	HIS	-	expression tag	UNP P00805
B	-4	HIS	-	expression tag	UNP P00805
B	-3	HIS	-	expression tag	UNP P00805
B	-2	HIS	-	expression tag	UNP P00805
B	-1	HIS	-	expression tag	UNP P00805
B	0	HIS	-	expression tag	UNP P00805
C	-6	MET	-	initiating methionine	UNP P00805
C	-5	HIS	-	expression tag	UNP P00805
C	-4	HIS	-	expression tag	UNP P00805
C	-3	HIS	-	expression tag	UNP P00805
C	-2	HIS	-	expression tag	UNP P00805
C	-1	HIS	-	expression tag	UNP P00805
C	0	HIS	-	expression tag	UNP P00805

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-6	MET	-	initiating methionine	UNP P00805
D	-5	HIS	-	expression tag	UNP P00805
D	-4	HIS	-	expression tag	UNP P00805
D	-3	HIS	-	expression tag	UNP P00805
D	-2	HIS	-	expression tag	UNP P00805
D	-1	HIS	-	expression tag	UNP P00805
D	0	HIS	-	expression tag	UNP P00805

- Molecule 2 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	6	7		
2	B	1	Total	C	O	0	0
			13	6	7		
2	C	1	Total	C	O	0	0
			13	6	7		
2	C	1	Total	C	O	0	0
			13	6	7		
2	D	1	Total	C	O	0	0
			13	6	7		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	314	Total	O	0	2
			316	316		
4	B	250	Total	O	0	1
			251	251		
4	C	354	Total	O	0	3
			357	357		
4	D	389	Total	O	0	3
			392	392		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: L-asparaginase 2




• Molecule 1: L-asparaginase 2



• Molecule 1: L-asparaginase 2



• Molecule 1: L-asparaginase 2





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	151.35Å 62.35Å 142.67Å 90.00° 118.04° 90.00°	Depositor
Resolution (Å)	22.85 – 1.75 22.85 – 1.75	Depositor EDS
% Data completeness (in resolution range)	97.7 (22.85-1.75) 97.7 (22.85-1.75)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.141 , 0.192 (Not available) , 0.184	Depositor DCC
R_{free} test set	2992 reflections (2.52%)	wwPDB-VP
Wilson B-factor (Å ²)	19.7	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11044	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.46	14/2516 (0.6%)	1.46	10/3424 (0.3%)
1	B	1.47	16/2428 (0.7%)	1.49	14/3307 (0.4%)
1	C	1.43	8/2441 (0.3%)	1.47	13/3324 (0.4%)
1	D	1.49	13/2478 (0.5%)	1.52	13/3374 (0.4%)
All	All	1.46	51/9863 (0.5%)	1.49	50/13429 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	10	GLY	C-O	12.44	1.33	1.24
1	D	258	ALA	C-O	8.82	1.34	1.24
1	D	121	MET	C-O	8.76	1.34	1.23
1	A	4	ILE	C-O	8.32	1.33	1.24
1	D	73	ILE	C-O	7.89	1.32	1.24
1	B	98	PHE	C-O	7.85	1.33	1.24
1	B	280	GLN	C-O	7.55	1.34	1.23
1	B	87	HIS	CE1-NE2	7.18	1.39	1.32
1	A	219	ASN	C-O	7.12	1.32	1.23
1	C	188	ASP	CG-OD2	-6.97	1.12	1.25
1	D	251	LYS	C-O	6.70	1.32	1.24
1	B	85	ILE	C-O	6.69	1.31	1.24
1	C	229	LYS	C-O	6.64	1.31	1.24
1	B	87	HIS	CG-ND1	6.41	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	135	THR	C-O	6.20	1.31	1.24
1	D	220	TYR	C-O	6.09	1.30	1.23
1	C	-3	HIS	CE1-NE2	6.05	1.38	1.32
1	D	45	ILE	C-O	-6.03	1.17	1.24
1	B	217	VAL	C-O	-5.96	1.17	1.24
1	C	149	VAL	C-O	5.93	1.30	1.24
1	B	121	MET	C-O	5.92	1.31	1.23
1	B	95	THR	C-O	5.77	1.30	1.24
1	D	15	GLY	C-O	5.77	1.30	1.23
1	A	28	GLY	C-O	5.76	1.30	1.23
1	A	121[A]	MET	C-O	5.70	1.30	1.23
1	A	121[B]	MET	C-O	5.70	1.30	1.23
1	A	66	TRP	C-O	-5.67	1.17	1.24
1	D	128	ASN	C-O	-5.60	1.17	1.24
1	C	117	PRO	C-O	5.60	1.30	1.23
1	A	2	PRO	C-O	-5.57	1.17	1.23
1	B	73	ILE	C-O	5.56	1.30	1.24
1	A	280	GLN	C-O	5.54	1.31	1.23
1	A	42	LEU	C-O	-5.53	1.17	1.24
1	D	0	HIS	CE1-NE2	5.46	1.38	1.32
1	C	277	ALA	C-O	5.44	1.30	1.23
1	B	307	GLN	C-O	5.38	1.30	1.24
1	A	65	VAL	C-O	5.37	1.30	1.24
1	C	310	LEU	C-O	5.29	1.30	1.24
1	A	8	ALA	C-O	5.26	1.30	1.23
1	D	79	LYS	C-O	-5.25	1.17	1.24
1	D	180	GLY	C-O	-5.25	1.18	1.24
1	B	252	SER	CA-CB	-5.24	1.45	1.53
1	A	216	ILE	C-O	-5.21	1.18	1.24
1	B	226	LEU	N-CA	5.17	1.51	1.46
1	C	173	SER	C-O	5.14	1.30	1.23
1	B	198	THR	C-O	5.13	1.30	1.24
1	B	309	ALA	C-O	5.12	1.30	1.24
1	D	51	GLU	C-O	-5.09	1.18	1.24
1	B	270	SER	C-O	5.05	1.31	1.24
1	D	92	MET	C-O	-5.05	1.18	1.24
1	B	88	GLY	C-O	5.04	1.30	1.23

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	152	ASP	CA-CB-CG	8.08	120.68	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	63	ASP	CA-CB-CG	7.57	120.17	112.60
1	A	304	VAL	N-CA-C	-7.54	103.18	110.42
1	C	63	ASP	CA-CB-CG	7.11	119.71	112.60
1	D	209	ASN	CA-CB-CG	-6.92	105.68	112.60
1	C	87	HIS	CA-CB-CG	6.82	120.62	113.80
1	D	12	THR	CA-CB-OG1	-6.68	99.57	109.60
1	C	291	PHE	CA-CB-CG	6.51	120.31	113.80
1	D	152	ASP	CA-CB-CG	6.50	119.10	112.60
1	A	325	GLN	CB-CG-CD	-6.42	101.68	112.60
1	A	188	ASP	CA-CB-CG	-6.34	106.26	112.60
1	B	291	PHE	CA-CB-CG	6.16	119.96	113.80
1	C	188	ASP	CA-CB-CG	-6.16	106.44	112.60
1	C	276	GLY	CA-C-O	-5.93	118.14	122.23
1	A	65	VAL	N-CA-C	-5.85	104.80	110.42
1	D	100	ASP	CA-CB-CG	5.84	118.44	112.60
1	C	321	GLN	N-CA-C	-5.83	104.84	111.14
1	C	59	GLN	OE1-CD-NE2	-5.81	116.79	122.60
1	D	232	VAL	CA-C-O	-5.79	114.71	120.85
1	B	57	GLY	N-CA-C	-5.74	103.73	111.54
1	D	-1	HIS	CA-C-N	5.74	131.55	122.94
1	D	-1	HIS	C-N-CA	5.74	131.55	122.94
1	C	152	ASP	CA-CB-CG	5.71	118.31	112.60
1	C	13	ILE	N-CA-C	-5.67	107.25	113.43
1	C	69	LEU	CA-C-O	-5.62	114.92	120.82
1	D	209	ASN	CB-CG-ND2	-5.60	108.00	116.40
1	B	176	TYR	CA-C-O	-5.55	112.63	119.18
1	B	199	SER	N-CA-C	-5.55	106.48	113.20
1	B	315	ASP	CA-CB-CG	5.48	118.08	112.60
1	B	97	TYR	CA-C-O	-5.46	114.63	120.42
1	A	-2	HIS	CA-CB-CG	5.42	119.22	113.80
1	A	13	ILE	N-CA-C	-5.28	107.83	112.90
1	B	143	ASN	CA-CB-CG	-5.26	107.34	112.60
1	D	69	LEU	CA-C-O	-5.22	115.32	120.70
1	B	33	GLU	CA-C-N	5.22	127.80	120.28
1	B	33	GLU	C-N-CA	5.22	127.80	120.28
1	B	100	ASP	CA-CB-CG	5.21	117.81	112.60
1	A	27	VAL	CA-C-O	-5.20	115.12	121.04
1	B	12	THR	CA-C-O	-5.18	115.51	121.47
1	B	188	ASP	CA-CB-CG	-5.14	107.46	112.60
1	A	80	THR	CA-C-O	-5.10	115.99	121.45
1	D	21	THR	CA-CB-OG1	-5.07	102.00	109.60
1	B	272	ARG	N-CA-C	-5.07	106.93	113.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	282	ALA	CA-C-O	-5.07	114.73	119.34
1	C	170	THR	N-CA-C	5.06	117.46	111.33
1	B	167	ASP	CA-CB-CG	5.04	117.64	112.60
1	D	-3	HIS	CA-CB-CG	5.04	118.84	113.80
1	D	192	THR	O-C-N	-5.04	118.32	121.85
1	C	181	TYR	CA-C-O	5.02	126.83	121.16
1	A	0	HIS	CA-CB-CG	5.01	118.81	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	283	GLU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2464	0	2459	13	0
1	B	2379	0	2363	13	0
1	C	2390	0	2379	14	0
1	D	2424	0	2403	8	0
2	A	13	0	5	1	0
2	B	13	0	5	1	0
2	C	26	0	10	0	0
2	D	13	0	5	1	0
3	A	6	0	8	0	0
4	A	316	0	0	5	1
4	B	251	0	0	2	2
4	C	357	0	0	3	2
4	D	392	0	0	0	1
All	All	11044	0	9637	44	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:317[B]:GLN:HG2	4:C:511:HOH:O	1.62	0.99
1:A:283:GLU:HG3	2:B:401:CIT:O3	1.73	0.88
1:B:265:THR:OG1	4:B:501:HOH:O	1.92	0.85
2:A:401:CIT:O4	1:B:283:GLU:HG3	1.80	0.80
4:A:621:HOH:O	1:B:251:LYS:CE	2.35	0.73
1:C:143:ASN:OD1	4:C:501:HOH:O	2.11	0.67
1:A:26:THR:OG1	1:C:121[B]:MET:HG3	2.01	0.60
1:A:312:GLN:NE2	4:A:508:HOH:O	2.37	0.57
1:A:321:GLN:HG2	4:A:580:HOH:O	2.07	0.55
4:A:621:HOH:O	1:B:251:LYS:HE3	2.03	0.54
1:B:259:THR:O	1:B:263:THR:HG23	2.08	0.53
1:B:226:LEU:HB2	1:B:227:PRO:HD3	1.93	0.50
1:C:182:ILE:HG12	1:C:187:ILE:HG12	1.93	0.50
1:B:260:ALA:HB1	1:B:265:THR:HB	1.93	0.49
1:A:-2:HIS:NE2	1:A:0:HIS:HB3	2.27	0.49
1:C:225:ASP:OD2	1:C:229:LYS:HE3	2.12	0.49
1:B:106[B]:ASP:OD1	1:B:107:LYS:HG3	2.13	0.48
1:A:73:ILE:HD11	1:A:85:ILE:HD11	1.95	0.47
1:A:27:VAL:HB	1:C:119:THR:HB	1.95	0.47
1:A:325:GLN:NE2	4:A:518:HOH:O	2.48	0.46
1:D:182:ILE:HG12	1:D:187:ILE:HG12	1.97	0.46
1:B:182:ILE:HG12	1:B:187:ILE:HG12	1.97	0.46
1:A:84:VAL:HA	1:A:110:VAL:O	2.15	0.45
1:B:103:VAL:O	1:B:198:THR:HA	2.17	0.45
1:C:283:GLU:HG3	2:D:401:CIT:O4	2.17	0.45
1:C:84:VAL:HA	1:C:110:VAL:O	2.18	0.44
1:D:13:ILE:O	1:D:125:GLY:HA3	2.17	0.44
1:D:84:VAL:HA	1:D:110:VAL:O	2.18	0.43
1:B:6:ILE:HA	1:B:84:VAL:O	2.19	0.43
1:C:13:ILE:O	1:C:125:GLY:HA3	2.18	0.42
1:C:321:GLN:HG2	4:C:511:HOH:O	2.19	0.42
1:D:111:MET:HE2	1:D:111:MET:HB3	1.93	0.42
1:A:182:ILE:HG12	1:A:187:ILE:HG12	2.02	0.42
1:A:103:VAL:O	1:A:198:THR:HA	2.20	0.42
1:A:121[B]:MET:HE2	1:A:121[B]:MET:HB3	1.74	0.42
1:B:31:GLY:O	1:B:34:ASN:HB3	2.20	0.42
1:A:61:MET:HE3	1:A:87:HIS:NE2	2.35	0.41
1:B:195:ARG:HB2	4:B:717:HOH:O	2.20	0.41
1:C:36:VAL:O	1:C:40:PRO:HA	2.19	0.41
1:C:214:VAL:HA	1:C:238:GLY:O	2.21	0.41
1:D:58:SER:HB3	1:D:88:GLY:HA3	2.02	0.41
1:C:164:ASN:HA	1:D:275:THR:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:227:PRO:HB3	1:D:227:PRO:HB3	2.02	0.40
1:D:103:VAL:O	1:D:198:THR:HA	2.22	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:680:HOH:O	4:C:680:HOH:O[2_556]	0.63	1.57
4:A:590:HOH:O	4:A:590:HOH:O[2_555]	0.70	1.50
4:B:508:HOH:O	4:B:508:HOH:O[2_555]	1.14	1.06
4:C:803:HOH:O	4:D:818:HOH:O[1_565]	2.05	0.15
4:B:649:HOH:O	4:B:717:HOH:O[2_555]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/333 (98%)	321 (98%)	5 (2%)	0	100	100
1	B	313/333 (94%)	305 (97%)	8 (3%)	0	100	100
1	C	315/333 (95%)	309 (98%)	6 (2%)	0	100	100
1	D	322/333 (97%)	314 (98%)	8 (2%)	0	100	100
All	All	1276/1332 (96%)	1249 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/273 (66%)	178 (99%)	2 (1%)	65	52
1	B	145/273 (53%)	140 (97%)	5 (3%)	32	13
1	C	86/273 (32%)	85 (99%)	1 (1%)	63	49
1	D	233/273 (85%)	231 (99%)	2 (1%)	70	60
All	All	644/1092 (59%)	634 (98%)	10 (2%)	59	38

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LYS
1	A	222	ASN
1	B	106[A]	ASP
1	B	106[B]	ASP
1	B	139	LYS
1	B	222	ASN
1	B	227	PRO
1	C	43	LYS
1	D	222	ASN
1	D	251	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	318	GLN
1	D	64	ASN
1	D	143	ASN
1	D	318	GLN
1	D	324	ASN
1	D	325	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CIT	D	401	-	12,12,12	1.57	2 (16%)	17,17,17	1.35	3 (17%)
2	CIT	B	401	-	12,12,12	1.64	3 (25%)	17,17,17	1.77	6 (35%)
2	CIT	A	401	-	12,12,12	1.51	2 (16%)	17,17,17	1.35	2 (11%)
3	GOL	A	402	-	5,5,5	0.17	0	5,5,5	0.50	0
2	CIT	C	402	-	12,12,12	1.42	1 (8%)	17,17,17	1.94	7 (41%)
2	CIT	C	401	-	12,12,12	1.36	3 (25%)	17,17,17	1.96	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIT	D	401	-	-	0/16/16/16	-
2	CIT	B	401	-	-	8/16/16/16	-
2	CIT	A	401	-	-	0/16/16/16	-
3	GOL	A	402	-	-	4/4/4/4	-
2	CIT	C	402	-	-	8/16/16/16	-
2	CIT	C	401	-	-	8/16/16/16	-

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	CIT	O1-C1	3.86	1.34	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	CIT	C3-C6	3.62	1.57	1.53
2	D	401	CIT	O3-C5	3.32	1.32	1.22
2	C	402	CIT	C3-C6	3.24	1.56	1.53
2	C	401	CIT	O1-C1	2.67	1.30	1.22
2	D	401	CIT	O1-C1	2.64	1.30	1.22
2	B	401	CIT	O5-C6	2.52	1.30	1.22
2	B	401	CIT	O1-C1	2.41	1.30	1.22
2	A	401	CIT	O4-C5	-2.41	1.22	1.30
2	C	401	CIT	O5-C6	2.20	1.29	1.22
2	C	401	CIT	C2-C1	2.05	1.57	1.50

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	402	CIT	O3-C5-C4	-4.19	111.10	122.95
2	C	401	CIT	O5-C6-C3	-3.99	114.36	122.09
2	C	402	CIT	O7-C3-C6	3.29	113.62	108.96
2	C	401	CIT	O3-C5-C4	-3.19	113.92	122.95
2	A	401	CIT	O5-C6-C3	-3.14	116.01	122.09
2	D	401	CIT	C2-C3-C6	-3.01	103.37	110.03
2	B	401	CIT	O5-C6-C3	-3.01	116.26	122.09
2	B	401	CIT	O3-C5-C4	-2.68	115.35	122.95
2	C	401	CIT	O2-C1-C2	2.60	122.57	114.35
2	C	401	CIT	O4-C5-C4	2.55	122.44	114.35
2	B	401	CIT	O6-C6-C3	2.50	117.94	113.14
2	C	402	CIT	O4-C5-C4	2.49	122.23	114.35
2	A	401	CIT	C4-C3-C2	2.46	115.64	109.31
2	B	401	CIT	O4-C5-C4	2.45	122.10	114.35
2	C	402	CIT	C4-C3-C6	-2.42	104.69	110.03
2	C	401	CIT	C2-C3-C6	-2.40	104.73	110.03
2	C	401	CIT	C4-C3-C2	2.37	115.40	109.31
2	B	401	CIT	O1-C1-C2	-2.36	116.27	122.95
2	D	401	CIT	O5-C6-C3	-2.33	117.58	122.09
2	D	401	CIT	O7-C3-C6	2.24	112.14	108.96
2	C	402	CIT	O2-C1-C2	2.21	121.34	114.35
2	C	401	CIT	O1-C1-C2	-2.17	116.81	122.95
2	B	401	CIT	C2-C3-C6	-2.16	105.26	110.03
2	C	402	CIT	O1-C1-C2	-2.15	116.86	122.95
2	C	402	CIT	O7-C3-C4	-2.12	104.54	109.38

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	CIT	O7-C3-C6-O5
2	C	402	CIT	C1-C2-C3-O7
2	C	402	CIT	C1-C2-C3-C4
2	C	402	CIT	C1-C2-C3-C6
2	C	402	CIT	C2-C3-C6-O5
2	C	402	CIT	C2-C3-C6-O6
2	C	402	CIT	O7-C3-C6-O5
2	C	402	CIT	O7-C3-C6-O6
3	A	402	GOL	O1-C1-C2-C3
3	A	402	GOL	C1-C2-C3-O3
2	B	401	CIT	C2-C3-C6-O5
3	A	402	GOL	O2-C2-C3-O3
2	B	401	CIT	O7-C3-C6-O6
2	C	401	CIT	O7-C3-C6-O5
2	B	401	CIT	C4-C3-C6-O6
2	C	401	CIT	C2-C3-C6-O5
2	B	401	CIT	C2-C3-C6-O6
2	C	401	CIT	C4-C3-C6-O6
2	B	401	CIT	O2-C1-C2-C3
2	C	401	CIT	O1-C1-C2-C3
2	C	401	CIT	O2-C1-C2-C3
2	B	401	CIT	C4-C3-C6-O5
2	C	401	CIT	C2-C3-C6-O6
2	B	401	CIT	O1-C1-C2-C3
3	A	402	GOL	O1-C1-C2-O2
2	C	401	CIT	C4-C3-C6-O5
2	C	402	CIT	C2-C3-C4-C5
2	C	401	CIT	O7-C3-C6-O6


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	CIT	1	0
2	B	401	CIT	1	0
2	A	401	CIT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/333 (97%)	0.00	13 (3%) 42 48	22, 29, 51, 101	4 (1%)
1	B	314/333 (94%)	0.18	9 (2%) 53 60	24, 33, 56, 91	3 (0%)
1	C	315/333 (94%)	-0.27	6 (1%) 66 73	16, 24, 44, 80	4 (1%)
1	D	321/333 (96%)	-0.25	9 (2%) 55 61	16, 24, 45, 94	5 (1%)
All	All	1276/1332 (95%)	-0.08	37 (2%) 53 60	16, 28, 51, 101	16 (1%)

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	16	GLY	4.6
1	B	36	VAL	4.5
1	D	17	GLY	4.2
1	A	-2	HIS	4.2
1	B	-2[A]	HIS	3.6
1	D	19	SER	3.5
1	D	20	ALA	3.4
1	A	16	GLY	3.3
1	C	36	VAL	3.3
1	D	21	THR	3.2
1	A	25	TYR	3.2
1	D	15	GLY	3.2
1	B	32	VAL	3.1
1	C	-1	HIS	3.0
1	B	35	LEU	3.0
1	A	21	THR	2.8
1	D	-1	HIS	2.8
1	B	-1	HIS	2.8
1	D	-2	HIS	2.7
1	D	18	ASP	2.7
1	A	-1	HIS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	262	LYS	2.6
1	A	24	ASN	2.6
1	C	-2	HIS	2.5
1	C	34	ASN	2.5
1	A	27	VAL	2.4
1	A	22	LYS	2.3
1	C	12	THR	2.3
1	A	23	SER	2.2
1	A	0	HIS	2.2
1	B	0	HIS	2.2
1	A	15	GLY	2.2
1	C	32	VAL	2.1
1	A	14	ALA	2.0
1	B	37	ASN	2.0
1	B	13	ILE	2.0
1	A	30	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	402	6/6	0.80	0.15	45,60,66,72	0
2	CIT	B	401	13/13	0.85	0.11	36,51,62,66	0
2	CIT	C	402	13/13	0.88	0.11	31,62,77,77	0
2	CIT	D	401	13/13	0.91	0.09	24,35,40,47	0
2	CIT	C	401	13/13	0.92	0.09	24,37,41,42	0
2	CIT	A	401	13/13	0.92	0.09	29,46,58,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CIT B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CIT C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CIT D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CIT C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CIT A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.