



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:48 PM UTC

PDB ID : 7NXK / pdb_00007nxk
Title : Crystal structure of human Cdk12/Cyclin K in complex with the inhibitor BSJ-01-175
Authors : Anand, K.; Dust, S.; Kaltheuner, I.H.; Geyer, M.
Deposited on : 2021-03-18
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	% 68% 22% • 8%
1	C	351	2% 67% 21% • 11%
2	B	268	77% 15% 8%
2	D	268	74% 15% • 10%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9079 atoms, of which 32 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 12.

Mol	Chain	Residues	Atoms								ZeroOcc	AltConf	Trace
1	A	322	Total	C	H	N	O	P	S		1	0	0
			2550	1623	21	426	462	1	17				
1	C	314	Total	C	H	N	O	P	S		2	0	0
			2425	1551	3	410	445	1	15				

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	713	GLY	-	expression tag	UNP Q9NYV4
C	713	GLY	-	expression tag	UNP Q9NYV4


- Molecule 2 is a protein called Cyclin-K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	246	Total	C	N	O	S	0	0	0
			1988	1295	330	351	12			
2	D	241	Total	C	N	O	S	1	0	0
			1972	1282	326	352	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP O75909
D	0	GLY	-	expression tag	UNP O75909

- Molecule 3 is (E)-N-[4-[(1R,3R)-3-[[5-chloranyl-4-(1H-indol-3-yl)pyrimidin-2-yl]amino]cyclohexyl]oxyphenyl]-4-(dimethylamino)but-2-enamide (CCD ID: UUB) (formula: C₃₀H₃₃ClN₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	Cl	H	N	O	0	0
			42	30	1	3	6	2		
3	C	1	Total	C	Cl	H	N	O	0	0
			44	30	1	5	6	2		


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		
4	B	15	Total	O	0	0
			15	15		
4	C	12	Total	O	0	0
			12	12		
4	D	16	Total	O	0	0
			16	16		

3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclin-dependent kinase 12





● Molecule 2: Cyclin-K



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	50.21Å 77.46Å 91.53Å 103.61° 85.89° 102.56°	Depositor
Resolution (Å)	49.00 – 3.00 49.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	96.9 (49.00-3.00) 97.0 (49.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 3.01Å)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
R, R_{free}	0.220 , 0.264 0.234 , 0.273	Depositor DCC
R_{free} test set	1069 reflections (4.08%)	wwPDB-VP
Wilson B-factor (Å ²)	83.1	Xtriage
Anisotropy	0.589	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 50.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9079	wwPDB-VP
Average B, all atoms (Å ²)	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UUB, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.27	0/2574	0.44	1/3483 (0.0%)
1	C	0.23	0/2464	0.42	1/3344 (0.0%)
2	B	0.11	0/2043	0.25	0/2776
2	D	0.08	0/2027	0.23	0/2753
All	All	0.19	0/9108	0.36	2/12356 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	857	HIS	N-CA-C	-5.45	102.42	110.48
1	C	859	ASP	N-CA-CB	-5.30	105.43	111.79

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2529	21	2464	75	0
1	C	2422	3	2326	50	0
2	B	1988	0	1917	25	0
2	D	1972	0	1906	37	0
3	A	39	3	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	39	5	0	10	0
4	A	15	0	0	2	0
4	B	15	0	0	0	0
4	C	12	0	0	2	0
4	D	16	0	0	1	0
All	All	9047	32	8613	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:2000:UUB:C33	3:C:2000:UUB:C35	1.74	1.61
3:A:2000:UUB:C35	3:A:2000:UUB:C33	1.82	1.57
3:A:2000:UUB:C33	3:A:2000:UUB:C36	2.29	1.09
1:A:841:LYS:HG2	1:A:1025:LEU:HD11	1.40	1.01
3:C:2000:UUB:C33	3:C:2000:UUB:C36	2.41	0.98
1:A:816:MET:HA	1:A:816:MET:HE3	1.47	0.97
1:A:816:MET:CE	1:A:868:ASN:HB3	1.96	0.95
3:C:2000:UUB:C35	3:C:2000:UUB:C32	2.54	0.85
1:A:816:MET:HE1	1:A:868:ASN:HB3	1.59	0.83
2:D:67:HIS:HE1	2:D:69:ASP:HB2	1.40	0.83
3:C:2000:UUB:C36	3:C:2000:UUB:C32	2.61	0.79
1:A:877:ASP:HB2	4:A:2104:HOH:O	1.83	0.78
2:D:67:HIS:CE1	2:D:69:ASP:HB2	2.19	0.76
1:A:956:CYS:SG	4:A:2111:HOH:O	2.44	0.75
1:C:869:ASN:HA	1:C:1033:LEU:HD12	1.71	0.72
1:A:999:HIS:CE1	1:A:1009:CYS:HB3	2.25	0.72
1:A:857:HIS:HD2	1:A:859:ASP:H	1.38	0.71
1:A:935:ILE:HD12	1:A:935:ILE:H	1.54	0.70
1:A:981:ARG:NH1	1:A:985:GLU:OE2	2.24	0.70
1:A:896:VAL:HG23	1:A:897:ILE:HG13	1.74	0.70
1:A:816:MET:HE3	1:A:868:ASN:HB3	1.72	0.69
1:C:823:LEU:HG	1:C:829:VAL:HG11	1.75	0.69
1:C:1037:GLN:HA	1:C:1037:GLN:OE1	1.92	0.68
1:C:924:CYS:SG	4:C:2104:HOH:O	2.51	0.68
1:A:964:ILE:HD12	2:D:67:HIS:CD2	2.30	0.67
1:C:858:ARG:O	1:C:897:ILE:HG12	1.93	0.67
1:C:1002:THR:HG21	1:C:1007:LYS:HB2	1.78	0.65
1:A:816:MET:HA	1:A:816:MET:CE	2.14	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:721:LYS:NZ	2:B:149:GLN:O	2.26	0.63
2:D:172:LYS:HD2	2:D:172:LYS:H	1.63	0.62
1:C:824:LEU:HD12	1:C:932:LYS:HD2	1.80	0.62
1:A:816:MET:HE3	1:A:816:MET:CA	2.21	0.61
1:A:1038:ASP:O	1:A:1039:CYS:SG	2.59	0.61
2:D:70:THR:HA	2:D:107:GLU:HG3	1.83	0.61
2:D:204:GLU:OE1	2:D:204:GLU:N	2.32	0.61
1:C:976:LYS:HG2	1:C:977:GLN:H	1.65	0.61
2:D:228:LYS:HB2	2:D:229:PRO:HD2	1.83	0.60
1:A:772:ILE:HG23	2:B:155:LEU:HD13	1.83	0.60
1:A:743:LYS:HE3	1:A:752:LEU:HD21	1.83	0.60
1:A:857:HIS:CD2	1:A:859:ASP:H	2.20	0.60
1:A:942:LEU:HA	1:A:972:MET:HE3	1.84	0.60
2:D:223:GLN:HB2	2:D:228:LYS:HZ1	1.68	0.59
1:C:785:SER:O	1:C:874:LYS:HA	2.03	0.58
1:A:986:PHE:HB3	1:A:989:ILE:HD12	1.85	0.58
1:A:834:ASP:HB3	1:A:1028:MET:HE3	1.84	0.58
2:D:121:ARG:O	2:D:121:ARG:HD3	2.04	0.58
3:C:2000:UUB:C8	3:C:2000:UUB:CL1	2.87	0.58
2:D:79:HIS:NE2	2:D:193:LEU:O	2.30	0.58
1:A:1019:PHE:O	1:A:1020:LEU:HD12	2.04	0.57
3:A:2000:UUB:C35	3:A:2000:UUB:C32	2.79	0.57
1:A:743:LYS:CE	1:A:752:LEU:HD21	2.34	0.57
1:A:822:GLY:O	1:A:825:GLU:HG3	2.05	0.57
1:A:903:PRO:HD2	1:A:906:LEU:HD12	1.87	0.57
2:D:37:GLN:NE2	2:D:46:GLU:OE1	2.35	0.57
2:D:113:CYS:SG	2:D:137:LYS:HG3	2.45	0.56
1:A:841:LYS:HE3	1:A:845:GLU:OE2	2.05	0.56
1:A:841:LYS:HG2	1:A:1025:LEU:CD1	2.26	0.56
1:C:790:LYS:HD3	1:C:812:VAL:HG12	1.88	0.56
2:D:221:GLU:OE1	2:D:223:GLN:NE2	2.38	0.56
1:A:787:VAL:HG11	1:A:876:ALA:O	2.06	0.55
1:C:914:THR:HB	1:C:915:PRO:HD2	1.88	0.55
1:C:925:ILE:O	1:C:929:LEU:HD13	2.07	0.55
1:C:833:GLU:O	1:C:837:LYS:HG3	2.06	0.55
1:C:903:PRO:HD2	1:C:906:LEU:HD12	1.87	0.55
1:A:858:ARG:HB3	1:A:896:VAL:HB	1.89	0.55
1:A:914:THR:HB	1:A:915:PRO:CD	2.37	0.55
1:C:999:HIS:CE1	1:C:1009:CYS:HB3	2.42	0.55
3:C:2000:UUB:C35	3:C:2000:UUB:N31	2.70	0.55
2:D:121:ARG:NH2	2:D:126:ASP:OD1	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:927:GLY:HA3	1:C:935:ILE:HD11	1.89	0.54
3:C:2000:UUB:C33	3:C:2000:UUB:C39	2.85	0.54
2:B:26:TRP:HB3	2:B:30:ASP:HB2	1.88	0.54
2:D:137:LYS:O	2:D:141:MET:HG2	2.08	0.54
3:C:2000:UUB:C36	3:C:2000:UUB:N31	2.70	0.54
2:D:27:ASP:OD1	2:D:28:LYS:N	2.40	0.54
2:D:223:GLN:CB	2:D:228:LYS:HZ1	2.20	0.54
2:D:37:GLN:HE22	2:D:43:PRO:HA	1.71	0.54
2:D:223:GLN:HB2	2:D:228:LYS:NZ	2.22	0.54
1:C:819:ASP:HB3	1:C:866:LEU:CD2	2.38	0.53
1:A:772:ILE:HG23	2:B:155:LEU:CD1	2.39	0.53
2:B:39:GLU:O	2:B:88:LYS:NZ	2.37	0.53
1:C:819:ASP:O	1:C:823:LEU:HB2	2.09	0.53
1:A:760:LEU:HD21	1:A:767:PHE:CD1	2.43	0.53
1:C:867:LEU:HB2	1:C:873:ILE:HD13	1.90	0.53
2:D:196:THR:O	2:D:200:GLN:HG3	2.08	0.52
2:D:63:ARG:NH1	4:D:301:HOH:O	2.41	0.52
1:A:1031:PRO:HB2	1:A:1033:LEU:HG	1.92	0.52
2:B:113:CYS:SG	2:B:137:LYS:HG3	2.50	0.52
2:B:137:LYS:O	2:B:141:MET:HG2	2.10	0.52
1:C:908:LEU:HB2	1:C:966:LEU:HD13	1.92	0.52
1:A:719:TRP:CZ3	1:A:789:MET:HE3	2.45	0.52
1:A:804:LYS:H	2:B:142:VAL:HG11	1.74	0.52
1:C:747:LYS:NZ	4:C:2103:HOH:O	2.39	0.52
1:A:719:TRP:HZ3	1:A:789:MET:HE3	1.76	0.51
1:A:914:THR:HB	1:A:915:PRO:HD2	1.91	0.51
1:C:942:LEU:O	1:C:942:LEU:HD23	2.10	0.51
1:C:765:GLU:O	2:D:141:MET:HE1	2.11	0.51
1:C:856:LEU:HG	1:C:884:TYR:HB2	1.92	0.51
1:A:816:MET:CE	1:A:868:ASN:CB	2.82	0.51
1:A:964:ILE:HD12	2:D:67:HIS:HD2	1.74	0.51
2:B:134:ASP:O	2:B:136:PRO:HD3	2.11	0.51
1:A:785:SER:HB2	1:A:846:GLY:HA3	1.92	0.51
2:B:234:TRP:O	2:B:237:GLN:HG2	2.11	0.50
1:C:836:ILE:HG12	1:C:929:LEU:HD23	1.91	0.50
1:C:980:ARG:NH2	1:C:982:LEU:HD13	2.27	0.50
2:D:227:SER:O	2:D:227:SER:OG	2.27	0.50
1:C:1039:CYS:SG	3:C:2000:UUB:N31	2.84	0.50
1:A:803:LYS:HG2	2:B:146:ILE:CD1	2.42	0.49
1:A:956:CYS:HB2	1:A:957:PRO:HD2	1.94	0.49
1:C:721:LYS:NZ	2:D:149:GLN:O	2.40	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1019:PHE:C	1:C:1020:LEU:HD12	2.38	0.49
2:B:202:GLU:HB3	2:B:204:GLU:OE1	2.12	0.48
1:C:760:LEU:HD23	1:C:808:ALA:HA	1.95	0.48
1:C:880:LEU:HD13	1:C:896:VAL:O	2.13	0.48
2:D:172:LYS:H	2:D:172:LYS:CD	2.26	0.48
1:A:733:ILE:HD11	1:A:741:VAL:HG12	1.96	0.47
2:B:57:ILE:HD11	2:B:96:GLY:HA2	1.97	0.47
2:D:134:ASP:O	2:D:136:PRO:HD3	2.14	0.47
1:A:1037:GLN:HE21	1:A:1040:HIS:HB2	1.78	0.47
2:D:228:LYS:C	2:D:228:LYS:HD2	2.40	0.47
1:A:904:PRO:HG2	1:A:1003:LEU:HD22	1.96	0.47
1:A:1036:TRP:O	1:A:1036:TRP:CG	2.68	0.47
2:D:67:HIS:CE1	2:D:69:ASP:H	2.33	0.46
1:A:785:SER:O	1:A:874:LYS:HA	2.16	0.46
1:C:914:THR:CB	1:C:915:PRO:HD2	2.44	0.46
1:A:817:ASP:H	1:A:868:ASN:HA	1.80	0.46
1:A:822:GLY:HA2	1:A:825:GLU:CG	2.45	0.46
1:A:981:ARG:NH1	1:A:984:GLU:OE2	2.47	0.46
2:D:75:ILE:HG21	2:D:193:LEU:HB3	1.96	0.46
1:C:828:LEU:O	1:C:828:LEU:HD23	2.15	0.46
1:A:970:ASN:HA	1:A:973:LYS:HE3	1.97	0.46
2:B:79:HIS:HB3	2:B:199:LEU:HD11	1.98	0.45
1:C:816:MET:SD	1:C:868:ASN:HB3	2.56	0.45
1:C:896:VAL:HG23	1:C:897:ILE:HG13	1.98	0.45
1:A:743:LYS:HE3	1:A:752:LEU:CD2	2.46	0.45
1:A:826:SER:C	1:A:828:LEU:H	2.24	0.45
2:B:213:LEU:HB2	2:B:251:CYS:SG	2.57	0.45
1:A:838:SER:O	1:A:842:GLN:HG3	2.17	0.45
1:A:875:LEU:HD12	1:A:875:LEU:HA	1.76	0.45
1:C:828:LEU:HD23	1:C:828:LEU:C	2.41	0.45
2:D:26:TRP:CD2	2:D:83:MET:HE2	2.51	0.45
1:C:1034:PRO:HG3	1:C:1037:GLN:HG2	2.00	0.44
1:A:939:ASN:OD1	1:A:939:ASN:N	2.50	0.44
2:B:60:VAL:HG22	2:B:123:LEU:HD12	1.99	0.44
2:B:243:PRO:HG2	2:B:246:VAL:HG23	2.00	0.44
1:C:970:ASN:HA	1:C:973:LYS:HE3	2.00	0.44
1:A:824:LEU:HD12	1:A:824:LEU:HA	1.70	0.43
2:B:206:ILE:HD13	2:B:250:ILE:HD13	2.00	0.43
1:C:775:ILE:O	1:C:779:ARG:HG3	2.19	0.43
1:A:816:MET:HE1	1:A:868:ASN:CB	2.39	0.43
1:A:787:VAL:HB	1:A:875:LEU:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:2000:UUB:C6	3:C:2000:UUB:N11	2.81	0.43
2:D:47:ALA:O	2:D:51:ARG:HG3	2.18	0.43
2:D:243:PRO:HG2	2:D:246:VAL:HG23	2.01	0.43
1:A:1030:PRO:HA	1:A:1031:PRO:HD3	1.91	0.42
2:B:174:ASP:HB3	2:B:177:LYS:HB2	2.01	0.42
1:C:934:PRO:HD2	1:C:937:GLN:NE2	2.34	0.42
1:A:752:LEU:HD12	1:A:752:LEU:HA	1.88	0.42
2:D:57:ILE:HD11	2:D:96:GLY:HA2	2.01	0.42
1:C:946:GLU:O	1:C:950:ARG:HG3	2.19	0.42
2:D:25:TYR:OH	2:D:202:GLU:HA	2.19	0.42
1:A:955:PRO:HB2	1:A:963:VAL:HG21	2.02	0.42
1:C:727:PHE:HE2	1:C:793:VAL:HG11	1.84	0.42
2:B:37:GLN:HE22	2:B:43:PRO:HA	1.85	0.42
1:A:773:ARG:O	1:A:777:ILE:HG13	2.19	0.42
1:A:741:VAL:HG21	3:A:2000:UUB:C2	2.50	0.42
1:A:856:LEU:HD22	1:A:915:PRO:HA	2.01	0.42
1:A:1019:PHE:C	1:A:1020:LEU:HD12	2.45	0.42
1:C:752:LEU:HD12	1:C:752:LEU:HA	1.85	0.42
1:A:796:LYS:N	1:A:796:LYS:HD3	2.35	0.41
1:C:774:GLU:HG2	1:C:778:LEU:HD22	2.02	0.41
1:C:772:ILE:HG23	2:D:155:LEU:HD13	2.02	0.41
1:A:823:LEU:HD22	1:A:829:VAL:HG21	2.02	0.41
1:A:803:LYS:HG2	2:B:146:ILE:HD11	2.01	0.41
1:A:858:ARG:O	1:A:897:ILE:HG12	2.20	0.41
2:B:196:THR:O	2:B:200:GLN:HG3	2.20	0.41
1:C:843:LEU:HD11	1:C:865:ILE:HD13	2.02	0.41
3:A:2000:UUB:O34	3:A:2000:UUB:C27	2.69	0.41
2:B:34:THR:OG1	2:B:37:GLN:HG2	2.20	0.41
2:B:179:GLN:OE1	1:C:959:VAL:HG12	2.21	0.40
1:C:819:ASP:HA	1:C:866:LEU:HA	2.03	0.40
2:D:21:LYS:HA	2:D:22:PRO:HD3	1.91	0.40
1:A:716:GLU:CD	1:A:716:GLU:H	2.29	0.40
1:A:1036:TRP:O	1:A:1036:TRP:CD2	2.74	0.40
1:A:775:ILE:O	1:A:779:ARG:HG3	2.22	0.40
2:B:222:ILE:HD12	2:B:234:TRP:CZ2	2.57	0.40
1:C:886:SER:C	1:C:888:GLU:H	2.29	0.40
1:C:982:LEU:O	1:C:986:PHE:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/351 (90%)	298 (94%)	17 (5%)	2 (1%)	21	56
1	C	309/351 (88%)	283 (92%)	26 (8%)	0	100	100
2	B	244/268 (91%)	241 (99%)	3 (1%)	0	100	100
2	D	239/268 (89%)	233 (98%)	6 (2%)	0	100	100
All	All	1109/1238 (90%)	1055 (95%)	52 (5%)	2 (0%)	43	76

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1038	ASP
1	A	1039	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/316 (84%)	259 (98%)	6 (2%)	44	74
1	C	251/316 (79%)	247 (98%)	4 (2%)	55	79
2	B	206/241 (86%)	205 (100%)	1 (0%)	81	89
2	D	208/241 (86%)	204 (98%)	4 (2%)	50	76
All	All	930/1114 (84%)	915 (98%)	15 (2%)	55	79

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	738	TYR
1	A	824	LEU
1	A	825	GLU
1	A	858	ARG
1	A	877	ASP
1	A	882	ARG
2	B	221	GLU
1	C	858	ARG
1	C	914	THR
1	C	1037	GLN
1	C	1039	CYS
2	D	63	ARG
2	D	67	HIS
2	D	172	LYS
2	D	228	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	797	GLN
1	A	851	HIS
1	A	864	ASN
1	A	937	GLN
1	A	999	HIS
2	B	37	GLN
2	B	149	GLN
2	B	156	GLN
2	B	200	GLN
2	B	252	HIS
2	B	253	GLN
2	B	263	GLN
1	C	780	GLN
1	C	977	GLN
2	D	37	GLN
2	D	67	HIS
2	D	156	GLN
2	D	162	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	893	1	8,10,11	0.64	0	10,14,16	1.15	1 (10%)
1	TPO	C	893	1	8,10,11	0.61	0	10,14,16	1.08	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	893	1	-	1/9/11/13	-
1	TPO	C	893	1	-	1/9/11/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	893	TPO	O-C-CA	-2.49	118.36	124.77
1	A	893	TPO	O-C-CA	-2.37	118.67	124.77

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	893	TPO	O-C-CA-CB
1	C	893	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	UUB	C	2000	-	41,43,43	3.65	15 (36%)	56,59,59	5.22	24 (42%)
3	UUB	A	2000	-	41,43,43	4.42	12 (29%)	56,59,59	6.14	28 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UUB	C	2000	-	-	10/22/32/32	0/5/5/5
3	UUB	A	2000	-	-	14/22/32/32	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2000	UUB	C33-C35	18.02	1.82	1.32
3	C	2000	UUB	C33-C35	15.31	1.74	1.32
3	A	2000	UUB	C32-N31	11.40	1.56	1.35
3	A	2000	UUB	C12-N17	9.78	1.46	1.34
3	C	2000	UUB	C12-N17	8.24	1.44	1.34
3	C	2000	UUB	C32-N31	7.31	1.49	1.35
3	A	2000	UUB	C10-C9	6.85	1.54	1.46
3	A	2000	UUB	C33-C32	6.72	1.62	1.48
3	A	2000	UUB	C36-C35	6.71	1.68	1.49
3	A	2000	UUB	C28-N31	6.33	1.54	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	2000	UUB	C14-C15	-5.86	1.33	1.39
3	C	2000	UUB	C10-C9	5.33	1.52	1.46
3	C	2000	UUB	C33-C32	4.87	1.58	1.48
3	C	2000	UUB	C5-C9	-4.20	1.38	1.47
3	C	2000	UUB	C4-N7	-4.03	1.31	1.37
3	A	2000	UUB	C14-C15	-3.87	1.35	1.39
3	C	2000	UUB	C8-C9	-3.55	1.34	1.37
3	C	2000	UUB	O34-C32	-3.50	1.17	1.24
3	A	2000	UUB	C5-C9	-3.05	1.40	1.47
3	A	2000	UUB	O34-C32	-2.99	1.18	1.24
3	C	2000	UUB	C28-N31	2.83	1.47	1.41
3	A	2000	UUB	C4-N7	-2.72	1.33	1.37
3	C	2000	UUB	C3-C4	-2.43	1.35	1.39
3	C	2000	UUB	C8-N7	-2.21	1.33	1.37
3	A	2000	UUB	C15-CL1	2.19	1.78	1.73
3	C	2000	UUB	C10-N11	-2.11	1.30	1.34
3	C	2000	UUB	C6-C5	-2.04	1.36	1.39

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2000	UUB	C36-C35-C33	-27.77	81.78	124.82
3	C	2000	UUB	C36-C35-C33	-19.05	95.29	124.82
3	A	2000	UUB	C5-C9-C8	18.22	117.40	105.98
3	C	2000	UUB	C5-C9-C8	17.53	116.97	105.98
3	A	2000	UUB	C9-C8-N7	-16.80	99.62	110.46
3	C	2000	UUB	C9-C8-N7	-16.70	99.68	110.46
3	A	2000	UUB	C4-C5-C9	-10.28	99.40	106.62
3	A	2000	UUB	C33-C32-N31	9.65	131.76	113.93
3	C	2000	UUB	C4-C5-C9	-9.42	100.00	106.62
3	C	2000	UUB	C35-C33-C32	-9.22	99.50	122.94
3	C	2000	UUB	N13-C12-N11	-8.89	117.83	126.42
3	A	2000	UUB	N13-C12-N11	-8.59	118.11	126.42
3	C	2000	UUB	C5-C9-C10	-7.50	116.34	126.25
3	A	2000	UUB	C4-N7-C8	7.45	115.71	109.08
3	C	2000	UUB	C4-N7-C8	7.15	115.44	109.08
3	A	2000	UUB	C9-C10-N11	6.50	119.76	115.17
3	A	2000	UUB	O34-C32-C33	-5.71	109.79	122.95
3	A	2000	UUB	C25-O24-C20	-5.70	108.87	119.18
3	A	2000	UUB	C35-C33-C32	-5.64	108.60	122.94
3	C	2000	UUB	C20-C19-C18	5.56	120.65	112.59
3	A	2000	UUB	C6-C5-C9	5.12	143.78	132.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2000	UUB	C26-C27-C28	4.72	125.73	120.30
3	C	2000	UUB	C6-C5-C9	4.66	142.76	132.34
3	C	2000	UUB	C19-C18-C23	4.55	114.94	110.76
3	A	2000	UUB	C27-C28-N31	-4.36	105.76	120.41
3	A	2000	UUB	C30-C29-C28	-4.31	115.34	120.30
3	A	2000	UUB	C10-C9-C8	-4.26	121.34	127.60
3	A	2000	UUB	C29-C28-N31	4.06	134.04	120.41
3	A	2000	UUB	C27-C26-C25	-3.93	115.24	119.73
3	A	2000	UUB	C5-C9-C10	-3.78	121.27	126.25
3	A	2000	UUB	O34-C32-N31	-3.64	118.32	123.11
3	A	2000	UUB	C15-C14-N13	-3.61	120.01	122.78
3	C	2000	UUB	C10-N11-C12	3.45	121.57	117.26
3	A	2000	UUB	C14-N13-C12	3.31	120.35	115.81
3	C	2000	UUB	O34-C32-N31	-3.24	118.85	123.11
3	C	2000	UUB	C14-N13-C12	3.20	120.20	115.81
3	C	2000	UUB	C12-N17-C18	-3.12	119.47	124.32
3	C	2000	UUB	C19-C20-C21	-3.09	107.68	111.53
3	A	2000	UUB	C12-N17-C18	-3.06	119.56	124.32
3	A	2000	UUB	C10-N11-C12	3.00	121.00	117.26
3	C	2000	UUB	C15-C14-N13	-3.00	120.48	122.78
3	C	2000	UUB	N17-C12-N13	2.89	121.34	116.75
3	C	2000	UUB	C33-C32-N31	2.88	119.25	113.93
3	A	2000	UUB	C29-C30-C25	2.87	123.01	119.73
3	A	2000	UUB	N17-C12-N13	2.71	121.05	116.75
3	A	2000	UUB	C28-N31-C32	-2.58	123.21	128.07
3	C	2000	UUB	C38-N37-C36	-2.55	106.36	110.41
3	C	2000	UUB	C23-C18-N17	-2.43	106.87	110.77
3	A	2000	UUB	N17-C12-N11	2.39	120.84	117.09
3	C	2000	UUB	N17-C12-N11	2.38	120.83	117.09
3	C	2000	UUB	C25-O24-C20	-2.22	115.16	119.18
3	C	2000	UUB	C35-C36-N37	2.16	115.58	112.25

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2000	UUB	N11-C12-N17-C18
3	A	2000	UUB	N13-C12-N17-C18
3	A	2000	UUB	C15-C10-C9-C5
3	A	2000	UUB	C15-C10-C9-C8
3	A	2000	UUB	N11-C10-C9-C5
3	A	2000	UUB	C32-C33-C35-C36

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	2000	UUB	C32-C33-C35-C36
3	A	2000	UUB	C26-C25-O24-C20
3	A	2000	UUB	C30-C25-O24-C20
3	A	2000	UUB	C35-C36-N37-C38
3	A	2000	UUB	C35-C36-N37-C39
3	C	2000	UUB	O34-C32-C33-C35
3	C	2000	UUB	N31-C32-C33-C35
3	C	2000	UUB	C33-C35-C36-N37
3	A	2000	UUB	N11-C10-C9-C8
3	C	2000	UUB	C29-C28-N31-C32
3	A	2000	UUB	C33-C35-C36-N37
3	C	2000	UUB	C21-C20-O24-C25
3	A	2000	UUB	N31-C32-C33-C35
3	A	2000	UUB	O34-C32-C33-C35
3	C	2000	UUB	C27-C28-N31-C32
3	C	2000	UUB	N13-C12-N17-C18
3	C	2000	UUB	C19-C20-O24-C25
3	C	2000	UUB	N11-C12-N17-C18

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	2000	UUB	10	0
3	A	2000	UUB	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	321/351 (91%)	0.10	4 (1%) 76 55	64, 84, 115, 156	1 (0%)
1	C	313/351 (89%)	0.19	7 (2%) 62 39	30, 96, 122, 135	2 (0%)
2	B	246/268 (91%)	-0.02	1 (0%) 88 76	56, 74, 104, 131	0
2	D	241/268 (89%)	-0.03	1 (0%) 88 76	62, 82, 115, 134	1 (0%)
All	All	1121/1238 (90%)	0.07	13 (1%) 76 55	30, 85, 117, 156	4 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1039	CYS	3.3
1	C	1040	HIS	3.0
1	A	767	PHE	3.0
1	C	1037	GLN	2.7
1	C	952	CYS	2.7
1	C	986	PHE	2.6
1	A	952	CYS	2.5
1	C	1038	ASP	2.4
1	A	986	PHE	2.4
1	C	831	PHE	2.3
2	D	99	CYS	2.3
1	A	876	ALA	2.2
2	B	76	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	TPO	C	893	11/12	0.76	0.10	94,101,114,116	0
1	TPO	A	893	11/12	0.79	0.11	93,104,117,125	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	UUB	A	2000	39/39	0.62	0.21	66,91,137,139	0
3	UUB	C	2000	39/39	0.81	0.13	85,99,126,131	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UUB A 2000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UUB C 2000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.