



Full wwPDB EM Validation Report ⓘ

Mar 20, 2026 – 12:32 AM UTC

PDB ID : 7NYC / pdb_00007nyc
EMDB ID : EMD-12650
Title : cryoEM structure of 3C9-sMAC
Authors : Menny, A.; Couves, E.C.; Bubeck, D.
Deposited on : 2021-03-22
Resolution : 3.54 Å(reported)
Based on initial models : 6H03, 6CXO, 4A5W, 2WCY, 6H04

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	12891 (3.04 - 4.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	821	
2	D	537	
3	E	554	
4	G	538	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	H	538	
4	I	538	
5	B	913	
6	A	1658	
7	F	182	
8	K	2	
9	J	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	MAN	C	901	X	-	X	-
10	MAN	D	601	X	-	-	-
10	MAN	D	602	X	-	X	-
10	MAN	E	601	X	-	-	-
10	MAN	E	602	X	-	-	-
10	MAN	E	603	X	-	X	-
10	MAN	G	701	X	-	-	-
12	NAG	E	604	-	-	X	-
12	NAG	G	702	-	-	X	-
13	FUC	B	1001	-	-	X	-

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 41307 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement component C7.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C	809	Total	C	N	O	S	0	0
			5977	3696	1054	1179	48		

- Molecule 2 is a protein called Complement component C8 beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	487	Total	C	N	O	S	0	0
			3914	2434	702	743	35		

- Molecule 3 is a protein called Complement component C8 alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	482	Total	C	N	O	S	0	0
			3805	2354	671	743	37		

- Molecule 4 is a protein called Complement component C9.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	393	Total	C	N	O	S	0	0
			3079	1919	527	604	29		
4	H	404	Total	C	N	O	S	0	0
			3192	1990	553	620	29		
4	I	309	Total	C	N	O	S	0	0
			2433	1523	414	480	16		

- Molecule 5 is a protein called Complement component C6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	718	Total	C	N	O	S	0	0
			5631	3479	993	1109	50		

- Molecule 6 is a protein called Complement C5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	1542	Total	C	N	O	S	0	0
			11744	7507	1949	2251	37		

- Molecule 7 is a protein called Complement component C8 gamma chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
7	F	168	Total	C	N	O	S	0	0
			1319	841	230	244	4		

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
8	K	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
9	J	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 10 is alpha-D-mannopyranose (CCD ID: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			AltConf
10	C	1	Total	C	O	0
			11	6	5	
10	D	1	Total	C	O	0
			11	6	5	
10	D	1	Total	C	O	0
			11	6	5	
10	E	1	Total	C	O	0
			11	6	5	
10	E	1	Total	C	O	0
			11	6	5	
10	E	1	Total	C	O	0
			11	6	5	
10	G	1	Total	C	O	0
			11	6	5	

- Molecule 11 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
11	D	1	Total	Ca	0
			1	1	
11	E	1	Total	Ca	0
			1	1	
11	H	1	Total	Ca	0
			1	1	

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
12	E	1	Total	C	N	O	0
			14	8	1	5	
12	G	1	Total	C	N	O	0
			14	8	1	5	
12	B	1	Total	C	N	O	0
			14	8	1	5	
12	H	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 13 is alpha-L-fucopyranose (CCD ID: FUC) (formula: $C_6H_{12}O_5$).




Mol	Chain	Residues	Atoms			AltConf
13	B	1	Total	C	O	0
			10	6	4	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Complement component C7




- Molecule 2: Complement component C8 beta chain




- Molecule 3: Complement component C8 alpha chain







• Molecule 4: Complement component C9





• Molecule 5: Complement component C6




LEU	ASN	ASN	GLN	GLN	HIS	PHE	GLY	GLY	ASN	HIS	ILE	GLY	TYR	SER	CYS	ASP	GLY	ARG	GLN	LEU	GLU	THR	SER	TRP	GLY	LEU	THR	LEU	ARG	ASN	THR	ILE	ARG	CYS	GLY	LEU	VAL	SER	SER	GLY	ASN	GLY	THR	SER	THR	LYS	CYS	LYS	VAL	LEU	
LEU	PRO	PRO	GLN	CYS	PHE	LYS	GLY	GLY	ASN	GLN	ILE	GLY	TYR	CYS	VAL	LYS	ASP	GLY	ARG	GLN	LEU	SER	THR	SER	TRP	GLY	LEU	THR	LEU	ARG	ASN	THR	ILE	ARG	CYS	GLY	LEU	VAL	SER	SER	GLY	ASN	GLY	THR	SER	THR	LYS	CYS	LYS	VAL	LEU


• Molecule 6: Complement C5

Chain A:  8% 89% 7%



• Molecule 7: Complement component C8 gamma chain

Chain F:  5% 91% 8%



• Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%



- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:

100%

MAG1
MAG2
EMJ3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	85151	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	2.230	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.007	Depositor
Map size (Å)	418.80002, 418.80002, 418.80002	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.047, 1.047, 1.047	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, CA, NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.80	0/6109	1.37	16/8290 (0.2%)
2	D	0.82	1/4004 (0.0%)	1.35	10/5409 (0.2%)
3	E	0.79	0/3882	1.33	5/5230 (0.1%)
4	G	0.82	1/3138 (0.0%)	1.37	11/4241 (0.3%)
4	H	0.82	0/3253	1.35	2/4389 (0.0%)
4	I	0.81	1/2476 (0.0%)	1.34	8/3343 (0.2%)
5	B	0.82	1/5750 (0.0%)	1.35	6/7770 (0.1%)
6	A	0.78	0/11993	1.34	29/16320 (0.2%)
7	F	0.82	0/1348	1.34	2/1829 (0.1%)
All	All	0.80	4/41953 (0.0%)	1.35	89/56821 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	7
2	D	0	6
3	E	0	3
4	G	0	3
4	H	0	5
4	I	0	3
5	B	0	4
6	A	0	12
All	All	0	43

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	529	PRO	C-O	-6.47	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	268	ARG	N-CA	-6.00	1.34	1.46
4	G	27	TRP	CG-CD1	5.77	1.51	1.36
4	I	129	SER	C-O	-5.32	1.17	1.23

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	27	TRP	CG-CD1-NE1	-10.53	96.51	110.20
4	G	27	TRP	CB-CA-C	9.09	125.39	110.22
4	G	27	TRP	CB-CG-CD2	-8.21	115.31	126.80
4	G	27	TRP	CA-CB-CG	8.11	129.02	113.60
3	E	186	HIS	N-CA-C	7.92	123.25	113.50
6	A	163	GLY	CA-C-N	7.82	133.50	122.23
6	A	163	GLY	C-N-CA	7.82	133.50	122.23
1	C	264	LEU	N-CA-C	-7.81	97.44	109.24
5	B	69	TRP	N-CA-C	-7.75	96.63	108.96
1	C	174	PHE	CA-CB-CG	7.23	121.03	113.80
1	C	14	TRP	CB-CA-C	6.91	124.64	116.63
4	G	27	TRP	N-CA-CB	-6.78	98.78	110.17
5	B	303	ASN	CB-CA-C	6.68	124.40	109.56
6	A	1558	LYS	N-CA-C	6.57	119.27	111.71
6	A	1462	PHE	CA-CB-CG	6.56	120.36	113.80
2	D	529	PRO	N-CA-C	6.47	121.48	110.74
4	I	191	PHE	CA-CB-CG	6.41	120.21	113.80
3	E	187	PHE	N-CA-C	6.40	120.67	112.86
4	G	90	ARG	NE-CZ-NH2	6.31	124.88	119.20
2	D	517	PRO	N-CA-C	6.26	118.34	110.70
2	D	266	ARG	NE-CZ-NH2	6.25	124.83	119.20
2	D	529	PRO	CB-CA-C	-6.25	106.62	111.87
6	A	1507	CYS	N-CA-C	6.23	123.75	114.09
1	C	239	GLN	N-CA-C	-6.16	98.69	108.73
6	A	930	GLY	CA-C-N	6.12	130.52	122.51
6	A	930	GLY	C-N-CA	6.12	130.52	122.51
1	C	161	VAL	CA-C-N	6.10	129.06	120.28
1	C	161	VAL	C-N-CA	6.10	129.06	120.28
2	D	529	PRO	N-CA-CB	-6.08	99.52	102.92
6	A	948	ASP	CA-CB-CG	6.07	118.67	112.60
6	A	1212	ASP	CA-CB-CG	6.01	118.61	112.60
6	A	1296	ASP	CA-CB-CG	5.96	118.56	112.60
1	C	240	PHE	CA-CB-CG	5.96	119.75	113.80
2	D	189	ASN	CA-CB-CG	5.94	118.54	112.60
6	A	998	VAL	N-CA-CB	5.90	114.22	110.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	46	GLN	CA-C-N	5.88	127.54	120.13
7	F	46	GLN	C-N-CA	5.88	127.54	120.13
3	E	184	LYS	CA-C-N	5.85	130.59	121.76
3	E	184	LYS	C-N-CA	5.85	130.59	121.76
1	C	699	CYS	CA-C-N	5.82	125.38	121.13
1	C	699	CYS	C-N-CA	5.82	125.38	121.13
6	A	225	PHE	CA-CB-CG	5.80	119.60	113.80
1	C	430	PHE	N-CA-C	5.76	118.50	111.82
6	A	1	GLN	OE1-CD-NE2	-5.71	116.89	122.60
4	I	148	SER	N-CA-C	5.71	117.96	111.11
4	G	90	ARG	NH1-CZ-NH2	-5.70	111.89	119.30
2	D	313	ARG	CA-C-N	5.69	125.52	121.65
2	D	313	ARG	C-N-CA	5.69	125.52	121.65
6	A	1007	LEU	CA-C-N	5.65	127.85	120.28
6	A	1007	LEU	C-N-CA	5.65	127.85	120.28
5	B	294	ARG	NE-CZ-NH2	5.65	124.28	119.20
4	I	129	SER	CA-C-N	5.61	128.36	120.28
4	I	129	SER	C-N-CA	5.61	128.36	120.28
4	I	102	ASN	CA-C-N	5.59	127.78	120.28
4	I	102	ASN	C-N-CA	5.59	127.78	120.28
6	A	517	VAL	N-CA-C	5.55	120.86	108.88
2	D	518	PRO	N-CA-C	5.52	117.44	110.70
1	C	716	LEU	N-CA-C	5.52	113.18	108.22
3	E	186	HIS	N-CA-CB	-5.52	102.42	110.53
1	C	240	PHE	N-CA-C	-5.48	100.31	109.24
1	C	55	ARG	CD-NE-CZ	5.46	132.04	124.40
4	I	290	ARG	NE-CZ-NH2	5.39	124.05	119.20
6	A	169	ASP	CA-CB-CG	5.32	117.92	112.60
6	A	491	ILE	N-CA-CB	5.32	116.85	110.31
6	A	892	ILE	CA-C-N	-5.31	115.61	123.05
6	A	892	ILE	C-N-CA	-5.31	115.61	123.05
4	I	281	HIS	CB-CG-CD2	-5.31	124.30	131.20
6	A	260	ASP	CA-CB-CG	5.31	117.91	112.60
6	A	208	HIS	CB-CG-CD2	-5.30	124.31	131.20
1	C	218	ASN	CA-CB-CG	5.28	117.88	112.60
6	A	113	ASP	CA-CB-CG	5.28	117.88	112.60
6	A	1583	ILE	N-CA-C	5.23	116.12	110.21
4	G	58	THR	N-CA-C	5.21	121.90	110.80
4	H	55	LYS	CA-C-N	5.21	128.11	120.71
4	H	55	LYS	C-N-CA	5.21	128.11	120.71
4	G	27	TRP	CA-C-O	-5.19	114.61	120.43
2	D	359	ARG	NE-CZ-NH2	5.18	123.86	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	115	ILE	CA-C-N	5.17	127.46	120.38
1	C	115	ILE	C-N-CA	5.17	127.46	120.38
5	B	570	ASN	CB-CA-C	5.12	120.85	110.31
6	A	161	HIS	CB-CG-CD2	-5.11	124.56	131.20
6	A	1319	PRO	N-CA-CB	5.06	107.75	103.35
5	B	147	SER	CA-C-N	5.06	128.69	120.60
5	B	147	SER	C-N-CA	5.06	128.69	120.60
4	G	41	PHE	CB-CA-C	-5.04	99.96	111.95
6	A	1266	PHE	CA-CB-CG	5.04	118.83	113.80
6	A	362	ASP	N-CA-C	5.02	117.58	110.10
6	A	284	ASP	CA-CB-CG	5.01	117.61	112.60
4	G	339	TYR	CA-CB-CG	5.00	122.90	113.90

There are no chirality outliers.

All (43) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	A	1004	PHE	Sidechain
6	A	1006	TYR	Sidechain
6	A	126	ARG	Sidechain
6	A	1267	TYR	Peptide
6	A	13	PHE	Sidechain
6	A	204	TYR	Sidechain
6	A	254	ARG	Sidechain
6	A	268	ALA	Peptide
6	A	304	TYR	Sidechain
6	A	334	TYR	Sidechain
6	A	361	LEU	Peptide
6	A	592	TYR	Sidechain
5	B	354	TYR	Sidechain
5	B	56	ARG	Sidechain
5	B	635	ARG	Sidechain
5	B	68	PRO	Mainchain
1	C	122	TYR	Sidechain
1	C	164	TYR	Sidechain
1	C	239	GLN	Peptide
1	C	267	TYR	Sidechain
1	C	28	ARG	Sidechain
1	C	381	TYR	Sidechain
1	C	403	TYR	Sidechain
2	D	115	TYR	Sidechain
2	D	132	PHE	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	D	141	TYR	Sidechain
2	D	165	TYR	Sidechain
2	D	250	TYR	Sidechain
2	D	427	TYR	Sidechain
3	E	307	TYR	Sidechain
3	E	317	MET	Peptide
3	E	413	TYR	Sidechain
4	G	321	TYR	Sidechain
4	G	339	TYR	Sidechain
4	G	480	TYR	Sidechain
4	H	172	TYR	Sidechain
4	H	183	TYR	Sidechain
4	H	326	SER	Peptide
4	H	329	GLY	Peptide
4	H	335	TYR	Sidechain
4	I	156	TYR	Sidechain
4	I	173	ARG	Sidechain
4	I	335	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	5977	0	5400	30	0
2	D	3914	0	3736	58	0
3	E	3805	0	3588	61	0
4	G	3079	0	2910	37	0
4	H	3192	0	3044	12	0
4	I	2433	0	2302	4	0
5	B	5631	0	5332	55	0
6	A	11744	0	11282	25	0
7	F	1319	0	1282	1	0
8	K	28	0	25	5	0
9	J	39	0	34	0	0
10	C	11	0	10	6	0
10	D	22	0	20	26	0
10	E	33	0	30	30	0
10	G	11	0	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	D	1	0	0	0	0
11	E	1	0	0	0	0
11	H	1	0	0	0	0
12	B	14	0	13	3	0
12	E	14	0	13	8	0
12	G	14	0	13	7	0
12	H	14	0	13	1	0
13	B	10	0	10	11	0
All	All	41307	0	39067	276	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (276) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:30:TRP:HH2	4:G:65:ARG:CB	1.31	1.43
4:H:399:ASN:HB2	4:I:196:TYR:CE1	1.64	1.31
4:G:30:TRP:CH2	4:G:65:ARG:CB	2.16	1.28
5:B:543:VAL:HB	5:B:578:LYS:CE	1.65	1.25
5:B:221:GLU:HG3	12:B:1002:NAG:O6	1.09	1.24
5:B:543:VAL:CB	5:B:578:LYS:HE2	1.70	1.21
3:E:512:TRP:CZ3	3:E:530:ARG:HD3	1.78	1.17
3:E:461:LEU:O	10:E:603:MAN:H2	1.02	1.16
2:D:500:TRP:CD2	2:D:508:LYS:HE3	1.79	1.15
5:B:17:THR:OG1	13:B:1001:FUC:C1	1.94	1.15
5:B:18:CYS:SG	13:B:1001:FUC:H4	1.86	1.15
5:B:543:VAL:C	5:B:578:LYS:HD2	1.70	1.15
2:D:383:THR:HG23	2:D:394:LEU:CD1	1.78	1.14
3:E:408:ARG:N	12:E:604:NAG:H82	1.61	1.12
3:E:461:LEU:C	10:E:603:MAN:H2	1.74	1.12
3:E:461:LEU:O	10:E:603:MAN:C2	1.97	1.10
4:G:33:CYS:SG	4:G:40:MET:SD	2.50	1.10
3:E:408:ARG:H	12:E:604:NAG:C8	1.64	1.07
2:D:383:THR:HG23	2:D:394:LEU:HD11	1.14	1.07
3:E:461:LEU:CB	10:E:603:MAN:O4	2.01	1.07
4:G:40:MET:HE2	4:G:67:CYS:HB2	1.09	1.05
3:E:408:ARG:H	12:E:604:NAG:H82	0.92	1.04
2:D:499:ASN:O	2:D:508:LYS:HE2	1.58	1.04
5:B:543:VAL:CG2	5:B:578:LYS:HE3	1.87	1.04
2:D:383:THR:CG2	2:D:394:LEU:HD11	1.88	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:545:GLY:H	5:B:578:LYS:HD3	1.20	1.03
5:B:221:GLU:CG	12:B:1002:NAG:O6	2.05	1.03
4:G:41:PHE:CD2	4:G:64:ARG:HB3	1.92	1.03
4:G:40:MET:HE2	4:G:67:CYS:CB	1.90	1.02
3:E:515:TRP:CZ2	3:E:530:ARG:NH2	2.28	1.01
2:D:497:TRP:CD2	10:D:602:MAN:O3	2.12	1.01
2:D:500:TRP:CE2	2:D:508:LYS:HE3	1.96	1.01
2:D:510:ARG:NH2	10:D:602:MAN:O2	1.94	1.00
4:G:41:PHE:HD2	4:G:64:ARG:HB3	1.21	0.99
2:D:497:TRP:CE2	10:D:602:MAN:O3	2.15	0.98
3:E:512:TRP:CZ3	3:E:530:ARG:CD	2.46	0.98
2:D:500:TRP:CE3	2:D:508:LYS:HE3	2.02	0.94
4:H:399:ASN:HB2	4:I:196:TYR:HE1	1.29	0.94
4:G:41:PHE:HE2	4:G:64:ARG:HD2	1.29	0.93
5:B:545:GLY:H	5:B:578:LYS:CD	1.82	0.93
4:H:399:ASN:CB	4:I:196:TYR:CE1	2.53	0.92
2:D:383:THR:CG2	2:D:394:LEU:CD1	2.46	0.91
3:E:461:LEU:HB3	10:E:603:MAN:O4	1.65	0.91
5:B:18:CYS:SG	13:B:1001:FUC:C4	2.58	0.90
5:B:543:VAL:CG2	5:B:578:LYS:CE	2.49	0.90
2:D:497:TRP:CE2	10:D:602:MAN:H4	2.08	0.89
4:G:425:ARG:HG2	4:G:425:ARG:HH21	1.34	0.89
5:B:544:ASP:N	5:B:578:LYS:HD2	1.86	0.89
1:C:13:PRO:C	10:C:901:MAN:C1	2.46	0.88
6:A:617:GLY:HA2	6:A:653:GLU:CD	1.99	0.88
2:D:500:TRP:CE2	2:D:508:LYS:CE	2.56	0.88
5:B:543:VAL:HG23	5:B:578:LYS:HE3	1.56	0.87
3:E:461:LEU:CD1	10:E:603:MAN:O4	2.22	0.87
4:G:41:PHE:CE2	4:G:64:ARG:HD2	2.09	0.86
2:D:510:ARG:NH2	10:D:602:MAN:C2	2.37	0.86
4:G:41:PHE:CD2	4:G:64:ARG:CB	2.57	0.86
3:E:461:LEU:HB2	10:E:603:MAN:H3	1.56	0.85
5:B:57:CYS:SG	13:B:1001:FUC:H4	2.16	0.84
3:E:461:LEU:HB2	10:E:603:MAN:O4	1.78	0.84
5:B:543:VAL:CB	5:B:578:LYS:CE	2.39	0.83
2:D:500:TRP:CD2	2:D:508:LYS:CE	2.60	0.81
6:A:617:GLY:CA	6:A:653:GLU:OE1	2.28	0.80
1:C:13:PRO:O	10:C:901:MAN:H2	1.80	0.80
2:D:497:TRP:CG	10:D:602:MAN:HO2	1.99	0.80
4:G:40:MET:CE	4:G:67:CYS:HB2	2.04	0.80
5:B:543:VAL:HB	5:B:578:LYS:HE2	0.82	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:221:GLU:HG3	12:B:1002:NAG:HO6	1.44	0.79
2:D:497:TRP:CE3	10:D:602:MAN:O3	2.36	0.79
5:B:545:GLY:N	5:B:578:LYS:CD	2.45	0.79
5:B:18:CYS:SG	13:B:1001:FUC:C5	2.71	0.79
3:E:408:ARG:CA	12:E:604:NAG:H82	2.13	0.78
4:G:41:PHE:HE2	4:G:64:ARG:CD	1.95	0.78
2:D:497:TRP:HB3	10:D:602:MAN:O2	1.83	0.78
3:E:408:ARG:HB3	12:E:604:NAG:C8	2.13	0.78
3:E:408:ARG:HB3	12:E:604:NAG:H82	1.64	0.77
2:D:510:ARG:NH2	10:D:602:MAN:H2	2.00	0.76
4:G:30:TRP:CZ3	4:G:40:MET:HB2	2.20	0.76
2:D:497:TRP:CG	10:D:602:MAN:O2	2.37	0.76
1:C:164:TYR:CE2	1:C:237:VAL:HG21	2.21	0.75
2:D:497:TRP:NE1	10:D:602:MAN:H4	2.02	0.75
6:A:617:GLY:HA3	6:A:653:GLU:OE1	1.87	0.74
5:B:545:GLY:HA3	5:B:578:LYS:CG	2.18	0.73
3:E:461:LEU:C	10:E:603:MAN:C2	2.56	0.73
12:G:702:NAG:H3	12:G:702:NAG:C8	2.18	0.73
3:E:461:LEU:HB3	10:E:603:MAN:C4	2.19	0.72
6:A:629:HIS:HE1	6:A:648:ASP:CG	1.97	0.72
6:A:1035:MET:HE3	6:A:1071:VAL:HG11	1.72	0.72
4:G:394:ASN:HB2	12:G:702:NAG:H2	1.71	0.72
2:D:189:ASN:OD1	2:D:227:ARG:HA	1.89	0.71
3:E:13:ASN:HB3	10:E:601:MAN:O6	1.89	0.71
1:C:13:PRO:O	10:C:901:MAN:C2	2.38	0.71
4:G:30:TRP:HZ3	4:G:40:MET:HB2	1.54	0.71
3:E:408:ARG:CB	12:E:604:NAG:H82	2.21	0.71
2:D:510:ARG:HD3	10:D:602:MAN:O2	1.91	0.71
2:D:510:ARG:HH21	10:D:602:MAN:C2	2.02	0.71
2:D:497:TRP:CB	10:D:602:MAN:O2	2.39	0.70
6:A:617:GLY:CA	6:A:653:GLU:CD	2.65	0.70
2:D:500:TRP:CE2	2:D:508:LYS:NZ	2.59	0.70
3:E:512:TRP:CE3	3:E:530:ARG:HD3	2.27	0.69
4:G:394:ASN:HB2	12:G:702:NAG:C2	2.22	0.68
2:D:500:TRP:CZ2	2:D:508:LYS:NZ	2.62	0.67
2:D:510:ARG:HH22	10:D:602:MAN:H2	1.59	0.66
2:D:31:ARG:NH2	10:D:601:MAN:O2	2.28	0.66
4:G:425:ARG:HG2	4:G:425:ARG:NH2	2.04	0.66
2:D:497:TRP:CZ2	10:D:602:MAN:H4	2.31	0.66
5:B:603:ILE:HG12	6:A:1260:GLN:HE21	1.62	0.65
4:G:33:CYS:HA	4:G:40:MET:HG2	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:461:LEU:HD13	10:E:603:MAN:O4	1.96	0.65
2:D:384:LEU:HD11	2:D:398:TRP:CG	2.32	0.65
2:D:383:THR:CG2	2:D:394:LEU:HD13	2.27	0.64
5:B:545:GLY:HA3	5:B:578:LYS:HG3	1.79	0.64
1:C:39:GLN:CG	2:D:529:PRO:HB3	2.27	0.64
2:D:497:TRP:CE2	10:D:602:MAN:C4	2.80	0.64
3:E:461:LEU:CB	10:E:603:MAN:C4	2.75	0.64
2:D:497:TRP:CE2	10:D:602:MAN:C3	2.81	0.64
3:E:515:TRP:CH2	3:E:530:ARG:NH2	2.66	0.64
6:A:629:HIS:CE1	6:A:648:ASP:CG	2.76	0.63
1:C:39:GLN:CD	2:D:529:PRO:HB3	2.22	0.63
4:H:399:ASN:HB2	4:I:196:TYR:CD1	2.31	0.63
3:E:461:LEU:HB3	10:E:603:MAN:C5	2.29	0.63
3:E:512:TRP:CZ3	3:E:530:ARG:HD2	2.34	0.63
2:D:500:TRP:CZ2	2:D:508:LYS:HE3	2.34	0.62
4:G:30:TRP:CZ3	4:G:40:MET:CB	2.82	0.62
3:E:461:LEU:O	10:E:603:MAN:H5	2.00	0.62
4:G:41:PHE:CE2	4:G:64:ARG:CD	2.78	0.62
3:E:461:LEU:CD1	10:E:603:MAN:HO4	2.13	0.61
3:E:461:LEU:CB	10:E:603:MAN:H3	2.28	0.61
3:E:461:LEU:HB2	10:E:603:MAN:C3	2.30	0.61
5:B:545:GLY:N	5:B:578:LYS:CG	2.63	0.61
5:B:545:GLY:CA	5:B:578:LYS:HG2	2.30	0.61
5:B:545:GLY:HA3	5:B:578:LYS:HG2	1.83	0.61
5:B:543:VAL:HG21	5:B:578:LYS:HE3	1.77	0.60
1:C:13:PRO:HB2	10:C:901:MAN:H5	1.81	0.60
1:C:339:LYS:HB3	8:K:1:NAG:H82	1.84	0.59
6:A:629:HIS:CE1	6:A:648:ASP:OD2	2.55	0.59
12:G:702:NAG:H3	12:G:702:NAG:H82	1.83	0.59
1:C:339:LYS:HB2	8:K:1:NAG:H81	1.84	0.59
5:B:545:GLY:CA	5:B:578:LYS:CG	2.81	0.59
1:C:39:GLN:HG2	2:D:529:PRO:HB3	1.85	0.59
2:D:384:LEU:HD11	2:D:398:TRP:HB2	1.84	0.59
2:D:16:TRP:CD1	2:D:31:ARG:HH21	2.20	0.59
1:C:13:PRO:O	10:C:901:MAN:C1	2.51	0.58
4:H:103:ASP:HA	4:H:155:PHE:CD1	2.38	0.58
3:E:512:TRP:HH2	3:E:547:ARG:HB2	1.68	0.58
3:E:461:LEU:HB3	10:E:603:MAN:H5	1.86	0.58
4:G:41:PHE:CD2	4:G:64:ARG:HB2	2.38	0.58
6:A:887:ILE:HA	6:A:911:VAL:HB	1.85	0.58
5:B:353:VAL:HG23	5:B:462:ILE:HD12	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:18:CYS:SG	13:B:1001:FUC:O5	2.62	0.57
13:B:1001:FUC:H63	13:B:1001:FUC:H2	1.86	0.57
6:A:1167:THR:H	6:A:1212:ASP:HB3	1.70	0.57
1:C:166:PHE:H	1:C:237:VAL:HG22	1.70	0.57
3:E:512:TRP:CG	10:E:602:MAN:HO2	2.21	0.57
4:G:30:TRP:CE3	4:G:40:MET:HB3	2.39	0.56
2:D:497:TRP:NE1	10:D:602:MAN:C4	2.69	0.56
2:D:500:TRP:CZ3	2:D:508:LYS:HE3	2.39	0.56
3:E:461:LEU:HD12	10:E:603:MAN:O4	2.03	0.56
5:B:543:VAL:HG23	5:B:578:LYS:CE	2.28	0.55
2:D:383:THR:HG21	2:D:394:LEU:HD13	1.89	0.55
3:E:13:ASN:CB	10:E:601:MAN:O6	2.54	0.55
4:G:33:CYS:HA	4:G:40:MET:CG	2.35	0.55
1:C:165:THR:H	1:C:237:VAL:HG13	1.71	0.54
1:C:391:LEU:HB3	2:D:169:THR:HG21	1.89	0.54
3:E:515:TRP:HZ2	3:E:530:ARG:HH21	1.36	0.54
6:A:617:GLY:HA2	6:A:653:GLU:OE1	2.02	0.54
3:E:528:ARG:NH1	10:E:603:MAN:O3	2.41	0.54
4:G:30:TRP:CZ2	4:G:65:ARG:CB	2.88	0.54
5:B:578:LYS:HB2	5:B:578:LYS:NZ	2.22	0.54
5:B:11:TRP:CD1	5:B:50:ARG:HH11	2.26	0.54
1:C:13:PRO:CB	10:C:901:MAN:H5	2.37	0.53
2:D:497:TRP:HB3	10:D:602:MAN:HO2	1.69	0.53
2:D:384:LEU:HD11	2:D:398:TRP:CD1	2.44	0.53
4:H:349:LYS:HG2	4:H:394:ASN:OD1	2.09	0.53
2:D:500:TRP:CZ2	2:D:508:LYS:CE	2.92	0.53
5:B:543:VAL:O	5:B:578:LYS:HD2	2.06	0.53
6:A:629:HIS:HE1	6:A:648:ASP:OD2	1.91	0.52
2:D:383:THR:C	2:D:394:LEU:HD21	2.35	0.52
3:E:49:TRP:CE3	3:E:302:LYS:HE3	2.45	0.52
5:B:293:ILE:HG22	5:B:293:ILE:O	2.10	0.52
4:G:30:TRP:HE3	4:G:40:MET:HB3	1.73	0.52
1:C:339:LYS:HB2	8:K:1:NAG:C8	2.40	0.52
5:B:545:GLY:N	5:B:578:LYS:HG2	2.24	0.52
4:G:30:TRP:HZ3	4:G:40:MET:CB	2.19	0.51
4:G:33:CYS:SG	4:G:40:MET:CE	2.98	0.51
5:B:578:LYS:NZ	5:B:578:LYS:CB	2.72	0.50
3:E:530:ARG:NH1	3:E:547:ARG:HD3	2.27	0.50
2:D:497:TRP:CB	10:D:602:MAN:HO2	2.21	0.50
3:E:461:LEU:CG	10:E:603:MAN:O4	2.58	0.50
5:B:550:TRP:CG	5:B:564:ARG:HE	2.30	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:461:LEU:HD13	10:E:603:MAN:HO4	1.74	0.49
4:G:40:MET:HE2	4:G:67:CYS:SG	2.53	0.49
4:G:30:TRP:CZ3	4:G:40:MET:O	2.64	0.49
3:E:280:LEU:HD22	3:E:284:MET:SD	2.52	0.49
1:C:339:LYS:CB	8:K:1:NAG:C8	2.91	0.49
2:D:497:TRP:CZ3	10:D:602:MAN:O3	2.66	0.49
5:B:57:CYS:SG	13:B:1001:FUC:C4	2.97	0.49
4:H:155:PHE:CZ	4:H:157:ASN:HA	2.47	0.48
3:E:512:TRP:HZ3	3:E:530:ARG:CD	2.14	0.48
3:E:515:TRP:CH2	3:E:530:ARG:CZ	2.95	0.48
5:B:17:THR:HG1	13:B:1001:FUC:C1	2.16	0.48
4:H:343:LYS:HB2	4:H:400:LEU:HD13	1.96	0.48
4:G:30:TRP:CZ3	4:G:40:MET:C	2.92	0.48
12:G:702:NAG:H82	12:G:702:NAG:C1	2.44	0.48
5:B:18:CYS:SG	13:B:1001:FUC:H5	2.54	0.47
6:A:143:LEU:HD22	6:A:145:PHE:CE2	2.49	0.47
3:E:512:TRP:CH2	3:E:547:ARG:HB2	2.47	0.47
3:E:31:ARG:NH2	3:E:47:ASP:H	2.11	0.47
5:B:578:LYS:HB2	5:B:578:LYS:HZ3	1.78	0.47
1:C:39:GLN:CD	2:D:529:PRO:CB	2.87	0.47
1:C:381:TYR:CE2	5:B:432:ALA:HB1	2.49	0.47
3:E:462:MET:HB2	10:E:603:MAN:O2	2.14	0.47
4:G:30:TRP:CE3	4:G:40:MET:CB	2.98	0.47
3:E:461:LEU:CB	10:E:603:MAN:C3	2.90	0.47
6:A:617:GLY:HA2	6:A:653:GLU:CG	2.45	0.46
3:E:515:TRP:CH2	3:E:530:ARG:NE	2.83	0.46
4:G:155:PHE:CE1	4:G:293:VAL:HG21	2.50	0.46
2:D:384:LEU:HD11	2:D:398:TRP:CB	2.45	0.46
3:E:154:GLU:O	3:E:421:LYS:HE2	2.15	0.46
4:G:41:PHE:CE2	4:G:64:ARG:CB	2.98	0.46
4:G:425:ARG:NH2	4:G:425:ARG:CG	2.73	0.46
6:A:1004:PHE:CZ	6:A:1074:TYR:CG	3.04	0.46
1:C:162:LEU:CD2	5:B:340:PHE:CE1	2.98	0.46
1:C:359:GLY:HA2	1:C:391:LEU:HD12	1.98	0.46
1:C:263:SER:C	1:C:264:LEU:HG	2.40	0.46
3:E:411:ILE:HA	7:F:174:PHE:CZ	2.51	0.45
2:D:510:ARG:HD3	10:D:602:MAN:HO2	1.81	0.45
1:C:295:PHE:CE2	1:C:349:LEU:HD11	2.52	0.45
1:C:339:LYS:CB	8:K:1:NAG:H82	2.46	0.45
3:E:408:ARG:HB3	12:E:604:NAG:H83	1.97	0.45
3:E:461:LEU:HB2	10:E:603:MAN:C4	2.43	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:B:1001:FUC:H63	13:B:1001:FUC:C2	2.46	0.45
1:C:46:PHE:CD2	1:C:268:SER:HB3	2.51	0.45
5:B:543:VAL:HB	5:B:578:LYS:CD	2.40	0.45
2:D:122:ALA:HB2	2:D:139:HIS:CG	2.52	0.45
6:A:1035:MET:HE3	6:A:1071:VAL:CG1	2.44	0.45
4:G:28:SER:O	4:G:42:ARG:CB	2.65	0.44
5:B:169:VAL:HG21	5:B:212:PRO:HG3	1.99	0.44
5:B:172:MET:SD	5:B:215:LEU:HD11	2.57	0.44
5:B:185:GLY:HA3	5:B:340:PHE:HA	2.00	0.44
2:D:383:THR:HG23	2:D:394:LEU:CD2	2.48	0.44
3:E:461:LEU:C	10:E:603:MAN:H3	2.42	0.44
5:B:29:ILE:HD12	5:B:29:ILE:H	1.83	0.44
12:G:702:NAG:H3	12:G:702:NAG:H83	1.96	0.43
5:B:298:VAL:HG13	5:B:462:ILE:HG21	1.99	0.43
2:D:497:TRP:CD2	10:D:602:MAN:C3	3.01	0.43
2:D:500:TRP:CH2	2:D:508:LYS:HE3	2.54	0.43
6:A:629:HIS:CE1	6:A:648:ASP:OD1	2.72	0.43
1:C:355:ILE:HD12	1:C:367:SER:HB3	2.00	0.43
6:A:1059:TRP:CZ2	6:A:1113:GLY:HA2	2.54	0.43
3:E:148:GLU:CG	3:E:178:LYS:HE3	2.49	0.43
1:C:484:TRP:CD1	1:C:499:ARG:HH11	2.36	0.42
1:C:481:TRP:CZ3	1:C:501:CYS:SG	3.12	0.42
4:H:343:LYS:HB2	4:H:400:LEU:CD1	2.50	0.42
6:A:143:LEU:C	6:A:143:LEU:HD23	2.45	0.42
3:E:461:LEU:C	10:E:603:MAN:C3	2.92	0.42
5:B:317:PHE:HA	5:B:340:PHE:CE1	2.53	0.42
4:H:278:GLY:HA3	4:H:335:TYR:CE1	2.54	0.42
5:B:544:ASP:N	5:B:578:LYS:CD	2.71	0.42
4:H:157:ASN:HB2	4:H:176:TRP:CG	2.55	0.42
4:G:198:GLU:C	4:G:199:GLN:HG3	2.44	0.42
6:A:1359:PHE:CE1	6:A:1449:ILE:HG21	2.53	0.42
2:D:532:GLU:OE2	10:D:602:MAN:H5	2.20	0.42
5:B:545:GLY:N	5:B:578:LYS:HD3	2.03	0.42
1:C:226:TYR:CZ	1:C:228:LEU:HD21	2.55	0.41
1:C:261:LEU:HD13	1:C:270:TYR:CE1	2.56	0.41
5:B:591:THR:HG23	6:A:1266:PHE:HA	2.03	0.41
12:G:702:NAG:O6	12:G:702:NAG:O4	2.33	0.41
6:A:492:ILE:HD11	6:A:516:MET:HG2	2.02	0.41
6:A:998:VAL:HG13	6:A:1067:VAL:HG21	2.02	0.41
3:E:39:PHE:CZ	3:E:496:ALA:HB2	2.56	0.41
3:E:280:LEU:HD21	3:E:441:THR:HG22	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:185:GLY:CA	5:B:340:PHE:HA	2.50	0.41
4:H:394:ASN:HB2	12:H:601:NAG:O7	2.21	0.41
3:E:284:MET:HA	3:E:307:TYR:CE1	2.56	0.41
6:A:1071:VAL:O	6:A:1071:VAL:HG12	2.21	0.40
3:E:185:TYR:CD2	3:E:271:PHE:HB3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	803/821 (98%)	778 (97%)	25 (3%)	0	100	100
2	D	481/537 (90%)	465 (97%)	15 (3%)	1 (0%)	43	73
3	E	474/554 (86%)	457 (96%)	17 (4%)	0	100	100
4	G	387/538 (72%)	367 (95%)	20 (5%)	0	100	100
4	H	398/538 (74%)	386 (97%)	12 (3%)	0	100	100
4	I	301/538 (56%)	286 (95%)	15 (5%)	0	100	100
5	B	712/913 (78%)	667 (94%)	45 (6%)	0	100	100
6	A	1534/1658 (92%)	1430 (93%)	103 (7%)	1 (0%)	48	79
7	F	166/182 (91%)	161 (97%)	5 (3%)	0	100	100
All	All	5256/6279 (84%)	4997 (95%)	257 (5%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	530	ALA
6	A	887	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	615/714 (86%)	611 (99%)	4 (1%)	76	78
2	D	433/473 (92%)	431 (100%)	2 (0%)	81	81
3	E	410/466 (88%)	410 (100%)	0	100	100
4	G	340/477 (71%)	333 (98%)	7 (2%)	47	66
4	H	353/477 (74%)	346 (98%)	7 (2%)	48	67
4	I	264/477 (55%)	261 (99%)	3 (1%)	65	74
5	B	630/810 (78%)	624 (99%)	6 (1%)	68	75
6	A	1234/1470 (84%)	1227 (99%)	7 (1%)	78	80
7	F	136/149 (91%)	135 (99%)	1 (1%)	76	78
All	All	4415/5513 (80%)	4378 (99%)	37 (1%)	70	77

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	14	TRP
1	C	406	VAL
1	C	513	CYS
1	C	666	CYS
2	D	261	TYR
2	D	369	LEU
4	G	27	TRP
4	G	41	PHE
4	G	92	ILE
4	G	396	THR
4	G	425	ARG
4	G	432	THR
4	G	450	GLN
5	B	69	TRP
5	B	146	ASN
5	B	568	CYS
5	B	578	LYS
5	B	699	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	B	723	TYR
4	H	103	ASP
4	H	104	CYS
4	H	178	VAL
4	H	191	PHE
4	H	399	ASN
4	H	459	VAL
4	H	480	TYR
6	A	165	ILE
6	A	423	ASP
6	A	488	LYS
6	A	820	GLN
6	A	887	ILE
6	A	1049	SER
6	A	1260	GLN
7	F	49	ARG
4	I	129	SER
4	I	189	LYS
4	I	357	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (67) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	24	GLN
1	C	82	ASN
1	C	171	ASN
1	C	345	GLN
1	C	346	ASN
1	C	347	ASN
1	C	454	HIS
1	C	503	ASN
1	C	530	HIS
1	C	578	ASN
2	D	240	HIS
2	D	260	HIS
2	D	307	ASN
2	D	320	ASN
2	D	322	HIS
2	D	354	ASN
2	D	403	GLN
2	D	437	GLN
3	E	24	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	30	HIS
3	E	65	GLN
3	E	71	GLN
3	E	89	GLN
3	E	296	ASN
3	E	406	GLN
3	E	432	GLN
3	E	440	HIS
3	E	526	GLN
3	E	534	ASN
4	G	99	ASN
4	G	399	ASN
4	G	436	ASN
4	G	442	ASN
4	G	490	HIS
5	B	53	ASN
5	B	79	GLN
5	B	177	HIS
5	B	273	ASN
5	B	296	HIS
5	B	367	ASN
5	B	534	GLN
4	H	85	GLN
4	H	190	ASN
4	H	450	GLN
6	A	131	ASN
6	A	218	ASN
6	A	224	ASN
6	A	227	ASN
6	A	271	ASN
6	A	356	GLN
6	A	363	GLN
6	A	514	GLN
6	A	532	GLN
6	A	556	HIS
6	A	629	HIS
6	A	1097	ASN
6	A	1103	ASN
6	A	1223	ASN
6	A	1260	GLN
6	A	1307	ASN
6	A	1348	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	A	1417	ASN
7	F	95	GLN
4	I	153	ASN
4	I	177	ASN
4	I	190	ASN
4	I	471	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
9	NAG	J	1	6,9	14,14,15	1.43	1 (7%)	17,19,21	2.82	3 (17%)
9	NAG	J	2	9	14,14,15	0.58	0	17,19,21	1.21	2 (11%)
9	BMA	J	3	9	11,11,12	0.35	0	15,15,17	1.00	1 (6%)
8	NAG	K	1	8,2	14,14,15	0.80	0	17,19,21	3.32	10 (58%)
8	NAG	K	2	8	14,14,15	0.37	0	17,19,21	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	J	1	6,9	-	4/6/23/26	0/1/1/1
9	NAG	J	2	9	-	4/6/23/26	0/1/1/1
9	BMA	J	3	9	-	1/2/19/22	0/1/1/1
8	NAG	K	1	8,2	-	4/6/23/26	0/1/1/1
8	NAG	K	2	8	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	J	1	NAG	C1-C2	-3.43	1.47	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	J	1	NAG	C1-C2-N2	-9.15	96.01	110.43
8	K	1	NAG	C6-C5-C4	-6.63	96.74	113.02
8	K	1	NAG	O3-C3-C2	-6.55	95.80	109.40
8	K	1	NAG	O3-C3-C4	-5.73	96.86	110.38
9	J	1	NAG	C2-N2-C7	4.93	129.51	122.90
8	K	1	NAG	C2-N2-C7	-4.68	116.63	122.90
8	K	1	NAG	C1-C2-N2	3.12	115.34	110.43
8	K	1	NAG	O4-C4-C3	-3.05	103.20	110.38
9	J	2	NAG	C2-N2-C7	-2.80	119.15	122.90
8	K	1	NAG	O5-C5-C6	-2.74	102.33	107.66
8	K	1	NAG	O4-C4-C5	-2.69	102.71	109.32
9	J	2	NAG	O3-C3-C2	-2.39	104.44	109.40
8	K	1	NAG	O5-C1-C2	-2.33	107.69	111.29
9	J	3	BMA	C1-C2-C3	-2.07	106.62	109.64
8	K	1	NAG	C1-O5-C5	2.07	114.96	112.19
9	J	1	NAG	O3-C3-C2	-2.05	105.14	109.40

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	K	1	NAG	C8-C7-N2-C2
8	K	1	NAG	O7-C7-N2-C2
8	K	2	NAG	C8-C7-N2-C2
8	K	2	NAG	O7-C7-N2-C2
9	J	1	NAG	C8-C7-N2-C2
9	J	1	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	J	2	NAG	C8-C7-N2-C2
9	J	2	NAG	O7-C7-N2-C2
9	J	1	NAG	C4-C5-C6-O6
8	K	1	NAG	O5-C5-C6-O6
9	J	1	NAG	O5-C5-C6-O6
8	K	1	NAG	C4-C5-C6-O6
9	J	2	NAG	C4-C5-C6-O6
9	J	3	BMA	O5-C5-C6-O6
9	J	2	NAG	O5-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	K	1	NAG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 3 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	MAN	E	601	3	11,11,12	1.02	1 (9%)	15,15,17	1.39	3 (20%)
10	MAN	D	602	2	11,11,12	0.51	0	15,15,17	0.89	1 (6%)
10	MAN	E	603	3	11,11,12	0.32	0	15,15,17	0.98	1 (6%)
12	NAG	E	604	3	14,14,15	0.41	0	17,19,21	0.76	0
10	MAN	C	901	1	11,11,12	0.26	0	15,15,17	1.03	1 (6%)
13	FUC	B	1001	-	10,10,11	0.79	1 (10%)	14,14,16	1.70	4 (28%)
10	MAN	D	601	2	11,11,12	0.45	0	15,15,17	1.13	1 (6%)
12	NAG	H	601	4	14,14,15	0.32	0	17,19,21	0.60	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NAG	G	702	4	14,14,15	0.33	0	17,19,21	1.19	3 (17%)
10	MAN	E	602	3	11,11,12	0.53	0	15,15,17	1.58	2 (13%)
12	NAG	B	1002	5	14,14,15	1.18	1 (7%)	17,19,21	1.93	4 (23%)
10	MAN	G	701	4	11,11,12	0.35	0	15,15,17	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	MAN	E	601	3	1/1/4/5	0/2/19/22	0/1/1/1
10	MAN	D	602	2	1/1/4/5	2/2/19/22	1/1/1/1
10	MAN	E	603	3	1/1/4/5	2/2/19/22	0/1/1/1
12	NAG	E	604	3	-	1/6/23/26	0/1/1/1
10	MAN	C	901	1	1/1/4/5	2/2/19/22	0/1/1/1
13	FUC	B	1001	-	-	-	0/1/1/1
10	MAN	D	601	2	1/1/4/5	2/2/19/22	1/1/1/1
12	NAG	H	601	4	-	3/6/23/26	0/1/1/1
12	NAG	G	702	4	-	4/6/23/26	0/1/1/1
10	MAN	E	602	3	1/1/4/5	2/2/19/22	0/1/1/1
12	NAG	B	1002	5	-	3/6/23/26	0/1/1/1
10	MAN	G	701	4	1/1/4/5	2/2/19/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	B	1002	NAG	O5-C1	-2.57	1.39	1.43
10	E	601	MAN	O5-C1	-2.49	1.39	1.43
13	B	1001	FUC	C1-C2	2.37	1.57	1.52

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B	1002	NAG	C1-O5-C5	-4.70	105.88	112.19
10	E	602	MAN	C3-C4-C5	4.40	118.21	110.23
12	B	1002	NAG	O6-C6-C5	-3.73	98.62	111.33
12	B	1002	NAG	O5-C1-C2	3.33	116.44	111.29
13	B	1001	FUC	C1-C2-C3	3.32	114.48	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	C	901	MAN	C1-C2-C3	3.32	114.48	109.64
13	B	1001	FUC	O5-C5-C6	3.20	114.34	107.40
10	D	602	MAN	C1-O5-C5	2.86	116.02	112.19
12	G	702	NAG	O5-C5-C6	2.70	112.91	107.66
10	E	603	MAN	C1-C2-C3	2.66	113.52	109.64
10	D	601	MAN	C1-C2-C3	-2.61	105.84	109.64
10	E	601	MAN	O6-C6-C5	-2.60	102.47	111.33
13	B	1001	FUC	C1-O5-C5	2.47	118.80	112.97
10	E	602	MAN	C2-C3-C4	2.45	115.17	110.86
12	B	1002	NAG	C6-C5-C4	2.38	118.86	113.02
10	E	601	MAN	O2-C2-C3	-2.38	105.22	110.15
13	B	1001	FUC	C6-C5-C4	-2.37	108.75	113.08
10	E	601	MAN	C6-C5-C4	2.34	118.76	113.02
12	G	702	NAG	C1-C2-N2	-2.25	106.89	110.43
12	G	702	NAG	C2-N2-C7	-2.09	120.10	122.90

All (7) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
10	C	901	MAN	C1
10	D	601	MAN	C1
10	D	602	MAN	C1
10	E	601	MAN	C1
10	E	602	MAN	C1
10	E	603	MAN	C1
10	G	701	MAN	C1

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	G	702	NAG	C1-C2-N2-C7
12	G	702	NAG	C8-C7-N2-C2
12	G	702	NAG	O7-C7-N2-C2
12	B	1002	NAG	C8-C7-N2-C2
12	B	1002	NAG	O7-C7-N2-C2
12	H	601	NAG	C8-C7-N2-C2
12	H	601	NAG	O7-C7-N2-C2
10	D	602	MAN	O5-C5-C6-O6
10	D	601	MAN	C4-C5-C6-O6
10	D	602	MAN	C4-C5-C6-O6
10	G	701	MAN	C4-C5-C6-O6
10	G	701	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	E	602	MAN	C4-C5-C6-O6
10	D	601	MAN	O5-C5-C6-O6
10	C	901	MAN	O5-C5-C6-O6
10	E	602	MAN	O5-C5-C6-O6
12	G	702	NAG	O5-C5-C6-O6
10	E	603	MAN	C4-C5-C6-O6
12	H	601	NAG	O5-C5-C6-O6
12	B	1002	NAG	C4-C5-C6-O6
10	C	901	MAN	C4-C5-C6-O6
10	E	603	MAN	O5-C5-C6-O6
12	E	604	NAG	C1-C2-N2-C7

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	D	601	MAN	C1-C2-C3-C4-C5-O5
10	D	602	MAN	C1-C2-C3-C4-C5-O5

11 monomers are involved in 92 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	E	601	MAN	2	0
10	D	602	MAN	25	0
10	E	603	MAN	27	0
12	E	604	NAG	8	0
10	C	901	MAN	6	0
13	B	1001	FUC	11	0
10	D	601	MAN	1	0
12	H	601	NAG	1	0
12	G	702	NAG	7	0
10	E	602	MAN	1	0
12	B	1002	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12650. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200



Z Index: 200

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 194




Y Index: 151




Z Index: 205


6.3.2 Raw map



X Index: 194



Y Index: 181




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.007. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 36597 nm³; this corresponds to an approximate mass of 33059 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.282 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.282 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.54	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.15	7.60	4.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.15 differs from the reported value 3.54 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12650 and PDB model 7NYC. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.007 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.007).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.007) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7920	0.2260
A	0.8180	0.2240
B	0.8070	0.2510
C	0.7440	0.2370
D	0.8490	0.2810
E	0.8210	0.2540
F	0.8370	0.2240
G	0.7750	0.2290
H	0.7080	0.1630
I	0.7250	0.0950
J	0.8970	0.4530
K	0.7140	0.1620

1.0

0.0

<0.0