



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:50 AM UTC

PDB ID : 1O04 / pdb_00001o04
Title : Cys302Ser mutant of human mitochondrial aldehyde dehydrogenase complexed with NAD⁺ and Mg²⁺
Authors : Perez-Miller, S.J.; Hurley, T.D.
Deposited on : 2003-02-20
Resolution : 1.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4041 (1.44-1.40)
Clashscore	190562	4154 (1.44-1.40)
Ramachandran outliers	187476	4083 (1.44-1.40)
Sidechain outliers	187428	4082 (1.44-1.40)
RSRZ outliers	180081	4039 (1.44-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	95%
1	B	500	95%
1	C	500	96%
1	D	500	% 97%
1	E	500	97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	500	 95% ..
1	G	500	 97% ..
1	H	500	 95% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	EDO	A	6941	-	-	X	-
6	EDO	C	6943	-	-	X	-
6	EDO	H	6918	-	-	X	-
6	EDO	H	6948	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 36161 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldehyde dehydrogenase, mitochondrial precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	B	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	C	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	D	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	E	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	F	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	G	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			
1	H	494	Total	C	N	O	S	0	3	0
			3821	2428	652	722	19			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	302	SER	CYS	engineered mutation	UNP P05091
B	302	SER	CYS	engineered mutation	UNP P05091
C	302	SER	CYS	engineered mutation	UNP P05091
D	302	SER	CYS	engineered mutation	UNP P05091
E	302	SER	CYS	engineered mutation	UNP P05091
F	302	SER	CYS	engineered mutation	UNP P05091
G	302	SER	CYS	engineered mutation	UNP P05091
H	302	SER	CYS	engineered mutation	UNP P05091


- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0
2	B	1	Total Na 1 1	0	0
2	C	1	Total Na 1 1	0	0
2	D	1	Total Na 1 1	0	0
2	E	1	Total Na 1 1	0	0
2	F	1	Total Na 1 1	0	0
2	G	1	Total Na 1 1	0	0
2	H	1	Total Na 1 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	H	1	Total Mg 1 1	0	0

- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 5 is GUANIDINE (CCD ID: GAI) (formula: CH₅N₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			4	1	3		
5	A	1	Total	C	N	0	0
			4	1	3		
5	B	1	Total	C	N	0	0
			4	1	3		
5	B	1	Total	C	N	0	0
			4	1	3		
5	C	1	Total	C	N	0	0
			4	1	3		
5	C	1	Total	C	N	0	0
			4	1	3		
5	C	1	Total	C	N	0	0
			4	1	3		
5	D	1	Total	C	N	0	0
			4	1	3		
5	D	1	Total	C	N	0	0
			4	1	3		
5	E	1	Total	C	N	0	0
			4	1	3		
5	E	1	Total	C	N	0	0
			4	1	3		
5	F	1	Total	C	N	0	0
			4	1	3		
5	F	1	Total	C	N	0	0
			4	1	3		
5	F	1	Total	C	N	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	G	1	Total	C	N	0	0
			4	1	3		
5	G	1	Total	C	N	0	0
			4	1	3		
5	H	1	Total	C	N	0	0
			4	1	3		
5	H	1	Total	C	N	0	0
			4	1	3		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total 4	C 2	O 2	0	0
6	C	1	Total 4	C 2	O 2	0	0
6	C	1	Total 4	C 2	O 2	0	0
6	C	1	Total 4	C 2	O 2	0	0
6	C	1	Total 4	C 2	O 2	0	0
6	C	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	E	1	Total 4	C 2	O 2	0	0
6	E	1	Total 4	C 2	O 2	0	0
6	E	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	F	1	Total 4	C 2	O 2	0	0
6	G	1	Total 4	C 2	O 2	0	0
6	G	1	Total 4	C 2	O 2	0	0
6	G	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	H	1	Total C O 4 2 2	0	0
6	H	1	Total C O 4 2 2	0	0
6	H	1	Total C O 4 2 2	0	0
6	H	1	Total C O 4 2 2	0	0


- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	602	Total O 602 602	0	0
7	B	645	Total O 645 645	0	0
7	C	627	Total O 627 627	0	0
7	D	598	Total O 598 598	0	0
7	E	665	Total O 665 665	0	0
7	F	632	Total O 632 632	0	0
7	G	628	Total O 628 628	0	0
7	H	628	Total O 628 628	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain A:  95%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain B:  95%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain C:  96%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain D:  97%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain E:  97%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain F:  95% ..




- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain G:  97% ..



- Molecule 1: Aldehyde dehydrogenase, mitochondrial precursor

Chain H:  95% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	141.21Å 152.49Å 177.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.42 50.00 – 1.42	Depositor EDS
% Data completeness (in resolution range)	95.9 (50.00-1.42) 95.9 (50.00-1.42)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 1.42Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.145 , 0.171 0.147 , 0.172	Depositor DCC
R_{free} test set	34234 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	10.1	Xtriage
Anisotropy	0.280	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	36161	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.51 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6455e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, GAI, NAD, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	1/3905 (0.0%)	0.84	1/5297 (0.0%)
1	B	0.75	0/3905	0.84	1/5297 (0.0%)
1	C	0.75	0/3905	0.85	0/5297
1	D	0.75	0/3905	0.84	1/5297 (0.0%)
1	E	0.76	0/3905	0.84	0/5297
1	F	0.76	1/3905 (0.0%)	0.85	0/5297
1	G	0.75	1/3905 (0.0%)	0.86	0/5297
1	H	0.74	0/3905	0.85	0/5297
All	All	0.75	3/31240 (0.0%)	0.85	3/42376 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	470	MET	SD-CE	-6.54	1.63	1.79
1	F	470	MET	SD-CE	-5.53	1.65	1.79
1	A	470	MET	SD-CE	-5.29	1.66	1.79

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	199	LEU	N-CA-C	5.39	116.96	111.14
1	B	86	ARG	NE-CZ-NH1	-5.21	116.29	121.50
1	D	8	VAL	N-CA-C	5.14	113.59	107.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3821	0	3764	14	0
1	B	3821	0	3764	15	0
1	C	3821	0	3764	13	0
1	D	3821	0	3764	9	0
1	E	3821	0	3764	7	0
1	F	3821	0	3764	16	0
1	G	3821	0	3764	8	0
1	H	3821	0	3764	21	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	44	0	26	2	0
4	B	44	0	26	2	0
4	C	44	0	26	1	0
4	D	44	0	26	0	0
4	E	44	0	26	1	0
4	F	44	0	26	4	0
4	G	44	0	26	1	0
4	H	44	0	26	2	0
5	A	8	0	8	0	0
5	B	8	0	8	0	0
5	C	12	0	12	0	0
5	D	8	0	8	0	0
5	E	8	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	12	0	12	0	0
5	G	8	0	8	0	0
5	H	8	0	8	0	0
6	A	16	0	24	5	0
6	B	16	0	24	4	0
6	C	20	0	30	6	0
6	D	12	0	18	2	0
6	E	12	0	18	0	0
6	F	24	0	36	4	0
6	G	12	0	18	0	0
6	H	16	0	24	11	0
7	A	602	0	0	5	0
7	B	645	0	0	3	0
7	C	627	0	0	2	0
7	D	598	0	0	2	0
7	E	665	0	0	2	0
7	F	632	0	0	5	0
7	G	628	0	0	3	0
7	H	628	0	0	8	0
All	All	36161	0	30584	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:E:3898:HOH:O	1:F:254:GLN:HG3	1.36	1.21
7:G:4087:HOH:O	1:H:254:GLN:HG3	1.38	1.21
1:E:254:GLN:HG3	7:F:3897:HOH:O	1.38	1.20
1:G:254:GLN:HG3	7:H:4086:HOH:O	1.45	1.16
1:H:46:GLU:HB2	6:H:6918:EDO:H21	1.26	1.13
1:C:441:TYR:CD1	6:C:6943:EDO:H22	1.98	0.98
1:H:311:GLN:HG2	7:H:3742:HOH:O	1.61	0.98
6:A:6941:EDO:H11	1:B:72:LEU:HD21	1.45	0.96
1:F:441:TYR:CE1	6:F:6946:EDO:H22	2.04	0.93
1:H:441:TYR:CE1	6:H:6948:EDO:H22	2.04	0.92
1:A:311:GLN:HG3	7:A:7401:HOH:O	1.71	0.90
1:G:72:LEU:HD21	6:H:6948:EDO:H11	1.56	0.85
1:A:441:TYR:CE1	6:A:6941:EDO:H22	2.17	0.79
1:B:27:GLU:HG2	7:B:7549:HOH:O	1.80	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:441:TYR:CD1	6:F:6946:EDO:H22	2.19	0.77
1:H:441:TYR:CD1	6:H:6948:EDO:H22	2.20	0.75
1:C:441:TYR:CE1	6:C:6943:EDO:H22	2.22	0.75
1:H:41:ASN:HB2	6:H:6918:EDO:H11	1.69	0.74
1:C:291:HIS:HE1	1:C:329:ARG:HH11	1.34	0.74
1:H:41:ASN:CB	6:H:6918:EDO:H11	2.16	0.74
1:H:46:GLU:CB	6:H:6918:EDO:H21	2.12	0.74
1:H:291:HIS:HE1	1:H:329:ARG:HH11	1.36	0.74
6:C:6943:EDO:H11	1:D:72:LEU:HD21	1.69	0.72
1:A:72:LEU:HD21	6:B:6942:EDO:H11	1.74	0.69
6:B:6922:EDO:H21	7:B:7350:HOH:O	1.95	0.66
1:B:101:TYR:HB2	6:B:6922:EDO:H12	1.77	0.65
1:A:311:GLN:HG3	7:A:7402:HOH:O	1.97	0.63
1:F:311:GLN:HG3	7:F:4604:HOH:O	1.96	0.63
6:H:6918:EDO:H12	7:H:3655:HOH:O	1.97	0.62
1:C:291:HIS:CE1	1:C:329:ARG:HH11	2.18	0.60
6:A:6941:EDO:H11	1:B:72:LEU:CD2	2.28	0.59
1:C:441:TYR:CE1	6:C:6943:EDO:C2	2.87	0.58
1:B:441:TYR:CE1	6:B:6942:EDO:H22	2.40	0.56
1:H:291:HIS:CE1	1:H:329:ARG:HH11	2.20	0.56
1:A:268:GLU:HB3	4:A:6501:NAD:N7N	2.24	0.53
1:F:251:ARG:NH2	7:F:3067:HOH:O	2.37	0.53
1:H:291:HIS:HD2	7:H:4709:HOH:O	1.91	0.53
1:C:291:HIS:HD2	7:C:7129:HOH:O	1.89	0.53
1:E:72:LEU:HD21	6:F:6946:EDO:H11	1.92	0.52
1:G:72:LEU:CD2	6:H:6948:EDO:H11	2.34	0.52
7:A:7292:HOH:O	1:D:140:HIS:HD2	1.92	0.51
1:H:311:GLN:HG2	7:H:3743:HOH:O	2.10	0.51
1:G:289:GLN:OE1	7:G:4516:HOH:O	2.20	0.50
1:B:499:ASN:H	1:D:444:GLN:HE22	1.59	0.49
1:H:424:THR:HB	1:H:470:MET:HE2	1.94	0.49
1:G:34:ARG:HD3	7:G:3284:HOH:O	2.13	0.49
1:B:499:ASN:H	1:D:444:GLN:NE2	2.11	0.48
1:F:23:PHE:CZ	1:F:26:ASN:HA	2.48	0.48
1:D:23:PHE:CZ	1:D:26:ASN:HA	2.48	0.48
1:A:46:GLU:HB2	6:A:6911:EDO:H21	1.97	0.47
1:B:498:LYS:HD2	1:B:498:LYS:C	2.40	0.47
1:H:27:GLU:HG2	7:H:3680:HOH:O	2.13	0.47
6:H:6918:EDO:C1	7:H:3655:HOH:O	2.60	0.47
1:B:268:GLU:HB3	4:B:6502:NAD:N7N	2.29	0.47
1:C:23:PHE:CZ	1:C:26:ASN:HA	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:PHE:CZ	1:A:26:ASN:HA	2.49	0.46
1:A:441:TYR:CD1	6:A:6941:EDO:H22	2.50	0.46
1:E:23:PHE:CZ	1:E:26:ASN:HA	2.50	0.46
1:B:23:PHE:CZ	1:B:26:ASN:HA	2.50	0.46
1:H:41:ASN:HB3	6:H:6918:EDO:H11	1.94	0.45
6:D:6914:EDO:H12	7:D:6951:HOH:O	2.14	0.45
1:F:269:LEU:O	4:F:6506:NAD:H2N	2.17	0.45
1:F:494:LYS:NZ	7:F:3779:HOH:O	2.40	0.45
1:E:268:GLU:HB3	4:E:6505:NAD:N7N	2.32	0.45
1:F:483[A]:GLN:HG3	7:F:4127:HOH:O	2.16	0.45
6:D:6914:EDO:C1	7:D:6951:HOH:O	2.65	0.44
7:B:7281:HOH:O	1:D:140:HIS:HE1	2.01	0.44
1:C:269:LEU:O	4:C:6503:NAD:H2N	2.17	0.44
1:H:90:ARG:NH1	7:H:2287:HOH:O	2.48	0.44
1:E:138:LYS:HD3	1:G:135:TRP:CE2	2.53	0.44
1:H:23:PHE:CZ	1:H:26:ASN:HA	2.52	0.44
1:C:347:GLU:CD	6:C:6963:EDO:H11	2.43	0.44
1:H:268:GLU:HB3	4:H:6508:NAD:N7N	2.33	0.44
1:C:300:GLN:HE22	1:C:345:VAL:H	1.65	0.43
1:D:172:LEU:HD21	1:D:200:THR:HB	2.00	0.43
1:E:257:ALA:HB2	7:E:4809:HOH:O	2.18	0.43
1:A:352:LYS:NZ	7:A:7260:HOH:O	2.51	0.43
1:F:401:PHE:CZ	4:F:6506:NAD:H2D	2.54	0.43
1:A:262:LEU:HD21	1:B:251:ARG:HA	2.01	0.43
1:F:135:TRP:CE2	1:H:138:LYS:HD3	2.54	0.42
1:F:347:GLU:CD	6:F:6966:EDO:H22	2.44	0.42
1:C:29:HIS:HD2	7:C:7291:HOH:O	2.02	0.42
1:H:294:LEU:C	1:H:294:LEU:HD13	2.44	0.42
1:C:172:LEU:HD21	1:C:200:THR:HB	2.02	0.42
1:B:449:GLY:HA3	1:B:466:GLY:O	2.20	0.42
1:F:268:GLU:HB3	4:F:6506:NAD:N7N	2.34	0.42
1:A:401:PHE:CE1	4:A:6501:NAD:H2D	2.55	0.41
1:B:172:LEU:HD21	1:B:200:THR:HB	2.02	0.41
1:G:23:PHE:CZ	1:G:26:ASN:HA	2.55	0.41
1:F:302:SER:HB3	4:F:6506:NAD:C2N	2.50	0.41
1:A:172:LEU:HD21	1:A:200:THR:HB	2.02	0.41
1:B:302:SER:HB3	4:B:6502:NAD:C2N	2.50	0.41
6:C:6943:EDO:H11	1:D:72:LEU:CD2	2.44	0.41
1:C:245:GLY:O	1:C:269:LEU:HA	2.21	0.41
1:A:193:VAL:HG11	1:A:201:ALA:CB	2.51	0.41
1:A:494:LYS:NZ	7:A:7305:HOH:O	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:205:ALA:HB2	1:F:220:ILE:HD12	2.02	0.41
1:E:449:GLY:HA3	1:E:466:GLY:O	2.21	0.40
1:F:245:GLY:O	1:F:269:LEU:HA	2.22	0.40
1:G:401:PHE:CZ	4:G:6507:NAD:H2D	2.56	0.40
1:H:269:LEU:O	4:H:6508:NAD:H2N	2.21	0.40
1:B:331:VAL:HG21	1:B:383:PRO:HD3	2.03	0.40
1:D:8:VAL:HA	1:D:9:PRO:HD3	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
1	B	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
1	C	495/500 (99%)	482 (97%)	13 (3%)	0	100	100
1	D	495/500 (99%)	482 (97%)	13 (3%)	0	100	100
1	E	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
1	F	495/500 (99%)	482 (97%)	13 (3%)	0	100	100
1	G	495/500 (99%)	482 (97%)	13 (3%)	0	100	100
1	H	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
All	All	3960/4000 (99%)	3860 (98%)	100 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/402 (100%)	400 (100%)	2 (0%)	81	62
1	B	402/402 (100%)	402 (100%)	0	100	100
1	C	402/402 (100%)	402 (100%)	0	100	100
1	D	402/402 (100%)	400 (100%)	2 (0%)	81	62
1	E	402/402 (100%)	401 (100%)	1 (0%)	87	73
1	F	402/402 (100%)	401 (100%)	1 (0%)	87	73
1	G	402/402 (100%)	402 (100%)	0	100	100
1	H	402/402 (100%)	401 (100%)	1 (0%)	87	73
All	All	3216/3216 (100%)	3209 (100%)	7 (0%)	87	73

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	ARG
1	A	377	ARG
1	D	192	LYS
1	D	401	PHE
1	E	401	PHE
1	F	401	PHE
1	H	192	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	ASN
1	A	26	ASN
1	A	50	GLN
1	A	440	ASN
1	B	26	ASN
1	B	422	ASN
1	B	440	ASN
1	C	25	ASN
1	C	29	HIS
1	C	291	HIS
1	D	25	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	140	HIS
1	D	358	ASN
1	D	444	GLN
1	E	14	GLN
1	E	21	GLN
1	E	390	GLN
1	F	25	ASN
1	G	25	ASN
1	G	26	ASN
1	G	254	GLN
1	G	289	GLN
1	G	349	GLN
1	G	390	GLN
1	H	25	ASN
1	H	254	GLN
1	H	291	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 74 ligands modelled in this entry, 16 are monoatomic - leaving 58 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	EDO	A	6941	-	3,3,3	0.38	0	2,2,2	0.43	0
6	EDO	B	6912	-	3,3,3	0.40	0	2,2,2	0.23	0
6	EDO	C	6903	-	3,3,3	0.38	0	2,2,2	0.62	0
5	GAI	G	6807	-	3,3,3	0.55	0	3,3,3	0.27	0
6	EDO	F	6966	-	3,3,3	0.42	0	2,2,2	0.38	0
6	EDO	C	6943	-	3,3,3	0.34	0	2,2,2	0.10	0
6	EDO	F	6916	-	3,3,3	0.41	0	2,2,2	0.37	0
5	GAI	B	6802	-	3,3,3	0.53	0	3,3,3	0.34	0
6	EDO	G	6917	-	3,3,3	0.36	0	2,2,2	0.27	0
6	EDO	E	6925	-	3,3,3	0.19	0	2,2,2	1.04	0
4	NAD	A	6501	3	46,48,48	1.69	7 (15%)	64,73,73	1.50	10 (15%)
5	GAI	C	6823	-	3,3,3	0.82	0	3,3,3	1.10	0
6	EDO	A	6901	-	3,3,3	0.53	0	2,2,2	0.22	0
6	EDO	G	6927	-	3,3,3	0.33	0	2,2,2	0.61	0
6	EDO	B	6942	-	3,3,3	0.69	0	2,2,2	0.34	0
5	GAI	B	6812	-	3,3,3	1.00	0	3,3,3	1.03	0
6	EDO	A	6921	-	3,3,3	0.31	0	2,2,2	0.74	0
6	EDO	A	6911	-	3,3,3	0.36	0	2,2,2	0.27	0
6	EDO	C	6963	-	3,3,3	0.31	0	2,2,2	0.70	0
6	EDO	F	6946	-	3,3,3	0.41	0	2,2,2	0.37	0
4	NAD	G	6507	3	46,48,48	1.61	7 (15%)	64,73,73	1.53	9 (14%)
5	GAI	D	6814	-	3,3,3	1.01	0	3,3,3	0.84	0
4	NAD	D	6504	3	46,48,48	1.68	7 (15%)	64,73,73	1.54	11 (17%)
6	EDO	D	6904	-	3,3,3	0.41	0	2,2,2	0.33	0
6	EDO	H	6918	-	3,3,3	0.32	0	2,2,2	0.44	0
6	EDO	C	6913	-	3,3,3	0.36	0	2,2,2	0.34	0
5	GAI	F	6816	-	3,3,3	1.12	0	3,3,3	0.76	0
6	EDO	H	6908	-	3,3,3	0.56	0	2,2,2	0.25	0
5	GAI	C	6803	-	3,3,3	0.73	0	3,3,3	0.57	0
4	NAD	F	6506	3	46,48,48	1.75	7 (15%)	64,73,73	1.56	11 (17%)
5	GAI	H	6818	-	3,3,3	0.91	0	3,3,3	0.77	0
6	EDO	G	6907	-	3,3,3	0.39	0	2,2,2	0.35	0
5	GAI	A	6801	-	3,3,3	0.38	0	3,3,3	1.07	0
6	EDO	B	6922	-	3,3,3	0.35	0	2,2,2	0.17	0
6	EDO	E	6905	-	3,3,3	0.48	0	2,2,2	0.29	0
5	GAI	D	6804	-	3,3,3	0.44	0	3,3,3	1.43	1 (33%)
6	EDO	D	6914	-	3,3,3	0.51	0	2,2,2	0.52	0
4	NAD	H	6508	3	46,48,48	1.58	6 (13%)	64,73,73	1.59	10 (15%)
5	GAI	A	6811	-	3,3,3	1.00	0	3,3,3	0.84	0
6	EDO	C	6923	-	3,3,3	0.25	0	2,2,2	0.62	0
6	EDO	F	6956	-	3,3,3	0.44	0	2,2,2	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAD	B	6502	3	46,48,48	1.58	4 (8%)	64,73,73	1.53	10 (15%)
5	GAI	E	6805	-	3,3,3	0.50	0	3,3,3	1.07	0
5	GAI	C	6813	-	3,3,3	1.05	0	3,3,3	1.32	0
5	GAI	F	6806	-	3,3,3	0.53	0	3,3,3	0.70	0
6	EDO	F	6906	-	3,3,3	0.50	0	2,2,2	0.35	0
6	EDO	H	6948	-	3,3,3	0.38	0	2,2,2	0.47	0
6	EDO	H	6928	-	3,3,3	0.27	0	2,2,2	0.47	0
6	EDO	D	6944	-	3,3,3	0.31	0	2,2,2	0.96	0
6	EDO	F	6926	-	3,3,3	0.33	0	2,2,2	1.00	0
5	GAI	E	6815	-	3,3,3	1.28	0	3,3,3	0.92	0
6	EDO	B	6902	-	3,3,3	0.39	0	2,2,2	0.11	0
6	EDO	E	6915	-	3,3,3	0.37	0	2,2,2	0.52	0
4	NAD	C	6503	3	46,48,48	1.61	7 (15%)	64,73,73	1.52	13 (20%)
5	GAI	H	6808	-	3,3,3	0.34	0	3,3,3	1.49	1 (33%)
5	GAI	F	6826	-	3,3,3	0.76	0	3,3,3	1.01	0
5	GAI	G	6817	-	3,3,3	1.01	0	3,3,3	1.40	1 (33%)
4	NAD	E	6505	3	46,48,48	1.61	6 (13%)	64,73,73	1.49	10 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	6941	-	-	1/1/1/1	-
6	EDO	B	6912	-	-	0/1/1/1	-
6	EDO	C	6903	-	-	0/1/1/1	-
6	EDO	F	6966	-	-	0/1/1/1	-
6	EDO	C	6943	-	-	1/1/1/1	-
6	EDO	F	6916	-	-	0/1/1/1	-
6	EDO	G	6917	-	-	0/1/1/1	-
6	EDO	E	6925	-	-	0/1/1/1	-
4	NAD	A	6501	3	-	4/30/62/62	0/5/5/5
6	EDO	A	6901	-	-	0/1/1/1	-
6	EDO	G	6927	-	-	0/1/1/1	-
6	EDO	B	6942	-	-	1/1/1/1	-
6	EDO	A	6921	-	-	1/1/1/1	-
6	EDO	A	6911	-	-	0/1/1/1	-
6	EDO	C	6963	-	-	0/1/1/1	-
6	EDO	F	6946	-	-	1/1/1/1	-
4	NAD	G	6507	3	-	4/30/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAD	D	6504	3	-	3/30/62/62	0/5/5/5
6	EDO	D	6904	-	-	0/1/1/1	-
6	EDO	H	6918	-	-	0/1/1/1	-
6	EDO	C	6913	-	-	0/1/1/1	-
6	EDO	H	6908	-	-	0/1/1/1	-
4	NAD	F	6506	3	-	3/30/62/62	0/5/5/5
6	EDO	G	6907	-	-	0/1/1/1	-
6	EDO	B	6922	-	-	1/1/1/1	-
6	EDO	E	6905	-	-	0/1/1/1	-
6	EDO	D	6914	-	-	0/1/1/1	-
4	NAD	H	6508	3	-	4/30/62/62	0/5/5/5
6	EDO	C	6923	-	-	0/1/1/1	-
6	EDO	F	6956	-	-	0/1/1/1	-
4	NAD	B	6502	3	-	3/30/62/62	0/5/5/5
6	EDO	H	6948	-	-	1/1/1/1	-
6	EDO	F	6906	-	-	0/1/1/1	-
6	EDO	H	6928	-	-	0/1/1/1	-
6	EDO	D	6944	-	-	0/1/1/1	-
6	EDO	F	6926	-	-	0/1/1/1	-
6	EDO	B	6902	-	-	0/1/1/1	-
6	EDO	E	6915	-	-	0/1/1/1	-
4	NAD	C	6503	3	-	3/30/62/62	0/5/5/5
4	NAD	E	6505	3	-	3/30/62/62	0/5/5/5

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	6504	NAD	O7N-C7N	8.85	1.40	1.24
4	F	6506	NAD	O7N-C7N	8.71	1.40	1.24
4	A	6501	NAD	O7N-C7N	8.58	1.40	1.24
4	B	6502	NAD	O7N-C7N	8.28	1.39	1.24
4	G	6507	NAD	O7N-C7N	8.19	1.39	1.24
4	E	6505	NAD	O7N-C7N	8.11	1.39	1.24
4	H	6508	NAD	O7N-C7N	8.09	1.39	1.24
4	C	6503	NAD	O7N-C7N	8.00	1.39	1.24
4	F	6506	NAD	PN-O3	3.64	1.63	1.59
4	F	6506	NAD	PA-O3	3.14	1.62	1.59
4	C	6503	NAD	PN-O3	3.07	1.62	1.59
4	A	6501	NAD	C2N-N1N	3.00	1.38	1.35
4	D	6504	NAD	PN-O3	2.99	1.62	1.59
4	F	6506	NAD	C2A-N1A	2.92	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	6508	NAD	C2N-N1N	2.85	1.38	1.35
4	B	6502	NAD	C8A-N7A	2.78	1.37	1.31
4	F	6506	NAD	C2N-N1N	2.76	1.38	1.35
4	F	6506	NAD	C2A-N3A	2.72	1.38	1.33
4	G	6507	NAD	PA-O3	2.69	1.62	1.59
4	E	6505	NAD	PA-O3	2.67	1.62	1.59
4	B	6502	NAD	PA-O3	2.67	1.62	1.59
4	E	6505	NAD	C2A-N1A	2.66	1.38	1.33
4	A	6501	NAD	C2A-N1A	2.66	1.38	1.33
4	A	6501	NAD	PA-O3	2.58	1.62	1.59
4	G	6507	NAD	C2N-N1N	2.57	1.37	1.35
4	G	6507	NAD	C2A-N1A	2.56	1.38	1.33
4	H	6508	NAD	C2A-N3A	2.52	1.38	1.33
4	C	6503	NAD	C2A-N1A	2.51	1.38	1.33
4	E	6505	NAD	C2N-N1N	2.49	1.37	1.35
4	C	6503	NAD	PA-O3	2.47	1.62	1.59
4	H	6508	NAD	PN-O3	2.44	1.62	1.59
4	C	6503	NAD	C2A-N3A	2.41	1.38	1.33
4	G	6507	NAD	PN-O3	2.36	1.62	1.59
4	H	6508	NAD	C2A-N1A	2.36	1.38	1.33
4	D	6504	NAD	C2A-N1A	2.34	1.38	1.33
4	G	6507	NAD	C8A-N7A	2.32	1.36	1.31
4	G	6507	NAD	C2A-N3A	2.28	1.38	1.33
4	H	6508	NAD	C8A-N7A	2.27	1.36	1.31
4	D	6504	NAD	C2A-N3A	2.26	1.38	1.33
4	C	6503	NAD	C8A-N7A	2.26	1.36	1.31
4	D	6504	NAD	PA-O3	2.26	1.61	1.59
4	A	6501	NAD	C8A-N7A	2.26	1.36	1.31
4	A	6501	NAD	C2A-N3A	2.21	1.37	1.33
4	E	6505	NAD	C8A-N7A	2.20	1.35	1.31
4	F	6506	NAD	C8A-N7A	2.16	1.35	1.31
4	A	6501	NAD	PN-O3	2.13	1.61	1.59
4	D	6504	NAD	C8A-N7A	2.10	1.35	1.31
4	D	6504	NAD	C2N-N1N	2.09	1.37	1.35
4	B	6502	NAD	C2N-N1N	2.08	1.37	1.35
4	C	6503	NAD	C2N-N1N	2.03	1.37	1.35
4	E	6505	NAD	PN-O3	2.00	1.61	1.59

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	6504	NAD	N3A-C2A-N1A	-5.63	120.06	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	6508	NAD	N3A-C2A-N1A	-5.47	120.30	128.58
4	G	6507	NAD	N3A-C2A-N1A	-4.63	121.57	128.58
4	C	6503	NAD	N3A-C2A-N1A	-4.63	121.57	128.58
4	B	6502	NAD	N9A-C8A-N7A	-4.45	107.63	113.94
4	A	6501	NAD	N3A-C2A-N1A	-4.30	122.07	128.58
4	B	6502	NAD	N3A-C2A-N1A	-4.29	122.08	128.58
4	F	6506	NAD	N9A-C8A-N7A	-4.27	107.87	113.94
4	F	6506	NAD	C3N-C7N-N7N	4.26	122.99	117.74
4	G	6507	NAD	C3N-C7N-N7N	4.01	122.68	117.74
4	C	6503	NAD	N9A-C8A-N7A	-3.98	108.29	113.94
4	F	6506	NAD	O7N-C7N-C3N	-3.90	114.83	119.60
4	H	6508	NAD	N9A-C8A-N7A	-3.89	108.42	113.94
4	F	6506	NAD	C5A-N7A-C8A	3.89	109.56	103.45
4	G	6507	NAD	C5A-C4A-N3A	-3.84	121.43	126.72
4	D	6504	NAD	N9A-C8A-N7A	-3.81	108.54	113.94
4	A	6501	NAD	C4A-C5A-N7A	-3.79	106.25	110.58
4	E	6505	NAD	C2N-C3N-C4N	3.78	122.66	118.26
4	E	6505	NAD	N3A-C2A-N1A	-3.70	122.99	128.58
4	D	6504	NAD	C3N-C7N-N7N	3.69	122.28	117.74
4	B	6502	NAD	C5A-N7A-C8A	3.64	109.17	103.45
4	A	6501	NAD	C5A-N7A-C8A	3.63	109.15	103.45
4	E	6505	NAD	C5A-N7A-C8A	3.61	109.12	103.45
4	A	6501	NAD	N9A-C8A-N7A	-3.56	108.88	113.94
4	E	6505	NAD	N9A-C8A-N7A	-3.56	108.89	113.94
4	H	6508	NAD	C5A-N7A-C8A	3.55	109.03	103.45
4	G	6507	NAD	N9A-C8A-N7A	-3.54	108.91	113.94
4	F	6506	NAD	N3A-C2A-N1A	-3.54	123.22	128.58
4	H	6508	NAD	O7N-C7N-C3N	-3.48	115.34	119.60
4	C	6503	NAD	C2N-C3N-C4N	3.41	122.22	118.26
4	D	6504	NAD	C5A-N7A-C8A	3.40	108.79	103.45
4	C	6503	NAD	C5A-N7A-C8A	3.34	108.69	103.45
4	F	6506	NAD	C4A-C5A-N7A	-3.31	106.80	110.58
4	H	6508	NAD	C4A-C5A-N7A	-3.25	106.86	110.58
4	B	6502	NAD	C5A-C4A-N3A	-3.25	122.24	126.72
4	E	6505	NAD	C4A-C5A-N7A	-3.22	106.90	110.58
4	A	6501	NAD	C3N-C7N-N7N	3.18	121.66	117.74
4	E	6505	NAD	C3N-C7N-N7N	3.17	121.65	117.74
4	D	6504	NAD	C2N-C3N-C4N	3.15	121.92	118.26
4	A	6501	NAD	C5A-C4A-N9A	3.15	109.24	105.81
4	G	6507	NAD	C5A-N7A-C8A	3.12	108.36	103.45
4	A	6501	NAD	C5A-C4A-N3A	-3.09	122.46	126.72
4	B	6502	NAD	C3N-C7N-N7N	3.09	121.54	117.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	6505	NAD	O7N-C7N-C3N	-2.94	116.00	119.60
4	B	6502	NAD	C4A-C5A-N7A	-2.92	107.25	110.58
4	E	6505	NAD	C5A-C4A-N3A	-2.90	122.72	126.72
4	H	6508	NAD	C2N-C3N-C4N	2.90	121.63	118.26
4	D	6504	NAD	O7N-C7N-C3N	-2.88	116.08	119.60
4	H	6508	NAD	C3N-C7N-N7N	2.86	121.26	117.74
4	H	6508	NAD	C5A-C4A-N3A	-2.84	122.81	126.72
4	G	6507	NAD	C4A-C5A-N7A	-2.77	107.41	110.58
4	G	6507	NAD	C2A-N3A-C4A	2.75	118.56	111.83
4	H	6508	NAD	C2A-N3A-C4A	2.71	118.45	111.83
4	D	6504	NAD	C4A-C5A-N7A	-2.69	107.51	110.58
4	G	6507	NAD	O7N-C7N-C3N	-2.65	116.35	119.60
4	C	6503	NAD	C5A-C4A-N3A	-2.61	123.13	126.72
4	F	6506	NAD	C6A-C5A-C4A	2.60	120.73	117.18
4	A	6501	NAD	O2A-PA-O3	2.57	114.23	107.27
4	C	6503	NAD	O7N-C7N-C3N	-2.55	116.48	119.60
4	C	6503	NAD	C3N-C7N-N7N	2.55	120.88	117.74
4	F	6506	NAD	C4A-N9A-C8A	2.53	108.39	105.74
4	D	6504	NAD	C2A-N3A-C4A	2.52	117.99	111.83
4	F	6506	NAD	C5A-C4A-N3A	-2.51	123.27	126.72
4	H	6508	NAD	C5A-C4A-N9A	2.49	108.53	105.81
4	E	6505	NAD	C6A-C5A-C4A	2.48	120.57	117.18
4	D	6504	NAD	C5A-C4A-N3A	-2.40	123.41	126.72
4	C	6503	NAD	C4A-C5A-N7A	-2.38	107.86	110.58
4	C	6503	NAD	C4A-N9A-C8A	2.37	108.23	105.74
4	C	6503	NAD	O2N-PN-O1N	2.35	123.37	112.44
4	B	6502	NAD	C2N-C3N-C4N	2.29	120.93	118.26
4	A	6501	NAD	C2A-N3A-C4A	2.28	117.41	111.83
4	B	6502	NAD	C2A-N3A-C4A	2.28	117.39	111.83
4	C	6503	NAD	O3-PN-O1N	-2.25	103.93	110.70
4	D	6504	NAD	C2A-N1A-C6A	2.24	122.41	118.73
4	E	6505	NAD	C5A-C4A-N9A	2.21	108.22	105.81
5	H	6808	GAI	N3-C-N2	2.20	121.33	116.18
4	C	6503	NAD	C2A-N3A-C4A	2.20	117.21	111.83
4	G	6507	NAD	C5A-C4A-N9A	2.17	108.18	105.81
4	F	6506	NAD	C2N-C3N-C4N	2.16	120.77	118.26
4	B	6502	NAD	C6A-C5A-C4A	2.16	120.13	117.18
4	A	6501	NAD	O7N-C7N-C3N	-2.15	116.97	119.60
4	F	6506	NAD	O2A-PA-O3	2.12	113.00	107.27
4	B	6502	NAD	C5A-C4A-N9A	2.10	108.11	105.81
5	D	6804	GAI	N3-C-N2	2.10	121.09	116.18
5	G	6817	GAI	N3-C-N2	2.09	121.06	116.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	6504	NAD	C5A-C4A-N9A	2.07	108.06	105.81
4	C	6503	NAD	C6N-C5N-C4N	-2.04	116.51	119.45

There are no chirality outliers.

All (34) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	F	6946	EDO	O1-C1-C2-O2
6	A	6941	EDO	O1-C1-C2-O2
6	A	6921	EDO	O1-C1-C2-O2
6	H	6948	EDO	O1-C1-C2-O2
4	A	6501	NAD	C2B-C1B-N9A-C8A
4	B	6502	NAD	C2B-C1B-N9A-C8A
4	C	6503	NAD	C2B-C1B-N9A-C8A
4	D	6504	NAD	C2B-C1B-N9A-C8A
4	E	6505	NAD	C2B-C1B-N9A-C8A
4	F	6506	NAD	C2B-C1B-N9A-C8A
4	G	6507	NAD	C2B-C1B-N9A-C8A
4	H	6508	NAD	C2B-C1B-N9A-C8A
4	A	6501	NAD	C4D-C5D-O5D-PN
4	D	6504	NAD	C4D-C5D-O5D-PN
4	A	6501	NAD	C5B-O5B-PA-O1A
4	G	6507	NAD	C5B-O5B-PA-O1A
4	E	6505	NAD	C4D-C5D-O5D-PN
4	F	6506	NAD	C4D-C5D-O5D-PN
4	G	6507	NAD	C4D-C5D-O5D-PN
4	H	6508	NAD	C4D-C5D-O5D-PN
6	B	6942	EDO	O1-C1-C2-O2
4	B	6502	NAD	C4D-C5D-O5D-PN
4	C	6503	NAD	C4D-C5D-O5D-PN
4	D	6504	NAD	O4B-C1B-N9A-C8A
4	G	6507	NAD	O4B-C1B-N9A-C8A
4	A	6501	NAD	O4B-C1B-N9A-C8A
4	B	6502	NAD	O4B-C1B-N9A-C8A
4	H	6508	NAD	O4B-C1B-N9A-C8A
4	C	6503	NAD	O4B-C1B-N9A-C8A
4	E	6505	NAD	O4B-C1B-N9A-C8A
6	B	6922	EDO	O1-C1-C2-O2
6	C	6943	EDO	O1-C1-C2-O2
4	F	6506	NAD	O4B-C1B-N9A-C8A
4	H	6508	NAD	C2B-C1B-N9A-C4A


There are no ring outliers.


18 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	6941	EDO	4	0
6	F	6966	EDO	1	0
6	C	6943	EDO	5	0
4	A	6501	NAD	2	0
6	B	6942	EDO	2	0
6	A	6911	EDO	1	0
6	C	6963	EDO	1	0
6	F	6946	EDO	3	0
4	G	6507	NAD	1	0
6	H	6918	EDO	7	0
4	F	6506	NAD	4	0
6	B	6922	EDO	2	0
6	D	6914	EDO	2	0
4	H	6508	NAD	2	0
4	B	6502	NAD	2	0
6	H	6948	EDO	4	0
4	C	6503	NAD	1	0
4	E	6505	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/500 (98%)	-0.48	1 (0%) 91 93	5, 11, 21, 35	3 (0%)
1	B	494/500 (98%)	-0.62	1 (0%) 91 93	5, 10, 17, 32	3 (0%)
1	C	494/500 (98%)	-0.66	1 (0%) 91 93	5, 9, 17, 30	3 (0%)
1	D	494/500 (98%)	-0.51	3 (0%) 85 88	5, 10, 19, 34	3 (0%)
1	E	494/500 (98%)	-0.67	1 (0%) 91 93	5, 9, 16, 38	3 (0%)
1	F	494/500 (98%)	-0.71	1 (0%) 91 93	5, 9, 16, 26	3 (0%)
1	G	494/500 (98%)	-0.52	2 (0%) 88 91	5, 10, 20, 40	3 (0%)
1	H	494/500 (98%)	-0.58	3 (0%) 85 88	5, 10, 19, 37	3 (0%)
All	All	3952/4000 (98%)	-0.59	13 (0%) 90 92	5, 10, 18, 40	24 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	7	ALA	5.3
1	H	7	ALA	4.8
1	B	7	ALA	4.7
1	A	7	ALA	4.4
1	D	7	ALA	3.7
1	C	7	ALA	3.3
1	E	376	ASP	2.6
1	H	377	ARG	2.5
1	F	7	ALA	2.5
1	G	378	GLY	2.4
1	D	224	PHE	2.3
1	D	376	ASP	2.2
1	H	376	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	A	6921	4/4	0.73	0.16	26,28,31,34	0
5	GAI	F	6826	4/4	0.80	0.15	27,27,30,31	0
6	EDO	G	6927	4/4	0.82	0.13	26,27,28,31	0
6	EDO	E	6925	4/4	0.85	0.13	22,25,28,32	0
5	GAI	C	6823	4/4	0.86	0.12	22,24,27,28	0
6	EDO	D	6944	4/4	0.87	0.14	24,24,26,28	0
5	GAI	A	6811	4/4	0.89	0.12	22,22,22,24	0
5	GAI	C	6813	4/4	0.89	0.16	20,21,22,23	0
6	EDO	H	6928	4/4	0.89	0.11	20,24,25,26	0
5	GAI	G	6817	4/4	0.90	0.10	23,23,25,25	0
5	GAI	D	6814	4/4	0.90	0.13	21,22,23,25	0
5	GAI	B	6812	4/4	0.91	0.17	20,21,21,23	0
6	EDO	C	6943	4/4	0.91	0.13	12,24,26,36	0
5	GAI	H	6808	4/4	0.91	0.09	12,15,15,17	0
5	GAI	E	6805	4/4	0.92	0.11	12,17,19,19	0
6	EDO	B	6922	4/4	0.93	0.12	15,27,29,30	0
6	EDO	F	6966	4/4	0.93	0.11	20,22,23,24	0
5	GAI	H	6818	4/4	0.93	0.11	21,22,22,23	0
5	GAI	F	6816	4/4	0.93	0.11	19,19,23,24	0
4	NAD	B	6502	44/44	0.94	0.08	11,15,18,19	0
4	NAD	C	6503	44/44	0.94	0.08	11,14,17,19	0
4	NAD	E	6505	44/44	0.94	0.08	10,13,16,17	0
5	GAI	D	6804	4/4	0.94	0.09	13,15,16,19	0
4	NAD	F	6506	44/44	0.94	0.07	10,13,17,19	0
6	EDO	B	6942	4/4	0.94	0.11	11,27,27,31	0
6	EDO	C	6923	4/4	0.94	0.09	16,18,21,26	0
4	NAD	H	6508	44/44	0.94	0.08	10,15,17,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	D	6914	4/4	0.94	0.11	17,17,20,21	0
5	GAI	E	6815	4/4	0.94	0.11	18,20,20,22	0
5	GAI	F	6806	4/4	0.94	0.08	11,12,12,13	0
6	EDO	F	6926	4/4	0.94	0.09	12,15,17,22	0
6	EDO	F	6946	4/4	0.94	0.14	11,24,25,29	0
6	EDO	F	6956	4/4	0.94	0.08	13,14,18,19	0
4	NAD	A	6501	44/44	0.94	0.08	12,16,19,21	0
5	GAI	B	6802	4/4	0.94	0.07	13,14,14,15	0
5	GAI	G	6807	4/4	0.94	0.07	11,14,14,16	0
6	EDO	H	6948	4/4	0.94	0.17	10,23,23,31	0
4	NAD	G	6507	44/44	0.95	0.07	10,14,16,18	0
5	GAI	A	6801	4/4	0.95	0.06	12,14,14,15	0
6	EDO	F	6906	4/4	0.95	0.08	12,13,13,18	0
6	EDO	H	6908	4/4	0.95	0.08	15,15,16,20	0
6	EDO	C	6963	4/4	0.95	0.08	20,23,27,29	0
6	EDO	A	6911	4/4	0.95	0.09	23,24,24,30	0
6	EDO	C	6903	4/4	0.96	0.07	13,17,17,20	0
6	EDO	E	6915	4/4	0.96	0.09	17,20,23,29	0
6	EDO	G	6917	4/4	0.96	0.09	17,22,23,26	0
6	EDO	A	6941	4/4	0.96	0.10	11,20,24,26	0
6	EDO	B	6902	4/4	0.96	0.06	13,14,17,17	0
6	EDO	H	6918	4/4	0.96	0.20	13,14,30,31	0
4	NAD	D	6504	44/44	0.96	0.07	12,15,19,20	0
6	EDO	A	6901	4/4	0.96	0.06	15,15,16,19	0
3	MG	A	6701	1/1	0.97	0.21	18,18,18,18	0
3	MG	G	6707	1/1	0.97	0.17	15,15,15,15	0
6	EDO	E	6905	4/4	0.97	0.07	13,18,19,19	0
6	EDO	B	6912	4/4	0.97	0.06	16,21,23,24	0
6	EDO	D	6904	4/4	0.97	0.07	15,17,18,19	0
6	EDO	G	6907	4/4	0.97	0.05	13,15,16,17	0
2	NA	A	6601	1/1	0.98	0.05	14,14,14,14	0
3	MG	B	6702	1/1	0.98	0.18	16,16,16,16	0
3	MG	C	6703	1/1	0.98	0.17	18,18,18,18	0
3	MG	F	6706	1/1	0.98	0.21	18,18,18,18	0
6	EDO	F	6916	4/4	0.98	0.05	14,17,19,22	0
2	NA	G	6607	1/1	0.98	0.04	12,12,12,12	0
3	MG	H	6708	1/1	0.98	0.18	17,17,17,17	0
5	GAI	C	6803	4/4	0.98	0.05	11,12,13,14	0
2	NA	B	6602	1/1	0.99	0.04	10,10,10,10	0
3	MG	D	6704	1/1	0.99	0.17	15,15,15,15	0
3	MG	E	6705	1/1	0.99	0.18	15,15,15,15	0
2	NA	H	6608	1/1	0.99	0.04	11,11,11,11	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NA	D	6604	1/1	0.99	0.03	11,11,11,11	0
6	EDO	C	6913	4/4	0.99	0.05	14,18,20,24	0
2	NA	E	6605	1/1	0.99	0.06	10,10,10,10	0
2	NA	C	6603	1/1	1.00	0.04	10,10,10,10	0
2	NA	F	6606	1/1	1.00	0.03	11,11,11,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAD B 6502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 6503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD E 6505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD F 6506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD H 6508:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD A 6501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD G 6507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NAD D 6504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.