



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:30 PM UTC

PDB ID : 1O0C / pdb_00001o0c
Title : CRYSTAL STRUCTURE OF L-GLUTAMATE AND AMPCPP BOUND TO
GLUTAMINE AMINOACYL TRNA SYNTHETASE
Authors : Bullock, T.L.; Perona, J.J.
Deposited on : 2003-02-20
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RNA backbone	3983	1044 (2.90-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	75	
2	A	554	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GLU	A	996	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AMP	A	998	X	-	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called Glutaminyl tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	74	Total	C	N	O	P	0	0	0
			1570	702	279	516	73			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	901	U	G	engineered mutation	EMBL 43058


- Molecule 2 is a protein called Glutaminyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	529	Total	C	N	O	S	0	0	0
			4279	2704	752	802	21			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	cloning artifact	UNP P00962

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLUTAMIC ACID (CCD ID: GLU) (formula: $C_5H_9NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 5 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	26	Total	O	0	0
			26	26		
6	A	118	Total	O	0	0
			118	118		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Glutaminyl tRNA

Chain B: 



• Molecule 2: Glutaminyl-tRNA synthetase

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	241.10Å 94.58Å 116.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.70	Depositor
% Data completeness (in resolution range)	(Not available) (6.00-2.70)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	0.06	Depositor
Refinement program	X-PLOR 98.0	Depositor
R, R_{free}	0.213 , 0.265	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6036	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.44	0/1753	0.88	8/2730 (0.3%)
2	A	0.53	0/4379	0.99	19/5928 (0.3%)
All	All	0.51	0/6132	0.95	27/8658 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	4

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	32	PRO	N-CA-C	8.34	120.87	110.70
2	A	215	HIS	N-CA-C	7.31	119.89	111.11
2	A	348	PRO	N-CA-C	7.21	123.64	111.32
2	A	231	LEU	N-CA-C	7.11	121.59	112.34
2	A	338	ASN	N-CA-C	7.09	122.22	113.50
2	A	530	HIS	N-CA-C	6.30	121.31	112.93
2	A	133	ARG	N-CA-C	6.24	120.00	112.38
2	A	512	ALA	N-CA-C	-6.04	100.71	109.59
2	A	250	PRO	N-CA-C	5.96	122.31	114.27
1	B	919	G	N9-C1'-C2'	5.80	122.71	114.00
2	A	518	PHE	N-CA-C	-5.63	99.95	108.67
2	A	96	VAL	N-CA-C	-5.62	101.57	109.21
1	B	918	G	N9-C1'-C2'	5.60	122.39	114.00
1	B	936	G	N9-C1'-C2'	5.46	122.18	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	45	LYS	N-CA-C	-5.41	105.46	111.36
2	A	403	LEU	N-CA-C	5.40	117.53	109.59
2	A	50	ASN	N-CA-C	5.35	116.92	111.14
1	B	916	C	C2'-C3'-O3'	5.32	117.48	109.50
2	A	397	ASN	N-CA-C	5.29	122.07	110.80
2	A	67	ASP	N-CA-C	5.25	117.50	109.62
1	B	920	U	C2'-C3'-O3'	-5.24	105.84	113.70
2	A	246	ASN	N-CA-C	5.23	120.31	113.30
2	A	159	LYS	N-CA-C	-5.22	105.49	111.07
2	A	498	ILE	N-CA-C	5.20	116.19	108.23
1	B	974	C	N1-C1'-C2'	5.16	121.74	114.00
1	B	945	A	N9-C1'-C2'	5.08	121.62	114.00
1	B	958	A	C4'-C3'-O3'	-5.05	105.43	113.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	919	G	Sidechain
1	B	935	U	Sidechain
1	B	948	C	Sidechain
1	B	960	U	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1570	0	801	62	0
2	A	4279	0	4172	118	0
3	A	10	0	0	2	0
4	A	10	0	5	5	0
5	A	23	0	10	3	0
6	A	118	0	0	7	0
6	B	26	0	0	0	0
All	All	6036	0	4988	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 16.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:946:U:H4'	1:B:947:U:C6	1.86	1.09
1:B:946:U:H4'	1:B:947:U:C5	1.95	1.01
2:A:531:SER:HB3	2:A:537:VAL:H	1.44	0.83
2:A:39:LEU:HD13	2:A:81:ILE:HG12	1.61	0.81
2:A:522:GLY:HA2	2:A:544:LEU:HD13	1.65	0.78
1:B:916:C:H3'	1:B:916:C:OP2	1.84	0.76
1:B:976:A:H4'	2:A:34:GLU:OE1	1.90	0.71
1:B:919:G:O2'	1:B:920:U:C6	2.44	0.70
1:B:946:U:C4'	1:B:947:U:C5	2.74	0.69
1:B:947:U:H2'	1:B:947:U:O2	1.93	0.68
1:B:960:U:H5'	1:B:961:C:OP2	1.94	0.67
2:A:471:LEU:HB2	2:A:497:VAL:HG13	1.77	0.65
1:B:930:G:O2'	1:B:931:A:H5'	1.97	0.64
1:B:939:U:O2'	1:B:940:C:H5'	1.98	0.64
2:A:125:THR:HG23	2:A:128:GLN:NE2	2.13	0.64
1:B:919:G:O2'	1:B:920:U:H6	1.78	0.63
2:A:341:ARG:HD3	2:A:369:PRO:HD2	1.80	0.62
1:B:960:U:H5''	1:B:961:C:H5	1.65	0.62
2:A:159:LYS:HD2	2:A:165:PHE:CE2	2.35	0.62
1:B:919:G:HO2'	1:B:920:U:H6	1.37	0.62
1:B:921:A:H62	1:B:947:U:H1'	1.64	0.61
2:A:125:THR:HG23	2:A:128:GLN:HE21	1.64	0.61
1:B:919:G:C4	1:B:957:G:N2	2.69	0.60
2:A:178:MET:HE2	6:A:1466:HOH:O	2.01	0.60
2:A:82:LYS:HD3	2:A:96:VAL:HG21	1.83	0.60
2:A:136:LEU:HD23	2:A:183:ILE:HD11	1.82	0.59
1:B:934:C:N4	2:A:410:ARG:HH21	2.00	0.59
1:B:963:U:H2'	1:B:964:C:C6	2.37	0.59
2:A:398:LYS:H	2:A:398:LYS:HD2	1.68	0.59
2:A:32:PRO:HA	2:A:64:ARG:O	2.03	0.58
2:A:173:ARG:HD2	2:A:187:ASP:O	2.04	0.58
2:A:393:ARG:O	2:A:404:VAL:HA	2.04	0.58
2:A:341:ARG:HB3	6:A:1494:HOH:O	2.04	0.58
2:A:166:GLU:O	2:A:169:LYS:HB2	2.04	0.57
4:A:996:GLU:O	5:A:998:AMP:H3'	2.04	0.57
1:B:937:A:C2	1:B:938:U:H1'	2.38	0.57
1:B:918:G:O2'	1:B:957:G:N2	2.38	0.56
2:A:40:HIS:HA	2:A:292:THR:HA	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:967:A:H2'	1:B:968:C:C6	2.40	0.56
1:B:935:U:O4	2:A:341:ARG:NH1	2.38	0.56
2:A:341:ARG:N	2:A:341:ARG:HD2	2.20	0.56
1:B:958:A:O2'	1:B:960:U:C6	2.57	0.56
1:B:939:U:C2'	1:B:940:C:H5'	2.36	0.55
1:B:916:C:C5'	1:B:960:U:O2	2.55	0.55
2:A:519:GLU:HB2	6:A:1494:HOH:O	2.06	0.55
1:B:958:A:HO2'	1:B:960:U:H6	1.49	0.55
1:B:958:A:HO2'	1:B:960:U:H5	1.49	0.54
2:A:229:CYS:O	2:A:257:GLU:HA	2.05	0.54
2:A:229:CYS:HB3	4:A:996:GLU:OE1	2.07	0.54
1:B:962:C:O2'	1:B:963:U:H5'	2.08	0.54
1:B:947:U:O2	1:B:947:U:C2'	2.56	0.54
2:A:272:LYS:HD2	3:A:1395:SO4:O1	2.07	0.54
2:A:123:GLU:HG3	2:A:148:ARG:HH22	1.72	0.53
2:A:331:ILE:HG13	2:A:335:LEU:HD22	1.90	0.53
2:A:526:LEU:HG	2:A:527:ASP:H	1.74	0.53
2:A:368:HIS:HD2	2:A:370:ASN:H	1.55	0.53
1:B:958:A:O2'	1:B:960:U:C5	2.59	0.52
2:A:40:HIS:CD2	6:A:1512:HOH:O	2.62	0.52
2:A:415:TYR:CE1	2:A:442:LEU:HD22	2.45	0.52
1:B:956:C:H2'	1:B:957:G:O4'	2.09	0.52
1:B:960:U:H5''	1:B:961:C:C5	2.45	0.52
2:A:403:LEU:HD13	2:A:409:VAL:HG22	1.92	0.52
2:A:263:LEU:HB2	2:A:268:MET:HE1	1.92	0.52
2:A:526:LEU:HD12	2:A:537:VAL:O	2.10	0.52
2:A:438:ASP:HB3	2:A:441:THR:OG1	2.10	0.52
1:B:934:C:O2'	2:A:412:ARG:NH1	2.43	0.51
2:A:136:LEU:HD23	2:A:183:ILE:CD1	2.40	0.51
2:A:346:ILE:HG13	2:A:469:ILE:HD12	1.93	0.51
1:B:934:C:H41	2:A:410:ARG:HH21	1.57	0.51
2:A:346:ILE:HG13	2:A:469:ILE:CD1	2.40	0.51
1:B:907:A:H5'	2:A:318:GLN:NE2	2.25	0.51
2:A:132:TYR:CD2	2:A:141:LYS:HG3	2.45	0.51
2:A:287:ASP:OD1	2:A:289:ARG:HG3	2.11	0.51
2:A:28:HIS:HE1	2:A:62:ASN:OD1	1.94	0.51
2:A:394:GLU:HA	2:A:405:LEU:HB2	1.93	0.51
2:A:270:LYS:N	6:A:1512:HOH:O	2.43	0.50
1:B:933:U:H2'	1:B:935:U:OP1	2.12	0.50
2:A:301:TYR:CE2	2:A:327:LEU:HD22	2.46	0.50
2:A:142:ASN:HD22	2:A:178:MET:HG3	1.77	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:463:HIS:O	2:A:505:PRO:HD3	2.11	0.50
1:B:937:A:H2'	1:B:938:U:O4'	2.11	0.50
2:A:433:ILE:HG22	2:A:435:CYS:SG	2.52	0.50
1:B:902:G:C8	2:A:137:THR:HG22	2.47	0.50
2:A:30:ARG:NH2	2:A:228:LEU:O	2.45	0.50
2:A:281:HIS:HE1	6:A:1483:HOH:O	1.94	0.49
1:B:915:G:H2'	1:B:959:A:N1	2.28	0.49
2:A:395:GLU:O	2:A:396:ALA:HB3	2.13	0.49
2:A:343:MET:HE3	2:A:458:TRP:H	1.77	0.49
2:A:157:PHE:O	2:A:160:MET:HB2	2.12	0.49
2:A:341:ARG:HD3	2:A:369:PRO:CD	2.42	0.49
2:A:183:ILE:HA	2:A:186:ARG:HG3	1.94	0.49
2:A:229:CYS:HB3	4:A:996:GLU:CD	2.38	0.49
1:B:916:C:H5''	1:B:960:U:O2	2.13	0.48
1:B:921:A:N6	1:B:947:U:O2'	2.47	0.48
1:B:955:U:O2'	1:B:957:G:N7	2.44	0.48
2:A:229:CYS:SG	2:A:257:GLU:HG3	2.53	0.48
2:A:343:MET:HE1	2:A:412:ARG:HB3	1.95	0.48
1:B:939:U:H2'	1:B:940:C:O4'	2.14	0.48
1:B:903:G:O2'	1:B:904:G:H5'	2.14	0.48
1:B:935:U:H5'	2:A:412:ARG:HH12	1.79	0.48
2:A:114:ILE:HG21	2:A:154:LEU:HD13	1.96	0.47
2:A:180:SER:O	2:A:186:ARG:NH1	2.47	0.47
1:B:916:C:H5'	1:B:960:U:O2	2.15	0.47
2:A:341:ARG:HD2	2:A:341:ARG:H	1.79	0.47
2:A:301:TYR:HE2	2:A:327:LEU:HD22	1.79	0.47
2:A:351:LEU:C	2:A:351:LEU:HD23	2.40	0.47
2:A:377:ARG:HH11	2:A:377:ARG:HG2	1.80	0.47
2:A:393:ARG:HB2	2:A:400:TYR:CZ	2.50	0.47
2:A:527:ASP:CG	2:A:529:ARG:H	2.22	0.47
2:A:522:GLY:HA2	2:A:544:LEU:CD1	2.42	0.47
2:A:474:ARG:HD2	6:A:1491:HOH:O	2.15	0.47
1:B:921:A:C2	1:B:948:C:C2	3.03	0.47
2:A:123:GLU:CG	2:A:148:ARG:HH22	2.27	0.47
2:A:282:VAL:HG12	2:A:289:ARG:NH1	2.30	0.46
1:B:974:C:N3	2:A:168:GLY:HA2	2.30	0.46
1:B:975:C:C5'	2:A:210:MET:HE1	2.45	0.46
1:B:963:U:H2'	1:B:964:C:O4'	2.16	0.46
1:B:975:C:H5''	2:A:210:MET:HE1	1.98	0.46
2:A:529:ARG:HA	2:A:529:ARG:HE	1.80	0.46
2:A:114:ILE:CG2	2:A:154:LEU:HD13	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:932:U:C4	1:B:933:U:C4	3.03	0.46
2:A:121:VAL:H	2:A:153:ASN:ND2	2.13	0.45
2:A:362:MET:HG3	2:A:378:GLN:HG3	1.99	0.45
2:A:365:MET:HA	2:A:366:PRO:HD3	1.82	0.45
2:A:528:SER:O	2:A:530:HIS:CD2	2.70	0.45
1:B:957:G:H2'	1:B:958:A:H5'	1.98	0.45
2:A:408:GLU:HA	2:A:417:ILE:O	2.17	0.45
2:A:260:ARG:HB2	5:A:998:AMP:C6	2.52	0.45
2:A:32:PRO:HG2	4:A:996:GLU:HB3	1.98	0.44
2:A:404:VAL:C	2:A:406:GLY:H	2.24	0.44
2:A:30:ARG:NH1	2:A:215:HIS:NE2	2.64	0.44
4:A:996:GLU:C	5:A:998:AMP:H5'2	2.42	0.44
2:A:362:MET:CG	2:A:378:GLN:HG3	2.47	0.44
2:A:457:HIS:H	2:A:457:HIS:CD2	2.35	0.44
2:A:457:HIS:HD2	2:A:520:ARG:HE	1.65	0.44
2:A:115:ASN:HD21	2:A:154:LEU:HD21	1.82	0.43
1:B:915:G:O2'	1:B:959:A:N6	2.48	0.43
1:B:955:U:O5'	1:B:955:U:H6	2.02	0.43
2:A:410:ARG:HH21	2:A:442:LEU:HA	1.84	0.43
2:A:401:LYS:O	2:A:454:GLY:HA3	2.19	0.43
1:B:920:U:O2	1:B:920:U:C2'	2.67	0.43
2:A:125:THR:CG2	2:A:128:GLN:HE21	2.30	0.43
1:B:947:U:O2'	1:B:948:C:C6	2.65	0.43
2:A:394:GLU:HG2	2:A:405:LEU:HD22	2.01	0.43
1:B:920:U:O2	1:B:920:U:H2'	2.17	0.43
1:B:935:U:O3'	2:A:520:ARG:HD2	2.19	0.43
2:A:346:ILE:N	2:A:346:ILE:HD12	2.34	0.42
2:A:270:LYS:O	2:A:274:ASN:HB2	2.19	0.42
2:A:424:LYS:HA	2:A:430:ILE:HA	2.00	0.42
2:A:427:GLU:O	2:A:427:GLU:HG2	2.19	0.42
2:A:286:ASP:O	2:A:298:ARG:HD3	2.20	0.42
2:A:391:ASP:OD1	2:A:520:ARG:NH2	2.53	0.42
2:A:422:VAL:HG23	2:A:433:ILE:HG13	2.02	0.42
1:B:919:G:C5	1:B:957:G:N2	2.88	0.42
2:A:264:GLU:O	2:A:324:MET:HE2	2.20	0.42
1:B:915:G:HO2'	1:B:916:C:P	2.43	0.42
2:A:44:ALA:HB2	2:A:293:ILE:HD11	2.02	0.42
1:B:954:U:C4	1:B:955:U:C4	3.08	0.41
2:A:377:ARG:HG2	2:A:377:ARG:NH1	2.35	0.41
2:A:418:LYS:HD2	2:A:420:GLU:OE2	2.20	0.41
2:A:49:LEU:HD13	2:A:228:LEU:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:474:ARG:HE	2:A:474:ARG:HB3	1.70	0.41
2:A:69:ASN:OD1	2:A:194:LYS:NZ	2.52	0.41
2:A:526:LEU:CG	2:A:527:ASP:H	2.34	0.41
2:A:42:GLY:HA2	2:A:261:LEU:HD23	2.02	0.41
2:A:43:HIS:NE2	3:A:1394:SO4:O4	2.54	0.41
2:A:524:PHE:HA	2:A:539:ASN:O	2.20	0.41
2:A:425:ASP:OD1	2:A:429:ASN:N	2.54	0.40
1:B:958:A:O2'	1:B:960:U:H6	1.99	0.40
2:A:192:ARG:HD3	2:A:194:LYS:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	525/554 (95%)	500 (95%)	18 (3%)	7 (1%)	9	25

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	397	ASN
2	A	405	LEU
2	A	32	PRO
2	A	396	ALA
2	A	527	ASP
2	A	439	ALA
2	A	176	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	A	463/482 (96%)	421 (91%)	42 (9%)	9 22

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	19	LEU
2	A	30	ARG
2	A	32	PRO
2	A	39	LEU
2	A	41	ILE
2	A	49	LEU
2	A	66	ASP
2	A	78	VAL
2	A	105	GLN
2	A	106	LEU
2	A	124	LEU
2	A	126	PRO
2	A	154	LEU
2	A	156	LEU
2	A	159	LYS
2	A	186	ARG
2	A	190	LEU
2	A	192	ARG
2	A	231	LEU
2	A	232	GLU
2	A	263	LEU
2	A	327	LEU
2	A	335	LEU
2	A	341	ARG
2	A	362	MET
2	A	369	PRO
2	A	373	GLU
2	A	393	ARG
2	A	395	GLU
2	A	397	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	398	LYS
2	A	412	ARG
2	A	432	THR
2	A	441	THR
2	A	463	HIS
2	A	475	LEU
2	A	497	VAL
2	A	507	LEU
2	A	514	LYS
2	A	519	GLU
2	A	528	SER
2	A	547	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	28	HIS
2	A	115	ASN
2	A	128	GLN
2	A	142	ASN
2	A	153	ASN
2	A	226	HIS
2	A	236	ASN
2	A	281	HIS
2	A	355	ASN
2	A	368	HIS
2	A	378	GLN
2	A	457	HIS
2	A	530	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	73/75 (97%)	21 (28%)	11 (15%)

All (21) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	907	A
1	B	908	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	909	C
1	B	910	G
1	B	916	C
1	B	918	G
1	B	919	G
1	B	920	U
1	B	921	A
1	B	922	A
1	B	934	C
1	B	935	U
1	B	936	G
1	B	937	A
1	B	946	U
1	B	948	C
1	B	949	C
1	B	961	C
1	B	973	G
1	B	974	C
1	B	975	C

All (11) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	907	A
1	B	909	C
1	B	916	C
1	B	918	G
1	B	919	G
1	B	934	C
1	B	935	U
1	B	936	G
1	B	945	A
1	B	948	C
1	B	960	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	AMP	A	998	-	25,25,25	1.83	5 (20%)	37,38,38	1.97	8 (21%)
3	SO4	A	1394	-	4,4,4	0.81	0	6,6,6	0.43	0
3	SO4	A	1395	-	4,4,4	0.82	0	6,6,6	0.50	0
4	GLU	A	996	-	8,9,9	1.09	0	8,11,11	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AMP	A	998	-	1/1/5/5	4/10/26/26	0/3/3/3
4	GLU	A	996	-	-	5/9/9/9	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	998	AMP	O2'-C2'	-6.81	1.26	1.43
5	A	998	AMP	P-O5'	-2.59	1.52	1.60
5	A	998	AMP	C5-C4	2.55	1.43	1.39
5	A	998	AMP	O5'-C5'	2.23	1.53	1.44
5	A	998	AMP	P-O2P	-2.20	1.46	1.54

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	998	AMP	O4'-C1'-N9	7.19	121.91	108.09
5	A	998	AMP	C2'-C1'-N9	4.72	125.04	113.30
5	A	998	AMP	O4'-C1'-C2'	3.00	113.04	106.62
5	A	998	AMP	O3P-P-O2P	-2.75	97.50	107.80
5	A	998	AMP	C4-C5-N7	-2.35	107.90	110.58
5	A	998	AMP	O3P-P-O1P	2.24	119.55	110.83
5	A	998	AMP	O2P-P-O1P	2.08	118.96	110.83
5	A	998	AMP	C5-N7-C8	2.07	106.70	103.45

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	998	AMP	C1'

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	998	AMP	C5'-O5'-P-O1P
5	A	998	AMP	C5'-O5'-P-O3P
5	A	998	AMP	O4'-C4'-C5'-O5'
5	A	998	AMP	C3'-C4'-C5'-O5'
4	A	996	GLU	CA-CB-CG-CD
4	A	996	GLU	OXT-C-CA-CB
4	A	996	GLU	O-C-CA-CB
4	A	996	GLU	OE2-CD-CG-CB
4	A	996	GLU	OE1-CD-CG-CB


There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	998	AMP	3	0
3	A	1394	SO4	1	0
3	A	1395	SO4	1	0
4	A	996	GLU	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.