



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 05:33 PM UTC

PDB ID : 4O0N / pdb_00004o0n
Title : 2.4 Angstrom Resolution Crystal Structure of Putative Nucleoside Diphosphate Kinase from *Toxoplasma gondii*.
Authors : Minasov, G.; Ruan, J.; Ngo, H.; Shuvalova, L.; Dubrovskaya, I.; Flores, K.; Shanmugam, D.; Roos, D.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2013-12-13
Resolution : 2.40 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	
1	B	171	
1	C	171	
1	D	171	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	171	% 84% 10% . .
1	F	171	2% 76% 13% . 10%
1	G	171	78% 11% . 11%
1	H	171	% 81% 8% . 11%
1	I	171	2% 80% 9% . 11%
1	J	171	% 78% 11% .. 11%
1	K	171	79% 10% . 11%
1	L	171	78% 10% . 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside diphosphate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	153	Total	C	N	O	S	0	3	0
			1255	792	223	232	8			
1	B	154	Total	C	N	O	S	0	2	0
			1248	788	220	232	8			
1	C	153	Total	C	N	O	S	0	3	0
			1253	791	220	234	8			
1	D	154	Total	C	N	O	S	0	0	0
			1228	777	214	229	8			
1	E	154	Total	C	N	O	S	0	1	0
			1239	783	218	230	8			
1	F	154	Total	C	N	O	S	0	4	0
			1266	798	222	238	8			
1	G	152	Total	C	N	O	S	0	1	0
			1230	778	216	228	8			
1	H	153	Total	C	N	O	S	0	1	0
			1233	780	215	230	8			
1	I	153	Total	C	N	O	S	0	2	0
			1246	787	221	230	8			
1	J	153	Total	C	N	O	S	0	1	0
			1233	780	214	231	8			
1	K	153	Total	C	N	O	S	0	0	0
			1224	775	213	228	8			
1	L	153	Total	C	N	O	S	0	1	0
			1235	781	217	229	8			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	156	GLY	-	expression tag	UNP S8FF85
A	157	GLU	-	expression tag	UNP S8FF85
A	158	ASN	-	expression tag	UNP S8FF85
A	159	LEU	-	expression tag	UNP S8FF85
A	160	TYR	-	expression tag	UNP S8FF85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	161	PHE	-	expression tag	UNP S8FF85
A	162	GLN	-	expression tag	UNP S8FF85
A	163	SER	-	expression tag	UNP S8FF85
A	164	ALA	-	expression tag	UNP S8FF85
A	165	GLY	-	expression tag	UNP S8FF85
A	166	HIS	-	expression tag	UNP S8FF85
A	167	HIS	-	expression tag	UNP S8FF85
A	168	HIS	-	expression tag	UNP S8FF85
A	169	HIS	-	expression tag	UNP S8FF85
A	170	HIS	-	expression tag	UNP S8FF85
A	171	HIS	-	expression tag	UNP S8FF85
B	156	GLY	-	expression tag	UNP S8FF85
B	157	GLU	-	expression tag	UNP S8FF85
B	158	ASN	-	expression tag	UNP S8FF85
B	159	LEU	-	expression tag	UNP S8FF85
B	160	TYR	-	expression tag	UNP S8FF85
B	161	PHE	-	expression tag	UNP S8FF85
B	162	GLN	-	expression tag	UNP S8FF85
B	163	SER	-	expression tag	UNP S8FF85
B	164	ALA	-	expression tag	UNP S8FF85
B	165	GLY	-	expression tag	UNP S8FF85
B	166	HIS	-	expression tag	UNP S8FF85
B	167	HIS	-	expression tag	UNP S8FF85
B	168	HIS	-	expression tag	UNP S8FF85
B	169	HIS	-	expression tag	UNP S8FF85
B	170	HIS	-	expression tag	UNP S8FF85
B	171	HIS	-	expression tag	UNP S8FF85
C	156	GLY	-	expression tag	UNP S8FF85
C	157	GLU	-	expression tag	UNP S8FF85
C	158	ASN	-	expression tag	UNP S8FF85
C	159	LEU	-	expression tag	UNP S8FF85
C	160	TYR	-	expression tag	UNP S8FF85
C	161	PHE	-	expression tag	UNP S8FF85
C	162	GLN	-	expression tag	UNP S8FF85
C	163	SER	-	expression tag	UNP S8FF85
C	164	ALA	-	expression tag	UNP S8FF85
C	165	GLY	-	expression tag	UNP S8FF85
C	166	HIS	-	expression tag	UNP S8FF85
C	167	HIS	-	expression tag	UNP S8FF85
C	168	HIS	-	expression tag	UNP S8FF85
C	169	HIS	-	expression tag	UNP S8FF85
C	170	HIS	-	expression tag	UNP S8FF85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	171	HIS	-	expression tag	UNP S8FF85
D	156	GLY	-	expression tag	UNP S8FF85
D	157	GLU	-	expression tag	UNP S8FF85
D	158	ASN	-	expression tag	UNP S8FF85
D	159	LEU	-	expression tag	UNP S8FF85
D	160	TYR	-	expression tag	UNP S8FF85
D	161	PHE	-	expression tag	UNP S8FF85
D	162	GLN	-	expression tag	UNP S8FF85
D	163	SER	-	expression tag	UNP S8FF85
D	164	ALA	-	expression tag	UNP S8FF85
D	165	GLY	-	expression tag	UNP S8FF85
D	166	HIS	-	expression tag	UNP S8FF85
D	167	HIS	-	expression tag	UNP S8FF85
D	168	HIS	-	expression tag	UNP S8FF85
D	169	HIS	-	expression tag	UNP S8FF85
D	170	HIS	-	expression tag	UNP S8FF85
D	171	HIS	-	expression tag	UNP S8FF85
E	156	GLY	-	expression tag	UNP S8FF85
E	157	GLU	-	expression tag	UNP S8FF85
E	158	ASN	-	expression tag	UNP S8FF85
E	159	LEU	-	expression tag	UNP S8FF85
E	160	TYR	-	expression tag	UNP S8FF85
E	161	PHE	-	expression tag	UNP S8FF85
E	162	GLN	-	expression tag	UNP S8FF85
E	163	SER	-	expression tag	UNP S8FF85
E	164	ALA	-	expression tag	UNP S8FF85
E	165	GLY	-	expression tag	UNP S8FF85
E	166	HIS	-	expression tag	UNP S8FF85
E	167	HIS	-	expression tag	UNP S8FF85
E	168	HIS	-	expression tag	UNP S8FF85
E	169	HIS	-	expression tag	UNP S8FF85
E	170	HIS	-	expression tag	UNP S8FF85
E	171	HIS	-	expression tag	UNP S8FF85
F	156	GLY	-	expression tag	UNP S8FF85
F	157	GLU	-	expression tag	UNP S8FF85
F	158	ASN	-	expression tag	UNP S8FF85
F	159	LEU	-	expression tag	UNP S8FF85
F	160	TYR	-	expression tag	UNP S8FF85
F	161	PHE	-	expression tag	UNP S8FF85
F	162	GLN	-	expression tag	UNP S8FF85
F	163	SER	-	expression tag	UNP S8FF85
F	164	ALA	-	expression tag	UNP S8FF85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	165	GLY	-	expression tag	UNP S8FF85
F	166	HIS	-	expression tag	UNP S8FF85
F	167	HIS	-	expression tag	UNP S8FF85
F	168	HIS	-	expression tag	UNP S8FF85
F	169	HIS	-	expression tag	UNP S8FF85
F	170	HIS	-	expression tag	UNP S8FF85
F	171	HIS	-	expression tag	UNP S8FF85
G	156	GLY	-	expression tag	UNP S8FF85
G	157	GLU	-	expression tag	UNP S8FF85
G	158	ASN	-	expression tag	UNP S8FF85
G	159	LEU	-	expression tag	UNP S8FF85
G	160	TYR	-	expression tag	UNP S8FF85
G	161	PHE	-	expression tag	UNP S8FF85
G	162	GLN	-	expression tag	UNP S8FF85
G	163	SER	-	expression tag	UNP S8FF85
G	164	ALA	-	expression tag	UNP S8FF85
G	165	GLY	-	expression tag	UNP S8FF85
G	166	HIS	-	expression tag	UNP S8FF85
G	167	HIS	-	expression tag	UNP S8FF85
G	168	HIS	-	expression tag	UNP S8FF85
G	169	HIS	-	expression tag	UNP S8FF85
G	170	HIS	-	expression tag	UNP S8FF85
G	171	HIS	-	expression tag	UNP S8FF85
H	156	GLY	-	expression tag	UNP S8FF85
H	157	GLU	-	expression tag	UNP S8FF85
H	158	ASN	-	expression tag	UNP S8FF85
H	159	LEU	-	expression tag	UNP S8FF85
H	160	TYR	-	expression tag	UNP S8FF85
H	161	PHE	-	expression tag	UNP S8FF85
H	162	GLN	-	expression tag	UNP S8FF85
H	163	SER	-	expression tag	UNP S8FF85
H	164	ALA	-	expression tag	UNP S8FF85
H	165	GLY	-	expression tag	UNP S8FF85
H	166	HIS	-	expression tag	UNP S8FF85
H	167	HIS	-	expression tag	UNP S8FF85
H	168	HIS	-	expression tag	UNP S8FF85
H	169	HIS	-	expression tag	UNP S8FF85
H	170	HIS	-	expression tag	UNP S8FF85
H	171	HIS	-	expression tag	UNP S8FF85
I	156	GLY	-	expression tag	UNP S8FF85
I	157	GLU	-	expression tag	UNP S8FF85
I	158	ASN	-	expression tag	UNP S8FF85

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
I	159	LEU	-	expression tag	UNP S8FF85
I	160	TYR	-	expression tag	UNP S8FF85
I	161	PHE	-	expression tag	UNP S8FF85
I	162	GLN	-	expression tag	UNP S8FF85
I	163	SER	-	expression tag	UNP S8FF85
I	164	ALA	-	expression tag	UNP S8FF85
I	165	GLY	-	expression tag	UNP S8FF85
I	166	HIS	-	expression tag	UNP S8FF85
I	167	HIS	-	expression tag	UNP S8FF85
I	168	HIS	-	expression tag	UNP S8FF85
I	169	HIS	-	expression tag	UNP S8FF85
I	170	HIS	-	expression tag	UNP S8FF85
I	171	HIS	-	expression tag	UNP S8FF85
J	156	GLY	-	expression tag	UNP S8FF85
J	157	GLU	-	expression tag	UNP S8FF85
J	158	ASN	-	expression tag	UNP S8FF85
J	159	LEU	-	expression tag	UNP S8FF85
J	160	TYR	-	expression tag	UNP S8FF85
J	161	PHE	-	expression tag	UNP S8FF85
J	162	GLN	-	expression tag	UNP S8FF85
J	163	SER	-	expression tag	UNP S8FF85
J	164	ALA	-	expression tag	UNP S8FF85
J	165	GLY	-	expression tag	UNP S8FF85
J	166	HIS	-	expression tag	UNP S8FF85
J	167	HIS	-	expression tag	UNP S8FF85
J	168	HIS	-	expression tag	UNP S8FF85
J	169	HIS	-	expression tag	UNP S8FF85
J	170	HIS	-	expression tag	UNP S8FF85
J	171	HIS	-	expression tag	UNP S8FF85
K	156	GLY	-	expression tag	UNP S8FF85
K	157	GLU	-	expression tag	UNP S8FF85
K	158	ASN	-	expression tag	UNP S8FF85
K	159	LEU	-	expression tag	UNP S8FF85
K	160	TYR	-	expression tag	UNP S8FF85
K	161	PHE	-	expression tag	UNP S8FF85
K	162	GLN	-	expression tag	UNP S8FF85
K	163	SER	-	expression tag	UNP S8FF85
K	164	ALA	-	expression tag	UNP S8FF85
K	165	GLY	-	expression tag	UNP S8FF85
K	166	HIS	-	expression tag	UNP S8FF85
K	167	HIS	-	expression tag	UNP S8FF85
K	168	HIS	-	expression tag	UNP S8FF85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	169	HIS	-	expression tag	UNP S8FF85
K	170	HIS	-	expression tag	UNP S8FF85
K	171	HIS	-	expression tag	UNP S8FF85
L	156	GLY	-	expression tag	UNP S8FF85
L	157	GLU	-	expression tag	UNP S8FF85
L	158	ASN	-	expression tag	UNP S8FF85
L	159	LEU	-	expression tag	UNP S8FF85
L	160	TYR	-	expression tag	UNP S8FF85
L	161	PHE	-	expression tag	UNP S8FF85
L	162	GLN	-	expression tag	UNP S8FF85
L	163	SER	-	expression tag	UNP S8FF85
L	164	ALA	-	expression tag	UNP S8FF85
L	165	GLY	-	expression tag	UNP S8FF85
L	166	HIS	-	expression tag	UNP S8FF85
L	167	HIS	-	expression tag	UNP S8FF85
L	168	HIS	-	expression tag	UNP S8FF85
L	169	HIS	-	expression tag	UNP S8FF85
L	170	HIS	-	expression tag	UNP S8FF85
L	171	HIS	-	expression tag	UNP S8FF85

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	57	Total	O	0	1
			58	58		
3	B	71	Total	O	0	2
			72	72		
3	C	70	Total	O	0	2
			71	71		
3	D	33	Total	O	0	0
			33	33		
3	E	53	Total	O	0	2
			55	55		
3	F	75	Total	O	0	2
			76	76		
3	G	55	Total	O	0	2
			56	56		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	34	Total 34	O 34	0	0
3	I	25	Total 25	O 25	0	0
3	J	24	Total 24	O 24	0	1
3	K	32	Total 33	O 33	0	1
3	L	19	Total 19	O 19	0	0

- Molecule 1: Nucleoside diphosphate kinase

Chain F: 




- Molecule 1: Nucleoside diphosphate kinase

Chain G: 



- Molecule 1: Nucleoside diphosphate kinase

Chain H: 




- Molecule 1: Nucleoside diphosphate kinase

Chain I: 



- Molecule 1: Nucleoside diphosphate kinase

Chain J: 



- Molecule 1: Nucleoside diphosphate kinase

Chain K: 



- Molecule 1: Nucleoside diphosphate kinase

Chain L: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.39Å 121.59Å 212.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.49 – 2.40 29.49 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.49-2.40) 99.5 (29.49-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.07 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.192 , 0.238 (Not available) , 0.237	Depositor DCC
R_{free} test set	3771 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15516	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/1283	0.84	2/1731 (0.1%)
1	B	0.57	0/1276	0.89	4/1722 (0.2%)
1	C	0.55	0/1281	0.87	2/1729 (0.1%)
1	D	0.51	0/1256	0.83	2/1696 (0.1%)
1	E	0.54	0/1267	0.88	2/1710 (0.1%)
1	F	0.55	0/1294	0.84	1/1746 (0.1%)
1	G	0.53	0/1258	0.83	1/1698 (0.1%)
1	H	0.48	0/1261	0.83	2/1703 (0.1%)
1	I	0.47	0/1274	0.81	2/1719 (0.1%)
1	J	0.48	0/1261	0.85	1/1703 (0.1%)
1	K	0.48	0/1252	0.83	2/1691 (0.1%)
1	L	0.45	0/1263	0.82	3/1705 (0.2%)
All	All	0.51	0/15226	0.84	24/20553 (0.1%)

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	58	LYS	N-CA-C	8.06	120.07	111.28
1	E	154	GLU	N-CA-C	7.99	122.75	112.92
1	E	118	ILE	N-CA-C	6.91	123.71	109.34
1	A	118	ILE	N-CA-C	6.61	123.09	109.34
1	G	118	ILE	N-CA-C	6.60	123.07	109.34
1	I	118	ILE	N-CA-C	6.41	122.67	109.34
1	K	118	ILE	N-CA-C	6.39	122.63	109.34
1	J	118	ILE	N-CA-C	6.38	122.62	109.34
1	B	118	ILE	N-CA-C	6.37	122.59	109.34
1	L	118	ILE	N-CA-C	6.34	122.53	109.34
1	I	104	GLY	N-CA-C	-6.33	106.81	113.58
1	F	118	ILE	N-CA-C	6.32	122.48	109.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	118	ILE	N-CA-C	6.12	122.08	109.34
1	C	118	ILE	N-CA-C	6.05	121.92	109.34
1	H	149	HIS	N-CA-C	6.01	117.83	111.28
1	H	118	ILE	N-CA-C	5.78	121.36	109.34
1	A	137	THR	N-CA-C	-5.53	102.09	110.39
1	B	32	GLN	N-CA-CB	-5.48	102.06	110.12
1	D	111	CYS	N-CA-C	5.30	118.22	109.85
1	C	137	THR	N-CA-C	-5.26	103.51	110.40
1	L	111	CYS	N-CA-C	5.17	117.27	109.41
1	B	31	GLU	CA-C-N	5.14	127.17	120.28
1	B	31	GLU	C-N-CA	5.14	127.17	120.28
1	K	47	ALA	N-CA-C	-5.12	105.78	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1255	0	1242	13	0
1	B	1248	0	1233	9	0
1	C	1253	0	1237	19	0
1	D	1228	0	1214	5	0
1	E	1239	0	1226	6	0
1	F	1266	0	1243	15	0
1	G	1230	0	1218	13	0
1	H	1233	0	1218	12	0
1	I	1246	0	1235	10	0
1	J	1233	0	1216	15	0
1	K	1224	0	1211	11	0
1	L	1235	0	1223	12	0
2	A	5	0	0	0	0
2	B	10	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
2	I	5	0	0	0	0
2	J	5	0	0	1	0
2	K	5	0	0	0	0
2	L	5	0	0	0	0
3	A	58	0	0	0	0
3	B	72	0	0	1	0
3	C	71	0	0	1	0
3	D	33	0	0	0	0
3	E	55	0	0	0	0
3	F	76	0	0	2	0
3	G	56	0	0	0	0
3	H	34	0	0	0	0
3	I	25	0	0	0	0
3	J	24	0	0	0	0
3	K	33	0	0	0	0
3	L	19	0	0	0	0
All	All	15516	0	14716	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:126[A]:GLU:N	1:J:126[A]:GLU:OE2	2.19	0.76
1:I:28[A]:ARG:HH21	1:L:28[A]:ARG:HE	1.42	0.67
1:A:111:CYS:SG	1:A:118:ILE:HG12	2.38	0.64
1:L:58:LYS:N	1:L:59:GLY:HA3	2.14	0.63
1:A:154:GLU:HA	1:A:155:GLN:HB3	1.82	0.60
1:I:39:ALA:HB3	1:I:79:VAL:HB	1.84	0.59
1:F:5:GLN:OE1	1:F:149:HIS:NE2	2.38	0.56
1:C:93:LEU:HD22	1:C:119:VAL:HG11	1.88	0.56
1:L:39:ALA:HB3	1:L:79:VAL:HB	1.89	0.55
1:K:49:LEU:HD11	1:K:134:LEU:HG	1.90	0.54
1:K:154:GLU:O	1:K:155:GLN:C	2.50	0.54
1:J:103:PRO:HG2	1:K:105:THR:HG22	1.90	0.54
1:J:63:PHE:HB3	1:J:64:PRO:HD3	1.89	0.53
1:E:154:GLU:O	1:E:155:GLN:C	2.52	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:3:ALA:HB3	1:J:6:GLN:HG2	1.91	0.53
1:A:42:MET:HE2	1:A:74:PRO:HG2	1.92	0.52
1:C:45:PRO:HD2	3:C:312:HOH:O	2.09	0.52
1:G:20:ARG:HG2	1:H:148[B]:GLN:CG	2.39	0.52
1:I:28[A]:ARG:HE	1:L:28[A]:ARG:HH21	1.57	0.52
1:G:36:LYS:HG3	1:G:144:TRP:CZ2	2.45	0.52
1:L:57:LEU:O	1:L:63:PHE:CD1	2.62	0.52
1:A:110:PHE:HA	1:C:33[B]:ARG:HA	1.91	0.51
1:E:93:LEU:HD22	1:E:119:VAL:HG11	1.93	0.51
1:F:89:GLY:O	1:F:93:LEU:HG	2.11	0.51
1:G:37:LEU:O	1:K:42:MET:HE1	2.12	0.50
1:J:120:HIS:ND1	2:J:201:SO4:O3	2.36	0.50
1:J:107:ARG:HD3	1:J:117:ASN:HB2	1.93	0.50
1:C:33[B]:ARG:HG2	1:C:35:TYR:CE2	2.47	0.50
1:A:154:GLU:CA	1:A:155:GLN:HB3	2.43	0.49
1:C:37:LEU:HD21	1:C:40:LEU:HD22	1.95	0.49
1:B:148:GLN:HE21	1:B:148:GLN:HA	1.78	0.48
1:B:89:GLY:O	1:B:93:LEU:HG	2.13	0.48
1:D:63:PHE:HB3	1:D:64:PRO:HD3	1.96	0.48
1:K:93:LEU:HD22	1:K:119:VAL:HG11	1.94	0.48
1:G:107:ARG:HD3	1:G:117:ASN:HB2	1.94	0.48
1:J:33:ARG:HA	1:L:110:PHE:HA	1.96	0.48
1:C:42:MET:HE2	1:C:74:PRO:HB2	1.95	0.48
1:A:93:LEU:HD23	1:A:106:LEU:HD12	1.96	0.48
1:D:40:LEU:HD13	1:D:78:MET:HG2	1.96	0.48
1:L:63:PHE:HB3	1:L:64:PRO:HD3	1.95	0.48
1:I:16:ASP:OD1	1:I:69:TYR:OH	2.31	0.48
1:B:91:ARG:HD2	3:B:364:HOH:O	2.14	0.48
1:A:42:MET:HE2	1:A:74:PRO:CG	2.44	0.47
1:H:117:ASN:O	1:H:119:VAL:N	2.42	0.47
1:A:63:PHE:HB3	1:A:64:PRO:HD3	1.96	0.47
1:C:28:ARG:HH21	1:E:28[A]:ARG:HE	1.62	0.47
1:G:110:PHE:HA	1:H:33:ARG:HA	1.97	0.47
1:C:93:LEU:HD22	1:C:119:VAL:CG1	2.45	0.47
1:I:89:GLY:O	1:I:93:LEU:HG	2.14	0.46
1:G:63:PHE:HB3	1:G:64:PRO:HD3	1.98	0.46
1:J:117:ASN:O	1:J:119:VAL:N	2.46	0.46
1:A:111:CYS:O	1:C:33[B]:ARG:HD2	2.15	0.46
1:H:41:LYS:HA	1:J:40:LEU:O	2.15	0.46
1:I:63:PHE:HB3	1:I:64:PRO:HD3	1.97	0.46
1:F:143[B]:GLU:CD	1:F:143[B]:GLU:C	2.84	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:14:LYS:HB3	1:K:15:PRO:CD	2.46	0.46
1:F:117:ASN:O	1:F:119:VAL:N	2.44	0.45
1:F:63:PHE:HB3	1:F:64:PRO:HD3	1.98	0.45
1:J:139:GLU:H	1:J:139:GLU:CD	2.24	0.45
1:L:13:VAL:HB	1:L:76:VAL:HB	1.98	0.45
1:B:79:VAL:HG23	1:B:136:PHE:CE2	2.52	0.45
1:C:33[B]:ARG:HG2	1:C:35:TYR:CD2	2.52	0.45
1:H:93:LEU:HD23	1:H:106:LEU:HD12	1.98	0.44
1:J:111:CYS:SG	1:J:118:ILE:HG23	2.57	0.44
1:C:60:LYS:HD3	1:C:62:PHE:CZ	2.52	0.44
1:H:93:LEU:HD22	1:H:119:VAL:HG11	1.99	0.44
1:K:110:PHE:HA	1:L:33:ARG:HA	1.99	0.44
1:B:3:ALA:HB3	1:B:6[A]:GLN:HE21	1.82	0.44
1:L:93:LEU:HD23	1:L:106:LEU:HD12	1.99	0.44
1:C:25:GLU:HG2	1:C:110:PHE:CZ	2.53	0.43
1:B:39:ALA:HB3	1:B:79:VAL:HB	2.00	0.43
1:D:107:ARG:HD3	1:D:117:ASN:HB2	2.00	0.43
1:J:39:ALA:HB3	1:J:79:VAL:HB	1.99	0.43
1:H:148[B]:GLN:HA	1:H:148[B]:GLN:OE1	2.17	0.43
1:F:40:LEU:HD13	1:F:78:MET:HG2	2.00	0.43
1:F:148[B]:GLN:NE2	3:F:341:HOH:O	2.51	0.43
1:C:33[B]:ARG:O	1:C:33[B]:ARG:HG3	2.15	0.42
1:C:117:ASN:O	1:C:119:VAL:N	2.48	0.42
1:H:40:LEU:HD21	1:J:40:LEU:HD11	2.00	0.42
1:F:93:LEU:O	1:F:107:ARG:HG3	2.20	0.42
1:H:119:VAL:HG22	1:H:120:HIS:N	2.35	0.42
1:F:91[B]:ARG:NH2	3:F:374[B]:HOH:O	2.50	0.42
1:H:107:ARG:HD3	1:H:117:ASN:HB2	2.01	0.42
1:C:63:PHE:HB3	1:C:64:PRO:HD3	2.00	0.42
1:G:111:CYS:SG	1:G:118:ILE:HG12	2.60	0.42
1:I:93:LEU:HD23	1:I:106:LEU:HD12	2.01	0.42
1:E:36:LYS:HG3	1:E:144:TRP:CZ2	2.54	0.42
1:G:117:ASN:O	1:G:119:VAL:N	2.50	0.42
1:A:40:LEU:O	1:D:41:LYS:HA	2.20	0.42
1:A:110:PHE:HA	1:C:33[A]:ARG:HA	2.01	0.42
1:C:41:LYS:HA	1:E:40:LEU:O	2.19	0.42
1:G:41:LYS:HA	1:K:40:LEU:O	2.20	0.42
1:B:111:CYS:SG	1:B:118:ILE:HG23	2.60	0.41
1:C:40:LEU:O	1:E:41:LYS:HA	2.21	0.41
1:G:33:ARG:HA	1:I:110:PHE:HA	2.02	0.41
1:H:154:GLU:HG3	1:H:154:GLU:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:LEU:HD13	1:A:78:MET:HG2	2.01	0.41
1:G:28:ARG:NH1	1:K:25:GLU:OE1	2.47	0.41
1:I:123:ASP:OD1	1:I:124:SER:N	2.54	0.41
1:F:36:LYS:HG3	1:F:144:TRP:CZ2	2.56	0.41
1:F:49:LEU:HD11	1:F:134:LEU:HG	2.03	0.41
1:A:117:ASN:O	1:A:119:VAL:N	2.52	0.41
1:F:14:LYS:HB3	1:F:15:PRO:CD	2.51	0.41
1:G:42:MET:HE2	1:G:74:PRO:CG	2.51	0.41
1:G:143:GLU:HA	1:G:143:GLU:OE1	2.21	0.41
1:H:4:LYS:HB3	1:H:83:THR:HG23	2.03	0.41
1:J:37:LEU:HD21	1:J:40:LEU:HD22	2.03	0.41
1:J:110:PHE:HA	1:K:33:ARG:HA	2.03	0.41
1:L:117:ASN:O	1:L:119:VAL:N	2.50	0.41
1:B:37:LEU:O	1:F:42:MET:HE1	2.20	0.41
1:D:36:LYS:HG3	1:D:144:TRP:CZ2	2.56	0.41
1:B:40:LEU:O	1:F:41:LYS:HA	2.21	0.40
1:I:90[A]:ARG:HD2	1:I:123:ASP:HA	2.03	0.40
1:K:95:GLU:O	1:K:96:THR:C	2.63	0.40
1:L:120:HIS:CD2	1:L:120:HIS:C	2.97	0.40
1:F:5:GLN:OE1	1:F:149:HIS:CD2	2.74	0.40
1:C:16:ASP:OD1	1:C:69:TYR:OH	2.38	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	154/171 (90%)	151 (98%)	2 (1%)	1 (1%)	21	32
1	B	154/171 (90%)	151 (98%)	2 (1%)	1 (1%)	21	32
1	C	154/171 (90%)	151 (98%)	2 (1%)	1 (1%)	21	32
1	D	152/171 (89%)	147 (97%)	4 (3%)	1 (1%)	18	28

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	153/171 (90%)	151 (99%)	1 (1%)	1 (1%)	18	28
1	F	156/171 (91%)	152 (97%)	2 (1%)	2 (1%)	9	14
1	G	151/171 (88%)	148 (98%)	2 (1%)	1 (1%)	18	28
1	H	152/171 (89%)	147 (97%)	4 (3%)	1 (1%)	18	28
1	I	153/171 (90%)	147 (96%)	5 (3%)	1 (1%)	18	28
1	J	152/171 (89%)	145 (95%)	6 (4%)	1 (1%)	18	28
1	K	151/171 (88%)	148 (98%)	2 (1%)	1 (1%)	18	28
1	L	152/171 (89%)	146 (96%)	5 (3%)	1 (1%)	18	28
All	All	1834/2052 (89%)	1784 (97%)	37 (2%)	13 (1%)	18	28

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	118	ILE
1	B	118	ILE
1	C	118	ILE
1	D	118	ILE
1	E	118	ILE
1	F	118	ILE
1	G	118	ILE
1	H	118	ILE
1	I	118	ILE
1	J	118	ILE
1	K	118	ILE
1	L	118	ILE
1	F	155	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	137/148 (93%)	136 (99%)	1 (1%)	76	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	136/148 (92%)	136 (100%)	0	100	100
1	C	137/148 (93%)	137 (100%)	0	100	100
1	D	134/148 (90%)	134 (100%)	0	100	100
1	E	135/148 (91%)	134 (99%)	1 (1%)	76	88
1	F	138/148 (93%)	138 (100%)	0	100	100
1	G	135/148 (91%)	134 (99%)	1 (1%)	76	88
1	H	135/148 (91%)	135 (100%)	0	100	100
1	I	136/148 (92%)	135 (99%)	1 (1%)	76	88
1	J	135/148 (91%)	133 (98%)	2 (2%)	57	77
1	K	134/148 (90%)	134 (100%)	0	100	100
1	L	135/148 (91%)	135 (100%)	0	100	100
All	All	1627/1776 (92%)	1621 (100%)	6 (0%)	84	92

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	E	155	GLN
1	G	155	GLN
1	I	58	LYS
1	J	58	LYS
1	J	139	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	C	155	GLN
1	E	5	GLN
1	E	148	GLN
1	E	155	GLN
1	G	148	GLN
1	G	155	GLN
1	H	129	ASN
1	H	155	GLN
1	I	6	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	F	201	-	4,4,4	0.50	0	6,6,6	0.16	0
2	SO4	L	201	-	4,4,4	0.44	0	6,6,6	0.05	0
2	SO4	A	201	-	4,4,4	0.41	0	6,6,6	0.11	0
2	SO4	E	201	-	4,4,4	0.42	0	6,6,6	0.17	0
2	SO4	I	201	-	4,4,4	0.45	0	6,6,6	0.18	0
2	SO4	B	201	-	4,4,4	0.43	0	6,6,6	0.14	0
2	SO4	K	201	-	4,4,4	0.43	0	6,6,6	0.12	0
2	SO4	H	201	-	4,4,4	0.43	0	6,6,6	0.10	0
2	SO4	D	201	-	4,4,4	0.42	0	6,6,6	0.13	0
2	SO4	G	201	-	4,4,4	0.45	0	6,6,6	0.09	0
2	SO4	E	202	-	4,4,4	0.47	0	6,6,6	0.14	0
2	SO4	B	202	-	4,4,4	0.46	0	6,6,6	0.12	0
2	SO4	J	201	-	4,4,4	0.47	0	6,6,6	0.15	0
2	SO4	C	201	-	4,4,4	0.41	0	6,6,6	0.21	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	201	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/171 (89%)	-0.37	0 100 100	17, 40, 63, 92	3 (1%)
1	B	154/171 (90%)	-0.59	0 100 100	15, 33, 58, 80	2 (1%)
1	C	153/171 (89%)	-0.46	2 (1%) 75 71	14, 33, 57, 95	3 (1%)
1	D	154/171 (90%)	-0.36	1 (0%) 85 83	30, 44, 65, 91	0
1	E	154/171 (90%)	-0.34	2 (1%) 75 71	16, 39, 74, 94	1 (0%)
1	F	154/171 (90%)	-0.47	3 (1%) 66 62	17, 35, 53, 96	4 (2%)
1	G	152/171 (88%)	-0.44	0 100 100	21, 40, 58, 81	1 (0%)
1	H	153/171 (89%)	0.01	1 (0%) 84 81	20, 54, 89, 122	1 (0%)
1	I	153/171 (89%)	0.04	3 (1%) 65 60	24, 57, 85, 111	2 (1%)
1	J	153/171 (89%)	0.02	1 (0%) 84 81	37, 59, 77, 115	1 (0%)
1	K	153/171 (89%)	-0.18	0 100 100	38, 51, 73, 101	0
1	L	153/171 (89%)	0.10	0 100 100	23, 64, 98, 117	1 (0%)
All	All	1839/2052 (89%)	-0.25	13 (0%) 84 81	14, 46, 80, 122	19 (1%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	156	GLY	3.7
1	H	5	GLN	3.6
1	C	5	GLN	3.2
1	C	3	ALA	2.6
1	F	5	GLN	2.5
1	E	155	GLN	2.4
1	I	3	ALA	2.4
1	I	155	GLN	2.4
1	I	90[A]	ARG	2.3
1	J	155	GLN	2.3
1	F	3	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	59	GLY	2.0
1	F	156	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	E	202	5/5	0.65	0.15	46,49,51,51	5
2	SO4	J	201	5/5	0.82	0.12	67,82,85,90	0
2	SO4	K	201	5/5	0.82	0.10	88,98,102,102	0
2	SO4	L	201	5/5	0.84	0.16	53,55,59,61	5
2	SO4	B	202	5/5	0.86	0.14	62,70,78,80	0
2	SO4	H	201	5/5	0.86	0.09	75,77,83,86	0
2	SO4	I	201	5/5	0.86	0.12	80,81,84,87	0
2	SO4	F	201	5/5	0.91	0.09	60,61,71,73	0
2	SO4	E	201	5/5	0.94	0.07	62,69,76,76	0
2	SO4	A	201	5/5	0.94	0.09	60,61,69,71	0
2	SO4	D	201	5/5	0.95	0.07	63,63,69,69	0
2	SO4	B	201	5/5	0.95	0.08	55,58,62,66	0
2	SO4	C	201	5/5	0.95	0.07	59,62,65,67	0
2	SO4	G	201	5/5	0.97	0.06	51,54,65,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.