



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:45 PM UTC

PDB ID : 2O2Q / pdb_00002o2q
Title : Crystal structure of the C-terminal domain of rat 10'formyltetrahydrofolate dehydrogenase in complex with NADP
Authors : Tsybovsky, Y.; Donato, H.; Krupenko, N.I.; Davies, C.; Krupenko, S.A.
Deposited on : 2006-11-30
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	517	% 90% 6% .
1	B	517	88% 8% .
1	C	517	% 87% 9% ..
1	D	517	% 88% 8% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17833 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formyltetrahydrofolate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	498	Total	C	N	O	S	2	20	0
			3919	2487	674	737	21			
1	B	498	Total	C	N	O	S	1	19	0
			3908	2479	674	734	21			
1	C	498	Total	C	N	O	S	1	17	0
			3896	2472	675	728	21			
1	D	498	Total	C	N	O	S	2	19	0
			3906	2478	671	736	21			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	386	MET	-	initiating methionine	UNP Q5HQB2
A	387	ARG	-	cloning artifact	UNP Q5HQB2
A	388	GLY	-	cloning artifact	UNP Q5HQB2
A	389	SER	-	cloning artifact	UNP Q5HQB2
A	390	HIS	-	expression tag	UNP Q5HQB2
A	391	HIS	-	expression tag	UNP Q5HQB2
A	392	HIS	-	expression tag	UNP Q5HQB2
A	393	HIS	-	expression tag	UNP Q5HQB2
A	394	HIS	-	expression tag	UNP Q5HQB2
A	395	THR	-	cloning artifact	UNP Q5HQB2
A	396	THR	-	cloning artifact	UNP Q5HQB2
B	386	MET	-	initiating methionine	UNP Q5HQB2
B	387	ARG	-	cloning artifact	UNP Q5HQB2
B	388	GLY	-	cloning artifact	UNP Q5HQB2
B	389	SER	-	cloning artifact	UNP Q5HQB2
B	390	HIS	-	expression tag	UNP Q5HQB2
B	391	HIS	-	expression tag	UNP Q5HQB2
B	392	HIS	-	expression tag	UNP Q5HQB2
B	393	HIS	-	expression tag	UNP Q5HQB2
B	394	HIS	-	expression tag	UNP Q5HQB2
B	395	THR	-	cloning artifact	UNP Q5HQB2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	396	THR	-	cloning artifact	UNP Q5HQB2
C	386	MET	-	initiating methionine	UNP Q5HQB2
C	387	ARG	-	cloning artifact	UNP Q5HQB2
C	388	GLY	-	cloning artifact	UNP Q5HQB2
C	389	SER	-	cloning artifact	UNP Q5HQB2
C	390	HIS	-	expression tag	UNP Q5HQB2
C	391	HIS	-	expression tag	UNP Q5HQB2
C	392	HIS	-	expression tag	UNP Q5HQB2
C	393	HIS	-	expression tag	UNP Q5HQB2
C	394	HIS	-	expression tag	UNP Q5HQB2
C	395	THR	-	cloning artifact	UNP Q5HQB2
C	396	THR	-	cloning artifact	UNP Q5HQB2
D	386	MET	-	initiating methionine	UNP Q5HQB2
D	387	ARG	-	cloning artifact	UNP Q5HQB2
D	388	GLY	-	cloning artifact	UNP Q5HQB2
D	389	SER	-	cloning artifact	UNP Q5HQB2
D	390	HIS	-	expression tag	UNP Q5HQB2
D	391	HIS	-	expression tag	UNP Q5HQB2
D	392	HIS	-	expression tag	UNP Q5HQB2
D	393	HIS	-	expression tag	UNP Q5HQB2
D	394	HIS	-	expression tag	UNP Q5HQB2
D	395	THR	-	cloning artifact	UNP Q5HQB2
D	396	THR	-	cloning artifact	UNP Q5HQB2

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	460	Total O 460 460	0	4
6	B	429	Total O 429 429	0	3
6	C	484	Total O 484 484	0	3
6	D	471	Total O 471 471	0	4


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Formyltetrahydrofolate dehydrogenase




- Molecule 1: Formyltetrahydrofolate dehydrogenase




- Molecule 1: Formyltetrahydrofolate dehydrogenase



- Molecule 1: Formyltetrahydrofolate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	259.40Å 194.50Å 97.30Å 90.00° 108.80° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 50.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.3 (50.00-2.00) 97.4 (50.00-2.00)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.168 , 0.190 0.171 , 0.191	Depositor DCC
R_{free} test set	14997 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	19.4	Xtriage
Anisotropy	0.061	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17833	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, MG, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/4077	0.80	1/5510 (0.0%)
1	B	0.65	0/4071	0.82	3/5502 (0.1%)
1	C	0.72	0/4051	0.82	3/5475 (0.1%)
1	D	0.65	0/4066	0.80	2/5496 (0.0%)
All	All	0.67	0/16265	0.81	9/21983 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	820	VAL	N-CA-C	6.31	116.42	110.30
1	A	604	LEU	N-CA-C	6.07	117.69	111.14
1	C	604	LEU	N-CA-C	5.96	117.57	111.14
1	B	604	LEU	N-CA-C	5.78	117.38	111.14
1	D	604	LEU	N-CA-C	5.64	117.50	111.36
1	B	571	ILE	N-CA-C	5.50	115.06	108.45
1	C	571	ILE	N-CA-C	5.44	114.97	108.45
1	D	571	ILE	N-CA-C	5.35	114.87	108.45
1	C	812	ILE	N-CA-C	5.22	115.83	108.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3919	0	3942	28	0
1	B	3908	0	3927	34	0
1	C	3896	0	3918	39	0
1	D	3906	0	3920	36	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	45	0	0	1	0
3	B	30	0	0	0	0
3	C	35	0	0	0	0
3	D	30	0	0	0	0
4	A	48	0	24	6	0
4	B	48	0	24	10	0
4	C	48	0	24	9	0
4	D	48	0	24	10	0
5	A	6	0	8	1	0
5	B	6	0	8	0	0
5	C	6	0	8	0	0
5	D	6	0	8	1	0
6	A	460	0	0	6	0
6	B	429	0	0	6	0
6	C	484	0	0	1	0
6	D	471	0	0	3	0
All	All	17833	0	15835	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:841[B]:ARG:HG2	1:C:841[B]:ARG:HH11	1.16	1.09
1:A:708:ILE:HG21	1:A:872:PHE:HE1	1.37	0.86
1:B:707[A]:CYS:SG	4:B:903:NAP:C4N	2.68	0.81
1:D:707[A]:CYS:SG	4:D:903:NAP:C4N	2.68	0.80
1:C:799:TYR:CE2	1:C:803[A]:GLU:HG3	2.18	0.79
1:A:707[A]:CYS:SG	4:A:903:NAP:C4N	2.72	0.78
1:C:841[B]:ARG:HG2	1:C:841[B]:ARG:NH1	1.96	0.77
1:D:708:ILE:HG21	1:D:872:PHE:HE1	1.48	0.77
1:C:707[A]:CYS:SG	4:C:903:NAP:C4N	2.72	0.76
1:D:708:ILE:CG2	1:D:872:PHE:HE1	2.01	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:799:TYR:CE2	1:D:803[A]:GLU:HG3	2.23	0.73
1:B:768[B]:GLU:HG3	6:B:3280:HOH:O	1.90	0.69
1:C:708:ILE:HG21	1:C:872:PHE:HE1	1.58	0.69
1:A:708:ILE:HG21	1:A:872:PHE:CE1	2.26	0.68
1:C:752:GLU:OE2	1:C:756[B]:ARG:NH2	2.27	0.67
1:D:707[A]:CYS:HB3	4:D:903:NAP:C4N	2.24	0.66
1:B:708:ILE:CG2	1:B:872:PHE:HE1	2.10	0.65
1:A:756[A]:ARG:NH2	6:A:3344:HOH:O	2.30	0.64
1:B:756[A]:ARG:NH2	6:B:3363:HOH:O	2.30	0.64
1:A:491[A]:ARG:NH2	6:A:3483:HOH:O	2.31	0.63
1:A:707[A]:CYS:HB3	4:A:903:NAP:C4N	2.28	0.63
1:C:707[A]:CYS:HB3	4:C:903:NAP:C4N	2.29	0.62
1:A:708:ILE:CG2	1:A:872:PHE:HE1	2.11	0.60
1:A:660:LYS:HD3	1:B:664:LEU:HD21	1.83	0.60
1:C:664:LEU:HD21	1:D:660:LYS:HE3	1.83	0.59
1:C:707[A]:CYS:HB3	4:C:903:NAP:C5N	2.33	0.59
1:D:708:ILE:CG2	1:D:872:PHE:CE1	2.84	0.58
1:A:708:ILE:CG2	1:A:872:PHE:CE1	2.86	0.58
1:B:707[A]:CYS:HB3	4:B:903:NAP:C4N	2.32	0.57
1:A:707[A]:CYS:HB3	4:A:903:NAP:C3N	2.34	0.57
1:D:707[A]:CYS:HB3	4:D:903:NAP:C5N	2.34	0.57
1:C:694:MET:HE2	1:C:863:TYR:H	1.71	0.56
1:B:707[A]:CYS:HB3	4:B:903:NAP:C5N	2.36	0.55
1:B:708:ILE:HG21	1:B:872:PHE:HE1	1.71	0.55
1:A:735:LYS:H	1:A:745:ASN:HD21	1.53	0.55
1:D:806:PHE:CE1	4:D:903:NAP:H2D	2.41	0.54
1:C:708:ILE:HG21	1:C:872:PHE:CE1	2.41	0.54
1:B:872:PHE:HE2	4:B:903:NAP:O7N	1.91	0.54
1:B:708:ILE:CG2	1:B:872:PHE:CE1	2.92	0.53
1:D:708:ILE:HG21	1:D:872:PHE:CE1	2.36	0.52
1:D:673:GLU:HB3	4:D:903:NAP:N7N	2.25	0.52
1:A:569:ILE:HD12	1:A:594:VAL:HG21	1.92	0.52
1:B:694:MET:HE2	1:B:863:TYR:H	1.75	0.52
1:D:658:ILE:HD11	4:D:903:NAP:C2A	2.40	0.51
1:D:707[A]:CYS:HB3	4:D:903:NAP:C3N	2.40	0.51
1:C:872:PHE:HE2	4:C:903:NAP:O7N	1.93	0.51
1:A:600:GLN:NE2	6:A:3200:HOH:O	2.42	0.51
1:A:694:MET:HE2	1:A:863:TYR:H	1.76	0.50
1:D:573:TRP:NE1	4:D:903:NAP:O2N	2.44	0.50
1:D:781[B]:ARG:HD2	1:D:785:PHE:CD2	2.46	0.50
1:A:658:ILE:HD11	4:A:903:NAP:C2A	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:712:ARG:HG3	6:A:3066:HOH:O	2.12	0.50
1:B:806:PHE:CE1	4:B:903:NAP:H2D	2.47	0.50
1:C:819:ASP:C	1:C:819:ASP:OD2	2.54	0.50
1:D:517:LEU:HD11	1:D:701:PHE:CZ	2.47	0.50
1:D:632:LEU:C	1:D:632:LEU:HD23	2.37	0.50
1:A:841[B]:ARG:NH2	6:A:3377:HOH:O	2.44	0.49
1:C:781[B]:ARG:HD2	1:C:785:PHE:CD2	2.47	0.49
1:D:872:PHE:HE2	4:D:903:NAP:O7N	1.96	0.49
1:C:643:VAL:O	1:C:668:LYS:HE3	2.11	0.49
1:C:667:VAL:HG13	1:D:656:LYS:HG2	1.95	0.49
1:D:529:THR:HG21	1:D:582:TRP:HA	1.95	0.49
1:B:529:THR:HG21	1:B:582:TRP:HA	1.95	0.49
1:D:738:ASN:HB3	1:D:741[A]:GLU:HG3	1.95	0.49
1:C:469:LYS:HE2	6:C:3246:HOH:O	2.12	0.49
1:C:708:ILE:CG2	1:C:872:PHE:CE1	2.96	0.48
1:A:799:TYR:CE2	1:A:803[A]:GLU:HG3	2.49	0.48
1:D:797:HIS:HD2	6:D:3333:HOH:O	1.96	0.48
1:C:708:ILE:CG2	1:C:872:PHE:HE1	2.25	0.48
1:D:692:VAL:O	1:D:696:MET:HG2	2.12	0.48
1:B:610:ALA:HB2	1:B:625:ILE:HD12	1.96	0.47
1:C:632:LEU:C	1:C:632:LEU:HD23	2.40	0.46
1:B:536:TRP:CE2	1:D:539:LYS:HD3	2.51	0.46
1:C:529:THR:HG21	1:C:582:TRP:HA	1.98	0.46
1:B:756[B]:ARG:NH2	6:B:3424:HOH:O	2.47	0.46
1:B:673:GLU:HB3	4:B:903:NAP:N7N	2.31	0.46
1:B:707[B]:CYS:HB3	4:B:903:NAP:C2N	2.46	0.46
1:C:411:LYS:HD3	1:C:509:LEU:HD21	1.98	0.46
1:A:707[A]:CYS:HB3	4:A:903:NAP:C5N	2.45	0.45
1:B:690:LYS:HD3	6:B:3413:HOH:O	2.15	0.45
1:D:735:LYS:H	1:D:745:ASN:HD21	1.64	0.45
1:D:794:VAL:HG21	1:D:811:ILE:HG23	1.98	0.45
1:D:707[B]:CYS:HB3	4:D:903:NAP:C2N	2.45	0.45
1:C:694:MET:HE2	1:C:863:TYR:N	2.32	0.45
1:C:707[A]:CYS:HB3	4:C:903:NAP:C3N	2.47	0.45
1:B:708:ILE:HG21	1:B:872:PHE:CE1	2.52	0.44
1:A:794:VAL:HG21	1:A:811:ILE:HG23	1.99	0.44
1:B:648:PHE:CD1	1:B:658:ILE:CD1	3.00	0.44
1:B:768[B]:GLU:CG	6:B:3280:HOH:O	2.56	0.44
1:D:456:ALA:HB3	1:D:633:VAL:HG21	1.99	0.44
1:B:707[A]:CYS:HB3	4:B:903:NAP:C3N	2.46	0.43
1:B:764:ARG:O	1:B:768[B]:GLU:HG2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:794:VAL:HG21	1:B:811:ILE:HG23	1.99	0.43
1:D:578:MET:HE1	5:D:4:GOL:H11	2.00	0.43
1:D:735:LYS:N	1:D:745:ASN:HD21	2.16	0.43
1:A:643:VAL:O	1:A:668:LYS:HE3	2.19	0.42
1:B:673:GLU:HG2	6:B:3397:HOH:O	2.19	0.42
1:C:560[A]:LYS:HD3	6:D:3456:HOH:O	2.19	0.42
1:D:600:GLN:NE2	6:D:3114:HOH:O	2.53	0.42
1:A:707[B]:CYS:HB3	4:A:903:NAP:C2N	2.48	0.42
1:A:529:THR:HG21	1:A:582:TRP:HA	2.01	0.42
1:B:424:LEU:O	1:B:430:PHE:HA	2.20	0.42
1:B:632:LEU:C	1:B:632:LEU:HD23	2.45	0.42
1:C:656:LYS:HG2	1:D:667:VAL:HG13	2.02	0.42
1:C:707[A]:CYS:HB3	4:C:903:NAP:C6N	2.50	0.42
1:C:707[B]:CYS:HB3	4:C:903:NAP:C2N	2.50	0.42
1:B:569:ILE:HD12	1:B:594:VAL:HG21	2.01	0.41
1:B:643:VAL:O	1:B:668:LYS:HE3	2.20	0.41
1:B:673:GLU:HB3	4:B:903:NAP:C7N	2.51	0.41
1:C:794:VAL:HG21	1:C:811:ILE:HG23	2.02	0.41
1:D:425:PHE:CD2	1:D:610:ALA:HB1	2.55	0.41
1:D:650:GLY:O	1:D:674:LEU:HA	2.21	0.41
1:A:745:ASN:C	1:A:745:ASN:HD22	2.29	0.41
1:B:539:LYS:HD3	1:D:536:TRP:CE2	2.56	0.41
1:C:660:LYS:HG3	1:D:660:LYS:HG3	2.03	0.41
1:C:806:PHE:CE1	4:C:903:NAP:H2D	2.56	0.41
1:A:712:ARG:HG2	1:A:714:PHE:CE1	2.56	0.41
1:C:673:GLU:HB3	4:C:903:NAP:N7N	2.36	0.41
1:B:414:ASN:OD1	1:B:742:ARG:NH2	2.43	0.40
1:C:424:LEU:O	1:C:430:PHE:HA	2.22	0.40
1:C:580:LEU:C	1:C:580:LEU:HD23	2.46	0.40
1:C:456:ALA:HB3	1:C:633:VAL:HG21	2.03	0.40
1:C:781[B]:ARG:HD2	1:C:785:PHE:CE2	2.56	0.40
1:A:866:THR:HG21	5:A:1:GOL:H31	2.03	0.40
6:A:3039:HOH:O	1:C:483:ARG:HD3	2.22	0.40
1:B:707[A]:CYS:HB3	4:B:903:NAP:C6N	2.52	0.40
1:A:491[A]:ARG:HD2	1:A:616:ALA:O	2.22	0.40
1:A:669:LYS:NZ	3:A:3015:SO4:O4	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	516/517 (100%)	502 (97%)	14 (3%)	0	100	100
1	B	515/517 (100%)	503 (98%)	12 (2%)	0	100	100
1	C	513/517 (99%)	497 (97%)	16 (3%)	0	100	100
1	D	515/517 (100%)	500 (97%)	15 (3%)	0	100	100
All	All	2059/2068 (100%)	2002 (97%)	57 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	429/426 (101%)	424 (99%)	5 (1%)	63	70
1	B	428/426 (100%)	419 (98%)	9 (2%)	47	52
1	C	426/426 (100%)	412 (97%)	14 (3%)	33	34
1	D	428/426 (100%)	422 (99%)	6 (1%)	59	66
All	All	1711/1704 (100%)	1677 (98%)	34 (2%)	48	54

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	416	LEU
1	A	547	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	658	ILE
1	A	703	LYS
1	A	745	ASN
1	B	413	VAL
1	B	517	LEU
1	B	547	ILE
1	B	597	LYS
1	B	690	LYS
1	B	703	LYS
1	B	742	ARG
1	B	819	ASP
1	B	845	LYS
1	C	509	LEU
1	C	517	LEU
1	C	547	ILE
1	C	597	LYS
1	C	658	ILE
1	C	660	LYS
1	C	703	LYS
1	C	717	GLU
1	C	725[A]	GLN
1	C	725[B]	GLN
1	C	735	LYS
1	C	757	LYS
1	C	819	ASP
1	C	845	LYS
1	D	418	LEU
1	D	547	ILE
1	D	597	LYS
1	D	658	ILE
1	D	703	LYS
1	D	745	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	407	ASN
1	A	423	GLN
1	A	457	GLN
1	A	541	GLN
1	A	600	GLN
1	A	745	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	777	ASN
1	A	797	HIS
1	A	844	ASN
1	B	457	GLN
1	B	541	GLN
1	B	600	GLN
1	B	778	GLN
1	B	797	HIS
1	C	423	GLN
1	C	457	GLN
1	C	600	GLN
1	C	797	HIS
1	C	844	ASN
1	D	407	ASN
1	D	457	GLN
1	D	745	ASN
1	D	778	GLN
1	D	797	HIS
1	D	844	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	C	3013	-	4,4,4	0.29	0	6,6,6	0.48	0
3	SO4	D	3016	-	4,4,4	0.31	0	6,6,6	0.38	0
3	SO4	A	3001	-	4,4,4	0.21	0	6,6,6	0.21	0
3	SO4	D	3008	-	4,4,4	0.22	0	6,6,6	0.33	0
3	SO4	B	3004	-	4,4,4	0.22	0	6,6,6	0.15	0
3	SO4	B	3022	-	4,4,4	0.26	0	6,6,6	0.28	0
3	SO4	C	3028	-	4,4,4	0.31	0	6,6,6	0.35	0
3	SO4	C	3017	-	4,4,4	0.24	0	6,6,6	0.17	0
5	GOL	D	4	-	5,5,5	0.34	0	5,5,5	0.25	0
3	SO4	C	3010	-	4,4,4	0.23	0	6,6,6	0.12	0
3	SO4	C	3007	-	4,4,4	0.26	0	6,6,6	0.37	0
3	SO4	B	3019	-	4,4,4	0.29	0	6,6,6	0.11	0
4	NAP	A	903	2	50,52,52	1.63	6 (12%)	71,80,80	1.49	11 (15%)
3	SO4	A	3014	-	4,4,4	0.35	0	6,6,6	0.24	0
3	SO4	D	3020	-	4,4,4	0.27	0	6,6,6	0.14	0
3	SO4	A	3002	-	4,4,4	0.23	0	6,6,6	0.08	0
3	SO4	D	3012	-	4,4,4	0.24	0	6,6,6	0.11	0
3	SO4	B	3009	-	4,4,4	0.25	0	6,6,6	0.11	0
3	SO4	A	3011	-	4,4,4	0.24	0	6,6,6	0.12	0
4	NAP	B	903	2	50,52,52	1.62	4 (8%)	71,80,80	1.51	10 (14%)
5	GOL	A	1	-	5,5,5	0.37	0	5,5,5	0.45	0
3	SO4	B	3025	-	4,4,4	0.24	0	6,6,6	0.22	0
3	SO4	A	3021	-	4,4,4	0.24	0	6,6,6	0.13	0
3	SO4	A	3006	-	4,4,4	0.25	0	6,6,6	0.36	0
5	GOL	C	3	-	5,5,5	0.39	0	5,5,5	0.39	0
3	SO4	A	3018	-	4,4,4	0.24	0	6,6,6	0.13	0
3	SO4	A	3024	-	4,4,4	0.27	0	6,6,6	0.16	0
3	SO4	A	3015	-	4,4,4	0.34	0	6,6,6	0.30	0
4	NAP	C	903	2	50,52,52	1.63	5 (10%)	71,80,80	1.46	9 (12%)
4	NAP	D	903	2	50,52,52	1.56	5 (10%)	71,80,80	1.47	9 (12%)
5	GOL	B	2	-	5,5,5	0.34	0	5,5,5	0.38	0
3	SO4	D	3003	-	4,4,4	0.28	0	6,6,6	0.11	0
3	SO4	C	3026	-	4,4,4	0.25	0	6,6,6	0.31	0
3	SO4	B	3005	-	4,4,4	0.27	0	6,6,6	0.34	0
3	SO4	C	3023	-	4,4,4	0.26	0	6,6,6	0.21	0
3	SO4	D	3027	-	4,4,4	0.25	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAP	D	903	2	-	8/35/67/67	0/5/5/5
4	NAP	C	903	2	-	8/35/67/67	0/5/5/5
4	NAP	B	903	2	-	11/35/67/67	0/5/5/5
4	NAP	A	903	2	-	8/35/67/67	0/5/5/5
5	GOL	D	4	-	-	0/4/4/4	-
5	GOL	B	2	-	-	4/4/4/4	-
5	GOL	A	1	-	-	2/4/4/4	-
5	GOL	C	3	-	-	4/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	903	NAP	O7N-C7N	9.05	1.41	1.24
4	A	903	NAP	O7N-C7N	8.87	1.40	1.24
4	C	903	NAP	O7N-C7N	8.86	1.40	1.24
4	D	903	NAP	O7N-C7N	8.52	1.40	1.24
4	C	903	NAP	C8A-N7A	2.83	1.37	1.31
4	B	903	NAP	C2A-N1A	2.65	1.38	1.33
4	A	903	NAP	C2A-N1A	2.58	1.38	1.33
4	A	903	NAP	C2A-N3A	2.57	1.38	1.33
4	B	903	NAP	C2A-N3A	2.52	1.38	1.33
4	C	903	NAP	C2A-N1A	2.50	1.38	1.33
4	B	903	NAP	C8A-N7A	2.38	1.36	1.31
4	A	903	NAP	C8A-N7A	2.36	1.36	1.31
4	A	903	NAP	P2B-O2B	2.35	1.63	1.59
4	D	903	NAP	C2A-N1A	2.33	1.38	1.33
4	D	903	NAP	C8A-N7A	2.31	1.36	1.31
4	C	903	NAP	C2A-N3A	2.31	1.38	1.33
4	C	903	NAP	C2N-N1N	2.28	1.37	1.35
4	D	903	NAP	C2N-N1N	2.23	1.37	1.35
4	A	903	NAP	C2N-N1N	2.06	1.37	1.35
4	D	903	NAP	C2A-N3A	2.02	1.37	1.33

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	903	NAP	N3A-C2A-N1A	-5.52	120.22	128.58
4	C	903	NAP	N3A-C2A-N1A	-5.47	120.31	128.58
4	D	903	NAP	N3A-C2A-N1A	-5.40	120.42	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	903	NAP	N3A-C2A-N1A	-4.92	121.14	128.58
4	A	903	NAP	C5A-C4A-N3A	-4.65	120.31	126.72
4	B	903	NAP	N9A-C8A-N7A	-4.32	107.80	113.94
4	C	903	NAP	C5A-C4A-N3A	-4.03	121.16	126.72
4	D	903	NAP	N9A-C8A-N7A	-3.86	108.46	113.94
4	A	903	NAP	N9A-C8A-N7A	-3.75	108.62	113.94
4	C	903	NAP	N9A-C8A-N7A	-3.72	108.66	113.94
4	B	903	NAP	C5A-C4A-N3A	-3.67	121.67	126.72
4	D	903	NAP	C5A-C4A-N3A	-3.63	121.72	126.72
4	D	903	NAP	O4B-C1B-N9A	3.55	114.91	108.09
4	C	903	NAP	O4B-C1B-N9A	3.55	114.91	108.09
4	A	903	NAP	C5A-N7A-C8A	3.45	108.87	103.45
4	B	903	NAP	C5A-N7A-C8A	3.38	108.77	103.45
4	B	903	NAP	O4B-C1B-N9A	3.36	114.54	108.09
4	D	903	NAP	C5A-N7A-C8A	3.30	108.64	103.45
4	A	903	NAP	C2A-N3A-C4A	3.28	119.83	111.83
4	A	903	NAP	O4B-C1B-N9A	3.24	114.31	108.09
4	C	903	NAP	C5A-N7A-C8A	3.21	108.50	103.45
4	C	903	NAP	C2A-N3A-C4A	3.11	119.42	111.83
4	D	903	NAP	C2A-N3A-C4A	3.03	119.23	111.83
4	B	903	NAP	C2A-N3A-C4A	3.01	119.18	111.83
4	A	903	NAP	N3A-C4A-N9A	2.75	131.84	127.17
4	A	903	NAP	C4A-C5A-N7A	-2.70	107.50	110.58
4	A	903	NAP	O4B-C1B-C2B	-2.64	102.04	106.59
4	D	903	NAP	C4A-C5A-N7A	-2.60	107.61	110.58
4	C	903	NAP	C4A-C5A-N7A	-2.46	107.77	110.58
4	B	903	NAP	C4A-C5A-N7A	-2.33	107.92	110.58
4	B	903	NAP	C4A-N9A-C8A	2.32	108.17	105.74
4	C	903	NAP	O4B-C1B-C2B	-2.31	102.61	106.59
4	B	903	NAP	N3A-C4A-N9A	2.25	130.99	127.17
4	D	903	NAP	C3N-C7N-N7N	2.24	120.50	117.74
4	C	903	NAP	N3A-C4A-N9A	2.19	130.89	127.17
4	A	903	NAP	C3N-C7N-N7N	2.13	120.36	117.74
4	D	903	NAP	O4B-C1B-C2B	-2.12	102.94	106.59
4	B	903	NAP	O4B-C1B-C2B	-2.11	102.96	106.59
4	A	903	NAP	O2A-PA-O3	2.01	112.71	107.27

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	903	NAP	C5D-O5D-PN-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	903	NAP	C5D-O5D-PN-O1N
4	B	903	NAP	C5D-O5D-PN-O3
4	B	903	NAP	C5D-O5D-PN-O1N
4	C	903	NAP	C5D-O5D-PN-O3
4	C	903	NAP	C5D-O5D-PN-O1N
4	D	903	NAP	C5D-O5D-PN-O3
4	D	903	NAP	C5D-O5D-PN-O1N
5	A	1	GOL	O1-C1-C2-C3
5	B	2	GOL	O1-C1-C2-C3
5	B	2	GOL	C1-C2-C3-O3
5	C	3	GOL	C1-C2-C3-O3
5	C	3	GOL	O1-C1-C2-C3
5	B	2	GOL	O1-C1-C2-O2
5	B	2	GOL	O2-C2-C3-O3
5	C	3	GOL	O1-C1-C2-O2
5	C	3	GOL	O2-C2-C3-O3
5	A	1	GOL	O1-C1-C2-O2
4	B	903	NAP	PN-O3-PA-O1A
4	C	903	NAP	PN-O3-PA-O1A
4	B	903	NAP	C4D-C5D-O5D-PN
4	C	903	NAP	C4D-C5D-O5D-PN
4	D	903	NAP	C4D-C5D-O5D-PN
4	A	903	NAP	C4D-C5D-O5D-PN
4	A	903	NAP	C2B-C1B-N9A-C8A
4	B	903	NAP	C2B-C1B-N9A-C8A
4	C	903	NAP	C2B-C1B-N9A-C8A
4	D	903	NAP	C2B-C1B-N9A-C8A
4	A	903	NAP	PN-O3-PA-O1A
4	A	903	NAP	C5D-O5D-PN-O2N
4	B	903	NAP	C5D-O5D-PN-O2N
4	C	903	NAP	C5D-O5D-PN-O2N
4	D	903	NAP	C5D-O5D-PN-O2N
4	D	903	NAP	PN-O3-PA-O1A
4	B	903	NAP	C3B-C2B-O2B-P2B
4	C	903	NAP	O4B-C1B-N9A-C8A
4	A	903	NAP	O4B-C1B-N9A-C8A
4	D	903	NAP	O4B-C1B-N9A-C8A
4	B	903	NAP	PN-O3-PA-O2A
4	C	903	NAP	PN-O3-PA-O2A
4	D	903	NAP	PN-O3-PA-O2A
4	B	903	NAP	O4B-C1B-N9A-C8A
4	B	903	NAP	C2B-O2B-P2B-O3X

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	903	NAP	C1B-C2B-O2B-P2B
4	A	903	NAP	PN-O3-PA-O2A


There are no ring outliers.


7 monomers are involved in 38 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	4	GOL	1	0
4	A	903	NAP	6	0
4	B	903	NAP	10	0
5	A	1	GOL	1	0
3	A	3015	SO4	1	0
4	C	903	NAP	9	0
4	D	903	NAP	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	498/517 (96%)	-0.48	3 (0%) 85 85	6, 17, 26, 37	31 (6%)
1	B	498/517 (96%)	-0.43	2 (0%) 88 88	8, 19, 27, 41	30 (6%)
1	C	498/517 (96%)	-0.56	3 (0%) 85 85	6, 15, 23, 39	28 (5%)
1	D	498/517 (96%)	-0.45	4 (0%) 82 82	7, 17, 27, 38	31 (6%)
All	All	1992/2068 (96%)	-0.48	12 (0%) 85 85	6, 17, 26, 41	120 (6%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	405	VAL	5.0
1	B	405	VAL	4.0
1	A	405	VAL	3.6
1	C	819	ASP	3.1
1	D	405	VAL	3.0
1	D	620[A]	LYS	3.0
1	A	742	ARG	2.8
1	A	819	ASP	2.4
1	B	819	ASP	2.3
1	D	819	ASP	2.2
1	C	818	GLY	2.1
1	D	742	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	D	3020	5/5	0.75	0.20	42,42,43,44	5
3	SO4	A	3024	5/5	0.77	0.25	39,40,40,40	5
3	SO4	C	3017	5/5	0.80	0.17	41,41,42,43	5
3	SO4	D	3027	5/5	0.80	0.22	41,41,42,42	5
3	SO4	A	3011	5/5	0.81	0.20	47,47,48,48	5
2	MG	B	2002	1/1	0.81	0.23	64,64,64,64	0
3	SO4	B	3009	5/5	0.81	0.23	48,48,49,49	5
5	GOL	D	4	6/6	0.81	0.26	58,58,58,59	0
3	SO4	B	3019	5/5	0.82	0.17	41,41,42,43	5
5	GOL	C	3	6/6	0.83	0.28	64,66,66,66	0
3	SO4	D	3012	5/5	0.83	0.21	46,46,47,47	5
5	GOL	A	1	6/6	0.84	0.21	52,52,53,53	0
3	SO4	B	3022	5/5	0.84	0.18	32,34,34,35	5
3	SO4	B	3025	5/5	0.84	0.25	39,39,39,39	5
3	SO4	C	3010	5/5	0.85	0.18	43,43,44,44	5
3	SO4	A	3021	5/5	0.85	0.21	41,43,43,43	5
2	MG	D	2004	1/1	0.87	0.18	54,54,54,54	0
3	SO4	C	3026	5/5	0.87	0.18	35,35,36,36	5
3	SO4	C	3023	5/5	0.88	0.18	36,37,38,38	5
2	MG	A	2001	1/1	0.88	0.26	55,55,55,55	0
3	SO4	A	3018	5/5	0.89	0.12	37,38,39,39	5
2	MG	C	2003	1/1	0.90	0.21	48,48,48,48	0
5	GOL	B	2	6/6	0.90	0.18	52,53,53,53	0
3	SO4	C	3028	5/5	0.92	0.11	27,31,31,32	5
3	SO4	A	3006	5/5	0.93	0.10	28,29,32,32	5
3	SO4	B	3005	5/5	0.93	0.12	37,37,39,39	5
3	SO4	A	3002	5/5	0.93	0.11	28,29,29,31	5
3	SO4	A	3001	5/5	0.94	0.11	40,41,42,42	5
3	SO4	D	3008	5/5	0.94	0.11	28,30,31,31	5
3	SO4	C	3007	5/5	0.94	0.10	29,29,31,31	5
3	SO4	B	3004	5/5	0.95	0.09	27,28,29,29	5
4	NAP	A	903	48/48	0.95	0.09	16,23,33,36	0
4	NAP	C	903	48/48	0.95	0.09	17,19,30,35	0
4	NAP	D	903	48/48	0.95	0.09	18,22,32,34	0
3	SO4	A	3014	5/5	0.96	0.09	28,33,33,34	0
3	SO4	A	3015	5/5	0.96	0.10	22,28,29,29	0
4	NAP	B	903	48/48	0.96	0.09	19,23,32,35	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	C	3013	5/5	0.97	0.08	22,25,27,27	0
3	SO4	D	3016	5/5	0.97	0.08	25,28,29,30	0
3	SO4	D	3003	5/5	0.98	0.10	18,19,19,20	5

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAP A 903:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP C 903:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 903:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.