



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 11:02 AM UTC

PDB ID : 2O2Y / pdb_00002o2y
Title : The crystal structure of P. falciparum enoyl acyl carrier protein reductase
Authors : Muench, S.P.; Prigge, S.T.; McLeod, R.; Rafferty, J.B.; Kirisits, M.J.; Roberts, C.W.; Mui, E.J.; Rice, D.W.
Deposited on : 2006-11-30
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	 72% 11% 17%
1	B	349	 73% 9% 17%
1	C	349	 74% 9% 16%
1	D	349	 72% 10% 17%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9909 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Enoyl-acyl carrier reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	290	Total	C	N	O	S	0	0	0
			2288	1460	385	432	11			
1	B	290	Total	C	N	O	S	13	0	0
			2293	1463	385	434	11			
1	C	293	Total	C	N	O	S	18	0	0
			2310	1474	386	440	10			
1	D	288	Total	C	N	O	S	4	0	0
			2270	1451	378	430	11			

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		
2	D	1	Total	Cl	0	0
			1	1		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is TRICLOSAN (CCD ID: TCL) (formula: C₁₂H₇Cl₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Cl	O	0	0
			17	12	3	2		
4	B	1	Total	C	Cl	O	0	0
			17	12	3	2		
4	C	1	Total	C	Cl	O	0	0
			17	12	3	2		
4	D	1	Total	C	Cl	O	0	0
			17	12	3	2		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	106	Total	O	0	0
			106	106		
6	B	130	Total	O	0	0
			130	130		
6	C	109	Total	O	0	0
			109	109		
6	D	150	Total	O	0	0
			150	150		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-acyl carrier reductase




- Molecule 1: Enoyl-acyl carrier reductase





- Molecule 1: Enoyl-acyl carrier reductase





● Molecule 1: Enoyl-acyl carrier reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	88.18Å 82.37Å 94.82Å 90.00° 90.77° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.7 (30.00-2.20) 97.7 (30.00-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.86 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.200 , 0.246 0.208 , 0.252	Depositor DCC
R_{free} test set	3374 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	26.5	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 19.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9909	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TCL, CL, SO4, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.61	0/2331	0.84	2/3147 (0.1%)
1	B	0.86	7/2336 (0.3%)	0.88	6/3154 (0.2%)
1	C	0.79	5/2353 (0.2%)	1.03	8/3178 (0.3%)
1	D	0.71	2/2313 (0.1%)	0.85	4/3124 (0.1%)
All	All	0.75	14/9333 (0.2%)	0.90	20/12603 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
All	All	0	3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	60	LYS	CA-CB	-18.59	1.22	1.53
1	C	117	ASN	CG-OD1	-12.90	0.99	1.23
1	B	68	MET	SD-CE	-12.69	1.47	1.79
1	C	68	MET	SD-CE	-12.35	1.48	1.79
1	C	42	LYS	CG-CD	-9.14	1.25	1.52
1	C	86	ALA	CA-CB	8.03	1.66	1.53
1	B	81	MET	SD-CE	-7.80	1.60	1.79
1	C	117	ASN	CG-ND2	7.51	1.49	1.33
1	B	198	MET	SD-CE	-7.03	1.61	1.79
1	B	69	ILE	CG1-CD1	-6.91	1.24	1.51
1	B	133	LEU	CA-CB	6.36	1.67	1.54
1	D	81	MET	SD-CE	-6.27	1.63	1.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	149	LYS	C-O	-5.52	1.17	1.24
1	D	166	CYS	CB-SG	-5.21	1.64	1.81

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	53	ASN	OD1-CG-ND2	-25.92	96.68	122.60
1	C	68	MET	CG-SD-CE	14.22	132.19	100.90
1	D	81	MET	CG-SD-CE	10.81	124.68	100.90
1	C	42	LYS	CB-CG-CD	10.63	135.75	111.30
1	B	81	MET	CG-SD-CE	9.56	121.92	100.90
1	B	198	MET	CG-SD-CE	9.10	120.92	100.90
1	B	68	MET	CG-SD-CE	7.07	116.46	100.90
1	C	53	ASN	CB-CG-OD1	6.62	134.04	120.80
1	A	49	PRO	N-CA-C	6.46	118.59	110.70
1	C	117	ASN	CB-CG-ND2	-6.22	107.07	116.40
1	D	25	THR	N-CA-C	5.98	120.27	113.15
1	B	60	LYS	CB-CA-C	5.95	121.64	110.63
1	C	44	ILE	CA-CB-CG2	5.80	120.35	110.50
1	C	86	ALA	N-CA-CB	-5.54	101.92	110.46
1	A	72	LYS	N-CA-C	5.47	118.75	111.75
1	D	49	PRO	N-CA-C	5.41	117.30	110.70
1	B	49	PRO	N-CA-C	5.36	117.24	110.70
1	D	166	CYS	CA-CB-SG	5.33	126.66	114.40
1	B	70	ILE	CG1-CB-CG2	-5.27	94.88	110.70
1	C	47	ILE	CB-CG1-CD1	5.08	124.47	113.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	133	LEU	Mainchain
1	C	117	ASN	Sidechain
1	C	53	ASN	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2288	0	2286	21	0
1	B	2293	0	2291	18	0
1	C	2310	0	2295	18	0
1	D	2270	0	2263	19	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	44	0	26	0	0
3	B	44	0	26	1	0
3	C	44	0	26	0	0
3	D	44	0	26	0	0
4	A	17	0	6	0	0
4	B	17	0	6	0	0
4	C	17	0	6	0	0
4	D	17	0	6	0	0
5	D	5	0	0	1	0
6	A	106	0	0	2	0
6	B	130	0	0	1	0
6	C	109	0	0	3	0
6	D	150	0	0	1	0
All	All	9909	0	9263	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:59:TYR:O	5:D:713:SO4:O4	2.04	0.75
1:B:339:LEU:HD22	1:C:292:TYR:CE1	2.23	0.73
1:B:292:TYR:CD1	1:C:339:LEU:HD22	2.31	0.65
1:A:319:GLU:OE1	1:C:39:ARG:NH2	2.30	0.65
1:D:283:TYR:CE2	1:D:291:GLU:OE1	2.51	0.64
1:C:142:ASP:C	1:C:142:ASP:OD1	2.42	0.62
1:B:292:TYR:CE1	1:C:339:LEU:HD22	2.34	0.62
1:C:136:ALA:HB2	1:C:198:MET:SD	2.41	0.61
1:D:135:ASN:HD22	1:D:136:ALA:H	1.50	0.59
1:A:192:PRO:O	6:A:806:HOH:O	2.17	0.57
1:D:235:ARG:HB2	6:D:833:HOH:O	2.05	0.56
1:C:135:ASN:HD22	1:C:136:ALA:H	1.54	0.55
1:C:66:ASN:ND2	6:C:850:HOH:O	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:LEU:HD22	1:C:292:TYR:CD1	2.42	0.55
1:B:135:ASN:HD22	1:B:136:ALA:H	1.54	0.55
1:A:288:TYR:CD1	1:D:343:ILE:HD12	2.42	0.54
1:A:78:ILE:HD13	1:A:81:MET:HE2	1.90	0.53
1:D:169:PHE:CD2	1:D:172:ILE:HD11	2.44	0.53
1:D:233:LYS:HE3	1:D:238:THR:HG22	1.90	0.53
1:C:134:ALA:HB1	1:C:198:MET:HE1	1.91	0.52
1:A:22:ILE:HD12	1:A:45:PHE:CD1	2.44	0.52
1:D:109:ASN:HD22	1:D:114:ASP:HB3	1.76	0.51
1:D:233:LYS:NZ	1:D:287:ASP:OD1	2.34	0.51
1:D:15:ASP:HA	1:D:127:ASN:HD21	1.76	0.51
1:A:341:ASP:CG	1:C:214:TYR:HH	2.18	0.50
1:D:135:ASN:HD22	1:D:136:ALA:N	2.09	0.49
1:A:173:MET:HE2	1:A:177:SER:HB3	1.95	0.48
1:D:198:MET:HE1	1:D:202:LYS:HE2	1.95	0.48
1:A:96:GLU:HA	1:A:96:GLU:OE1	2.13	0.48
1:A:87:SER:HB3	1:A:157:LYS:HE2	1.95	0.48
1:A:167:LYS:HD3	6:B:1525:HOH:O	2.14	0.47
1:B:169:PHE:O	1:B:173:MET:HG3	2.14	0.47
1:D:120:HIS:CD2	1:D:172:ILE:HG22	2.50	0.46
1:A:87:SER:CB	1:A:157:LYS:HE2	2.46	0.46
1:A:78:ILE:HG21	1:A:81:MET:CE	2.45	0.46
1:B:39:ARG:HD3	1:B:313:SER:OG	2.15	0.46
6:C:807:HOH:O	1:D:167:LYS:HD2	2.15	0.46
1:B:131:HIS:O	1:B:181:SER:HA	2.16	0.45
1:B:135:ASN:HD22	1:B:136:ALA:N	2.14	0.45
1:C:333:GLY:O	1:C:336:ILE:HG12	2.17	0.45
1:C:136:ALA:CB	1:C:198:MET:SD	3.05	0.45
1:C:237:ALA:HB1	1:C:286:ILE:HD13	1.99	0.45
1:A:53:ASN:OD1	1:A:106:MET:HE1	2.17	0.45
1:A:292:TYR:OH	1:A:340:PRO:HG3	2.16	0.44
1:A:71:ASP:C	1:A:71:ASP:OD1	2.61	0.44
1:B:231:PRO:HA	3:B:1450:NAD:O7N	2.18	0.43
1:B:334:LEU:HD13	1:C:338:PHE:CZ	2.53	0.43
1:C:173:MET:HE2	1:C:177:SER:HB3	1.99	0.43
1:A:106:MET:CE	1:A:107:LEU:HD21	2.48	0.43
1:B:109:ASN:HA	1:B:114:ASP:HB3	2.00	0.43
1:B:292:TYR:CE2	1:B:296:TYR:CD1	3.07	0.43
1:D:38:LYS:HG3	1:D:70:ILE:HG21	2.01	0.43
1:B:241:ASN:HB3	1:B:284:THR:HB	2.01	0.43
1:A:318:ARG:HD2	6:A:784:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:ILE:HG21	1:B:45:PHE:HE1	1.83	0.42
1:D:333:GLY:O	1:D:336:ILE:HG12	2.20	0.42
1:B:339:LEU:HD11	6:C:776:HOH:O	2.20	0.41
1:A:233:LYS:HG3	1:A:238:THR:CG2	2.51	0.41
1:D:131:HIS:O	1:D:181:SER:HA	2.19	0.41
1:B:182:LEU:HD23	1:B:227:ILE:HB	2.03	0.41
1:B:331:ASP:CG	1:B:335:ASN:HD22	2.29	0.41
1:D:83:PRO:HB3	1:D:107:LEU:HD13	2.01	0.41
1:D:153:ASP:OD2	1:D:157:LYS:NZ	2.47	0.41
1:C:48:TRP:CG	1:C:50:PRO:HD2	2.56	0.40
1:A:131:HIS:HE1	1:A:161:SER:OG	2.04	0.40
1:A:341:ASP:CG	1:C:214:TYR:OH	2.64	0.40
1:A:140:GLN:HE22	1:A:241:ASN:N	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/349 (82%)	272 (95%)	13 (4%)	1 (0%)	36	42
1	B	286/349 (82%)	276 (96%)	9 (3%)	1 (0%)	36	42
1	C	289/349 (83%)	277 (96%)	10 (4%)	2 (1%)	18	19
1	D	284/349 (81%)	274 (96%)	10 (4%)	0	100	100
All	All	1145/1396 (82%)	1099 (96%)	42 (4%)	4 (0%)	36	42

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	72	LYS
1	C	14	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	72	LYS
1	A	240	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/307 (81%)	239 (96%)	9 (4%)	31	42
1	B	249/307 (81%)	243 (98%)	6 (2%)	43	58
1	C	249/307 (81%)	239 (96%)	10 (4%)	28	38
1	D	246/307 (80%)	239 (97%)	7 (3%)	38	52
All	All	992/1228 (81%)	960 (97%)	32 (3%)	34	47

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	SER
1	A	63	LYS
1	A	74	LYS
1	A	98	THR
1	A	121	GLN
1	A	180	ILE
1	A	200	SER
1	A	301	GLN
1	A	306	THR
1	B	103	ARG
1	B	133	LEU
1	B	149	LYS
1	B	172	ILE
1	B	241	ASN
1	B	334	LEU
1	C	75	LYS
1	C	77	ASN
1	C	102	LYS
1	C	135	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	142	ASP
1	C	170	VAL
1	C	172	ILE
1	C	300	ARG
1	C	302	LYS
1	C	345	ARG
1	D	37	SER
1	D	53	ASN
1	D	127	ASN
1	D	135	ASN
1	D	200	SER
1	D	235	ARG
1	D	342	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	77	ASN
1	A	100	ASN
1	A	109	ASN
1	A	131	HIS
1	A	140	GLN
1	A	241	ASN
1	A	301	GLN
1	B	117	ASN
1	B	135	ASN
1	B	176	GLN
1	B	188	GLN
1	B	215	HIS
1	B	301	GLN
1	C	66	ASN
1	C	101	ASN
1	C	109	ASN
1	C	121	GLN
1	C	127	ASN
1	C	135	ASN
1	D	26	ASN
1	D	58	ASN
1	D	61	ASN
1	D	100	ASN
1	D	109	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	120	HIS
1	D	127	ASN
1	D	135	ASN
1	D	140	GLN
1	D	219	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	TCL	C	708	-	18,18,18	1.85	4 (22%)	25,25,25	1.14	1 (4%)
4	TCL	A	705	-	18,18,18	1.77	2 (11%)	25,25,25	1.01	1 (4%)
5	SO4	D	713	-	4,4,4	0.44	0	6,6,6	0.42	0
3	NAD	C	750	-	46,48,48	1.58	3 (6%)	64,73,73	1.60	11 (17%)
4	TCL	B	706	-	18,18,18	1.67	2 (11%)	25,25,25	1.16	2 (8%)
3	NAD	B	1450	-	46,48,48	1.66	5 (10%)	64,73,73	1.55	11 (17%)
3	NAD	D	550	-	46,48,48	1.56	5 (10%)	64,73,73	1.79	13 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TCL	D	707	-	18,18,18	1.87	2 (11%)	25,25,25	1.01	1 (4%)
3	NAD	A	650	-	46,48,48	1.70	5 (10%)	64,73,73	1.55	10 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TCL	C	708	-	-	0/4/4/4	0/2/2/2
4	TCL	A	705	-	-	0/4/4/4	0/2/2/2
3	NAD	C	750	-	-	5/30/62/62	0/5/5/5
4	TCL	B	706	-	-	0/4/4/4	0/2/2/2
3	NAD	B	1450	-	-	12/30/62/62	0/5/5/5
3	NAD	D	550	-	-	7/30/62/62	0/5/5/5
4	TCL	D	707	-	-	0/4/4/4	0/2/2/2
3	NAD	A	650	-	-	4/30/62/62	0/5/5/5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	650	NAD	O7N-C7N	8.96	1.40	1.24
3	B	1450	NAD	O7N-C7N	8.58	1.40	1.24
3	C	750	NAD	O7N-C7N	8.16	1.39	1.24
3	D	550	NAD	O7N-C7N	8.08	1.39	1.24
4	D	707	TCL	C6-C5	4.87	1.48	1.40
4	D	707	TCL	C8-C9	4.39	1.47	1.39
4	A	705	TCL	C8-C9	4.36	1.47	1.39
4	C	708	TCL	C8-C9	4.33	1.47	1.39
4	A	705	TCL	C6-C5	4.19	1.47	1.40
4	B	706	TCL	C8-C9	4.04	1.46	1.39
4	C	708	TCL	C6-C5	3.53	1.46	1.40
4	B	706	TCL	C6-C5	3.51	1.46	1.40
3	B	1450	NAD	C2A-N1A	3.22	1.39	1.33
3	B	1450	NAD	C2A-N3A	2.82	1.38	1.33
3	A	650	NAD	C2A-N1A	2.78	1.38	1.33
3	C	750	NAD	C2A-N1A	2.77	1.38	1.33
3	C	750	NAD	C2A-N3A	2.72	1.38	1.33
3	A	650	NAD	O4B-C4B	-2.60	1.39	1.45
3	D	550	NAD	O4B-C4B	-2.51	1.39	1.45
3	D	550	NAD	C2A-N1A	2.41	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1450	NAD	C2N-N1N	2.41	1.37	1.35
4	C	708	TCL	C2-CL14	2.30	1.79	1.74
3	A	650	NAD	C8A-N7A	2.26	1.36	1.31
3	B	1450	NAD	C8A-N7A	2.18	1.35	1.31
3	D	550	NAD	C8A-N7A	2.14	1.35	1.31
3	A	650	NAD	C2A-N3A	2.08	1.37	1.33
4	C	708	TCL	C11-CL15	2.05	1.79	1.74
3	D	550	NAD	C2A-N3A	2.00	1.37	1.33

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	750	NAD	N3A-C2A-N1A	-6.22	119.16	128.58
3	A	650	NAD	N3A-C2A-N1A	-6.14	119.29	128.58
3	D	550	NAD	N3A-C2A-N1A	-5.82	119.77	128.58
3	B	1450	NAD	N3A-C2A-N1A	-5.46	120.32	128.58
3	D	550	NAD	N9A-C8A-N7A	-4.53	107.51	113.94
3	D	550	NAD	C3N-C7N-N7N	4.53	123.31	117.74
3	C	750	NAD	N9A-C8A-N7A	-4.17	108.02	113.94
3	A	650	NAD	N9A-C8A-N7A	-4.08	108.15	113.94
3	C	750	NAD	C5A-C4A-N3A	-3.87	121.39	126.72
3	B	1450	NAD	O2N-PN-O3	-3.86	96.85	107.27
3	D	550	NAD	O7N-C7N-C3N	-3.84	114.90	119.60
3	B	1450	NAD	N9A-C8A-N7A	-3.82	108.52	113.94
3	D	550	NAD	O2N-PN-O3	-3.72	97.22	107.27
3	A	650	NAD	C5A-C4A-N3A	-3.61	121.75	126.72
3	B	1450	NAD	C5A-C4A-N3A	-3.36	122.09	126.72
3	C	750	NAD	C2A-N3A-C4A	3.35	120.01	111.83
3	C	750	NAD	C5A-N7A-C8A	3.33	108.68	103.45
3	A	650	NAD	C5A-N7A-C8A	3.26	108.57	103.45
3	D	550	NAD	C4A-N9A-C8A	3.22	109.11	105.74
3	A	650	NAD	C2A-N3A-C4A	3.13	119.47	111.83
3	B	1450	NAD	C5A-N7A-C8A	3.11	108.34	103.45
3	D	550	NAD	C5A-N7A-C8A	2.88	107.98	103.45
4	B	706	TCL	C8-C9-CL16	-2.86	116.17	119.44
4	B	706	TCL	C10-C9-CL16	2.80	123.03	118.45
3	C	750	NAD	N3A-C4A-N9A	2.77	131.87	127.17
3	D	550	NAD	C4A-N9A-C1B	-2.73	120.26	126.63
3	C	750	NAD	C3N-C7N-N7N	2.72	121.09	117.74
3	D	550	NAD	O2N-PN-O1N	2.70	125.01	112.44
3	C	750	NAD	O7N-C7N-C3N	-2.66	116.35	119.60
3	D	550	NAD	C5A-C4A-N3A	-2.65	123.07	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1450	NAD	O2N-PN-O1N	2.65	124.76	112.44
3	D	550	NAD	O3-PA-O1A	2.59	118.50	110.70
3	B	1450	NAD	C2A-N3A-C4A	2.56	118.09	111.83
3	C	750	NAD	C4A-N9A-C8A	2.51	108.37	105.74
3	D	550	NAD	C2A-N3A-C4A	2.50	117.94	111.83
3	A	650	NAD	N3A-C4A-N9A	2.40	131.24	127.17
4	A	705	TCL	C10-C9-CL16	2.33	122.27	118.45
3	A	650	NAD	C4A-N9A-C8A	2.33	108.19	105.74
4	D	707	TCL	C1-C2-CL14	-2.28	116.30	119.17
3	B	1450	NAD	N3A-C4A-N9A	2.28	131.04	127.17
3	A	650	NAD	C4A-C5A-N7A	-2.20	108.07	110.58
3	D	550	NAD	O2A-PA-O3	-2.15	101.45	107.27
3	A	650	NAD	C2A-N1A-C6A	2.14	122.24	118.73
3	C	750	NAD	O2A-PA-O5B	2.13	117.23	107.57
3	B	1450	NAD	C5A-C6A-N6A	-2.10	118.08	123.29
3	A	650	NAD	O5B-C5B-C4B	-2.10	101.84	108.99
3	C	750	NAD	C4A-C5A-N7A	-2.09	108.19	110.58
4	C	708	TCL	C10-C9-CL16	2.04	121.79	118.45
3	B	1450	NAD	C6A-C5A-C4A	2.03	119.95	117.18
3	B	1450	NAD	C4A-N9A-C8A	2.03	107.86	105.74

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	650	NAD	C5D-O5D-PN-O3
3	A	650	NAD	C5D-O5D-PN-O1N
3	B	1450	NAD	C5B-O5B-PA-O2A
3	B	1450	NAD	C5B-O5B-PA-O3
3	B	1450	NAD	C5D-O5D-PN-O3
3	B	1450	NAD	C5D-O5D-PN-O1N
3	B	1450	NAD	O4D-C1D-N1N-C2N
3	C	750	NAD	C5D-O5D-PN-O3
3	C	750	NAD	C5D-O5D-PN-O1N
3	D	550	NAD	C5D-O5D-PN-O3
3	D	550	NAD	C5D-O5D-PN-O1N
3	D	550	NAD	O4D-C1D-N1N-C2N
3	B	1450	NAD	O4B-C4B-C5B-O5B
3	B	1450	NAD	C3B-C4B-C5B-O5B
3	C	750	NAD	C3B-C4B-C5B-O5B
3	C	750	NAD	O4B-C4B-C5B-O5B
3	D	550	NAD	O4B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	D	550	NAD	C3B-C4B-C5B-O5B
3	A	650	NAD	C5D-O5D-PN-O2N
3	B	1450	NAD	C5B-O5B-PA-O1A
3	B	1450	NAD	C5D-O5D-PN-O2N
3	C	750	NAD	C5D-O5D-PN-O2N
3	D	550	NAD	C5D-O5D-PN-O2N
3	B	1450	NAD	O4D-C1D-N1N-C6N
3	D	550	NAD	O4D-C1D-N1N-C6N
3	B	1450	NAD	C4B-C5B-O5B-PA
3	A	650	NAD	PA-O3-PN-O2N
3	B	1450	NAD	PA-O3-PN-O2N


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	713	SO4	1	0
3	B	1450	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	290/349 (83%)	-1.45	0 100 100	17, 20, 25, 30	0
1	B	290/349 (83%)	-1.51	0 100 100	13, 20, 25, 32	11 (3%)
1	C	293/349 (83%)	-1.49	0 100 100	15, 20, 26, 33	15 (5%)
1	D	288/349 (82%)	-1.54	0 100 100	17, 20, 25, 30	4 (1%)
All	All	1161/1396 (83%)	-1.50	0 100 100	13, 20, 25, 33	30 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	D	713	5/5	0.97	0.06	46,47,48,49	0
2	CL	C	712	1/1	0.99	0.02	23,23,23,23	0
3	NAD	A	650	44/44	0.99	0.03	20,21,24,24	0
3	NAD	B	1450	44/44	0.99	0.02	18,22,25,26	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	B	711	1/1	0.99	0.03	22,22,22,22	0
2	CL	D	709	1/1	1.00	0.02	16,16,16,16	0
3	NAD	C	750	44/44	1.00	0.02	17,21,24,26	0
3	NAD	D	550	44/44	1.00	0.02	20,22,25,28	0
4	TCL	A	705	17/17	1.00	0.02	21,22,22,24	0
4	TCL	B	706	17/17	1.00	0.02	22,23,24,25	0
4	TCL	C	708	17/17	1.00	0.03	21,22,23,23	0
4	TCL	D	707	17/17	1.00	0.02	21,23,26,27	0
2	CL	A	710	1/1	1.00	0.01	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD B 1450:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 750:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 550:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TCL A 705:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around TCL B 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TCL C 708:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.