



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 30, 2026 – 10:49 AM UTC

PDB ID : 6O2Y / pdb_00006o2y
Title : Crystal structure of IDH1 R132H mutant in complex with compound 24
Authors : Toms, A.V.; Lin, J.
Deposited on : 2019-02-25
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	425	
1	B	425	
1	C	425	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9978 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	413	Total	C	N	O	S	0	0	0
			3274	2082	554	620	18			
1	B	411	Total	C	N	O	S	0	0	0
			3252	2068	550	616	18			
1	C	409	Total	C	N	O	S	0	0	0
			3209	2041	541	609	18			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	132	HIS	ARG	engineered mutation	UNP O75874
A	415	GLU	-	expression tag	UNP O75874
A	416	LEU	-	expression tag	UNP O75874
A	417	GLU	-	expression tag	UNP O75874
A	418	HIS	-	expression tag	UNP O75874
A	419	HIS	-	expression tag	UNP O75874
A	420	HIS	-	expression tag	UNP O75874
A	421	HIS	-	expression tag	UNP O75874
A	422	HIS	-	expression tag	UNP O75874
A	423	HIS	-	expression tag	UNP O75874
A	424	HIS	-	expression tag	UNP O75874
A	425	HIS	-	expression tag	UNP O75874
B	132	HIS	ARG	engineered mutation	UNP O75874
B	415	GLU	-	expression tag	UNP O75874
B	416	LEU	-	expression tag	UNP O75874
B	417	GLU	-	expression tag	UNP O75874
B	418	HIS	-	expression tag	UNP O75874
B	419	HIS	-	expression tag	UNP O75874
B	420	HIS	-	expression tag	UNP O75874
B	421	HIS	-	expression tag	UNP O75874
B	422	HIS	-	expression tag	UNP O75874
B	423	HIS	-	expression tag	UNP O75874
B	424	HIS	-	expression tag	UNP O75874

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	425	HIS	-	expression tag	UNP O75874
C	132	HIS	ARG	engineered mutation	UNP O75874
C	415	GLU	-	expression tag	UNP O75874
C	416	LEU	-	expression tag	UNP O75874
C	417	GLU	-	expression tag	UNP O75874
C	418	HIS	-	expression tag	UNP O75874
C	419	HIS	-	expression tag	UNP O75874
C	420	HIS	-	expression tag	UNP O75874
C	421	HIS	-	expression tag	UNP O75874
C	422	HIS	-	expression tag	UNP O75874
C	423	HIS	-	expression tag	UNP O75874
C	424	HIS	-	expression tag	UNP O75874
C	425	HIS	-	expression tag	UNP O75874


- Molecule 2 is 4-[[[(6-chloro-2-oxo-1,2-dihydroquinolin-3-yl)methyl]amino}-2-methoxybenzonitrile (CCD ID: LJY) (formula: C₁₈H₁₄ClN₃O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			24	18	1	3	2		
2	B	1	Total	C	Cl	N	O	0	0
			24	18	1	3	2		
2	C	1	Total	C	Cl	N	O	0	0
			24	18	1	3	2		


- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD

ID: NAP) (formula: $\text{C}_{21}\text{H}_{28}\text{N}_7\text{O}_{17}\text{P}_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	C	1	Total 48	C 21	N 7	O 17	P 3	0	0

- Molecule 4 is BETA-MERCAPTOETHANOL (CCD ID: BME) (formula: $\text{C}_2\text{H}_6\text{OS}$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	12	Total	O	0	0
			12	12		
5	B	8	Total	O	0	0
			8	8		
5	C	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	165.68Å 63.50Å 143.60Å 90.00° 99.52° 90.00°	Depositor
Resolution (Å)	50.00 – 2.80 50.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.3 (50.00-2.80) 98.3 (50.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.209 , 0.275 0.208 , 0.270	Depositor DCC
R_{free} test set	1803 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	61.2	Xtriage
Anisotropy	0.723	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9978	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LJY, BME, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/3343	0.98	5/4508 (0.1%)
1	B	0.80	0/3321	1.03	3/4481 (0.1%)
1	C	0.83	0/3276	1.06	3/4426 (0.1%)
All	All	0.80	0/9940	1.02	11/13415 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	284	GLY	N-CA-C	7.62	122.52	112.77
1	B	276	VAL	CB-CA-C	-7.48	102.04	112.14
1	C	170	HIS	N-CA-C	6.16	119.14	109.96
1	A	276	VAL	CB-CA-C	-6.10	104.04	112.04
1	C	276	VAL	CB-CA-C	-5.79	101.79	111.29
1	C	306	GLU	N-CA-C	5.64	116.72	108.14
1	A	148	GLY	CA-C-N	5.45	126.66	119.84
1	A	148	GLY	C-N-CA	5.45	126.66	119.84
1	B	299	ASP	N-CA-C	5.12	118.99	112.34
1	B	285	TYR	N-CA-C	-5.10	105.72	111.28
1	A	374	LYS	N-CA-C	5.08	117.48	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3274	0	3239	30	0
1	B	3252	0	3209	37	0
1	C	3209	0	3132	42	0
2	A	24	0	0	0	0
2	B	24	0	0	1	0
2	C	24	0	0	0	0
3	A	48	0	25	1	0
3	B	48	0	25	0	0
3	C	48	0	25	0	0
4	A	4	0	6	1	0
5	A	12	0	0	0	0
5	B	8	0	0	0	0
5	C	3	0	0	0	0
All	All	9978	0	9661	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:344:ALA:HB2	1:C:352:LEU:HD22	1.48	0.94
1:B:372:MET:HE1	1:B:380:ILE:HD12	1.57	0.86
1:B:26:ILE:HG23	1:B:30:LEU:HD12	1.57	0.84
1:C:344:ALA:HB2	1:C:352:LEU:CD2	2.09	0.81
1:B:372:MET:HE3	1:B:377:ALA:HA	1.72	0.72
1:C:21:ILE:HG12	1:C:319:TYR:CE2	2.29	0.68
1:C:362:VAL:O	1:C:366:THR:HG23	1.93	0.68
1:C:61:ALA:HB1	1:C:102:ILE:HD11	1.78	0.66
1:B:199:MET:HE2	1:B:296:VAL:HG21	1.78	0.65
1:B:13:MET:HE1	1:B:64:ILE:HD11	1.79	0.64
1:C:83:VAL:HA	1:C:88:LEU:HD12	1.81	0.62
1:C:52:THR:HG22	1:C:55:GLN:HB3	1.81	0.61
1:B:199:MET:CE	1:B:296:VAL:HG21	2.31	0.60
1:B:22:ILE:O	1:B:26:ILE:HG13	2.03	0.58
1:A:53:ASN:HA	1:A:92:TRP:CH2	2.39	0.57
1:B:67:HIS:O	1:B:343:ARG:NH1	2.37	0.57
1:B:52:THR:OG1	1:B:56:VAL:HG12	2.05	0.56
1:C:43:ASP:O	1:C:43:ASP:OD1	2.24	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:186:ASP:OD2	1:C:222:ARG:NH1	2.41	0.54
1:A:13:MET:HE1	1:A:64:ILE:HD11	1.90	0.53
1:A:116:ASN:O	1:A:380:ILE:HD11	2.08	0.53
1:C:23:TRP:CE3	1:C:73:CYS:HB2	2.44	0.53
1:C:15:GLY:HA3	1:C:73:CYS:SG	2.49	0.53
1:A:13:MET:CE	1:A:64:ILE:HD11	2.40	0.52
1:B:109:ARG:NE	2:B:500:LJY:O2	2.41	0.52
1:C:378:ALA:O	1:C:382:GLY:N	2.40	0.52
1:A:134:ALA:HB3	1:A:140:ARG:NH2	2.26	0.51
1:B:337:THR:OG1	1:B:360:GLU:OE2	2.26	0.51
1:A:201:LEU:HD21	1:A:239:PHE:CD1	2.45	0.51
1:C:52:THR:HG21	1:C:56:VAL:HG23	1.91	0.51
1:A:275:ASP:HB3	1:A:277:GLN:OE1	2.12	0.50
1:C:130:ILE:HD12	1:C:130:ILE:N	2.26	0.50
1:C:212:LYS:NZ	1:C:252:ASP:OD1	2.45	0.50
1:A:117:ILE:HD13	1:A:380:ILE:HD11	1.95	0.49
1:C:17:GLU:HB2	1:C:311:THR:HB	1.95	0.49
1:A:214:THR:HG23	1:A:250:LEU:HD11	1.95	0.48
1:C:34:TYR:CD2	1:C:409:LEU:HD12	2.49	0.48
1:A:119:ARG:NE	1:A:124:TRP:O	2.45	0.48
1:B:43:ASP:HB3	1:B:48:ASN:ND2	2.28	0.48
1:B:128:ILE:HG22	1:B:130:ILE:CD1	2.44	0.48
1:C:43:ASP:OD1	1:C:43:ASP:C	2.57	0.48
1:C:329:PRO:HB3	1:C:398:MET:HE2	1.96	0.47
1:A:282:ALA:HB1	1:A:291:MET:HE3	1.95	0.47
1:C:12:GLU:OE1	1:C:27:LYS:NZ	2.48	0.47
1:C:43:ASP:OD1	1:C:48:ASN:HB3	2.15	0.47
1:B:120:LEU:HD12	1:B:281:VAL:HG13	1.96	0.47
1:C:297:CYS:HG	1:C:302:THR:HG1	1.62	0.47
1:A:75:THR:O	3:A:501:NAP:H2N	2.15	0.46
1:C:100:ARG:HG3	1:C:100:ARG:NH2	2.31	0.46
1:B:246:TYR:CD2	1:B:246:TYR:C	2.92	0.46
1:B:26:ILE:HG12	1:B:398:MET:HE1	1.97	0.46
1:A:137:ASP:OD1	1:A:184:ASN:ND2	2.47	0.45
1:C:121:VAL:HG21	1:C:124:TRP:CZ2	2.52	0.45
1:C:79:ASP:O	1:C:82:ARG:N	2.50	0.45
1:C:200:ALA:HA	1:C:266:ILE:HD12	1.99	0.45
1:A:17:GLU:HB2	1:A:311:THR:HB	1.99	0.45
1:A:269:CYS:SG	4:A:502:BME:S2	3.11	0.44
1:A:186:ASP:OD2	1:A:222:ARG:NH1	2.51	0.44
1:B:49:ARG:NH2	1:B:75:THR:HB	2.31	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:13:MET:HB3	1:C:44:LEU:CD1	2.48	0.44
1:B:116:ASN:ND2	1:B:367:ILE:O	2.49	0.44
1:C:13:MET:HB2	1:C:72:LYS:HA	1.99	0.44
1:C:372:MET:HE1	1:C:380:ILE:HD12	1.99	0.44
1:A:154:ILE:HD11	1:B:181:GLY:HA3	2.00	0.44
1:B:19:THR:HA	1:B:22:ILE:HG22	1.98	0.44
1:A:186:ASP:OD1	1:A:222:ARG:NH1	2.51	0.44
1:C:16:ASP:HB3	1:C:17:GLU:HG3	1.99	0.44
1:A:291:MET:HB3	1:A:308:ALA:HB3	2.00	0.44
1:B:211:THR:HB	1:B:220:ASP:HB3	2.00	0.44
1:B:226:ILE:O	1:B:230:ILE:HG13	2.18	0.44
1:A:301:LYS:O	1:A:342:HIS:NE2	2.44	0.43
1:B:186:ASP:OD1	1:B:222:ARG:NH1	2.52	0.43
1:C:236:LYS:O	1:C:240:GLU:HG3	2.18	0.43
1:B:112:ILE:O	1:B:290:MET:HE3	2.18	0.43
1:C:13:MET:HB3	1:C:44:LEU:HD13	1.99	0.43
1:C:61:ALA:CB	1:C:102:ILE:HD11	2.46	0.43
1:B:69:VAL:HG21	1:B:343:ARG:HB2	2.01	0.43
1:A:328:ASN:HD22	1:A:330:ILE:H	1.66	0.43
1:C:111:ALA:HB2	1:C:291:MET:HE1	2.01	0.43
1:A:143:ASP:HB2	1:B:219:TYR:HB2	2.01	0.43
1:B:44:LEU:HD21	1:B:57:THR:HA	2.01	0.42
1:C:235:TYR:HA	1:C:238:GLN:HE21	1.85	0.42
1:C:344:ALA:CB	1:C:352:LEU:HD22	2.34	0.42
1:B:193:ALA:HA	1:B:227:PHE:CZ	2.55	0.42
1:C:100:ARG:HG3	1:C:100:ARG:HH21	1.82	0.42
1:A:214:THR:HG23	1:A:250:LEU:CD1	2.50	0.42
1:B:233:LYS:HD2	1:B:234:GLN:HG2	2.01	0.42
1:A:142:THR:O	1:A:142:THR:HG22	2.20	0.41
1:C:246:TYR:CD1	1:C:246:TYR:C	2.94	0.41
1:A:231:TYR:CE2	1:A:236:LYS:HG3	2.55	0.41
1:B:159:SER:O	1:B:160:ASP:C	2.63	0.41
1:B:283:GLN:HE22	1:B:288:LEU:HD11	1.85	0.41
1:B:96:ASN:ND2	1:B:306:GLU:OE2	2.54	0.41
1:B:372:MET:HE3	1:B:377:ALA:CA	2.48	0.41
1:C:22:ILE:HD11	1:C:394:THR:HG23	2.03	0.41
1:A:272:TYR:CD2	1:B:272:TYR:CD1	3.09	0.41
1:C:292:THR:HG21	1:C:334:PHE:CB	2.50	0.41
1:A:170:HIS:HB2	1:B:183:TYR:CD2	2.56	0.40
1:B:387:GLN:N	1:B:390:ASP:OD2	2.50	0.40
1:A:229:GLU:O	1:A:233:LYS:HB2	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:13:MET:HB2	1:C:71:VAL:O	2.22	0.40
1:A:137:ASP:HA	1:A:140:ARG:NH1	2.36	0.40
1:B:7:GLY:HA2	1:B:352:LEU:HD22	2.04	0.40
1:C:32:PHE:N	1:C:33:PRO:CD	2.84	0.40
1:A:397:PHE:CE2	1:A:401:LEU:HD11	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	411/425 (97%)	385 (94%)	24 (6%)	2 (0%)	24	55
1	B	409/425 (96%)	379 (93%)	26 (6%)	4 (1%)	12	38
1	C	405/425 (95%)	351 (87%)	50 (12%)	4 (1%)	12	38
All	All	1225/1275 (96%)	1115 (91%)	100 (8%)	10 (1%)	16	44

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	414	LEU
1	B	54	ASP
1	B	175	GLY
1	B	78	PRO
1	B	233	LYS
1	C	147	PRO
1	C	78	PRO
1	A	134	ALA
1	C	158	PRO
1	C	181	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/361 (97%)	317 (91%)	32 (9%)	8	27
1	B	346/361 (96%)	302 (87%)	44 (13%)	4	15
1	C	337/361 (93%)	281 (83%)	56 (17%)	2	8
All	All	1032/1083 (95%)	900 (87%)	132 (13%)	4	15

All (132) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	17	GLU
1	A	21	ILE
1	A	28	GLU
1	A	36	GLU
1	A	84	GLU
1	A	87	LYS
1	A	100	ARG
1	A	101	ASN
1	A	154	ILE
1	A	160	ASP
1	A	164	LYS
1	A	195	SER
1	A	198	GLN
1	A	218	LYS
1	A	222	ARG
1	A	238	GLN
1	A	243	LYS
1	A	276	VAL
1	A	283	GLN
1	A	303	VAL
1	A	304	GLU
1	A	312	VAL
1	A	314	ARG
1	A	324	GLU
1	A	328	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	338	ARG
1	A	359	LEU
1	A	380	ILE
1	A	400	LYS
1	A	411	GLN
1	A	415	GLU
1	B	13	MET
1	B	14	GLN
1	B	19	THR
1	B	21	ILE
1	B	26	ILE
1	B	35	VAL
1	B	46	ILE
1	B	47	GLU
1	B	56	VAL
1	B	57	THR
1	B	58	LYS
1	B	64	ILE
1	B	79	ASP
1	B	80	GLU
1	B	84	GLU
1	B	95	PRO
1	B	99	ILE
1	B	100	ARG
1	B	119	ARG
1	B	126	LYS
1	B	164	LYS
1	B	165	VAL
1	B	187	LYS
1	B	190	GLU
1	B	203	LYS
1	B	230	ILE
1	B	233	LYS
1	B	234	GLN
1	B	251	ILE
1	B	257	GLN
1	B	270	LYS
1	B	276	VAL
1	B	292	THR
1	B	293	SER
1	B	304	GLU
1	B	312	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	317	ARG
1	B	329	PRO
1	B	372	MET
1	B	386	VAL
1	B	389	SER
1	B	400	LYS
1	B	409	LEU
1	B	413	LYS
1	C	4	LYS
1	C	5	ILE
1	C	12	GLU
1	C	28	GLU
1	C	38	ASP
1	C	43	ASP
1	C	52	THR
1	C	73	CYS
1	C	78	PRO
1	C	79	ASP
1	C	88	LEU
1	C	91	MET
1	C	98	THR
1	C	100	ARG
1	C	103	LEU
1	C	106	THR
1	C	109	ARG
1	C	112	ILE
1	C	119	ARG
1	C	130	ILE
1	C	137	ASP
1	C	142	THR
1	C	151	LYS
1	C	154	ILE
1	C	155	THR
1	C	157	THR
1	C	162	THR
1	C	163	GLN
1	C	165	VAL
1	C	171	ASN
1	C	174	GLU
1	C	196	SER
1	C	198	GLN
1	C	202	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	211	THR
1	C	226	ILE
1	C	233	LYS
1	C	234	GLN
1	C	238	GLN
1	C	250	LEU
1	C	257	GLN
1	C	261	SER
1	C	276	VAL
1	C	302	THR
1	C	306	GLU
1	C	312	VAL
1	C	314	ARG
1	C	324	GLU
1	C	338	ARG
1	C	340	LEU
1	C	343	ARG
1	C	346	LEU
1	C	364	ILE
1	C	400	LYS
1	C	406	LYS
1	C	408	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	185	GLN
1	A	213	ASN
1	A	228	GLN
1	A	328	ASN
1	B	67	HIS
1	B	283	GLN
1	B	348	ASN
1	B	387	GLN
1	C	96	ASN
1	C	238	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAP	A	501	-	50,52,52	1.77	8 (16%)	71,80,80	1.92	17 (23%)
3	NAP	B	501	-	50,52,52	1.76	7 (14%)	71,80,80	1.89	13 (18%)
3	NAP	C	501	-	50,52,52	1.74	7 (14%)	71,80,80	1.86	10 (14%)
2	LJY	B	500	-	26,26,26	2.85	6 (23%)	32,36,36	1.59	4 (12%)
2	LJY	C	500	-	26,26,26	2.62	6 (23%)	32,36,36	1.66	6 (18%)
4	BME	A	502	-	3,3,3	0.37	0	2,2,2	0.25	0
2	LJY	A	500	-	26,26,26	2.68	7 (26%)	32,36,36	1.67	5 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	501	-	-	10/35/67/67	0/5/5/5
3	NAP	B	501	-	-	10/35/67/67	0/5/5/5
3	NAP	C	501	-	-	12/35/67/67	0/5/5/5
2	LJY	B	500	-	-	2/9/9/9	0/3/3/3
2	LJY	C	500	-	-	1/9/9/9	0/3/3/3
4	BME	A	502	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LJY	A	500	-	-	0/9/9/9	0/3/3/3

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	LJY	C3-C18	-12.02	1.27	1.44
2	A	500	LJY	C3-C18	-11.43	1.28	1.44
2	C	500	LJY	C3-C18	-11.38	1.28	1.44
3	B	501	NAP	C4N-C3N	8.59	1.52	1.39
3	C	501	NAP	C4N-C3N	8.31	1.52	1.39
3	A	501	NAP	C4N-C3N	8.16	1.51	1.39
3	C	501	NAP	C5N-C4N	4.86	1.47	1.38
3	A	501	NAP	C5N-C4N	4.76	1.47	1.38
3	B	501	NAP	C5N-C4N	4.44	1.46	1.38
2	B	500	LJY	C9-C8	4.34	1.41	1.34
2	A	500	LJY	C9-C8	4.30	1.40	1.34
3	A	501	NAP	C5A-C4A	4.27	1.46	1.39
3	C	501	NAP	C5A-C4A	4.25	1.46	1.39
3	B	501	NAP	C5A-C4A	4.18	1.46	1.39
2	C	500	LJY	C9-C8	3.65	1.40	1.34
2	B	500	LJY	C11-N2	-3.20	1.34	1.39
3	A	501	NAP	C5A-N7A	-3.12	1.33	1.39
2	B	500	LJY	C6-N1	2.96	1.47	1.38
3	B	501	NAP	C5A-N7A	-2.79	1.34	1.39
2	A	500	LJY	C11-N2	-2.78	1.35	1.39
2	B	500	LJY	C10-C9	-2.70	1.38	1.43
2	B	500	LJY	C12-C8	-2.61	1.39	1.45
2	A	500	LJY	C6-N1	2.60	1.46	1.38
3	C	501	NAP	C5A-N7A	-2.56	1.34	1.39
2	A	500	LJY	C12-C8	-2.47	1.39	1.45
2	C	500	LJY	C11-N2	-2.46	1.35	1.39
2	C	500	LJY	C6-N1	2.46	1.45	1.38
3	B	501	NAP	C5A-C6A	2.38	1.47	1.41
2	C	500	LJY	C12-C8	-2.36	1.40	1.45
2	C	500	LJY	C10-C9	-2.35	1.39	1.43
3	B	501	NAP	C4A-N9A	-2.34	1.32	1.37
3	C	501	NAP	C8A-N7A	2.34	1.36	1.31
3	B	501	NAP	O4D-C1D	2.32	1.43	1.40
2	A	500	LJY	C10-C9	-2.23	1.39	1.43
3	C	501	NAP	C5A-C6A	2.22	1.47	1.41
3	A	501	NAP	C4A-N9A	-2.17	1.33	1.37
3	A	501	NAP	O4D-C1D	2.16	1.43	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	501	NAP	C4A-N9A	-2.15	1.33	1.37
2	A	500	LJY	C15-CL	2.10	1.79	1.74
3	A	501	NAP	C8A-N7A	2.10	1.35	1.31
3	A	501	NAP	C5A-C6A	2.07	1.46	1.41

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	NAP	C5N-C4N-C3N	-8.72	111.79	120.36
3	B	501	NAP	C5N-C4N-C3N	-8.37	112.14	120.36
3	A	501	NAP	C5N-C4N-C3N	-8.12	112.38	120.36
3	B	501	NAP	C5A-C4A-N3A	-5.76	118.79	126.72
3	A	501	NAP	C5A-C4A-N3A	-5.60	119.01	126.72
3	C	501	NAP	C5A-C4A-N3A	-5.48	119.17	126.72
2	B	500	LJY	C1-O1-C2	5.37	125.39	117.51
2	A	500	LJY	C1-O1-C2	4.74	124.47	117.51
3	A	501	NAP	N3A-C4A-N9A	4.66	135.10	127.17
2	C	500	LJY	C1-O1-C2	4.64	124.32	117.51
3	C	501	NAP	N3A-C4A-N9A	4.52	134.85	127.17
3	B	501	NAP	N3A-C4A-N9A	4.41	134.67	127.17
3	C	501	NAP	N3A-C2A-N1A	-4.12	122.35	128.58
2	C	500	LJY	C8-C12-N2	3.96	121.54	115.30
2	B	500	LJY	C8-C12-N2	3.95	121.52	115.30
3	C	501	NAP	C2A-N3A-C4A	3.91	121.39	111.83
3	B	501	NAP	C2A-N3A-C4A	3.91	121.37	111.83
3	B	501	NAP	N3A-C2A-N1A	-3.73	122.94	128.58
2	A	500	LJY	C8-C12-N2	3.71	121.14	115.30
3	A	501	NAP	N3A-C2A-N1A	-3.68	123.02	128.58
3	A	501	NAP	C2A-N3A-C4A	3.57	120.54	111.83
3	B	501	NAP	C4A-C5A-N7A	-3.08	107.06	110.58
2	A	500	LJY	O1-C2-C3	3.07	119.19	115.53
3	A	501	NAP	C4A-C5A-N7A	-3.03	107.11	110.58
2	C	500	LJY	O2-C12-C8	-2.97	119.72	124.71
3	A	501	NAP	C3N-C7N-N7N	2.93	121.35	117.74
3	B	501	NAP	C6N-N1N-C2N	-2.83	119.47	121.88
3	A	501	NAP	C4A-N9A-C8A	2.82	108.70	105.74
2	A	500	LJY	O2-C12-C8	-2.73	120.12	124.71
3	A	501	NAP	O7N-C7N-N7N	-2.69	118.72	122.62
2	B	500	LJY	O2-C12-C8	-2.62	120.30	124.71
2	C	500	LJY	C11-N2-C12	-2.55	121.25	124.82
3	A	501	NAP	C5A-N7A-C8A	2.52	107.41	103.45
2	C	500	LJY	C16-C10-C9	-2.48	118.49	122.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	501	NAP	C5A-N7A-C8A	2.44	107.29	103.45
2	A	500	LJY	C11-N2-C12	-2.41	121.44	124.82
3	C	501	NAP	C4A-N9A-C8A	2.40	108.25	105.74
3	B	501	NAP	C3N-C7N-N7N	2.32	120.60	117.74
3	B	501	NAP	C4A-N9A-C8A	2.23	108.08	105.74
3	A	501	NAP	O3X-P2B-O1X	2.22	119.48	110.83
3	A	501	NAP	C6N-C5N-C4N	2.21	122.63	119.45
3	C	501	NAP	N6A-C6A-N1A	2.20	123.28	118.38
3	C	501	NAP	C4A-C5A-N7A	-2.19	108.07	110.58
3	A	501	NAP	N9A-C8A-N7A	-2.16	110.87	113.94
3	A	501	NAP	C2A-N1A-C6A	2.16	122.27	118.73
2	C	500	LJY	C14-C15-CL	2.13	122.50	119.36
2	B	500	LJY	C16-C10-C9	-2.11	119.12	122.73
3	C	501	NAP	C6N-C5N-C4N	2.09	122.45	119.45
3	A	501	NAP	O3-PN-O1N	-2.09	104.43	110.70
3	B	501	NAP	C6N-C5N-C4N	2.08	122.45	119.45
3	B	501	NAP	C6N-N1N-C1D	2.08	123.80	119.73
3	B	501	NAP	N9A-C8A-N7A	-2.05	111.03	113.94
3	A	501	NAP	N6A-C6A-N1A	2.04	122.93	118.38
3	A	501	NAP	C6N-N1N-C2N	-2.03	120.15	121.88
3	C	501	NAP	C5A-C6A-N6A	-2.01	118.31	123.29

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	500	LJY	N1-C7-C8-C12
3	A	501	NAP	C5D-O5D-PN-O3
3	A	501	NAP	C5D-O5D-PN-O2N
3	A	501	NAP	O4D-C1D-N1N-C2N
3	A	501	NAP	O4D-C1D-N1N-C6N
3	A	501	NAP	C2D-C1D-N1N-C2N
3	A	501	NAP	C2D-C1D-N1N-C6N
3	B	501	NAP	O4D-C1D-N1N-C2N
3	B	501	NAP	O4D-C1D-N1N-C6N
3	B	501	NAP	C2D-C1D-N1N-C2N
3	B	501	NAP	C2D-C1D-N1N-C6N
3	C	501	NAP	C5D-O5D-PN-O3
3	C	501	NAP	C5D-O5D-PN-O2N
3	C	501	NAP	O4D-C4D-C5D-O5D
3	C	501	NAP	O4D-C1D-N1N-C6N
4	A	502	BME	O1-C1-C2-S2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	501	NAP	O4B-C4B-C5B-O5B
3	C	501	NAP	C3D-C4D-C5D-O5D
3	B	501	NAP	O4D-C4D-C5D-O5D
3	B	501	NAP	C3D-C4D-C5D-O5D
3	B	501	NAP	C3B-C4B-C5B-O5B
3	C	501	NAP	C2N-C3N-C7N-N7N
3	A	501	NAP	O4B-C4B-C5B-O5B
3	C	501	NAP	C2N-C3N-C7N-O7N
3	A	501	NAP	PN-O3-PA-O5B
3	C	501	NAP	C4N-C3N-C7N-N7N
3	A	501	NAP	C3B-C4B-C5B-O5B
3	C	501	NAP	C4N-C3N-C7N-O7N
3	A	501	NAP	C5D-O5D-PN-O1N
3	B	501	NAP	C5B-O5B-PA-O3
3	C	501	NAP	C5D-O5D-PN-O1N
3	C	501	NAP	O4D-C1D-N1N-C2N
2	B	500	LJY	N3-C18-C3-C2
2	C	500	LJY	N3-C18-C3-C2
3	B	501	NAP	PN-O3-PA-O2A
3	C	501	NAP	PN-O3-PA-O2A


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	NAP	1	0
2	B	500	LJY	1	0
4	A	502	BME	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











Ligand LJY C 500





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	413/425 (97%)	-0.37	1 (0%) 91 88	49, 71, 95, 120	0
1	B	411/425 (96%)	-0.22	0 100 100	53, 78, 105, 125	0
1	C	409/425 (96%)	0.22	4 (0%) 79 72	67, 101, 152, 179	0
All	All	1233/1275 (96%)	-0.12	5 (0%) 88 84	49, 81, 123, 179	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	302	THR	2.7
1	C	6	SER	2.5
1	C	44	LEU	2.5
1	A	414	LEU	2.2
1	C	142	THR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BME	A	502	4/4	0.87	0.14	67,69,71,78	0
3	NAP	C	501	48/48	0.90	0.10	51,79,93,97	0
2	LJY	C	500	24/24	0.92	0.12	55,66,72,76	0
3	NAP	B	501	48/48	0.92	0.10	54,68,76,82	0
2	LJY	A	500	24/24	0.94	0.10	69,73,79,81	0
2	LJY	B	500	24/24	0.94	0.09	47,48,55,59	0
3	NAP	A	501	48/48	0.95	0.08	51,56,67,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LJY C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LJY A 500:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LJY B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.