



wwPDB EM Validation Summary Report ⓘ

Jun 24, 2026 – 02:15 AM EDT

PDB ID : 9O2Y / pdb_00009o2y
EMDB ID : EMD-70051
Title : Structure of WT E.coli ribosome 70S subunit with complexed with mRNA, P-site fMet-NH-tRNA^{fMet} and A-site (R) beta-2-hydroxy-BocLysine acid charged NH-tRNA^{Pyl}
Authors : Majumdar, C.; Cate, J.H.D.
Deposited on : 2025-04-04
Resolution : 2.14 Å (reported)
Based on initial model : 8EBB

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	2493 (1.66 - 2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1542	
2	B	241	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	233	
4	D	206	
5	E	167	
6	F	135	
7	G	179	
8	H	130	
9	I	130	
10	J	103	
11	K	129	
12	L	124	
13	M	118	
14	N	101	
15	O	89	
16	P	82	
17	Q	84	
18	R	75	
19	S	92	
20	T	87	
21	U	71	
22	X	28	
23	Z	77	
24	a	2904	
25	b	120	
26	c	273	
27	d	209	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	e	201	
29	f	179	
30	g	177	
31	h	149	
32	i	142	
33	j	123	
34	k	144	
35	l	136	
36	m	127	
37	n	117	
38	o	115	
39	p	118	
40	q	103	
41	r	110	
42	s	100	
43	t	104	
44	u	94	
45	v	85	
46	w	78	
47	x	63	
48	y	59	
49	z	57	
50	0	55	
51	1	46	
52	2	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	3	38	29% 82% 18%
54	4	70	81% 59% 27% 14%
55	Y	71	76% 38% 56% ..

2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 145583 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1519	Total	C	N	O	P	0	0
			32612	14552	5986	10555	1519		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 3 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 4 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 6 is a protein called Small ribosomal subunit protein bS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	103	Total	C	N	O	S	0	0
			839	530	151	151	7		

- Molecule 7 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	153	Total	C	N	O	S	0	0
			1203	750	231	218	4		

- Molecule 8 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 11 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	IAS	ASN	conflict	UNP P0A7R9

- Molecule 12 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 13 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 17 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 18 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 19 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	X	15	Total	C	N	O	P	0	0
			322	145	61	101	15		

- Molecule 23 is a RNA chain called P-site tRNA fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Z	76	Total	C	N	O	P	0	0
			1622	723	295	528	76		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	76	8AN	-	insertion	GB 1804121330

- Molecule 24 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	a	2753	Total	C	N	O	P	0	0
			59130	26384	10897	19096	2753		

- Molecule 25 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	b	119	Total	C	N	O	P	0	0
			2549	1135	466	829	119		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	c	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	d	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 28 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	e	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 29 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	f	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 30 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	g	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 31 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	h	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 32 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	i	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 33 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	j	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 34 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	k	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	l	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
l	82	MS6	MET	conflict	UNP A1AGK1

- Molecule 36 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	m	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 37 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	n	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 38 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	o	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	p	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 40 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	q	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 41 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	r	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	s	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	t	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 44 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	u	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	v	76	Total	C	N	O	S	0	0
			576	357	114	104	1		

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	w	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 47 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	x	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	y	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	z	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	0	51	Total	C	N	O	0	0
			417	269	76	72		

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	1	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	2	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	3	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	4	60	Total	C	N	O	S	0	0
			480	299	90	85	6		


- Molecule 55 is a RNA chain called A-site tRNA^{Pyl}.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Y	71	Total	C	N	O	P	0	0
			1518	675	276	496	71		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	76	8AN	-	insertion	GB 1721134198

- Molecule 56 is PAROMOMYCIN (CCD ID: PAR) (formula: C₂₃H₄₅N₅O₁₄).



Mol	Chain	Residues	Atoms				AltConf
56	A	1	Total	C	N	O	0
			42	23	5	14	

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
57	A	92	Total	Mg	0
			92	92	
57	Q	1	Total	Mg	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
57	a	217	Total	Mg	0
			217	217	
57	b	5	Total	Mg	0
			5	5	
57	c	1	Total	Mg	0
			1	1	
57	d	1	Total	Mg	0
			1	1	
57	m	1	Total	Mg	0
			1	1	
57	v	1	Total	Mg	0
			1	1	
57	z	1	Total	Mg	0
			1	1	

- Molecule 58 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).




Mol	Chain	Residues	Atoms			AltConf
58	A	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	
58	a	1	Total	C	N	0
			10	7	3	

- Molecule 59 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: $C_6H_{11}NO_3S$).



Mol	Chain	Residues	Atoms					AltConf
59	Z	1	Total	C	N	O	S	0
			10	6	1	2	1	

- Molecule 60 is SPERMINE (CCD ID: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
60	a	1	Total	C	N	0
			14	10	4	


- Molecule 61 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
61	a	9	Total	K	0
			9	9	
61	c	1	Total	K	0
			1	1	

- Molecule 62 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
62	3	1	Total	Zn	0
			1	1	
62	4	1	Total	Zn	0
			1	1	

- Molecule 63 is (2R)-6-[(tert-butoxycarbonyl)amino]-2-(hydroxymethyl)hexanoic acid (CCD ID: A1B70) (formula: C₁₂H₂₃NO₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
63	Y	1	Total	C	N	O	0
			17	12	1	4	

- Molecule 64 is water.

Mol	Chain	Residues	Atoms		AltConf
64	A	3	Total	O	0
			3	3	
64	Z	1	Total	O	0
			1	1	
64	a	3052	Total	O	0
			3052	3052	
64	b	37	Total	O	0
			37	37	
64	c	90	Total	O	0
			90	90	
64	d	38	Total	O	0
			38	38	
64	e	31	Total	O	0
			31	31	
64	h	1	Total	O	0
			1	1	
64	i	11	Total	O	0
			11	11	
64	j	9	Total	O	0
			9	9	
64	k	36	Total	O	0
			36	36	

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
64	l	27	Total 27	O 27	0
64	m	21	Total 21	O 21	0
64	o	12	Total 12	O 12	0
64	p	22	Total 22	O 22	0
64	q	14	Total 14	O 14	0
64	r	21	Total 21	O 21	0
64	s	4	Total 4	O 4	0
64	t	1	Total 1	O 1	0
64	u	5	Total 5	O 5	0
64	v	9	Total 9	O 9	0
64	w	11	Total 11	O 11	0
64	x	1	Total 1	O 1	0
64	y	1	Total 1	O 1	0
64	z	28	Total 28	O 28	0
64	0	1	Total 1	O 1	0
64	1	12	Total 12	O 12	0
64	2	24	Total 24	O 24	0
64	3	2	Total 2	O 2	0
64	Y	2	Total 2	O 2	0

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA







• Molecule 2: 30S ribosomal protein S2




• Molecule 3: Small ribosomal subunit protein uS3



- Molecule 4: Small ribosomal subunit protein uS4




- Molecule 5: Small ribosomal subunit protein uS5




- Molecule 6: Small ribosomal subunit protein bS6









• Molecule 7: Small ribosomal subunit protein uS7



• Molecule 8: Small ribosomal subunit protein uS8




• Molecule 9: Small ribosomal subunit protein uS9




• Molecule 10: Small ribosomal subunit protein uS10









- Molecule 11: Small ribosomal subunit protein uS11




- Molecule 12: Small ribosomal subunit protein uS12




- Molecule 13: Small ribosomal subunit protein uS13




- Molecule 14: Small ribosomal subunit protein uS14







- Molecule 15: Small ribosomal subunit protein uS15





- Molecule 16: Small ribosomal subunit protein bS16




- Molecule 17: Small ribosomal subunit protein uS17




- Molecule 18: Small ribosomal subunit protein bS18




- Molecule 19: Small ribosomal subunit protein uS19




- Molecule 20: Small ribosomal subunit protein bS20




- Molecule 21: Small ribosomal subunit protein bS21




- Molecule 22: mRNA





- Molecule 23: P-site tRNA fMet




- Molecule 24: 23S rRNA











- Molecule 25: 5S rRNA





- Molecule 26: 50S ribosomal protein L2





- Molecule 27: 50S ribosomal protein L3




- Molecule 28: Large ribosomal subunit protein uL4




• Molecule 29: Large ribosomal subunit protein uL5




• Molecule 30: Large ribosomal subunit protein uL6





• Molecule 31: Large ribosomal subunit protein bL9









- Molecule 32: Large ribosomal subunit protein uL13





- Molecule 33: Large ribosomal subunit protein uL14




- Molecule 34: Large ribosomal subunit protein uL15



- Molecule 35: 50S ribosomal protein L16





- Molecule 36: Large ribosomal subunit protein bL17









- Molecule 37: Large ribosomal subunit protein uL18





- Molecule 38: Large ribosomal subunit protein bL19





- Molecule 39: 50S ribosomal protein L20




- Molecule 40: Large ribosomal subunit protein bL21




- Molecule 41: Large ribosomal subunit protein uL22





- Molecule 42: 50S ribosomal protein L23








- Molecule 43: 50S ribosomal protein L24




- Molecule 44: Large ribosomal subunit protein bL25





- Molecule 45: Large ribosomal subunit protein bL27




- Molecule 46: 50S ribosomal protein L28





- Molecule 47: Large ribosomal subunit protein uL29





- Molecule 48: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L32





- Molecule 50: 50S ribosomal protein L33





- Molecule 51: 50S ribosomal protein L34




- Molecule 52: 50S ribosomal protein L35





- Molecule 53: 50S ribosomal protein L36






- Molecule 54: 50S ribosomal protein L31





● Molecule 55: A-site tRNAPyl



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	86644	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	72.057	Depositor
Minimum map value	-28.133	Depositor
Average map value	0.002	Depositor
Map value standard deviation	1.486	Depositor
Recommended contour level	8.25	Depositor
Map size (Å)	421.632, 421.632, 421.632	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8235, 0.8235, 0.8235	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 8AN, FME, MEQ, G7M, A1B70, 5MC, PAR, OMU, IAS, UR3, 3TD, MG, MS6, 1MG, 2MG, OMC, D2T, PSU, H2U, SPM, 4OC, MA6, 2MA, SPD, 5MU, 4D4, ZN, 6MZ, K, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	1/36236 (0.0%)	0.48	0/56520
2	B	0.25	0/1784	0.53	0/2403
3	C	0.26	0/1651	0.55	0/2225
4	D	0.28	0/1665	0.52	0/2227
5	E	0.31	0/1165	0.55	0/1568
6	F	0.30	0/858	0.63	0/1160
7	G	0.31	0/1219	0.67	1/1635 (0.1%)
8	H	0.30	0/989	0.58	0/1326
9	I	0.43	1/1034 (0.1%)	0.67	0/1375
10	J	0.46	1/796 (0.1%)	0.64	1/1077 (0.1%)
11	K	0.27	0/884	0.55	2/1191 (0.2%)
12	L	0.24	0/960	0.55	0/1286
13	M	0.54	1/900 (0.1%)	0.67	1/1204 (0.1%)
14	N	0.27	0/817	0.49	0/1088
15	O	0.42	1/722 (0.1%)	0.61	1/964 (0.1%)
16	P	0.26	0/653	0.54	0/877
17	Q	0.25	0/650	0.59	0/871
18	R	0.23	0/553	0.58	0/742
19	S	0.21	0/685	0.51	0/922
20	T	0.32	0/676	0.65	0/895
21	U	0.19	0/597	0.38	0/792
22	X	0.36	0/360	0.55	0/556
23	Z	0.31	0/1787	0.53	0/2784
24	a	0.32	0/65651	0.47	5/102413 (0.0%)
25	b	0.29	0/2850	0.47	0/4444
26	c	0.29	0/2121	0.55	0/2852
27	d	0.31	0/1576	0.58	1/2119 (0.0%)
28	e	0.28	0/1571	0.54	0/2113
29	f	0.42	1/1434 (0.1%)	0.65	0/1926
30	g	0.27	0/1343	0.60	0/1816
31	h	0.27	0/306	0.63	0/413

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	i	0.28	0/1152	0.56	0/1551
33	j	0.34	0/955	0.58	0/1279
34	k	0.28	0/1062	0.55	0/1413
35	l	0.33	0/1073	0.59	0/1433
36	m	0.34	0/958	0.65	1/1281 (0.1%)
37	n	1.21	6/902 (0.7%)	1.28	7/1209 (0.6%)
38	o	0.35	0/929	0.56	0/1242
39	p	0.28	0/960	0.53	0/1278
40	q	0.30	0/829	0.56	0/1107
41	r	0.31	0/864	0.56	0/1156
42	s	0.30	0/744	0.59	0/994
43	t	0.37	0/787	0.68	0/1051
44	u	0.45	0/766	0.66	0/1025
45	v	0.52	2/583 (0.3%)	0.61	0/772
46	w	0.35	0/635	0.63	2/848 (0.2%)
47	x	0.30	0/502	0.57	0/667
48	y	0.30	0/453	0.68	0/605
49	z	0.30	0/450	0.58	0/599
50	0	0.24	0/424	0.52	0/565
51	1	0.25	0/380	0.49	0/498
52	2	0.30	0/513	0.57	0/676
53	3	0.35	0/303	0.56	0/397
54	4	0.22	0/488	0.51	0/649
55	Y	0.34	0/1665	0.71	2/2581 (0.1%)
All	All	0.33	14/152870 (0.0%)	0.52	24/228660 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
11	K	0	1
14	N	0	1
30	g	0	2
31	h	0	1
43	t	0	1
All	All	0	7

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
37	n	32	PRO	N-CD	23.95	1.81	1.47
37	n	32	PRO	CG-CD	-15.80	0.97	1.50
13	M	45	ILE	CG1-CD1	-13.34	0.99	1.51
37	n	32	PRO	CB-CG	-10.64	0.96	1.49
37	n	32	PRO	CA-CB	-10.39	1.39	1.53

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	n	32	PRO	CB-CG-CD	23.07	179.91	106.10
37	n	32	PRO	CA-N-CD	-19.48	84.72	112.00
37	n	32	PRO	N-CD-CG	-17.16	77.46	103.20
37	n	32	PRO	CA-CB-CG	-11.08	83.45	104.50
13	M	45	ILE	CG1-CB-CG2	-9.08	83.45	110.70

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	130	THR	Peptide
11	K	82	LEU	Peptide
14	N	32	SER	Peptide
30	g	46	ALA	Peptide
30	g	47	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32612	0	16432	286	0
2	B	1753	0	1780	23	0
3	C	1624	0	1696	31	0
4	D	1643	0	1707	41	0
5	E	1152	0	1196	24	0
6	F	839	0	833	16	0
7	G	1203	0	1254	18	0
8	H	979	0	1031	18	0
9	I	1022	0	1070	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	J	786	0	828	19	0
11	K	877	0	884	22	0
12	L	957	0	1017	17	0
13	M	891	0	952	28	0
14	N	805	0	844	24	0
15	O	714	0	734	6	0
16	P	643	0	661	20	0
17	Q	641	0	682	14	0
18	R	544	0	565	6	0
19	S	668	0	693	13	0
20	T	670	0	719	14	0
21	U	589	0	629	4	0
22	X	322	0	163	1	0
23	Z	1622	0	824	6	0
24	a	59130	0	29763	213	0
25	b	2549	0	1291	9	0
26	c	2082	0	2154	32	0
27	d	1566	0	1618	15	0
28	e	1552	0	1619	18	0
29	f	1410	0	1444	27	0
30	g	1323	0	1371	26	0
31	h	303	0	327	5	0
32	i	1129	0	1162	12	0
33	j	946	0	1023	14	0
34	k	1053	0	1129	8	0
35	l	1075	0	1146	14	0
36	m	945	0	989	9	0
37	n	892	0	923	11	0
38	o	917	0	962	13	0
39	p	947	0	1019	7	0
40	q	816	0	839	11	0
41	r	857	0	922	10	0
42	s	738	0	807	8	0
43	t	779	0	831	7	0
44	u	753	0	780	12	0
45	v	576	0	588	10	0
46	w	625	0	652	2	0
47	x	501	0	531	3	0
48	y	449	0	488	6	0
49	z	444	0	458	5	0
50	0	417	0	451	2	0
51	1	377	0	418	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
52	2	504	0	572	7	0
53	3	302	0	340	5	0
54	4	480	0	478	10	0
55	Y	1518	0	776	7	0
56	A	42	0	45	0	0
57	A	92	0	0	0	0
57	Q	1	0	0	0	0
57	a	217	0	0	0	0
57	b	5	0	0	0	0
57	c	1	0	0	0	0
57	d	1	0	0	0	0
57	m	1	0	0	0	0
57	v	1	0	0	0	0
57	z	1	0	0	0	0
58	A	10	0	19	0	0
58	a	120	0	228	10	0
59	Z	10	0	10	0	0
60	a	14	0	26	1	0
61	a	9	0	0	0	0
61	c	1	0	0	0	0
62	3	1	0	0	0	0
62	4	1	0	0	0	0
63	Y	17	0	0	0	0
64	0	1	0	0	0	0
64	1	12	0	0	1	0
64	2	24	0	0	1	0
64	3	2	0	0	0	0
64	A	3	0	0	0	0
64	Y	2	0	0	0	0
64	Z	1	0	0	0	0
64	a	3052	0	0	8	0
64	b	37	0	0	0	0
64	c	90	0	0	2	0
64	d	38	0	0	0	0
64	e	31	0	0	1	0
64	h	1	0	0	0	0
64	i	11	0	0	0	0
64	j	9	0	0	1	0
64	k	36	0	0	1	0
64	l	27	0	0	0	0
64	m	21	0	0	0	0
64	o	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
64	p	22	0	0	0	0
64	q	14	0	0	1	0
64	r	21	0	0	0	0
64	s	4	0	0	0	0
64	t	1	0	0	0	0
64	u	5	0	0	0	0
64	v	9	0	0	0	0
64	w	11	0	0	0	0
64	x	1	0	0	0	0
64	y	1	0	0	0	0
64	z	28	0	0	0	0
All	All	145583	0	95393	1050	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1050 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1445:U:H3	1:A:1457:G:H1	1.04	1.00
1:A:1260:G:N2	1:A:1275:A:H62	1.61	0.96
1:A:1127:G:H1	1:A:1145:A:N6	1.63	0.94
1:A:1260:G:H21	1:A:1275:A:H62	0.92	0.92
1:A:62:U:H3	1:A:105:G:H1	0.90	0.89

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	B	222/241 (92%)	209 (94%)	13 (6%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	204/233 (88%)	191 (94%)	12 (6%)	1 (0%)	24	19
4	D	203/206 (98%)	196 (97%)	7 (3%)	0	100	100
5	E	154/167 (92%)	150 (97%)	4 (3%)	0	100	100
6	F	101/135 (75%)	97 (96%)	4 (4%)	0	100	100
7	G	151/179 (84%)	137 (91%)	14 (9%)	0	100	100
8	H	127/130 (98%)	121 (95%)	6 (5%)	0	100	100
9	I	125/130 (96%)	115 (92%)	10 (8%)	0	100	100
10	J	96/103 (93%)	91 (95%)	4 (4%)	1 (1%)	12	7
11	K	113/129 (88%)	105 (93%)	8 (7%)	0	100	100
12	L	120/124 (97%)	116 (97%)	4 (3%)	0	100	100
13	M	113/118 (96%)	105 (93%)	8 (7%)	0	100	100
14	N	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
15	O	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
16	P	79/82 (96%)	74 (94%)	5 (6%)	0	100	100
17	Q	77/84 (92%)	72 (94%)	5 (6%)	0	100	100
18	R	64/75 (85%)	58 (91%)	6 (9%)	0	100	100
19	S	82/92 (89%)	76 (93%)	6 (7%)	0	100	100
20	T	84/87 (97%)	82 (98%)	2 (2%)	0	100	100
21	U	68/71 (96%)	68 (100%)	0	0	100	100
26	c	269/273 (98%)	264 (98%)	5 (2%)	0	100	100
27	d	206/209 (99%)	200 (97%)	5 (2%)	1 (0%)	24	19
28	e	199/201 (99%)	192 (96%)	7 (4%)	0	100	100
29	f	175/179 (98%)	168 (96%)	7 (4%)	0	100	100
30	g	174/177 (98%)	164 (94%)	10 (6%)	0	100	100
31	h	39/149 (26%)	37 (95%)	2 (5%)	0	100	100
32	i	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
33	j	121/123 (98%)	115 (95%)	6 (5%)	0	100	100
34	k	142/144 (99%)	137 (96%)	5 (4%)	0	100	100
35	l	132/136 (97%)	131 (99%)	1 (1%)	0	100	100
36	m	116/127 (91%)	112 (97%)	4 (3%)	0	100	100
37	n	114/117 (97%)	110 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	o	112/115 (97%)	106 (95%)	6 (5%)	0	100	100
39	p	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
40	q	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
41	r	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
42	s	91/100 (91%)	84 (92%)	7 (8%)	0	100	100
43	t	100/104 (96%)	92 (92%)	8 (8%)	0	100	100
44	u	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
45	v	74/85 (87%)	72 (97%)	2 (3%)	0	100	100
46	w	75/78 (96%)	75 (100%)	0	0	100	100
47	x	60/63 (95%)	56 (93%)	4 (7%)	0	100	100
48	y	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
49	z	54/57 (95%)	54 (100%)	0	0	100	100
50	0	49/55 (89%)	49 (100%)	0	0	100	100
51	1	44/46 (96%)	44 (100%)	0	0	100	100
52	2	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
53	3	36/38 (95%)	36 (100%)	0	0	100	100
54	4	56/70 (80%)	52 (93%)	4 (7%)	0	100	100
All	All	5479/5913 (93%)	5248 (96%)	228 (4%)	3 (0%)	49	49

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	J	57	VAL
27	d	149	ASN
3	C	60	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	186/199 (94%)	168 (90%)	18 (10%)	8	3
3	C	170/190 (90%)	159 (94%)	11 (6%)	15	10
4	D	172/173 (99%)	158 (92%)	14 (8%)	11	6
5	E	119/126 (94%)	111 (93%)	8 (7%)	15	10
6	F	90/116 (78%)	82 (91%)	8 (9%)	9	4
7	G	126/147 (86%)	114 (90%)	12 (10%)	8	4
8	H	104/105 (99%)	96 (92%)	8 (8%)	12	7
9	I	105/107 (98%)	99 (94%)	6 (6%)	18	14
10	J	86/90 (96%)	80 (93%)	6 (7%)	14	8
11	K	89/98 (91%)	82 (92%)	7 (8%)	11	7
12	L	102/103 (99%)	96 (94%)	6 (6%)	18	13
13	M	93/96 (97%)	84 (90%)	9 (10%)	8	3
14	N	83/84 (99%)	77 (93%)	6 (7%)	13	8
15	O	76/77 (99%)	71 (93%)	5 (7%)	15	10
16	P	65/65 (100%)	60 (92%)	5 (8%)	12	7
17	Q	73/78 (94%)	68 (93%)	5 (7%)	14	9
18	R	57/65 (88%)	51 (90%)	6 (10%)	6	3
19	S	72/79 (91%)	69 (96%)	3 (4%)	26	23
20	T	65/66 (98%)	65 (100%)	0	100	100
21	U	60/61 (98%)	53 (88%)	7 (12%)	5	2
26	c	216/218 (99%)	214 (99%)	2 (1%)	70	77
27	d	163/163 (100%)	161 (99%)	2 (1%)	63	69
28	e	165/165 (100%)	159 (96%)	6 (4%)	31	30
29	f	148/150 (99%)	141 (95%)	7 (5%)	23	19
30	g	137/138 (99%)	127 (93%)	10 (7%)	13	8
31	h	32/114 (28%)	26 (81%)	6 (19%)	1	0
32	i	116/116 (100%)	114 (98%)	2 (2%)	53	58
33	j	104/104 (100%)	102 (98%)	2 (2%)	50	55
34	k	103/103 (100%)	98 (95%)	5 (5%)	22	18
35	l	107/107 (100%)	103 (96%)	4 (4%)	30	29
36	m	98/103 (95%)	98 (100%)	0	100	100
37	n	86/87 (99%)	82 (95%)	4 (5%)	23	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	o	99/100 (99%)	98 (99%)	1 (1%)	68	74
39	p	89/90 (99%)	89 (100%)	0	100	100
40	q	84/84 (100%)	80 (95%)	4 (5%)	23	18
41	r	93/93 (100%)	89 (96%)	4 (4%)	26	23
42	s	80/84 (95%)	78 (98%)	2 (2%)	42	44
43	t	83/85 (98%)	81 (98%)	2 (2%)	43	45
44	u	78/78 (100%)	75 (96%)	3 (4%)	29	28
45	v	57/63 (90%)	55 (96%)	2 (4%)	32	31
46	w	67/68 (98%)	62 (92%)	5 (8%)	12	7
47	x	54/55 (98%)	52 (96%)	2 (4%)	30	29
48	y	48/49 (98%)	48 (100%)	0	100	100
49	z	47/48 (98%)	46 (98%)	1 (2%)	47	51
50	0	46/49 (94%)	44 (96%)	2 (4%)	26	23
51	1	38/38 (100%)	37 (97%)	1 (3%)	40	42
52	2	51/52 (98%)	51 (100%)	0	100	100
53	3	34/34 (100%)	34 (100%)	0	100	100
54	4	55/62 (89%)	53 (96%)	2 (4%)	31	30
All	All	4571/4825 (95%)	4340 (95%)	231 (5%)	23	17

5 of 231 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
14	N	33	ASP
46	w	44	LYS
21	U	3	VAL
46	w	22	LEU
37	n	80	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 45 such sidechains are listed below:

Mol	Chain	Res	Type
33	j	5	GLN
38	o	10	GLN
33	j	93	GLN
36	m	107	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	p	81	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1516/1542 (98%)	317 (20%)	8 (0%)
22	X	13/28 (46%)	5 (38%)	0
23	Z	74/77 (96%)	19 (25%)	0
24	a	2749/2904 (94%)	374 (13%)	0
25	b	118/120 (98%)	21 (17%)	0
55	Y	67/71 (94%)	37 (55%)	8 (11%)
All	All	4537/4742 (95%)	773 (17%)	16 (0%)

5 of 773 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	4	U
1	A	5	U
1	A	6	G
1	A	7	A
1	A	8	A

5 of 16 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
55	Y	49	C
55	Y	48	G
55	Y	11	G
55	Y	47	A
1	A	1139	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

42 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection.

RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	PSU	a	1911	24	18,21,22	1.48	3 (16%)	21,30,33	1.95	3 (14%)
23	8AN	Z	76	23,59	21,24,25	1.52	4 (19%)	26,35,38	2.32	9 (34%)
24	2MG	a	1835	24	23,26,27	1.21	3 (13%)	33,38,41	2.50	9 (27%)
24	2MG	a	2445	24	23,26,27	1.23	4 (17%)	33,38,41	2.16	7 (21%)
1	G7M	A	527	1	23,26,27	1.49	4 (17%)	34,39,42	1.83	5 (14%)
24	H2U	a	2449	24	18,21,22	1.06	2 (11%)	19,30,33	1.11	3 (15%)
1	2MG	A	1207	1	23,26,27	1.24	3 (13%)	33,38,41	2.24	8 (24%)
27	MEQ	d	150	27	8,9,10	0.46	0	5,10,12	0.43	0
35	4D4	l	81	35	9,11,12	1.99	2 (22%)	7,13,15	1.17	1 (14%)
24	G7M	a	2069	24	23,26,27	1.46	4 (17%)	34,39,42	1.75	5 (14%)
24	6MZ	a	2030	24	22,25,26	1.45	5 (22%)	29,36,39	2.44	11 (37%)
24	PSU	a	2580	24	18,21,22	1.46	3 (16%)	21,30,33	2.03	4 (19%)
24	OMC	a	2498	57,24	19,22,23	0.83	0	25,31,34	1.01	1 (4%)
24	PSU	a	2605	24	18,21,22	1.32	3 (16%)	21,30,33	2.04	4 (19%)
1	MA6	A	1519	1	23,26,27	1.57	4 (17%)	33,38,41	2.25	10 (30%)
1	4OC	A	1402	1	20,23,24	0.72	0	25,32,35	1.09	2 (8%)
24	1MG	a	745	24	23,26,27	1.18	4 (17%)	33,39,42	1.66	6 (18%)
24	PSU	a	746	57,24	18,21,22	1.44	3 (16%)	21,30,33	1.85	4 (19%)
24	OMU	a	2552	57,24	19,22,23	1.17	3 (15%)	25,31,34	1.80	6 (24%)
1	MA6	A	1518	1	23,26,27	1.60	4 (17%)	33,38,41	2.09	9 (27%)
24	2MA	a	2503	61,57,24	22,25,26	1.45	4 (18%)	32,37,40	2.38	11 (34%)
1	PSU	A	516	57,1	18,21,22	1.41	2 (11%)	21,30,33	2.16	5 (23%)
24	PSU	a	2504	61,24	18,21,22	1.51	3 (16%)	21,30,33	1.99	4 (19%)
55	8AN	Y	76	63,24,55	21,24,25	1.75	6 (28%)	26,35,38	2.35	8 (30%)
24	6MZ	a	1618	24	22,25,26	1.47	4 (18%)	29,36,39	2.27	10 (34%)
24	PSU	a	2604	24	18,21,22	1.34	3 (16%)	21,30,33	2.07	4 (19%)
1	2MG	A	1516	1	23,26,27	1.19	2 (8%)	33,38,41	2.33	8 (24%)
24	PSU	a	2457	24	18,21,22	1.43	3 (16%)	21,30,33	2.13	3 (14%)
12	D2T	L	89	12	8,9,10	3.92	3 (37%)	6,11,13	1.65	1 (16%)
1	5MC	A	967	1	19,22,23	1.51	2 (10%)	26,32,35	1.11	2 (7%)
24	PSU	a	955	24	18,21,22	1.47	4 (22%)	21,30,33	2.10	3 (14%)
24	3TD	a	1915	24	19,22,23	1.63	4 (21%)	23,32,35	2.27	5 (21%)
24	5MU	a	1939	24	19,22,23	1.46	5 (26%)	27,32,35	2.22	6 (22%)
24	OMG	a	2251	61,23,24	23,26,27	1.20	3 (13%)	32,38,41	1.91	5 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	2MG	A	966	1	23,26,27	1.27	4 (17%)	33,38,41	2.47	9 (27%)
1	5MC	A	1407	1	19,22,23	1.67	3 (15%)	26,32,35	1.35	3 (11%)
24	PSU	a	1917	24	18,21,22	1.38	3 (16%)	21,30,33	1.98	4 (19%)
35	MS6	l	82	35	5,7,8	0.19	0	2,7,9	0.12	0
11	IAS	K	119	11	6,7,8	1.41	1 (16%)	3,8,10	1.24	0
24	5MU	a	747	24	19,22,23	1.52	5 (26%)	27,32,35	1.97	6 (22%)
24	5MC	a	1962	24	19,22,23	1.60	3 (15%)	26,32,35	1.16	3 (11%)
1	UR3	A	1498	1	19,22,23	1.11	2 (10%)	26,32,35	2.13	7 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	PSU	a	1911	24	-	1/7/25/26	0/2/2/2
23	8AN	Z	76	23,59	-	1/7/25/26	0/3/3/3
24	2MG	a	1835	24	-	0/9/27/28	0/3/3/3
24	2MG	a	2445	24	-	1/9/27/28	0/3/3/3
1	G7M	A	527	1	-	1/7/25/26	0/3/3/3
24	H2U	a	2449	24	-	0/7/38/39	0/2/2/2
1	2MG	A	1207	1	-	0/9/27/28	0/3/3/3
27	MEQ	d	150	27	-	3/8/9/11	-
35	4D4	l	81	35	-	1/11/12/14	-
24	G7M	a	2069	24	-	1/7/25/26	0/3/3/3
24	6MZ	a	2030	24	-	2/9/27/28	0/3/3/3
24	PSU	a	2580	24	-	0/7/25/26	0/2/2/2
24	OMC	a	2498	57,24	-	0/9/27/28	0/2/2/2
24	PSU	a	2605	24	-	0/7/25/26	0/2/2/2
1	MA6	A	1519	1	-	3/11/29/30	0/3/3/3
1	4OC	A	1402	1	-	0/9/29/30	0/2/2/2
24	1MG	a	745	24	-	0/7/25/26	0/3/3/3
24	PSU	a	746	57,24	-	3/7/25/26	0/2/2/2
24	OMU	a	2552	57,24	-	0/9/27/28	0/2/2/2
1	MA6	A	1518	1	-	0/11/29/30	0/3/3/3
24	2MA	a	2503	61,57,24	-	1/7/25/26	0/3/3/3
1	PSU	A	516	57,1	-	0/7/25/26	0/2/2/2
24	PSU	a	2504	61,24	-	1/7/25/26	0/2/2/2
55	8AN	Y	76	63,24,55	-	0/7/25/26	0/3/3/3
24	6MZ	a	1618	24	-	0/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	PSU	a	2604	24	-	0/7/25/26	0/2/2/2
1	2MG	A	1516	1	-	0/9/27/28	0/3/3/3
24	PSU	a	2457	24	-	0/7/25/26	0/2/2/2
12	D2T	L	89	12	-	5/7/12/14	-
1	5MC	A	967	1	-	0/7/25/26	0/2/2/2
24	PSU	a	955	24	-	0/7/25/26	0/2/2/2
24	3TD	a	1915	24	-	2/7/25/26	0/2/2/2
24	5MU	a	1939	24	-	0/7/25/26	0/2/2/2
24	OMG	a	2251	61,23,24	-	0/9/27/28	0/3/3/3
1	2MG	A	966	1	-	0/9/27/28	0/3/3/3
1	5MC	A	1407	1	-	0/7/25/26	0/2/2/2
24	PSU	a	1917	24	-	1/7/25/26	0/2/2/2
35	MS6	l	82	35	-	1/4/6/8	-
11	IAS	K	119	11	-	2/7/7/8	-
24	5MU	a	747	24	-	0/7/25/26	0/2/2/2
24	5MC	a	1962	24	-	0/7/25/26	0/2/2/2
1	UR3	A	1498	1	-	0/7/25/26	0/2/2/2

The worst 5 of 127 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	89	D2T	CB-CA	9.46	1.57	1.54
1	A	1407	5MC	C5-C4	5.87	1.48	1.44
24	a	1962	5MC	C5-C4	5.83	1.48	1.44
1	A	967	5MC	C5-C4	5.22	1.48	1.44
1	A	1518	MA6	C5-C4	5.11	1.48	1.39

The worst 5 of 214 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	a	1835	2MG	C2-N3-C4	8.27	122.35	112.00
24	a	2503	2MA	C5-C4-N3	-8.17	118.57	127.18
24	a	1915	3TD	N1-C2-N3	8.16	122.06	116.13
1	A	966	2MG	C2-N3-C4	8.13	122.17	112.00
1	A	1516	2MG	C2-N3-C4	7.65	121.57	112.00

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	L	89	D2T	CA-CB-SB-CB1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	L	89	D2T	CG-CB-SB-CB1
11	K	119	IAS	N-CA-CB-CG
24	a	746	PSU	O4'-C1'-C5-C6
1	A	1519	MA6	O4'-C4'-C5'-O5'

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	a	2030	6MZ	1	0
1	A	1518	MA6	1	0
1	A	516	PSU	1	0
55	Y	76	8AN	1	0
1	A	967	5MC	1	0
24	a	1962	5MC	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 349 ligands modelled in this entry, 332 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
59	FME	Z	101	23	8,9,10	1.08	1 (12%)	8,9,11	1.16	1 (12%)
58	SPD	a	6207	-	9,9,9	0.31	0	8,8,8	0.85	0
58	SPD	a	6209	-	9,9,9	0.32	0	8,8,8	0.99	0
60	SPM	a	6216	-	13,13,13	0.29	0	12,12,12	0.83	0
58	SPD	a	6214	-	9,9,9	0.32	0	8,8,8	0.87	0
58	SPD	a	6215	-	9,9,9	0.29	0	8,8,8	1.02	0
58	SPD	a	6205	-	9,9,9	0.32	0	8,8,8	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	SPD	a	6213	-	9,9,9	0.34	0	8,8,8	1.14	1 (12%)
58	SPD	a	6217	-	9,9,9	0.33	0	8,8,8	0.64	0
63	A1B70	Y	101	55	16,16,17	0.86	2 (12%)	16,20,22	2.21	3 (18%)
56	PAR	A	1601	-	44,45,45	0.57	0	63,67,67	0.95	1 (1%)
58	SPD	A	1692	-	9,9,9	0.35	0	8,8,8	0.87	0
58	SPD	a	6206	-	9,9,9	0.36	0	8,8,8	0.61	0
58	SPD	a	6211	-	9,9,9	0.25	0	8,8,8	0.92	0
58	SPD	a	6208	-	9,9,9	0.30	0	8,8,8	0.51	0
58	SPD	a	6210	-	9,9,9	0.33	0	8,8,8	0.96	0
58	SPD	a	6212	-	9,9,9	0.33	0	8,8,8	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	FME	Z	101	23	-	3/7/9/11	-
58	SPD	a	6207	-	-	4/7/7/7	-
58	SPD	a	6209	-	-	5/7/7/7	-
60	SPM	a	6216	-	-	6/11/11/11	-
58	SPD	a	6214	-	-	3/7/7/7	-
58	SPD	a	6215	-	-	2/7/7/7	-
58	SPD	a	6205	-	-	3/7/7/7	-
58	SPD	a	6213	-	-	3/7/7/7	-
58	SPD	a	6217	-	-	4/7/7/7	-
63	A1B70	Y	101	55	-	4/17/17/19	-
56	PAR	A	1601	-	-	3/18/94/94	0/4/4/4
58	SPD	A	1692	-	-	7/7/7/7	-
58	SPD	a	6206	-	-	2/7/7/7	-
58	SPD	a	6211	-	-	5/7/7/7	-
58	SPD	a	6208	-	-	6/7/7/7	-
58	SPD	a	6210	-	-	5/7/7/7	-
58	SPD	a	6212	-	-	2/7/7/7	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	Z	101	FME	CA-N	-2.55	1.42	1.46
63	Y	101	A1B70	C1-C2	-2.03	1.48	1.52
63	Y	101	A1B70	C3-C2	-2.02	1.50	1.54

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	Y	101	A1B70	O1-C1-C2	-7.11	96.43	111.24
63	Y	101	A1B70	O5-C12-C2	-3.03	118.31	125.24
63	Y	101	A1B70	C8-O2-C7	2.56	124.85	120.97
56	A	1601	PAR	C14-O33-C33	-2.30	112.54	117.98
59	Z	101	FME	C-CA-N	2.29	113.92	109.50

There are no chirality outliers.

5 of 67 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	A	1601	PAR	C44-C54-C64-N64
56	A	1601	PAR	O54-C54-C64-N64
58	a	6210	SPD	N1-C2-C3-C4
63	Y	101	A1B70	O5-C12-C2-C3
58	a	6217	SPD	N6-C7-C8-C9


There are no ring outliers.

7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	a	6207	SPD	2	0
60	a	6216	SPM	1	0
58	a	6214	SPD	1	0
58	a	6215	SPD	2	0
58	a	6213	SPD	2	0
58	a	6208	SPD	2	0
58	a	6210	SPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
55	Y	5
22	X	1

The worst 5 of 6 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Y	13:C	O3'	15:C	P	5.51
1	Y	27:C	O3'	28:G	P	4.79
1	Y	15:C	O3'	17:G	P	4.65
1	X	19:U	O3'	20:A	P	4.07
1	Y	10:G	O3'	11:G	P	3.88


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-70051. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 226



Y Index: 219




Z Index: 253


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 8.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 477 nm^3 ; this corresponds to an approximate mass of 431 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.467 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.467 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.14	-	-
Author-provided FSC curve	2.14	2.64	2.22
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-70051 and PDB model 9O2Y. Per-residue inclusion information can be found in [section 3](#) on [page 20](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 8.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (8.25).

9.4 Atom inclusion ⓘ



At the recommended contour level, 69% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (8.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7350	 0.6100
0	 0.6500	 0.6540
1	 0.8000	 0.6990
2	 0.7430	 0.6950
3	 0.5840	 0.6000
4	 0.1500	 0.4090
A	 0.7860	 0.5870
B	 0.1070	 0.2800
C	 0.5240	 0.5120
D	 0.3070	 0.4210
E	 0.6550	 0.5850
F	 0.4790	 0.5230
G	 0.3760	 0.4760
H	 0.6820	 0.5910
I	 0.4370	 0.4720
J	 0.2930	 0.4110
K	 0.5540	 0.5530
L	 0.6090	 0.5850
M	 0.4880	 0.5020
N	 0.5970	 0.5230
O	 0.6420	 0.5970
P	 0.5910	 0.5100
Q	 0.5800	 0.5380
R	 0.4440	 0.4310
S	 0.4530	 0.4640
T	 0.6370	 0.5620
U	 0.1040	 0.2950
X	 0.4750	 0.4680
Y	 0.3300	 0.3870
Z	 0.5330	 0.4970
a	 0.8650	 0.6690
b	 0.7640	 0.6190
c	 0.7840	 0.6840
d	 0.7700	 0.6870
e	 0.5180	 0.5860



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.3210	 0.4610
g	 0.2850	 0.4530
h	 0.1330	 0.2070
i	 0.7040	 0.6660
j	 0.6580	 0.6350
k	 0.6630	 0.6610
l	 0.6680	 0.6570
m	 0.8520	 0.7020
n	 0.5770	 0.6120
o	 0.6400	 0.6220
p	 0.8180	 0.7000
q	 0.6060	 0.6270
r	 0.6580	 0.6640
s	 0.5110	 0.5970
t	 0.4990	 0.5890
u	 0.4850	 0.5980
v	 0.7430	 0.6840
w	 0.7750	 0.6810
x	 0.4780	 0.5780
y	 0.7070	 0.6790
z	 0.7270	 0.6550