



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:25 PM UTC

PDB ID : 2O3T / pdb_00002o3t
Title : Structural Basis for Formation and Hydrolysis of Calcium Messenger Cyclic ADP-ribose by Human CD38
Authors : Liu, Q.; Kriksunov, I.A.; Graeff, R.; Lee, H.C.; Hao, Q.
Deposited on : 2006-12-01
Resolution : 1.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1054 (1.68-1.68)
Clashscore	190562	1078 (1.68-1.68)
Ramachandran outliers	187476	1068 (1.68-1.68)
Sidechain outliers	187428	1067 (1.68-1.68)
RSRZ outliers	180081	1055 (1.68-1.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	262	25% 80% 15% ..
1	B	262	34% 79% 15% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4614 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ADP-ribosyl cyclase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	252	Total	C	N	O	S	0	0	0
			2050	1290	359	385	16			
1	B	252	Total	C	N	O	S	0	0	0
			2050	1290	359	385	16			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	LYS	-	cloning artifact	UNP P28907
A	40	ARG	-	cloning artifact	UNP P28907
A	41	GLU	-	cloning artifact	UNP P28907
A	42	ALA	-	cloning artifact	UNP P28907
A	43	GLU	-	cloning artifact	UNP P28907
A	44	ALA	-	cloning artifact	UNP P28907
A	49	THR	GLN	engineered mutation	UNP P28907
A	100	ASP	ASN	engineered mutation	UNP P28907
A	164	ASP	ASN	engineered mutation	UNP P28907
A	209	ASP	ASN	engineered mutation	UNP P28907
A	219	ASP	ASN	engineered mutation	UNP P28907
A	226	GLN	GLU	engineered mutation	UNP P28907
B	39	LYS	-	cloning artifact	UNP P28907
B	40	ARG	-	cloning artifact	UNP P28907
B	41	GLU	-	cloning artifact	UNP P28907
B	42	ALA	-	cloning artifact	UNP P28907
B	43	GLU	-	cloning artifact	UNP P28907
B	44	ALA	-	cloning artifact	UNP P28907
B	49	THR	GLN	engineered mutation	UNP P28907
B	100	ASP	ASN	engineered mutation	UNP P28907
B	164	ASP	ASN	engineered mutation	UNP P28907
B	209	ASP	ASN	engineered mutation	UNP P28907
B	219	ASP	ASN	engineered mutation	UNP P28907
B	226	GLN	GLU	engineered mutation	UNP P28907

- Molecule 2 is CYCLIC GUANOSINE DIPHOSPHATE-RIBOSE (CCD ID: CGR) (formula: $\text{C}_{15}\text{H}_{23}\text{N}_5\text{O}_{14}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	15	5	14	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	280	Total O 280 280	0	0
3	B	198	Total O 198 198	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ADP-ribosyl cyclase 1



• Molecule 1: ADP-ribosyl cyclase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.99Å 53.29Å 65.73Å 105.90° 91.76° 95.16°	Depositor
Resolution (Å)	20.00 – 1.68 20.00 – 1.68	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-1.68) 96.1 (20.00-1.68)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 1.68Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.172 , 0.208 0.248 , 0.274	Depositor DCC
R_{free} test set	3002 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	17.6	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4614	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CGR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/2101	0.81	0/2846
1	B	0.67	2/2101 (0.1%)	1.06	11/2846 (0.4%)
All	All	0.70	2/4202 (0.0%)	0.95	11/5692 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	248	GLU	C-N	-6.12	1.25	1.33
1	B	248	GLU	N-CA	5.18	1.54	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	GLU	N-CA-C	16.31	133.11	112.24
1	B	292	GLU	N-CA-C	13.58	139.72	110.80
1	B	247	ARG	CA-C-N	12.59	140.65	122.40
1	B	247	ARG	C-N-CA	12.59	140.65	122.40
1	B	248	GLU	CB-CA-C	-11.03	94.09	111.51
1	B	292	GLU	CB-CA-C	-10.31	89.90	110.42
1	B	247	ARG	O-C-N	-7.99	111.83	122.38
1	B	291	PRO	CA-C-N	7.45	135.78	121.54
1	B	291	PRO	C-N-CA	7.45	135.78	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	280	ARG	CA-C-N	5.20	125.25	119.32
1	B	280	ARG	C-N-CA	5.20	125.25	119.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	164	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2050	0	1978	35	0
1	B	2050	0	1978	33	0
2	A	36	0	21	3	0
3	A	280	0	0	7	0
3	B	198	0	0	1	0
All	All	4614	0	3977	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:GLN:HG3	3:A:558:HOH:O	1.61	1.00
1:A:69:LYS:HE2	1:A:73:ILE:HD11	1.46	0.96
1:A:69:LYS:CE	1:A:73:ILE:HD11	1.99	0.93
1:B:115:GLN:HE22	1:B:149:LEU:H	1.23	0.87
1:A:115:GLN:HE22	1:A:149:LEU:H	1.24	0.85
1:A:165:THR:HG23	1:A:167:LYS:H	1.38	0.85
1:B:165:THR:HG23	1:B:167:LYS:H	1.47	0.79
1:A:47:ARG:O	1:A:47:ARG:HG3	1.89	0.72
1:A:247:ARG:O	1:A:248:GLU:HG3	1.91	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:ARG:NH1	1:B:220:SER:HB3	2.06	0.70
1:B:107:GLN:HE22	1:B:195:ARG:NH2	1.91	0.68
1:B:127:ARG:HH12	1:B:220:SER:HB3	1.58	0.68
1:B:47:ARG:HD2	3:B:460:HOH:O	1.95	0.67
1:B:266:ILE:HD11	1:B:273:PHE:HB2	1.78	0.66
1:B:162:GLU:HB2	1:B:165:THR:HG22	1.80	0.64
1:B:238:LEU:HB3	1:B:266:ILE:HD13	1.80	0.62
1:B:139:GLN:C	1:B:141:ASP:H	2.05	0.62
1:A:86:TRP:CE2	1:A:90:LYS:HG3	2.35	0.61
2:A:301:CGR:H81	2:A:301:CGR:O5'R	2.01	0.61
1:B:107:GLN:HE22	1:B:195:ARG:HH21	1.50	0.58
1:B:183:ASN:ND2	1:B:186:SER:H	2.03	0.57
1:A:183:ASN:ND2	1:A:186:SER:H	2.03	0.56
1:A:115:GLN:NE2	1:A:149:LEU:H	2.01	0.55
1:A:74:HIS:HE1	3:A:484:HOH:O	1.89	0.55
1:A:268:LYS:HD3	1:B:163:PHE:CE1	2.42	0.55
1:B:115:GLN:NE2	1:B:149:LEU:H	1.99	0.54
1:B:139:GLN:C	1:B:141:ASP:N	2.67	0.53
1:A:286:GLN:HG3	3:A:457:HOH:O	2.11	0.51
1:B:266:ILE:HD11	1:B:273:PHE:CB	2.40	0.50
1:B:247:ARG:C	1:B:248:GLU:HG3	2.36	0.50
1:A:104:GLU:HA	1:A:107:GLN:HG2	1.94	0.50
1:B:130:ASP:OD1	1:B:134:GLN:NE2	2.45	0.50
1:A:47:ARG:O	1:A:47:ARG:CG	2.59	0.49
1:B:232:PRO:HG3	1:B:269:ARG:O	2.12	0.49
1:A:180:CYS:HB2	3:A:439:HOH:O	2.12	0.49
1:A:162:GLU:HB2	1:A:165:THR:HG22	1.95	0.49
1:A:137:GLN:NE2	3:A:489:HOH:O	2.44	0.48
1:A:293:ASP:HB3	1:A:296:CYS:SG	2.53	0.48
1:A:247:ARG:C	1:A:248:GLU:HG3	2.39	0.48
1:A:286:GLN:NE2	1:A:290:ASN:OD1	2.46	0.48
1:A:183:ASN:HD21	1:A:186:SER:H	1.61	0.48
1:A:86:TRP:CZ2	1:A:90:LYS:HG3	2.48	0.47
1:B:127:ARG:NH1	1:B:220:SER:CB	2.76	0.47
2:A:301:CGR:HC2'	2:A:301:CGR:O6A	2.14	0.47
2:A:301:CGR:H81	2:A:301:CGR:C5'R	2.45	0.47
1:B:248:GLU:O	1:B:249:ASP:HB3	2.15	0.46
1:B:98:PRO:O	1:B:183:ASN:HA	2.15	0.46
1:A:244:HIS:HE1	1:A:277:ASN:OD1	1.99	0.46
1:A:233:GLU:HG2	1:A:234:LYS:HG3	1.98	0.46
1:B:45:ARG:HG2	1:B:46:TRP:CE3	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:LYS:CG	1:B:94:ILE:HG13	2.47	0.45
1:A:48:GLN:NE2	1:A:171:GLN:HB3	2.32	0.45
1:A:182:ASN:OD1	3:A:573:HOH:O	2.21	0.45
1:A:86:TRP:CZ2	1:A:90:LYS:CG	2.99	0.45
1:A:45:ARG:HD3	1:A:47:ARG:O	2.17	0.45
1:A:46:TRP:HE1	1:A:47:ARG:NH2	2.15	0.45
1:B:107:GLN:NE2	1:B:195:ARG:HH21	2.15	0.44
1:A:69:LYS:HE2	1:A:73:ILE:CD1	2.31	0.44
1:B:202:ASP:HA	1:B:236:GLN:HG2	2.00	0.44
1:A:98:PRO:O	1:A:183:ASN:HA	2.18	0.43
1:A:244:HIS:HD2	1:A:250:SER:OG	2.00	0.43
1:B:285:LEU:HB3	1:B:289:LYS:HE3	2.00	0.43
1:A:69:LYS:HE3	1:A:73:ILE:HD11	1.95	0.41
1:B:127:ARG:HH12	1:B:220:SER:CB	2.29	0.41
1:B:118:PRO:HD2	1:B:143:PHE:CE2	2.56	0.40
1:B:285:LEU:O	1:B:289:LYS:HG3	2.21	0.40
1:A:289:LYS:NZ	3:A:504:HOH:O	2.55	0.40
1:B:183:ASN:HD21	1:B:186:SER:H	1.69	0.40
1:B:230:LEU:O	1:B:269:ARG:NH1	2.48	0.40
1:B:244:HIS:HE1	1:B:277:ASN:OD1	2.05	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	250/262 (95%)	244 (98%)	4 (2%)	2 (1%)	16	4
1	B	250/262 (95%)	239 (96%)	10 (4%)	1 (0%)	30	13
All	All	500/524 (95%)	483 (97%)	14 (3%)	3 (1%)	21	7

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	249	ASP
1	A	247	ARG
1	A	128	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/241 (97%)	227 (97%)	6 (3%)	40	15
1	B	233/241 (97%)	229 (98%)	4 (2%)	53	29
All	All	466/482 (97%)	456 (98%)	10 (2%)	47	21

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	117	VAL
1	A	128	ILE
1	A	131	LEU
1	A	145	LEU
1	A	233	GLU
1	A	251	ARG
1	B	80	VAL
1	B	131	LEU
1	B	236	GLN
1	B	248	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	74	HIS
1	A	115	GLN
1	A	137	GLN
1	A	139	GLN
1	A	183	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	244	HIS
1	A	286	GLN
1	A	290	ASN
1	B	74	HIS
1	B	83	GLN
1	B	107	GLN
1	B	115	GLN
1	B	183	ASN
1	B	229	ASN
1	B	236	GLN
1	B	244	HIS
1	B	270	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CGR	A	301	-	39,40,40	3.70	6 (15%)	52,64,64	1.85	13 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CGR	A	301	-	-	3/26/70/70	0/4/5/5

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	CGR	C8-N9	-15.98	1.35	1.45
2	A	301	CGR	C8-N7	-15.15	1.36	1.45
2	A	301	CGR	C4A-N9	-3.61	1.33	1.37
2	A	301	CGR	PA-O3	3.00	1.62	1.59
2	A	301	CGR	PB-O3	2.37	1.62	1.59
2	A	301	CGR	C1'R-N7	2.22	1.50	1.46

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	CGR	N9-C8-N7	5.34	110.37	102.97
2	A	301	CGR	C5A-C6A-N1A	4.36	118.62	110.94
2	A	301	CGR	C4A-C5A-N7	4.20	108.91	104.96
2	A	301	CGR	N9-C4A-N3A	3.92	131.21	125.46
2	A	301	CGR	C2A-N3A-C4A	3.72	118.71	112.30
2	A	301	CGR	C5A-C4A-N3A	-3.46	121.63	128.13
2	A	301	CGR	C2A-N1A-C6A	-2.87	119.91	125.11
2	A	301	CGR	C3'R-C2'R-C1'R	2.86	106.87	101.46
2	A	301	CGR	O3-PB-O1B	-2.68	102.63	110.70
2	A	301	CGR	O4'R-C1'R-N7	-2.41	106.02	109.30
2	A	301	CGR	O2B-PB-O1B	2.31	123.20	112.44
2	A	301	CGR	O2B-PB-O3	2.28	113.45	107.27
2	A	301	CGR	O6A-C6A-C5A	-2.13	122.38	127.62

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	CGR	PB-O3-PA-O5'
2	A	301	CGR	C2'-C1'-N9-C8
2	A	301	CGR	C4'R-C5'R-O5'R-PB

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	CGR	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	252/262 (96%)	1.61	65 (25%)  	25, 31, 37, 46	0
1	B	252/262 (96%)	1.86	88 (34%)  	26, 31, 37, 43	0
All	All	504/524 (96%)	1.73	153 (30%)  	25, 31, 37, 46	0

All (153) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	249	ASP	11.4
1	B	249	ASP	9.5
1	B	246	GLY	8.0
1	A	248	GLU	7.0
1	B	248	GLU	6.9
1	B	292	GLU	6.1
1	A	247	ARG	6.1
1	B	245	GLY	6.0
1	B	293	ASP	5.8
1	B	294	SER	5.3
1	A	246	GLY	5.0
1	B	213	SER	4.9
1	B	287	CYS	4.6
1	A	47	ARG	4.6
1	B	176	TRP	4.4
1	B	296	CYS	4.4
1	B	295	SER	4.3
1	B	247	ARG	4.3
1	A	165	THR	4.3
1	B	141	ASP	4.2
1	A	78	ARG	4.2
1	B	282	ASP	4.2
1	B	254	CYS	4.0
1	A	79	HIS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	138	VAL	3.7
1	A	46	TRP	3.7
1	B	224	SER	3.6
1	B	140	ARG	3.6
1	B	214	LYS	3.5
1	B	127	ARG	3.4
1	B	143	PHE	3.4
1	A	204	VAL	3.4
1	A	176	TRP	3.4
1	A	189	TRP	3.4
1	A	294	SER	3.4
1	B	159	TRP	3.3
1	A	245	GLY	3.3
1	A	164	ASP	3.3
1	A	295	SER	3.2
1	B	212	ARG	3.2
1	B	184	PRO	3.1
1	A	45	ARG	3.1
1	A	84	SER	3.1
1	B	228	HIS	3.1
1	B	291	PRO	3.1
1	B	185	VAL	3.0
1	B	54	GLY	3.0
1	B	266	ILE	3.0
1	A	296	CYS	3.0
1	B	252	ASP	3.0
1	B	73	ILE	3.0
1	A	203	VAL	2.9
1	B	219	ASP	2.9
1	B	211	SER	2.9
1	A	292	GLU	2.9
1	A	73	ILE	2.9
1	A	80	VAL	2.9
1	A	187	VAL	2.9
1	B	55	THR	2.8
1	B	253	LEU	2.8
1	B	45	ARG	2.8
1	B	101	ILE	2.8
1	B	157	LEU	2.7
1	A	230	LEU	2.7
1	B	139	GLN	2.7
1	A	280	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	213	SER	2.7
1	A	82	CYS	2.7
1	B	160	CYS	2.7
1	B	256	ASP	2.7
1	B	116	THR	2.6
1	B	285	LEU	2.6
1	B	187	VAL	2.6
1	A	125	TRP	2.6
1	A	159	TRP	2.6
1	B	130	ASP	2.6
1	A	222	PHE	2.6
1	B	93	PHE	2.6
1	A	145	LEU	2.6
1	A	117	VAL	2.6
1	B	279	TYR	2.6
1	B	284	PHE	2.6
1	A	206	VAL	2.6
1	A	266	ILE	2.6
1	B	290	ASN	2.6
1	B	280	ARG	2.6
1	B	255	GLN	2.5
1	B	286	GLN	2.5
1	B	52	GLY	2.5
1	A	250	SER	2.5
1	A	262	LEU	2.5
1	B	50	TRP	2.5
1	B	53	PRO	2.5
1	B	174	PRO	2.5
1	B	215	ILE	2.5
1	B	267	SER	2.5
1	B	231	GLN	2.4
1	A	163	PHE	2.4
1	B	153	LEU	2.4
1	B	142	MET	2.4
1	A	235	VAL	2.4
1	B	250	SER	2.4
1	A	124	LEU	2.4
1	B	189	TRP	2.4
1	B	89	PHE	2.4
1	A	227	VAL	2.4
1	A	69	LYS	2.4
1	B	270	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	128	ILE	2.4
1	A	192	VAL	2.4
1	B	80	VAL	2.4
1	B	244	HIS	2.4
1	A	68	VAL	2.3
1	A	185	VAL	2.3
1	B	221	THR	2.3
1	A	149	LEU	2.3
1	A	188	PHE	2.3
1	B	225	VAL	2.3
1	B	223	GLY	2.3
1	B	281	PRO	2.3
1	A	199	ALA	2.3
1	A	122	ILE	2.3
1	B	188	PHE	2.2
1	A	136	THR	2.2
1	A	123	LEU	2.2
1	A	238	LEU	2.2
1	B	126	SER	2.2
1	A	93	PHE	2.2
1	A	291	PRO	2.2
1	A	154	ALA	2.1
1	A	160	CYS	2.1
1	B	173	CYS	2.1
1	A	150	LEU	2.1
1	B	283	LYS	2.1
1	B	217	ASP	2.1
1	A	92	ALA	2.1
1	A	197	ALA	2.1
1	B	63	VAL	2.1
1	A	180	CYS	2.1
1	B	180	CYS	2.1
1	B	277	ASN	2.1
1	B	49	THR	2.1
1	A	132	ALA	2.1
1	B	82	CYS	2.1
1	B	137	GLN	2.1
1	B	251	ARG	2.1
1	B	268	LYS	2.1
1	A	58	ARG	2.0
1	B	117	VAL	2.0
1	B	275	CYS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	157	LEU	2.0
1	A	103	GLU	2.0
1	A	128	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CGR	A	301	36/36	0.97	0.07	15,19,23,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CGR A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.