



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:57 PM UTC

PDB ID : 3O3N / pdb_00003o3n
Title : (R)-2-hydroxyisocaproyl-CoA dehydratase in complex with its substrate (R)-2-hydroxyisocaproyl-CoA
Authors : Knauer, S.H.; Buckel, W.; Dobbek, H.
Deposited on : 2010-07-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	408	% 71% 25% ..
1	C	408	75% 22% ..
2	B	385	2% 68% 28% ..
2	D	385	% 70% 26% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	399	Total	C	N	O	S	0	1	0
			3177	2014	524	610	29			
1	C	401	Total	C	N	O	S	0	2	0
			3202	2029	529	614	30			

- Molecule 2 is a protein called beta-subunit 2-hydroxyacyl-CoA dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	374	Total	C	N	O	S	0	0	0
			2960	1877	492	568	23			
2	D	374	Total	C	N	O	S	0	0	0
			2960	1877	492	568	23			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	376	SER	-	expression tag	UNP Q5U923
B	377	ALA	-	expression tag	UNP Q5U923
B	378	TRP	-	expression tag	UNP Q5U923
B	379	SER	-	expression tag	UNP Q5U923
B	380	HIS	-	expression tag	UNP Q5U923
B	381	PRO	-	expression tag	UNP Q5U923
B	382	GLN	-	expression tag	UNP Q5U923
B	383	PHE	-	expression tag	UNP Q5U923
B	384	GLU	-	expression tag	UNP Q5U923
B	385	LYS	-	expression tag	UNP Q5U923
D	376	SER	-	expression tag	UNP Q5U923
D	377	ALA	-	expression tag	UNP Q5U923
D	378	TRP	-	expression tag	UNP Q5U923
D	379	SER	-	expression tag	UNP Q5U923
D	380	HIS	-	expression tag	UNP Q5U923
D	381	PRO	-	expression tag	UNP Q5U923

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	382	GLN	-	expression tag	UNP Q5U923
D	383	PHE	-	expression tag	UNP Q5U923
D	384	GLU	-	expression tag	UNP Q5U923
D	385	LYS	-	expression tag	UNP Q5U923

- Molecule 3 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is S-[2-[3-[[[(2R)-4-[[[(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-4-hydroxy-3-phosphonooxy-oxolan-2-yl]methoxy-hydroxy-phosphoryl]oxy-hydroxy-phosphoryl]oxy-2-hydroxy-3,3-dimethyl-butanoyl]amino]propanoylamino]ethyl] (2R)-2-hydroxy-4-methyl-pentanethioate (CCD ID: IRC) (formula: C₂₇H₄₆N₇O₁₈P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			56	27	7	18	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			56	27	7	18	3	1		

- Molecule 5 is HYDROSULFURIC ACID (CCD ID: H2S) (formula: H₂S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	S	0	0
			1	1		
5	D	1	Total	S	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	286	Total 286	O 286	0	0
6	B	309	Total 309	O 309	0	0
6	C	303	Total 303	O 303	0	0
6	D	308	Total 308	O 308	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase




- Molecule 1: alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase



- Molecule 2: beta-subunit 2-hydroxyacyl-CoA dehydratase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.65Å 126.68Å 177.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.4 (30.00-2.30) 99.4 (30.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 2.31Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.228 , 0.283 0.208 , 0.270	Depositor DCC
R_{free} test set	3519 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.658	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 73.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13651	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.83 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9254e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: H2S, IRC, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/3240	0.89	6/4367 (0.1%)
1	C	0.40	0/3265	0.87	6/4399 (0.1%)
2	B	0.39	0/3012	0.88	8/4059 (0.2%)
2	D	0.39	0/3012	0.85	8/4059 (0.2%)
All	All	0.40	0/12529	0.87	28/16884 (0.2%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	70	PHE	N-CA-C	8.01	121.90	112.93
1	A	314	PHE	N-CA-C	7.30	121.84	112.34
2	B	37	TYR	N-CA-C	6.95	120.25	109.07
2	B	70	PHE	N-CA-C	6.60	120.80	113.21
1	A	37	SER	N-CA-C	6.42	119.09	111.71
2	D	259	ASP	N-CA-C	-6.27	102.92	110.44
2	B	34	PHE	CA-C-N	6.17	127.55	119.84
2	B	34	PHE	C-N-CA	6.17	127.55	119.84
1	A	313	MET	N-CA-C	-5.89	101.93	110.24
1	A	108	ASP	N-CA-C	-5.80	106.18	113.72
2	B	156	GLU	N-CA-C	5.68	118.79	109.76
1	C	313	MET	N-CA-C	-5.67	102.01	110.23
2	B	76	GLN	N-CA-C	-5.45	105.42	111.36
2	D	284	GLN	N-CA-C	-5.42	105.45	111.36
1	C	340	TYR	N-CA-C	5.36	117.98	109.24
1	A	160	PHE	N-CA-C	-5.29	105.51	111.28
1	C	216	THR	N-CA-C	-5.29	104.42	111.24
2	B	259	ASP	N-CA-C	-5.29	104.10	110.44
1	C	350	SER	N-CA-C	5.22	117.05	111.36
2	D	71	ALA	N-CA-C	-5.21	102.77	110.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	340	TYR	N-CA-C	5.20	117.45	109.07
1	C	37	SER	N-CA-C	5.18	118.69	112.38
1	C	144	ASN	N-CA-C	-5.09	106.23	112.90
2	D	141	LYS	N-CA-C	-5.08	105.93	111.82
2	B	284	GLN	N-CA-C	-5.07	105.83	111.36
2	D	344	ILE	CA-C-N	5.07	124.83	119.76
2	D	344	ILE	C-N-CA	5.07	124.83	119.76
2	D	332	TYR	N-CA-C	5.04	120.94	109.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3177	0	3111	88	0
1	C	3202	0	3138	84	0
2	B	2960	0	2979	83	0
2	D	2960	0	2979	82	0
3	A	8	0	0	0	0
3	B	8	0	0	1	0
3	C	8	0	0	0	0
3	D	8	0	0	1	0
4	A	56	0	42	3	0
4	C	56	0	41	6	0
5	B	1	0	0	1	0
5	D	1	0	0	0	0
6	A	286	0	0	6	0
6	B	309	0	0	13	0
6	C	303	0	0	10	0
6	D	308	0	0	7	0
All	All	13651	0	12290	333	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (333) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:ARG:NH2	1:A:349:MET:HE1	1.79	0.96
2:D:4:ILE:HG22	2:D:8:MET:HE2	1.47	0.96
1:C:52:LEU:HD13	1:C:104:MET:HG3	1.50	0.91
2:D:5:LEU:HA	2:D:8:MET:HE3	1.54	0.88
2:B:4:ILE:HG13	2:B:8:MET:HE2	1.62	0.82
2:B:83:LEU:HD21	2:B:112:ALA:HB1	1.62	0.81
2:D:83:LEU:HD21	2:D:112:ALA:HB1	1.65	0.78
1:A:326:ARG:HH22	1:A:349:MET:HE1	1.46	0.78
1:C:313:MET:HE3	4:C:410:IRC:HI6B	1.66	0.78
2:B:189:LYS:HE2	2:B:189:LYS:HA	1.65	0.77
2:B:1:MET:HG2	2:B:218:LYS:HE2	1.66	0.77
1:C:180:PHE:CD2	1:C:184:MET:HE2	2.19	0.77
2:B:5:LEU:HA	2:B:8:MET:HE3	1.66	0.76
1:C:24:LYS:HE3	1:C:24:LYS:HA	1.65	0.76
2:B:4:ILE:HD11	2:B:211:LEU:HB3	1.67	0.76
1:A:204:SER:HB3	1:A:206:PRO:O	1.87	0.75
2:B:5:LEU:HD23	2:B:8:MET:CE	2.18	0.74
2:D:237:ILE:HD11	2:D:325:CYS:SG	2.29	0.73
2:B:84:LYS:HD3	6:B:1009:HOH:O	1.88	0.71
2:B:191:SER:HA	2:B:245:LEU:HD13	1.73	0.71
1:A:209:MET:HE3	1:A:213:ASP:HB2	1.71	0.71
2:D:5:LEU:HD23	2:D:8:MET:CE	2.20	0.71
1:A:180:PHE:O	1:A:184:MET:HG3	1.91	0.71
2:D:241:SER:O	2:D:244:ILE:HG22	1.90	0.70
2:B:309:VAL:HG11	2:B:344:ILE:HD13	1.76	0.67
1:C:346:CYS:SG	1:C:349[A]:MET:HG3	2.34	0.67
1:A:57:GLN:O	1:A:61:VAL:HG23	1.95	0.67
2:B:5:LEU:HD23	2:B:8:MET:HE1	1.77	0.67
2:B:222:MET:HB3	6:B:552:HOH:O	1.95	0.67
2:D:332:TYR:HB3	2:D:333:PRO:HD3	1.77	0.66
1:A:271:ILE:O	1:A:275:MET:HG3	1.95	0.66
2:D:148:GLU:HG2	2:D:155:ILE:HG13	1.77	0.66
1:C:219:ALA:HB2	4:C:410:IRC:HN8P	1.58	0.66
2:D:192:ILE:O	2:D:196:VAL:HG23	1.96	0.66
1:C:49:LEU:HD21	1:C:171:SER:HB3	1.78	0.66
2:B:36:VAL:HG12	2:B:37:TYR:CD2	2.31	0.66
2:B:4:ILE:CD1	2:B:211:LEU:HB3	2.26	0.65
1:C:223[A]:CYS:HB2	6:C:604:HOH:O	1.97	0.65
2:B:156:GLU:HG2	6:B:605:HOH:O	1.96	0.64
2:D:5:LEU:HD23	2:D:8:MET:HE1	1.79	0.64
2:D:189:LYS:HE3	6:D:436:HOH:O	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:262:MET:HB3	1:C:285:MET:HE3	1.78	0.64
2:D:362:ARG:O	2:D:366:GLN:HG3	1.96	0.64
2:B:321:MET:HG3	2:B:348:TYR:CE1	2.32	0.64
2:B:8:MET:O	2:B:11:VAL:HG12	1.98	0.64
2:B:332:TYR:HB3	2:B:333:PRO:HD3	1.79	0.64
2:D:352:ASP:O	2:D:355:THR:HG22	1.98	0.64
2:B:184:HIS:HA	2:B:225:GLU:HG2	1.80	0.64
1:C:198:MET:HE2	1:C:214:LEU:HG	1.79	0.63
2:D:189:LYS:HD2	2:D:249:GLU:HG3	1.81	0.63
2:B:9:LYS:HE2	2:B:13:GLU:CD	2.24	0.63
2:D:309:VAL:HA	2:D:314:ILE:HD12	1.80	0.63
2:B:80:GLU:HG3	2:B:84:LYS:HE2	1.79	0.63
1:A:47:PHE:HB2	1:A:49:LEU:HD22	1.81	0.63
2:B:169:GLU:OE2	2:B:172:LYS:HE2	1.99	0.62
1:C:215:PHE:HB3	1:C:268:TRP:HH2	1.63	0.62
2:D:345:PRO:HB2	2:D:371:MET:HE1	1.82	0.62
1:A:184:MET:HE2	1:A:298:TYR:CE1	2.35	0.62
2:B:144:LYS:O	2:B:148:GLU:HG3	2.00	0.62
1:C:47:PHE:HB2	1:C:49:LEU:HD23	1.80	0.62
2:B:362:ARG:O	2:B:366:GLN:HG3	2.00	0.62
1:A:24:LYS:HG3	6:A:679:HOH:O	2.00	0.61
1:A:184:MET:HE2	1:A:298:TYR:HE1	1.65	0.61
1:A:193:LEU:HD12	1:A:238:ILE:CD1	2.30	0.61
2:B:276:ASP:O	2:B:280:ARG:HG3	2.00	0.61
2:B:184:HIS:HA	2:B:225:GLU:CG	2.31	0.61
1:A:69:GLU:HG3	6:A:654:HOH:O	2.00	0.61
1:A:56:ASN:HD22	4:A:410:IRC:H6PA	1.66	0.61
2:D:6:SER:O	2:D:10:GLU:HG2	2.01	0.61
2:D:264:THR:O	2:D:268:ARG:HB2	2.01	0.60
2:B:366:GLN:O	2:B:370:GLU:HG3	2.01	0.60
1:C:198:MET:HE2	1:C:214:LEU:CG	2.32	0.60
2:D:261:ALA:HA	2:D:265:ARG:HD2	1.84	0.60
2:B:5:LEU:HA	2:B:8:MET:CE	2.30	0.60
1:A:234:PHE:O	1:A:238:ILE:HG13	2.02	0.59
1:A:215:PHE:HB3	1:A:268:TRP:HH2	1.67	0.59
2:B:139:GLU:O	2:B:143:VAL:HG23	2.02	0.59
2:B:326:ASP:CG	2:B:327:PRO:HD3	2.27	0.59
1:C:267:CYS:H	1:C:274:LYS:NZ	2.00	0.59
1:A:223[A]:CYS:HB2	6:A:806:HOH:O	2.02	0.59
1:A:56:ASN:ND2	4:A:410:IRC:HEPB	2.18	0.59
2:D:237:ILE:HD13	3:D:386:SF4:S2	2.43	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:233:LEU:C	2:B:233:LEU:HD23	2.28	0.58
1:C:34:TRP:CE2	1:C:107:PRO:HD3	2.39	0.58
2:B:309:VAL:HG13	2:B:314:ILE:HB	1.84	0.58
1:A:204:SER:OG	1:A:208:PRO:HD3	2.03	0.58
2:B:323:LYS:HE2	2:B:324:PHE:CE2	2.39	0.58
1:C:218:MET:O	1:C:222:VAL:HG23	2.03	0.58
2:D:15:PRO:O	2:D:19:VAL:HG23	2.04	0.58
2:D:326:ASP:CG	2:D:327:PRO:HD3	2.29	0.58
2:D:39:PRO:HG3	2:D:140:TYR:CE1	2.39	0.58
1:A:326:ARG:HH21	1:A:349:MET:HE1	1.64	0.57
1:A:160:PHE:CE2	1:A:306:MET:HE2	2.39	0.57
1:C:315:ASN:OD1	1:C:349[A]:MET:HE3	2.03	0.57
2:D:267:PHE:HB3	6:D:411:HOH:O	2.05	0.57
1:C:198:MET:CE	1:C:209:MET:HE1	2.34	0.57
1:A:193:LEU:HD12	1:A:238:ILE:HD11	1.87	0.57
1:C:313:MET:SD	1:C:315:ASN:HB2	2.44	0.57
1:A:215:PHE:HB3	1:A:268:TRP:CH2	2.39	0.56
2:D:309:VAL:HG13	2:D:314:ILE:HB	1.87	0.56
1:C:15:LEU:HB3	6:C:818:HOH:O	2.05	0.56
1:A:69:GLU:O	1:A:73:ILE:HG13	2.06	0.56
2:B:261:ALA:HA	2:B:265:ARG:HD2	1.86	0.56
2:B:39:PRO:HG3	2:B:140:TYR:CE1	2.40	0.56
1:C:40:PRO:HA	1:C:310:TYR:CZ	2.42	0.55
2:B:325:CYS:O	2:B:329:GLU:HG3	2.05	0.55
2:D:180:VAL:HG21	2:D:216:ILE:HG23	1.88	0.55
2:B:19:VAL:O	2:B:23:LYS:HG3	2.07	0.55
1:A:152:ARG:O	1:A:156:ILE:HG13	2.07	0.55
1:C:83:LEU:HD21	2:D:329:GLU:HB2	1.87	0.55
1:A:218:MET:O	1:A:222:VAL:HG23	2.07	0.54
2:D:5:LEU:HA	2:D:8:MET:CE	2.32	0.54
2:B:179:GLU:O	2:B:183:LYS:HG2	2.08	0.54
1:C:34:TRP:CZ2	1:C:104:MET:HE3	2.42	0.54
1:A:390:ILE:O	1:A:394:VAL:HG23	2.08	0.54
2:D:233:LEU:C	2:D:233:LEU:HD23	2.32	0.54
2:D:5:LEU:HD23	2:D:8:MET:HE3	1.90	0.54
2:D:237:ILE:HD12	2:D:322:MET:HB3	1.89	0.54
1:C:184:MET:HE1	1:C:301:ASN:HA	1.90	0.53
1:A:34:TRP:CE2	1:A:107:PRO:HD3	2.43	0.53
2:D:111:SER:HB3	6:D:412:HOH:O	2.08	0.53
2:D:216:ILE:HG22	2:D:220:ASN:ND2	2.24	0.53
1:A:313:MET:SD	1:A:315:ASN:HB2	2.49	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:THR:O	1:A:280:LYS:HG2	2.08	0.53
2:D:38:CYS:HB2	6:D:405:HOH:O	2.09	0.53
2:B:5:LEU:HD23	2:B:8:MET:HE3	1.91	0.53
2:D:214:ASP:O	2:D:218:LYS:HG2	2.09	0.53
2:B:35:PRO:HB3	5:B:387:H2S:S	2.48	0.53
1:C:200:LEU:N	1:C:201:PRO:CD	2.72	0.53
1:C:315:ASN:CG	1:C:349[B]:MET:HE3	2.33	0.52
1:A:77:LYS:HD2	1:A:95:GLU:HG2	1.90	0.52
1:A:40:PRO:HA	1:A:310:TYR:CZ	2.45	0.52
2:B:345:PRO:HB3	2:B:371:MET:HE1	1.92	0.52
1:C:34:TRP:CE2	1:C:104:MET:HE3	2.44	0.52
1:A:34:TRP:CE2	1:A:104:MET:HE3	2.45	0.52
2:B:102:LEU:HG	3:B:386:SF4:S2	2.50	0.52
1:C:214:LEU:HD23	1:C:214:LEU:C	2.35	0.52
2:D:368:PHE:CD2	2:D:372:MET:HE2	2.45	0.52
1:A:270:TYR:CE2	1:A:381:PHE:HB3	2.45	0.52
2:D:206:GLU:HG2	2:D:207:GLU:N	2.25	0.51
1:A:57:GLN:HG3	1:A:104:MET:SD	2.51	0.51
2:B:249:GLU:HB2	6:B:740:HOH:O	2.10	0.51
1:C:280:LYS:HD3	6:C:1395:HOH:O	2.11	0.51
1:A:38:VAL:HG12	1:A:38:VAL:O	2.10	0.51
2:D:262:GLN:O	2:D:262:GLN:HG2	2.10	0.51
1:A:11:ILE:HG23	1:A:220:VAL:HG11	1.92	0.51
2:D:7:LYS:O	2:D:7:LYS:HD3	2.11	0.51
1:C:215:PHE:HB3	1:C:268:TRP:CH2	2.45	0.51
2:D:186:ASN:O	2:D:189:LYS:NZ	2.42	0.51
1:A:212:PHE:CD1	1:A:285:MET:HE1	2.46	0.51
2:B:186:ASN:O	2:B:189:LYS:HE3	2.12	0.50
2:B:303:SER:HA	6:B:779:HOH:O	2.11	0.50
1:A:403:LEU:HD12	1:A:403:LEU:N	2.27	0.50
2:D:236:GLY:O	2:D:260:LEU:HA	2.12	0.50
2:B:307:ASP:O	2:B:311:LYS:HG3	2.12	0.50
2:D:374:LEU:HD12	2:D:374:LEU:N	2.26	0.50
2:D:216:ILE:HG22	2:D:220:ASN:HD21	1.77	0.50
1:A:204:SER:OG	1:A:245:MET:HE3	2.12	0.49
2:B:347:LEU:HD22	2:B:368:PHE:HB2	1.94	0.49
2:D:184:HIS:HA	2:D:225:GLU:HG3	1.94	0.49
1:C:84:CYS:SG	1:C:86:TYR:HB2	2.53	0.49
1:C:202:ALA:HB1	1:C:332:GLU:O	2.11	0.49
2:D:345:PRO:CB	2:D:371:MET:HE1	2.42	0.49
2:B:238:LEU:HD12	2:B:238:LEU:C	2.37	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:8:ARG:HH12	1:A:216:THR:HG21	1.78	0.49
2:D:89:GLU:HB2	6:D:442:HOH:O	2.13	0.49
1:A:48:ASP:OD1	1:A:179:LYS:NZ	2.45	0.49
1:A:278:LEU:CD2	1:A:390:ILE:HG12	2.43	0.49
2:B:34:PHE:HB2	2:B:94:ILE:O	2.13	0.48
2:B:233:LEU:HA	2:B:257:ALA:O	2.13	0.48
1:C:34:TRP:CD1	1:C:107:PRO:HB3	2.48	0.48
2:D:74:ILE:HB	2:D:322:MET:HE3	1.95	0.48
2:B:31:ILE:HB	2:B:43:ILE:HD13	1.96	0.48
2:B:134:LYS:HG2	6:B:694:HOH:O	2.12	0.48
1:A:53:TYR:CE2	1:A:223[A]:CYS:HA	2.48	0.48
1:A:152:ARG:HG3	1:A:152:ARG:HH11	1.78	0.48
1:A:293:ALA:HB2	1:A:314:PHE:CE2	2.47	0.48
1:A:349:MET:HE2	6:A:1011:HOH:O	2.13	0.48
1:C:53:TYR:CE2	1:C:223[A]:CYS:HA	2.48	0.48
2:D:370:GLU:O	2:D:374:LEU:HD13	2.14	0.48
2:B:99:CYS:O	2:B:103:ILE:HG13	2.13	0.48
1:C:352:ILE:C	1:C:352:ILE:HD12	2.39	0.48
2:B:236:GLY:O	2:B:260:LEU:HA	2.13	0.48
1:A:57:GLN:HE22	1:A:61:VAL:HG21	1.79	0.48
2:D:208:HIS:O	2:D:212:VAL:HG23	2.14	0.48
1:C:56:ASN:CG	4:C:410:IRC:HEPB	2.39	0.47
2:D:237:ILE:CD1	2:D:322:MET:HB3	2.44	0.47
2:D:243:ASP:O	2:D:247:ILE:HG13	2.13	0.47
2:B:187:THR:N	2:B:225:GLU:OE2	2.47	0.47
1:C:299:GLU:HB2	1:C:302:ASP:HB3	1.96	0.47
1:A:241:LEU:O	1:A:245:MET:HG3	2.14	0.47
2:B:189:LYS:HE2	2:B:189:LYS:CA	2.42	0.47
2:B:100:ASP:HB2	6:B:666:HOH:O	2.14	0.47
2:B:374:LEU:C	2:B:374:LEU:HD13	2.40	0.47
1:C:34:TRP:CZ2	1:C:107:PRO:HD3	2.48	0.47
1:C:152:ARG:O	1:C:156:ILE:HG13	2.14	0.47
2:D:72:CYS:SG	2:D:75:MET:HB2	2.54	0.47
1:A:181:GLU:HG2	1:A:185:LYS:HE3	1.96	0.47
1:A:178:LYS:HB3	1:A:178:LYS:NZ	2.29	0.46
1:A:142:PHE:HA	1:A:316:ASN:OD1	2.15	0.46
1:A:294:TRP:CZ2	4:A:410:IRC:HI6	2.50	0.46
1:C:179:LYS:O	1:C:183:VAL:HG23	2.15	0.46
1:C:184:MET:CE	1:C:301:ASN:HA	2.44	0.46
1:C:299:GLU:HB2	1:C:302:ASP:CB	2.45	0.46
1:C:244:ASN:HB3	1:C:249:LYS:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:TRP:CZ2	1:A:107:PRO:HD3	2.50	0.46
1:A:225:ARG:HH11	1:A:225:ARG:HB2	1.80	0.46
2:D:11:VAL:HG23	2:D:12:VAL:N	2.29	0.46
1:C:198:MET:HE1	1:C:209:MET:HE1	1.97	0.46
2:D:307:ASP:O	2:D:311:LYS:HG3	2.15	0.46
2:B:334:LEU:HD13	6:B:454:HOH:O	2.15	0.46
1:A:262:MET:HA	1:A:339:PHE:O	2.16	0.46
2:B:95:ILE:HD13	2:B:105:LEU:CD2	2.45	0.46
1:C:4:LYS:HE3	6:C:1177:HOH:O	2.14	0.45
2:D:233:LEU:HB2	2:D:314:ILE:HD13	1.98	0.45
2:D:244:ILE:HG23	2:D:245:LEU:N	2.30	0.45
2:B:373:SER:O	2:B:374:LEU:HB2	2.16	0.45
1:C:198:MET:HE2	1:C:214:LEU:CB	2.46	0.45
1:A:77:LYS:HD2	1:A:95:GLU:CG	2.45	0.45
1:A:209:MET:HE1	1:A:214:LEU:N	2.32	0.45
1:A:236:LEU:O	1:A:240:GLU:HG3	2.16	0.45
1:A:6:GLU:HB3	6:A:490:HOH:O	2.15	0.45
1:C:11:ILE:HG23	1:C:220:VAL:CG2	2.46	0.45
1:C:56:ASN:ND2	4:C:410:IRC:HEPB	2.32	0.45
1:C:267:CYS:H	1:C:274:LYS:HZ3	1.64	0.45
2:B:267:PHE:HB3	6:B:675:HOH:O	2.16	0.45
1:A:189:GLU:HA	1:A:189:GLU:OE1	2.17	0.45
1:C:359:ARG:NH2	2:D:111:SER:OG	2.49	0.45
2:B:336:ARG:O	2:B:340:GLU:HG3	2.17	0.45
2:B:14:ASN:N	2:B:15:PRO:HD3	2.33	0.44
2:B:15:PRO:O	2:B:19:VAL:HG23	2.17	0.44
2:D:43:ILE:HB	2:D:50:PRO:HG3	1.99	0.44
2:B:146:GLU:O	2:B:150:ILE:HG13	2.17	0.44
1:A:220:VAL:CG2	1:A:221:ILE:N	2.80	0.44
2:B:186:ASN:ND2	2:B:226:VAL:O	2.48	0.44
1:A:83:LEU:HD22	2:B:330:TYR:CE1	2.52	0.44
1:A:312:THR:O	1:A:313:MET:C	2.61	0.44
1:C:47:PHE:CB	1:C:49:LEU:HD23	2.48	0.44
2:D:360:GLN:O	2:D:364:ARG:HG3	2.18	0.44
2:B:148:GLU:HG2	2:B:155:ILE:HG13	2.00	0.43
2:B:241:SER:O	2:B:244:ILE:HG22	2.18	0.43
1:C:201:PRO:HG2	1:C:209:MET:HE2	2.00	0.43
1:C:46:VAL:HG22	6:C:463:HOH:O	2.18	0.43
1:C:293:ALA:HB2	1:C:314:PHE:CE2	2.52	0.43
1:C:359:ARG:O	1:C:363:GLU:HG3	2.18	0.43
2:D:96:PRO:HA	2:D:121:LEU:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:125:GLN:HG2	6:D:509:HOH:O	2.18	0.43
1:A:7:ALA:HA	1:A:236:LEU:HD23	1.99	0.43
2:B:276:ASP:HB3	2:B:279:GLU:HB3	2.00	0.43
1:C:155:TYR:O	1:C:159:GLN:HG3	2.18	0.43
1:C:264:GLY:HA2	6:C:474:HOH:O	2.17	0.43
1:C:47:PHE:CB	1:C:49:LEU:CD2	2.97	0.43
1:C:215:PHE:CD2	1:C:266:PRO:HG2	2.53	0.43
1:C:293:ALA:HB2	1:C:314:PHE:HE2	1.83	0.43
1:C:351:LEU:CD2	2:D:68:PRO:HD2	2.48	0.43
1:A:243:ASP:O	1:A:247:THR:HG23	2.18	0.43
2:B:106:GLY:HA3	6:B:419:HOH:O	2.18	0.43
1:A:211:GLY:HA3	1:A:285:MET:HE3	2.00	0.43
2:D:362:ARG:HH11	2:D:366:GLN:CD	2.26	0.43
1:C:236:LEU:O	1:C:240:GLU:HG3	2.19	0.43
2:D:66:TYR:HB2	2:D:79:LEU:HD21	2.00	0.43
2:B:299:LYS:HD3	2:B:334:LEU:HD23	2.01	0.43
1:C:8:ARG:HH22	1:C:251:SER:HB3	1.82	0.43
1:A:260:ILE:O	1:A:285:MET:HA	2.19	0.42
1:A:295:ALA:O	1:A:296:LEU:C	2.62	0.42
1:C:47:PHE:HB3	1:C:49:LEU:CD2	2.49	0.42
2:D:244:ILE:CG2	2:D:245:LEU:N	2.82	0.42
1:A:194:TRP:CH2	1:A:218:MET:HA	2.54	0.42
2:D:259:ASP:O	2:D:259:ASP:CG	2.61	0.42
2:B:36:VAL:HG12	2:B:37:TYR:CE2	2.54	0.42
2:B:347:LEU:HD22	2:B:368:PHE:CB	2.49	0.42
2:D:10:GLU:HB3	6:D:773:HOH:O	2.18	0.42
2:D:46:ALA:HB2	2:D:155:ILE:CD1	2.49	0.42
2:D:357:ASN:OD1	2:D:359:GLU:HG2	2.19	0.42
1:A:229:GLU:H	1:A:229:GLU:CD	2.28	0.42
1:C:38:VAL:O	1:C:38:VAL:HG12	2.20	0.42
1:C:253:ARG:NH1	1:C:253:ARG:HG2	2.35	0.42
1:A:65:LYS:HE2	6:A:617:HOH:O	2.19	0.42
1:A:336:ASP:O	1:A:367:PRO:HD2	2.20	0.42
2:B:300:LYS:HA	6:B:548:HOH:O	2.20	0.42
1:C:182:GLU:O	1:C:186:ILE:HG13	2.20	0.42
2:D:126:ASN:HB3	2:D:129:LEU:HD12	2.02	0.42
2:D:154:GLU:HG2	2:D:155:ILE:N	2.34	0.42
1:A:57:GLN:NE2	1:A:61:VAL:CG2	2.83	0.42
1:A:194:TRP:HE3	1:A:234:PHE:CZ	2.37	0.42
1:A:258:TYR:OH	1:A:398:GLU:HB2	2.19	0.42
2:D:212:VAL:O	2:D:216:ILE:HG13	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ASP:O	1:A:17:GLU:HB2	2.20	0.42
2:B:259:ASP:O	2:B:259:ASP:CG	2.63	0.42
1:C:278:LEU:CD2	1:C:390:ILE:HG12	2.50	0.42
1:C:289:VAL:HG22	6:C:422:HOH:O	2.19	0.42
1:C:290:TYR:N	1:C:291:PRO:CD	2.83	0.42
2:B:360:GLN:O	2:B:364:ARG:HG3	2.20	0.42
1:C:223[B]:CYS:HB3	6:C:604:HOH:O	2.19	0.42
1:A:181:GLU:O	1:A:185:LYS:HG3	2.19	0.41
2:D:189:LYS:HB2	2:D:192:ILE:HG12	2.02	0.41
1:A:272:GLY:HA2	1:A:275:MET:HE3	2.01	0.41
2:B:35:PRO:HG2	2:B:75:MET:CE	2.50	0.41
1:A:204:SER:OG	1:A:245:MET:HG2	2.21	0.41
2:B:373:SER:HB2	6:B:1193:HOH:O	2.20	0.41
2:D:83:LEU:CD2	2:D:112:ALA:HB1	2.42	0.41
1:A:35:SER:HB2	1:A:111:LEU:HB2	2.02	0.41
2:B:66:TYR:CZ	2:B:112:ALA:HB2	2.55	0.41
1:C:401:LYS:HE2	6:C:1344:HOH:O	2.19	0.41
2:D:374:LEU:N	2:D:374:LEU:CD1	2.84	0.41
1:A:11:ILE:HG23	1:A:220:VAL:CG1	2.51	0.41
1:A:289:VAL:HG12	1:A:314:PHE:CE2	2.55	0.41
1:A:293:ALA:HB3	1:A:294:TRP:CE3	2.56	0.41
1:C:152:ARG:HG3	1:C:152:ARG:HH11	1.85	0.41
1:A:352:ILE:C	1:A:352:ILE:HD12	2.45	0.41
2:D:1:MET:O	2:D:2:GLU:C	2.63	0.41
2:D:119:ILE:HG12	2:D:146:GLU:HG2	2.03	0.41
1:C:86:TYR:CZ	1:C:375:GLN:HG3	2.56	0.41
1:C:295:ALA:O	1:C:296:LEU:C	2.63	0.41
2:D:188:ILE:HD11	2:D:219:LEU:HD11	2.02	0.41
2:B:263:GLU:HA	6:B:549:HOH:O	2.21	0.41
1:C:218:MET:O	1:C:221:ILE:HG22	2.20	0.41
1:C:234:PHE:O	1:C:238:ILE:HG13	2.20	0.41
1:C:255:GLU:HA	6:C:1198:HOH:O	2.20	0.41
2:D:326:ASP:OD1	2:D:327:PRO:HD3	2.20	0.41
2:D:374:LEU:CD1	2:D:374:LEU:H	2.34	0.41
1:A:48:ASP:CG	1:A:179:LYS:NZ	2.79	0.41
2:B:29:LYS:O	2:B:48:MET:HB3	2.20	0.40
1:A:267:CYS:H	1:A:274:LYS:NZ	2.18	0.40
1:A:391:GLN:O	1:A:395:GLU:HG3	2.21	0.40
1:C:34:TRP:CG	1:C:107:PRO:HB3	2.56	0.40
1:C:239:GLU:O	1:C:243:ASP:HB2	2.21	0.40
2:D:1:MET:HB2	2:D:2:GLU:H	1.65	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:ILE:O	1:C:242:GLU:HG3	2.22	0.40
1:C:265:ILE:HD11	4:C:410:IRC:OI2	2.21	0.40
2:D:105:LEU:HD13	2:D:105:LEU:C	2.46	0.40
1:C:56:ASN:HD22	4:C:410:IRC:H6PA	1.86	0.40
1:C:299:GLU:O	1:C:302:ASP:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/408 (98%)	378 (95%)	18 (4%)	2 (0%)	24	31
1	C	401/408 (98%)	386 (96%)	15 (4%)	0	100	100
2	B	372/385 (97%)	355 (95%)	16 (4%)	1 (0%)	36	46
2	D	372/385 (97%)	360 (97%)	12 (3%)	0	100	100
All	All	1543/1586 (97%)	1479 (96%)	61 (4%)	3 (0%)	43	55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	204	SER
2	B	36	VAL
1	A	296	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/348 (98%)	336 (98%)	5 (2%)	57	75
1	C	344/348 (99%)	341 (99%)	3 (1%)	70	84
2	B	327/336 (97%)	327 (100%)	0	100	100
2	D	327/336 (97%)	326 (100%)	1 (0%)	86	93
All	All	1339/1368 (98%)	1330 (99%)	9 (1%)	76	87

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LEU
1	A	64	LYS
1	A	135	LEU
1	A	220	VAL
1	A	345	SER
1	C	24	LYS
1	C	42	GLU
1	C	301	ASN
2	D	1	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	56	ASN
1	A	150	GLN
1	A	385	GLN
2	B	16	ASN
2	B	57	GLN
2	B	76	GLN
2	B	108	ASN
2	B	356	GLN
2	B	366	GLN
1	C	21	ASN
1	C	90	ASN
1	C	118	ASN
1	C	150	GLN
1	C	166	GLN
1	C	244	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	301	ASN
1	C	353	GLN
1	C	357	GLN
2	D	16	ASN
2	D	57	GLN
2	D	65	GLN
2	D	108	ASN
2	D	220	ASN
2	D	252	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are modelled with single atom - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SF4	D	386	2,5	0,12,12	-	-	-		
4	IRC	C	410	3	55,58,58	2.53	14 (25%)	78,86,86	4.89	23 (29%)
3	SF4	B	386	2,5	0,12,12	-	-	-		
3	SF4	A	409	4,1	0,12,12	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	IRC	A	410	3	55,58,58	2.55	15 (27%)	78,86,86	4.21	23 (29%)
3	SF4	C	409	4,1	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	D	386	2,5	-	-	0/6/5/5
4	IRC	C	410	3	-	16/57/75/75	0/3/3/3
3	SF4	B	386	2,5	-	-	0/6/5/5
3	SF4	A	409	4,1	-	-	0/6/5/5
4	IRC	A	410	3	-	19/57/75/75	0/3/3/3
3	SF4	C	409	4,1	-	-	0/6/5/5

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	410	IRC	P3B-O3B	9.88	1.76	1.59
4	C	410	IRC	P1A-O3A	9.52	1.69	1.59
4	A	410	IRC	P1A-O3A	8.48	1.68	1.59
4	C	410	IRC	P3B-O3B	8.01	1.73	1.59
4	A	410	IRC	C5A-C4A	6.26	1.50	1.39
4	C	410	IRC	C5A-C4A	5.94	1.49	1.39
4	C	410	IRC	C4A-N3A	4.30	1.42	1.34
4	C	410	IRC	P2A-O3A	4.06	1.63	1.59
4	A	410	IRC	C4A-N3A	3.94	1.41	1.34
4	C	410	IRC	OI1-CI1	3.73	1.26	1.20
4	A	410	IRC	C2A-N1A	3.42	1.40	1.33
4	C	410	IRC	C2A-N1A	3.35	1.39	1.33
4	A	410	IRC	C8A-N9A	3.29	1.43	1.37
4	C	410	IRC	CCP-CBP	3.26	1.57	1.52
4	C	410	IRC	C9P-N8P	3.24	1.41	1.33
4	A	410	IRC	P2A-O3A	3.22	1.63	1.59
4	C	410	IRC	C8A-N9A	3.10	1.42	1.37
4	C	410	IRC	P2A-O6A	3.09	1.71	1.59
4	A	410	IRC	P2A-O6A	3.00	1.71	1.59
4	A	410	IRC	C9P-N8P	2.98	1.40	1.33
4	A	410	IRC	C6A-N6A	2.79	1.41	1.34
4	A	410	IRC	CCP-CBP	2.76	1.57	1.52
4	A	410	IRC	C2B-C3B	2.72	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	410	IRC	OI1-CI1	2.59	1.24	1.20
4	C	410	IRC	C6A-N6A	2.54	1.40	1.34
4	C	410	IRC	C8A-N7A	2.32	1.36	1.31
4	A	410	IRC	C8A-N7A	2.26	1.36	1.31
4	C	410	IRC	C6A-N1A	2.16	1.41	1.35
4	A	410	IRC	C2A-N3A	2.10	1.37	1.33

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	410	IRC	C7P-C6P-C5P	31.14	164.27	112.39
4	A	410	IRC	C7P-C6P-C5P	23.56	151.65	112.39
4	C	410	IRC	C3P-N4P-C5P	17.59	155.57	122.82
4	A	410	IRC	O5P-C5P-C6P	-15.98	93.06	122.02
4	C	410	IRC	O5P-C5P-C6P	-11.81	100.62	122.02
4	A	410	IRC	O3B-P3B-O9A	-10.46	72.06	109.33
4	C	410	IRC	O3B-P3B-O9A	-10.37	72.37	109.33
4	A	410	IRC	O5P-C5P-N4P	7.68	138.09	123.03
4	A	410	IRC	C3P-N4P-C5P	7.19	136.22	122.82
4	A	410	IRC	C6P-C5P-N4P	6.86	128.85	116.34
4	C	410	IRC	O6A-CCP-CBP	6.22	120.55	110.55
4	C	410	IRC	O5P-C5P-N4P	6.14	135.08	123.03
4	A	410	IRC	C2P-S1P-CI1	6.05	119.08	101.73
4	A	410	IRC	O6A-CCP-CBP	5.99	120.18	110.55
4	C	410	IRC	O7A-P3B-O9A	-5.96	87.63	110.83
4	A	410	IRC	O7A-P3B-O9A	-5.85	88.02	110.83
4	A	410	IRC	O8A-P3B-O9A	-5.25	90.39	110.83
4	C	410	IRC	O8A-P3B-O9A	-5.12	90.90	110.83
4	A	410	IRC	C2P-C3P-N4P	-4.58	102.85	112.41
4	C	410	IRC	C6P-C5P-N4P	4.37	124.30	116.34
4	C	410	IRC	OAP-CAP-CBP	4.27	120.08	110.18
4	C	410	IRC	C2P-S1P-CI1	4.00	113.20	101.73
4	C	410	IRC	O8A-P3B-O7A	3.93	122.53	107.80
4	A	410	IRC	O8A-P3B-O7A	3.80	122.07	107.80
4	A	410	IRC	O7A-P3B-O3B	3.67	120.14	105.85
4	C	410	IRC	O7A-P3B-O3B	3.66	120.09	105.85
4	C	410	IRC	CEP-CBP-CAP	3.19	114.20	108.77
4	A	410	IRC	OAP-CAP-CBP	3.09	117.33	110.18
4	A	410	IRC	N3A-C4A-N9A	3.06	132.38	127.17
4	A	410	IRC	C5A-C4A-N3A	-3.04	122.53	126.72
4	C	410	IRC	N3A-C4A-N9A	2.94	132.17	127.17
4	C	410	IRC	C5A-C4A-N3A	-2.91	122.71	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	410	IRC	O4A-P2A-O3A	2.87	115.02	107.27
4	A	410	IRC	CI3-CI2-CI1	2.66	119.14	109.33
4	C	410	IRC	OI1-CI1-S1P	-2.53	120.40	123.80
4	A	410	IRC	O4A-P2A-O3A	2.48	113.98	107.27
4	A	410	IRC	CDP-CBP-CCP	2.39	112.18	108.22
4	C	410	IRC	OAP-CAP-C9P	-2.37	99.49	109.38
4	C	410	IRC	C3B-C2B-C1B	2.23	104.79	99.89
4	A	410	IRC	CI6-CI4-CI3	-2.19	103.21	111.08
4	C	410	IRC	C7P-N8P-C9P	2.17	126.45	122.55
4	A	410	IRC	C3B-C2B-C1B	2.15	104.61	99.89
4	A	410	IRC	O8A-P3B-O3B	2.12	114.12	105.85
4	C	410	IRC	P3B-O3B-C3B	-2.12	117.78	123.43
4	C	410	IRC	O8A-P3B-O3B	2.06	113.87	105.85
4	A	410	IRC	O2A-P1A-O3A	2.04	112.77	107.27

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	410	IRC	C3P-C2P-S1P-CI1
4	A	410	IRC	S1P-C2P-C3P-N4P
4	A	410	IRC	C5P-C6P-C7P-N8P
4	A	410	IRC	O9P-C9P-N8P-C7P
4	A	410	IRC	CAP-C9P-N8P-C7P
4	A	410	IRC	OI1-CI1-CI2-OI2
4	C	410	IRC	C3P-C2P-S1P-CI1
4	C	410	IRC	S1P-C2P-C3P-N4P
4	C	410	IRC	OI1-CI1-CI2-OI2
4	A	410	IRC	C4B-C3B-O3B-P3B
4	A	410	IRC	CI2-CI3-CI4-CI5
4	A	410	IRC	CI2-CI3-CI4-CI6
4	C	410	IRC	C3B-C4B-C5B-O5B
4	C	410	IRC	O9P-C9P-CAP-OAP
4	A	410	IRC	C4B-C5B-O5B-P1A
4	C	410	IRC	C4B-C5B-O5B-P1A
4	C	410	IRC	N8P-C9P-CAP-OAP
4	A	410	IRC	O5P-C5P-C6P-C7P
4	C	410	IRC	O5P-C5P-N4P-C3P
4	A	410	IRC	C2B-C3B-O3B-P3B
4	C	410	IRC	CI2-CI3-CI4-CI6
4	A	410	IRC	P2A-O3A-P1A-O2A
4	C	410	IRC	O4B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	410	IRC	CCP-O6A-P2A-O4A
4	C	410	IRC	C5B-O5B-P1A-O1A
4	C	410	IRC	C6P-C5P-N4P-C3P
4	C	410	IRC	CI2-CI3-CI4-CI5
4	A	410	IRC	N4P-C5P-C6P-C7P
4	A	410	IRC	C3B-O3B-P3B-O8A
4	C	410	IRC	C2P-C3P-N4P-C5P
4	C	410	IRC	C4B-C3B-O3B-P3B
4	A	410	IRC	CBP-CCP-O6A-P2A
4	C	410	IRC	CBP-CCP-O6A-P2A
4	A	410	IRC	C3B-O3B-P3B-O9A
4	A	410	IRC	N8P-C9P-CAP-OAP


There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	386	SF4	1	0
4	C	410	IRC	6	0
3	B	386	SF4	1	0
4	A	410	IRC	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	399/408 (97%)	-0.07	3 (0%) 82 83	12, 35, 59, 86	1 (0%)
1	C	401/408 (98%)	-0.17	0 100 100	8, 32, 53, 81	2 (0%)
2	B	374/385 (97%)	-0.03	7 (1%) 66 68	17, 34, 59, 90	0
2	D	374/385 (97%)	-0.18	2 (0%) 87 87	17, 31, 55, 88	0
All	All	1548/1586 (97%)	-0.11	12 (0%) 82 83	8, 33, 57, 90	3 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	374	LEU	2.8
2	B	357	ASN	2.7
2	B	36	VAL	2.7
1	A	403	LEU	2.7
2	B	356	GLN	2.6
2	B	35	PRO	2.6
2	B	358	ASN	2.5
2	B	1	MET	2.5
1	A	205	SER	2.4
2	D	1	MET	2.3
2	D	356	GLN	2.2
1	A	206	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IRC	A	410	56/56	0.69	0.23	37,93,105,105	56
4	IRC	C	410	56/56	0.71	0.22	36,90,99,100	56
3	SF4	C	409	8/8	0.94	0.06	23,29,32,36	0
3	SF4	A	409	8/8	0.95	0.06	27,30,34,34	0
3	SF4	B	386	8/8	0.97	0.05	20,25,27,28	0
3	SF4	D	386	8/8	0.97	0.04	17,23,25,27	0
5	H2S	B	387	1/1	0.97	0.07	28,28,28,28	0
5	H2S	D	387	1/1	0.97	0.05	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around IRC C 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.