



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:42 AM UTC

PDB ID : 6O3U / pdb_00006o3u
Title : Crystal structure of the Fab fragment of the human HIV-1 neutralizing antibody PGZL1.H4K3 in complex with 06:0 PA
Authors : Irimia, A.; Wilson, I.A.
Deposited on : 2019-02-27
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	215	 89% 8% .
1	C	215	 88% 10% ..
1	E	215	 86% 13% .
1	L	215	 82% 16% .
2	B	227	 81% 16% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	227	 88% 8% .
2	F	227	 85% 12% .
2	H	227	 85% 11% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13532 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PGZL1.H4K3 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	214	Total	C	N	O	S	0	1	0
			1633	1014	282	332	5			
1	A	214	Total	C	N	O	S	0	2	0
			1639	1017	283	334	5			
1	C	213	Total	C	N	O	S	0	2	0
			1625	1009	281	330	5			
1	E	214	Total	C	N	O	S	0	2	0
			1639	1017	283	334	5			

- Molecule 2 is a protein called PGZL1.H4K3 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	221	Total	C	N	O	S	0	4	0
			1685	1071	288	318	8			
2	B	221	Total	C	N	O	S	0	3	0
			1676	1065	286	317	8			
2	D	219	Total	C	N	O	S	0	3	0
			1664	1059	284	313	8			
2	F	222	Total	C	N	O	S	0	3	0
			1685	1071	288	318	8			

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	L	1	Total	C	O	0	0
			6	3	3		
3	L	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is (2R)-3-(phosphonoxy)propane-1,2-diyl dihexanoate (CCD ID: 44E) (formula: $C_{15}H_{29}O_8P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	H	1	Total	C	O	P	0	0
			14	5	8	1		
5	H	1	Total	C	O	P	0	0
			14	5	8	1		
5	B	1	Total	C	O	P	0	0
			14	5	8	1		
5	B	1	Total	C	O	P	0	0
			14	5	8	1		
5	D	1	Total	C	O	P	0	0
			14	5	8	1		
5	D	1	Total	C	O	P	0	0
			24	15	8	1		
5	F	1	Total	C	O	P	0	0
			14	5	8	1		
5	F	1	Total	C	O	P	0	0
			14	5	8	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	L	7	Total	O	0	0
			7	7		
6	H	6	Total	O	0	0
			6	6		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	4	Total 4	O 4	0	0
6	B	1	Total 1	O 1	0	0
6	C	5	Total 5	O 5	0	0
6	D	6	Total 6	O 6	0	0
6	E	3	Total 3	O 3	0	0
6	F	2	Total 2	O 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PGZL1.H4K3 light chain




- Molecule 1: PGZL1.H4K3 light chain




- Molecule 1: PGZL1.H4K3 light chain




- Molecule 1: PGZL1.H4K3 light chain





- Molecule 2: PGZL1.H4K3 heavy chain







- Molecule 2: PGZL1.H4K3 heavy chain



- Molecule 2: PGZL1.H4K3 heavy chain



- Molecule 2: PGZL1.H4K3 heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, α , β , γ	276.20Å 276.20Å 276.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.06 – 3.10 39.06 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.2 (39.06-3.10) 98.2 (39.06-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 3.12Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.186 , 0.228 0.187 , 0.231	Depositor DCC
R_{free} test set	3111 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	89.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 80.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.003 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13532	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, 44E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/1675	0.34	0/2271
1	C	0.10	0/1666	0.31	0/2259
1	E	0.10	0/1675	0.31	0/2271
1	L	0.10	0/1669	0.33	0/2263
2	B	0.11	0/1727	0.29	0/2351
2	D	0.10	0/1715	0.29	0/2335
2	F	0.10	0/1736	0.30	0/2362
2	H	0.10	0/1736	0.30	0/2362
All	All	0.10	0/13599	0.31	0/18474

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1639	0	1581	11	0
1	C	1625	0	1573	11	0
1	E	1639	0	1582	12	0
1	L	1633	0	1577	17	0
2	B	1676	0	1662	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1664	0	1652	11	0
2	F	1685	0	1675	13	0
2	H	1685	0	1674	15	0
3	A	18	0	23	0	0
3	C	6	0	8	1	0
3	D	6	0	8	0	0
3	E	6	0	8	0	0
3	F	6	0	8	0	0
3	H	6	0	8	0	0
3	L	12	0	15	1	0
4	A	5	0	0	1	0
4	B	20	0	0	4	0
4	D	15	0	0	0	0
4	F	15	0	0	0	0
4	H	15	0	0	0	0
5	B	28	0	14	1	0
5	D	38	0	36	1	0
5	F	28	0	14	1	0
5	H	28	0	14	0	0
6	A	4	0	0	0	0
6	B	1	0	0	0	0
6	C	5	0	0	0	0
6	D	6	0	0	0	0
6	E	3	0	0	0	0
6	F	2	0	0	0	0
6	H	6	0	0	1	0
6	L	7	0	0	0	0
All	All	13532	0	13132	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:6:GLN:HG2	2:D:92[A]:CYS:SG	2.34	0.68
1:L:53:GLY:HA2	1:E:29:SER:HB2	1.77	0.65
1:L:60:GLY:H	3:L:302:GOL:H2	1.63	0.64
1:A:12:ALA:O	1:A:107:ARG:NH1	2.32	0.63
2:H:100(D):LEU:O	2:H:100(F):ALA:N	2.31	0.63
1:L:90:GLN:NE2	1:L:95:GLN:OE1	2.30	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:90:GLN:HE21	1:L:97:THR:HG23	1.63	0.62
2:B:6:GLN:HG2	2:B:92[A]:CYS:SG	2.40	0.61
2:D:46:GLU:OE2	2:D:62:ARG:NH1	2.34	0.60
2:H:93:ALA:HB1	2:H:100(G):PHE:HB3	1.83	0.60
2:H:6:GLN:HG2	2:H:92[A]:CYS:SG	2.42	0.59
2:B:93:ALA:HB1	2:B:100(G):PHE:HB3	1.83	0.59
1:L:120:PRO:HD3	1:L:132:VAL:HG22	1.85	0.59
2:B:94:ARG:HH12	2:B:97:GLU:HG3	1.67	0.59
2:B:62:ARG:NE	4:B:304:SO4:O4	2.32	0.57
2:F:6:GLN:HG2	2:F:92[A]:CYS:SG	2.45	0.56
2:H:94:ARG:HH12	2:H:97:GLU:HG3	1.71	0.56
2:B:100(B):ARG:NH2	4:B:302:SO4:O4	2.39	0.55
2:D:99:TRP:H	2:D:100(B):ARG:HD3	1.71	0.55
2:H:119:PRO:HB3	2:H:147:TYR:HB3	1.87	0.55
1:C:60:GLY:H	3:C:301:GOL:H31	1.71	0.55
1:E:35:TRP:HB2	1:E:48:ILE:HB	1.89	0.55
2:B:100(D):LEU:O	2:B:100(F):ALA:N	2.37	0.54
1:E:37:GLN:HB2	1:E:47:LEU:HD11	1.89	0.54
1:C:145:LYS:HB3	1:C:197:THR:OG1	2.08	0.54
1:L:54:ARG:HH22	1:E:27(A):SER:HB2	1.73	0.54
2:B:94:ARG:NH1	2:B:97:GLU:HG3	2.22	0.54
2:B:207:ILE:HG12	2:B:222:LYS:HG3	1.88	0.54
1:L:153:ALA:O	1:L:155:GLN:NE2	2.41	0.53
2:H:176:ALA:HB2	2:H:187:LEU:HD23	1.90	0.53
1:C:105:GLU:OE1	1:C:173:TYR:OH	2.20	0.53
1:L:37:GLN:HB2	1:L:47:LEU:HD11	1.91	0.52
1:L:103:ARG:NH2	1:L:173:TYR:OH	2.38	0.52
2:D:30:SER:OG	5:D:305:44E:O12	2.27	0.52
1:L:85:VAL:HG22	1:L:103:ARG:HG3	1.91	0.52
1:A:37:GLN:HB2	1:A:47:LEU:HD11	1.92	0.51
1:A:83:PHE:CG	1:A:106:THR:HG22	2.46	0.51
2:B:46:GLU:OE2	2:B:62:ARG:NH1	2.42	0.51
1:C:120:PRO:HD3	1:C:132:VAL:HG22	1.91	0.51
2:B:145:LYS:NZ	2:B:179:GLN:OE1	2.44	0.51
1:C:32:ALA:HB1	1:C:91:TYR:CD2	2.46	0.51
2:F:40:ALA:HB3	2:F:43:GLN:HB2	1.92	0.51
2:D:119:PRO:HD2	2:D:217:THR:HG21	1.94	0.50
1:A:93:THR:OG1	1:A:94:SER:N	2.44	0.50
1:L:21:LEU:HD23	1:L:102:THR:HB	1.94	0.50
2:D:87:THR:HG23	2:D:110:THR:HA	1.93	0.50
1:C:21:LEU:HD23	1:C:102:THR:HB	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:93:ALA:HB1	2:F:100(G):PHE:HB3	1.94	0.49
2:D:94:ARG:NH1	2:D:97:GLU:HG3	2.28	0.49
2:F:205:THR:HG23	2:F:222:LYS:HE3	1.94	0.49
4:B:301:SO4:O3	2:D:13:LYS:NZ	2.45	0.49
2:D:94:ARG:HH12	2:D:97:GLU:HG3	1.78	0.49
1:E:120:PRO:HD3	1:E:132:VAL:HG22	1.95	0.48
1:C:83:PHE:CG	1:C:106:THR:HG22	2.48	0.48
2:D:93:ALA:HB1	2:D:100(G):PHE:HB3	1.95	0.48
1:E:93:THR:OG1	1:E:94:SER:N	2.46	0.48
2:H:208[A]:CYS:SG	2:H:221:LYS:HB3	2.54	0.48
2:B:52(A):PRO:O	2:B:73:ARG:NH1	2.45	0.48
1:E:32:ALA:HB1	1:E:91:TYR:CD2	2.49	0.48
2:H:94:ARG:NH1	2:H:97:GLU:HG3	2.28	0.48
2:F:119:PRO:HB3	2:F:147:TYR:HB3	1.96	0.48
2:B:119:PRO:HB3	2:B:147:TYR:HB3	1.95	0.47
1:L:66:GLY:HA3	1:L:71:PHE:HA	1.96	0.47
2:B:44:ARG:NE	4:B:303:SO4:O4	2.41	0.47
1:L:29:SER:O	1:L:31:GLY:N	2.48	0.47
1:A:92:GLY:O	1:A:94:SER:N	2.47	0.47
1:C:37:GLN:HB2	1:C:47:LEU:HD11	1.97	0.47
2:B:212:HIS:ND1	2:B:215:SER:OG	2.43	0.46
2:H:100:PHE:CE2	2:F:58:ASN:HB3	2.50	0.46
1:A:145:LYS:HB3	1:A:197:THR:OG1	2.15	0.46
1:E:21:LEU:HD23	1:E:102:THR:HB	1.97	0.46
1:C:113:PRO:HB3	1:C:139:PHE:HB3	1.98	0.46
2:B:119:PRO:HD2	2:B:217:THR:HG21	1.97	0.45
2:F:87:THR:HG23	2:F:110:THR:HA	1.98	0.45
2:H:64:ARG:NH1	6:H:401:HOH:O	2.36	0.45
2:B:40:ALA:HB3	2:B:43:GLN:HB2	1.98	0.45
1:E:6:GLN:HE22	1:E:87:TYR:HA	1.81	0.45
2:F:54:VAL:HG23	2:F:56:SER:HB2	1.99	0.45
2:H:36:TRP:HD1	2:H:69:ILE:HD13	1.82	0.44
1:A:178:THR:OG1	4:A:304:SO4:O2	2.33	0.44
1:L:50:GLY:O	1:L:52:SER:N	2.46	0.44
1:E:66:GLY:HA3	1:E:71:PHE:HA	1.98	0.44
1:L:35:TRP:HB2	1:L:48:ILE:HB	2.00	0.44
2:B:87:THR:HG23	2:B:110:THR:HA	2.00	0.44
1:A:95:GLN:HG2	2:B:60:ALA:HA	2.00	0.43
1:C:11:PHE:O	1:C:105:GLU:HG2	2.19	0.43
1:A:21:LEU:HD23	1:A:102:THR:HB	2.00	0.43
1:E:6:GLN:H	1:E:100:GLN:HE22	1.67	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:197:SER:HA	2:B:200:THR:HG23	2.00	0.43
1:A:11:PHE:HD1	1:A:11:PHE:HA	1.77	0.42
2:F:73:ARG:N	5:F:306:44E:O14	2.51	0.42
1:E:50:GLY:O	1:E:52:SER:N	2.46	0.42
1:L:11:PHE:HD1	1:L:11:PHE:HA	1.70	0.42
2:H:66:ARG:HD2	2:H:82(A):THR:O	2.19	0.42
2:F:97:GLU:HG2	2:F:100(A):GLY:HA2	2.01	0.42
1:A:197:THR:HG22	1:A:204:PRO:HB3	2.01	0.41
2:F:18:VAL:HB	2:F:82(C):LEU:HD11	2.02	0.41
1:C:35:TRP:CD2	1:C:73:LEU:HB2	2.56	0.41
2:B:212:HIS:CD2	2:B:214:PRO:HD2	2.55	0.41
2:H:157:TRP:CH2	2:H:208[A]:CYS:HB3	2.55	0.41
2:F:93:ALA:HA	2:F:102:PHE:O	2.21	0.41
2:F:12:LYS:O	2:F:111:VAL:HA	2.20	0.41
2:H:157:TRP:CH2	2:H:208[B]:CYS:HB2	2.55	0.41
2:B:36:TRP:HD1	2:B:69:ILE:HD13	1.86	0.41
2:B:39:GLN:HB2	2:B:45:LEU:HD23	2.02	0.41
2:D:212:HIS:ND1	2:D:215:SER:OG	2.38	0.41
1:L:47:LEU:HA	1:L:58:VAL:HG21	2.03	0.40
2:B:29:PHE:H	5:B:306:44E:H2	1.70	0.40
2:H:40:ALA:HB3	2:H:43:GLN:HB2	2.03	0.40
2:B:12:LYS:O	2:B:111:VAL:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/215 (100%)	203 (95%)	9 (4%)	2 (1%)	14	44
1	C	213/215 (99%)	201 (94%)	12 (6%)	0	100	100
1	E	214/215 (100%)	206 (96%)	6 (3%)	2 (1%)	14	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	213/215 (99%)	202 (95%)	8 (4%)	3 (1%)	9	34
2	B	220/227 (97%)	210 (96%)	10 (4%)	0	100	100
2	D	218/227 (96%)	208 (95%)	9 (4%)	1 (0%)	24	57
2	F	221/227 (97%)	214 (97%)	7 (3%)	0	100	100
2	H	221/227 (97%)	215 (97%)	5 (2%)	1 (0%)	24	57
All	All	1734/1768 (98%)	1659 (96%)	66 (4%)	9 (0%)	24	57

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	30	GLY
2	D	99	TRP
1	A	93	THR
1	E	93	THR
1	L	138	ASN
2	H	100(E)	ARG
1	E	68	GLU
1	L	92	GLY
1	A	92	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/181 (101%)	173 (95%)	9 (5%)	22	53
1	C	181/181 (100%)	175 (97%)	6 (3%)	33	63
1	E	182/181 (101%)	174 (96%)	8 (4%)	25	56
1	L	181/181 (100%)	171 (94%)	10 (6%)	19	50
2	B	188/190 (99%)	187 (100%)	1 (0%)	81	85
2	D	186/190 (98%)	184 (99%)	2 (1%)	65	78
2	F	189/190 (100%)	184 (97%)	5 (3%)	40	68

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	H	189/190 (100%)	185 (98%)	4 (2%)	47	71
All	All	1478/1484 (100%)	1433 (97%)	45 (3%)	35	65

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	11	PHE
1	L	14	SER
1	L	33	LEU
1	L	56	THR
1	L	93	THR
1	L	95	GLN
1	L	97	THR
1	L	104	LEU
1	L	106	THR
1	L	197	THR
2	H	62	ARG
2	H	64	ARG
2	H	78	VAL
2	H	200	THR
1	A	11	PHE
1	A	14	SER
1	A	33	LEU
1	A	56	THR
1	A	94	SER
1	A	104	LEU
1	A	106	THR
1	A	129	THR
1	A	152	ASN
2	B	200	THR
1	C	11	PHE
1	C	14	SER
1	C	33	LEU
1	C	91	TYR
1	C	129	THR
1	C	152	ASN
2	D	200	THR
2	D	226	GLU
1	E	11	PHE
1	E	18	ARG
1	E	33	LEU
1	E	56	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	91	TYR
1	E	104	LEU
1	E	129	THR
1	E	197	THR
2	F	15	TRP
2	F	113	THR
2	F	140	LEU
2	F	192	THR
2	F	200	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	37	GLN
1	L	90	GLN
1	L	124	GLN
1	L	152	ASN
2	H	211	ASN
1	A	27	GLN
1	A	37	GLN
1	A	210	ASN
1	C	27	GLN
1	E	37	GLN
1	E	210	ASN
2	F	172	HIS
2	F	211	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	44E	H	306	-	13,13,23	1.87	2 (15%)	12,16,28	1.36	1 (8%)
4	SO4	D	303	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	H	303	-	4,4,4	0.23	0	6,6,6	0.07	0
5	44E	B	306	-	13,13,23	1.86	2 (15%)	12,16,28	1.43	1 (8%)
5	44E	F	306	-	13,13,23	1.93	2 (15%)	12,16,28	1.26	1 (8%)
4	SO4	F	304	-	4,4,4	0.23	0	6,6,6	0.09	0
3	GOL	D	301	-	5,5,5	0.94	0	5,5,5	1.08	0
5	44E	D	305	-	13,13,23	1.84	2 (15%)	12,16,28	1.40	1 (8%)
5	44E	D	306	-	23,23,23	1.20	4 (17%)	26,28,28	1.25	2 (7%)
3	GOL	F	301	-	5,5,5	0.94	0	5,5,5	1.09	0
3	GOL	C	301	-	5,5,5	0.99	0	5,5,5	1.05	0
3	GOL	L	301	-	5,5,5	0.92	0	5,5,5	1.06	0
4	SO4	F	302	-	4,4,4	0.24	0	6,6,6	0.08	0
3	GOL	A	302	-	5,5,5	0.90	0	5,5,5	1.07	0
3	GOL	E	301	-	5,5,5	0.94	0	5,5,5	1.08	0
3	GOL	H	301	-	5,5,5	0.96	0	5,5,5	1.05	0
4	SO4	H	304	-	4,4,4	0.25	0	6,6,6	0.08	0
4	SO4	H	302	-	4,4,4	0.23	0	6,6,6	0.07	0
5	44E	F	305	-	13,13,23	1.88	2 (15%)	12,16,28	1.45	1 (8%)
4	SO4	B	304	-	4,4,4	0.24	0	6,6,6	0.07	0
3	GOL	L	302	-	5,5,5	0.88	0	5,5,5	1.18	1 (20%)
4	SO4	A	304	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	B	302	-	4,4,4	0.23	0	6,6,6	0.08	0
5	44E	B	305	-	13,13,23	1.87	2 (15%)	12,16,28	1.43	1 (8%)
3	GOL	A	301	-	5,5,5	0.95	0	5,5,5	1.06	0
5	44E	H	305	-	13,13,23	1.86	2 (15%)	12,16,28	1.43	1 (8%)
4	SO4	B	301	-	4,4,4	0.23	0	6,6,6	0.08	0
4	SO4	B	303	-	4,4,4	0.25	0	6,6,6	0.05	0
4	SO4	D	302	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	F	303	-	4,4,4	0.23	0	6,6,6	0.07	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	D	304	-	4,4,4	0.24	0	6,6,6	0.12	0
3	GOL	A	303	-	5,5,5	0.92	0	5,5,5	1.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	44E	H	306	-	-	7/13/13/25	-
3	GOL	L	302	-	-	0/4/4/4	-
3	GOL	F	301	-	-	2/4/4/4	-
3	GOL	C	301	-	-	2/4/4/4	-
5	44E	B	305	-	-	8/13/13/25	-
3	GOL	L	301	-	-	2/4/4/4	-
5	44E	D	306	-	-	10/25/25/25	-
3	GOL	A	301	-	-	4/4/4/4	-
3	GOL	A	303	-	-	0/4/4/4	-
5	44E	H	305	-	-	6/13/13/25	-
5	44E	B	306	-	-	9/13/13/25	-
5	44E	F	306	-	-	4/13/13/25	-
5	44E	F	305	-	-	8/13/13/25	-
3	GOL	A	302	-	-	4/4/4/4	-
3	GOL	D	301	-	-	0/4/4/4	-
3	GOL	E	301	-	-	0/4/4/4	-
5	44E	D	305	-	-	7/13/13/25	-
3	GOL	H	301	-	-	4/4/4/4	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	306	44E	O21-C2	-5.23	1.39	1.46
5	F	305	44E	O21-C2	-4.82	1.40	1.46
5	B	305	44E	O21-C2	-4.79	1.40	1.46
5	H	306	44E	O21-C2	-4.71	1.40	1.46
5	H	305	44E	O21-C2	-4.66	1.40	1.46
5	B	306	44E	O21-C2	-4.61	1.40	1.46
5	D	305	44E	O21-C2	-4.60	1.40	1.46
5	B	306	44E	O21-C21	3.34	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	306	44E	O21-C21	3.34	1.40	1.33
5	H	305	44E	O21-C21	3.26	1.40	1.33
5	D	305	44E	O21-C21	3.25	1.40	1.33
5	F	305	44E	O21-C21	3.21	1.40	1.33
5	B	305	44E	O21-C21	3.17	1.40	1.33
5	F	306	44E	O21-C21	3.04	1.39	1.33
5	D	306	44E	O21-C2	-2.58	1.40	1.46
5	D	306	44E	O31-C31	2.37	1.40	1.33
5	D	306	44E	O31-C3	-2.19	1.40	1.45
5	D	306	44E	O21-C21	2.12	1.40	1.34

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	305	44E	O21-C21-O22	-4.49	119.94	125.70
5	H	305	44E	O21-C21-O22	-4.38	120.08	125.70
5	B	305	44E	O21-C21-O22	-4.37	120.09	125.70
5	B	306	44E	O21-C21-O22	-4.28	120.21	125.70
5	D	305	44E	O21-C21-O22	-4.23	120.27	125.70
5	H	306	44E	O21-C21-O22	-3.94	120.64	125.70
5	F	306	44E	O21-C21-O22	-3.92	120.67	125.70
5	D	306	44E	O21-C21-C22	3.66	119.40	111.48
5	D	306	44E	O31-C31-C32	2.60	119.77	111.83
3	L	302	GOL	C3-C2-C1	-2.13	103.99	111.80

There are no chirality outliers.

All (77) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	301	GOL	O1-C1-C2-C3
3	H	301	GOL	C1-C2-C3-O3
3	A	301	GOL	O1-C1-C2-C3
3	A	301	GOL	C1-C2-C3-O3
3	C	301	GOL	O1-C1-C2-C3
5	H	305	44E	C1-O11-P-O13
5	H	305	44E	C1-O11-P-O14
5	H	305	44E	C1-O11-P-O12
5	H	305	44E	C1-C2-O21-C21
5	H	305	44E	O22-C21-O21-C2
5	H	306	44E	O11-C1-C2-O21
5	H	306	44E	O22-C21-O21-C2
5	H	306	44E	O32-C31-O31-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	305	44E	C1-O11-P-O13
5	B	305	44E	C1-O11-P-O14
5	B	305	44E	O22-C21-O21-C2
5	B	305	44E	O32-C31-O31-C3
5	B	306	44E	C1-O11-P-O13
5	B	306	44E	C1-O11-P-O12
5	B	306	44E	O22-C21-O21-C2
5	B	306	44E	O32-C31-O31-C3
5	D	305	44E	C1-O11-P-O13
5	D	305	44E	C1-O11-P-O14
5	D	305	44E	C1-O11-P-O12
5	D	305	44E	O22-C21-O21-C2
5	D	305	44E	O32-C31-O31-C3
5	D	306	44E	C1-O11-P-O13
5	D	306	44E	C1-O11-P-O14
5	D	306	44E	C1-O11-P-O12
5	F	305	44E	C1-O11-P-O13
5	F	305	44E	C1-O11-P-O14
5	F	305	44E	C1-O11-P-O12
5	F	305	44E	O22-C21-O21-C2
5	F	306	44E	O22-C21-O21-C2
5	D	306	44E	O32-C31-O31-C3
5	D	306	44E	C32-C31-O31-C3
5	B	305	44E	O11-C1-C2-O21
3	A	301	GOL	O1-C1-C2-O2
3	L	301	GOL	C1-C2-C3-O3
3	A	302	GOL	C1-C2-C3-O3
3	L	301	GOL	O2-C2-C3-O3
3	H	301	GOL	O1-C1-C2-O2
3	H	301	GOL	O2-C2-C3-O3
3	C	301	GOL	O1-C1-C2-O2
5	D	306	44E	C22-C21-O21-C2
3	A	301	GOL	O2-C2-C3-O3
5	H	306	44E	O11-C1-C2-C3
5	D	306	44E	O22-C21-O21-C2
5	B	305	44E	C1-O11-P-O12
5	B	306	44E	O21-C2-C3-O31
5	F	305	44E	C2-C1-O11-P
5	B	305	44E	O11-C1-C2-C3
5	B	306	44E	C1-C2-C3-O31
5	H	305	44E	C2-C1-O11-P
5	D	306	44E	O21-C2-C3-O31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	D	306	44E	C31-C32-C33-C34
3	A	302	GOL	O1-C1-C2-O2
5	F	306	44E	C1-O11-P-O13
5	F	305	44E	C2-C3-O31-C31
5	B	306	44E	O11-C1-C2-C3
5	F	306	44E	O32-C31-O31-C3
5	H	306	44E	C1-O11-P-O12
5	B	306	44E	O11-C1-C2-O21
5	H	306	44E	O21-C2-C3-O31
3	A	302	GOL	O1-C1-C2-C3
3	F	301	GOL	C1-C2-C3-O3
5	H	306	44E	C1-C2-C3-O31
5	B	306	44E	C1-O11-P-O14
5	D	305	44E	C1-C2-O21-C21
5	D	305	44E	C3-C2-O21-C21
5	F	305	44E	C3-C2-O21-C21
3	A	302	GOL	O2-C2-C3-O3
5	B	305	44E	C2-C3-O31-C31
5	F	306	44E	C2-C3-O31-C31
5	D	306	44E	C1-C2-C3-O31
3	F	301	GOL	O2-C2-C3-O3
5	F	305	44E	C1-C2-C3-O31


There are no ring outliers.

10 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	306	44E	1	0
5	F	306	44E	1	0
5	D	305	44E	1	0
3	C	301	GOL	1	0
4	B	304	SO4	1	0
3	L	302	GOL	1	0
4	A	304	SO4	1	0
4	B	302	SO4	1	0
4	B	301	SO4	1	0
4	B	303	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand 44E B 306




Ligand 44E F 306







Ligand 44E F 305



Ligand 44E B 305





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	214/215 (99%)	-0.36	0 100 100	47, 87, 120, 143	2 (0%)
1	C	213/215 (99%)	-0.08	3 (1%) 73 53	70, 108, 138, 151	2 (0%)
1	E	214/215 (99%)	-0.16	0 100 100	45, 113, 142, 170	2 (0%)
1	L	214/215 (99%)	-0.19	3 (1%) 73 53	57, 102, 153, 183	1 (0%)
2	B	221/227 (97%)	-0.38	3 (1%) 73 53	47, 72, 110, 159	4 (1%)
2	D	219/227 (96%)	-0.35	3 (1%) 73 53	50, 80, 137, 183	3 (1%)
2	F	222/227 (97%)	-0.28	5 (2%) 61 39	46, 82, 139, 198	4 (1%)
2	H	221/227 (97%)	-0.41	2 (0%) 81 63	42, 76, 124, 170	5 (2%)
All	All	1738/1768 (98%)	-0.28	19 (1%) 78 59	42, 91, 138, 198	23 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	128	SER	5.6
2	B	127	SER	3.6
1	C	95	GLN	3.4
2	F	129	LYS	3.3
1	L	93	THR	3.3
2	F	229	SER	3.1
1	C	93	THR	3.1
2	H	128	SER	2.8
2	D	228	LYS	2.6
2	D	127	SER	2.6
2	D	136	GLY	2.5
2	H	129	LYS	2.4
1	L	129	THR	2.4
2	F	128	SER	2.2
2	F	136	GLY	2.2
2	B	183	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	91	TYR	2.1
2	F	127	SER	2.1
1	L	11	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	A	301	6/6	0.53	0.18	114,122,132,134	0
3	GOL	C	301	6/6	0.55	0.17	113,122,124,128	0
3	GOL	L	302	6/6	0.70	0.14	99,115,117,122	0
4	SO4	F	303	5/5	0.71	0.11	175,178,188,191	0
3	GOL	D	301	6/6	0.74	0.16	99,119,126,127	0
5	44E	H	306	14/24	0.74	0.16	141,154,176,186	0
5	44E	F	306	14/24	0.76	0.12	118,166,179,184	0
5	44E	B	305	14/24	0.78	0.14	111,149,165,172	0
3	GOL	L	301	6/6	0.79	0.22	101,110,123,133	0
4	SO4	H	303	5/5	0.79	0.11	161,162,172,184	0
4	SO4	B	303	5/5	0.79	0.10	148,163,164,167	0
5	44E	D	306	24/24	0.79	0.18	97,169,191,194	0
4	SO4	D	303	5/5	0.79	0.10	155,161,166,169	0
4	SO4	H	302	5/5	0.80	0.09	153,156,159,161	0
5	44E	H	305	14/24	0.80	0.15	118,152,168,168	0
4	SO4	F	302	5/5	0.81	0.14	147,150,157,162	0
4	SO4	F	304	5/5	0.82	0.23	189,197,207,208	0
4	SO4	B	304	5/5	0.82	0.11	155,167,176,180	0
4	SO4	A	304	5/5	0.82	0.24	156,166,172,175	0
3	GOL	H	301	6/6	0.83	0.21	82,95,108,109	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	302	6/6	0.84	0.11	79,101,117,118	0
5	44E	D	305	14/24	0.84	0.13	104,142,154,155	0
3	GOL	E	301	6/6	0.85	0.21	83,98,116,127	0
5	44E	F	305	14/24	0.85	0.15	107,150,164,164	0
3	GOL	A	303	6/6	0.85	0.14	84,101,119,123	0
4	SO4	D	302	5/5	0.87	0.13	103,108,127,129	0
4	SO4	D	304	5/5	0.87	0.19	179,197,208,215	0
4	SO4	B	302	5/5	0.88	0.11	184,186,188,197	0
3	GOL	F	301	6/6	0.88	0.24	124,126,135,136	0
4	SO4	B	301	5/5	0.90	0.09	73,87,106,116	0
5	44E	B	306	14/24	0.90	0.12	113,130,135,137	0
4	SO4	H	304	5/5	0.92	0.21	182,183,188,191	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around 44E H 306:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E F 306:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E B 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E D 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E H 305:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E D 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 44E F 305:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 44E B 306:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.