



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:00 PM UTC

PDB ID : 4O4R / pdb_00004o4r
Title : Murine Norovirus RdRp in complex with PPNDs
Authors : Croci, R.; Tarantino, D.; Milani, M.; Pezzullo, M.; Bolognesi, M.; Mastrangelo, E.
Deposited on : 2013-12-19
Resolution : 2.40 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	 4% 82% 10% • 8%
1	B	515	 4% 81% 12% • 7%
1	C	515	 10% 77% 14% • 8%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-dependent-RNA-polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	476	Total	C	N	O	S	0	0	0
			3784	2394	668	698	24			
1	B	480	Total	C	N	O	S	0	2	0
			3822	2419	673	706	24			
1	C	474	Total	C	N	O	S	0	1	0
			3765	2383	663	695	24			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	508	LEU	-	expression tag	UNP S4V9Y7
A	509	GLU	-	expression tag	UNP S4V9Y7
A	510	HIS	-	expression tag	UNP S4V9Y7
A	511	HIS	-	expression tag	UNP S4V9Y7
A	512	HIS	-	expression tag	UNP S4V9Y7
A	513	HIS	-	expression tag	UNP S4V9Y7
A	514	HIS	-	expression tag	UNP S4V9Y7
A	515	HIS	-	expression tag	UNP S4V9Y7
B	508	LEU	-	expression tag	UNP S4V9Y7
B	509	GLU	-	expression tag	UNP S4V9Y7
B	510	HIS	-	expression tag	UNP S4V9Y7
B	511	HIS	-	expression tag	UNP S4V9Y7
B	512	HIS	-	expression tag	UNP S4V9Y7
B	513	HIS	-	expression tag	UNP S4V9Y7
B	514	HIS	-	expression tag	UNP S4V9Y7
B	515	HIS	-	expression tag	UNP S4V9Y7
C	508	LEU	-	expression tag	UNP S4V9Y7
C	509	GLU	-	expression tag	UNP S4V9Y7
C	510	HIS	-	expression tag	UNP S4V9Y7
C	511	HIS	-	expression tag	UNP S4V9Y7
C	512	HIS	-	expression tag	UNP S4V9Y7
C	513	HIS	-	expression tag	UNP S4V9Y7
C	514	HIS	-	expression tag	UNP S4V9Y7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	515	HIS	-	expression tag	UNP S4V9Y7

- Molecule 2 is 3-[(E)-{4-formyl-5-hydroxy-6-methyl-3-[(phosphonoxy)methyl]pyridin-2-yl}diazenyl]-7-nitronaphthalene-1,5-disulfonic acid (CCD ID: 20V) (formula: C₁₈H₁₅N₄O₁₄PS₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	A	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	B	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	B	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	C	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	C	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	272	Total	O	0	6
			275	275		
4	B	259	Total	O	0	1
			260	260		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	217	Total	O	0	1
			217	217		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RNA-dependent-RNA-polymerase




• Molecule 1: RNA-dependent-RNA-polymerase



• Molecule 1: RNA-dependent-RNA-polymerase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.71Å 197.43Å 109.57Å 90.00° 114.06° 90.00°	Depositor
Resolution (Å)	59.36 – 2.40 59.36 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (59.36-2.40) 100.0 (59.36-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.192 , 0.249 (Not available) , 0.265	Depositor DCC
R_{free} test set	4532 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtriage
Anisotropy	0.265	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12407	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 2OV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/3877	0.85	0/5252
1	B	0.68	0/3917	0.86	1/5303 (0.0%)
1	C	0.67	0/3863	0.86	0/5233
All	All	0.68	0/11657	0.86	1/15788 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	467	ALA	N-CA-C	-5.42	105.38	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3784	0	3743	34	0
1	B	3822	0	3789	33	0
1	C	3765	0	3725	46	1
2	A	78	0	28	3	0
2	B	78	0	28	0	0
2	C	78	0	28	2	0
3	A	30	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	20	0	0	1	0
4	A	275	0	0	1	0
4	B	260	0	0	1	0
4	C	217	0	0	2	0
All	All	12407	0	11341	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:601:20V:OAJ	2:A:601:20V:NBJ	1.59	1.31
1:B:467:ALA:HB3	1:B:468:GLN:NE2	1.82	0.95
1:A:433:HIS:HA	1:A:434:ALA:HB3	1.58	0.85
1:C:238:HIS:HD2	1:C:348:SER:OG	1.62	0.82
1:A:29:PHE:O	1:A:423:HIS:HE1	1.61	0.81
1:C:148:ASN:HD21	1:C:197:ARG:HH11	1.30	0.80
1:B:148:ASN:HD21	1:B:197:ARG:HH11	1.35	0.74
2:C:601:20V:OAX	2:C:601:20V:CAO	2.35	0.73
1:B:467:ALA:HB3	1:B:468:GLN:HE21	1.54	0.72
1:B:9:TYR:OH	1:B:60:GLN:NE2	2.23	0.72
1:A:313:HIS:HD2	1:A:342:GLY:O	1.72	0.71
1:C:68:LYS:HD2	1:C:69:PRO:HD3	1.77	0.67
1:A:187:SER:HB2	1:A:301:GLY:O	1.97	0.65
1:B:29:PHE:O	1:B:423:HIS:HE1	1.80	0.63
1:A:433:HIS:HA	1:A:434:ALA:CB	2.28	0.62
1:A:148:ASN:HD21	1:A:197:ARG:HH11	1.49	0.60
1:C:7:GLY:HA3	4:C:843:HOH:O	2.01	0.60
1:B:238:HIS:HD2	1:B:348:SER:OG	1.84	0.59
1:B:466:ALA:O	1:B:470:GLY:N	2.35	0.59
1:B:227:PHE:HB2	4:B:717:HOH:O	2.02	0.58
1:A:302:CYS:CB	1:A:305:THR:HB	2.33	0.58
1:A:302:CYS:HB2	1:A:305:THR:HB	1.86	0.58
1:A:238:HIS:HD2	1:A:348:SER:OG	1.85	0.57
1:C:9:TYR:CE1	1:C:64:ARG:HD3	2.39	0.57
1:B:313:HIS:HD2	1:B:342:GLY:O	1.88	0.56
1:A:334:GLN:HG2	1:B:399[B]:GLN:HG3	1.89	0.55
1:A:433:HIS:CA	1:A:434:ALA:HB3	2.31	0.55
1:C:313:HIS:HD2	1:C:342:GLY:O	1.90	0.55
1:C:313:HIS:HE1	1:C:345:GLU:OE2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:HIS:HE1	1:A:345:GLU:OE2	1.90	0.54
1:B:467:ALA:HB3	1:B:468:GLN:HE22	1.70	0.54
1:C:148:ASN:ND2	1:C:197:ARG:HH11	2.01	0.53
1:C:239:MET:SD	1:C:355:MET:HE1	2.49	0.53
1:C:30:TRP:CD2	1:C:430:LEU:HD13	2.45	0.52
1:C:9:TYR:OH	1:C:64:ARG:HG3	2.10	0.52
1:B:240:ASP:OD1	1:B:241:ALA:O	2.28	0.52
1:A:302:CYS:HB3	1:A:305:THR:H	1.75	0.51
1:C:148:ASN:HD21	1:C:197:ARG:NH1	2.03	0.51
1:B:449:MET:HE3	1:B:485:VAL:HG22	1.92	0.51
1:B:239:MET:HE1	1:B:353:LEU:CD2	2.41	0.50
1:A:130:ASP:HB2	1:A:140:LEU:HD22	1.92	0.50
1:B:207:LYS:HG3	1:B:218:GLY:HA3	1.93	0.50
1:B:327:VAL:HG12	1:B:331:ILE:HB	1.94	0.50
1:A:199:PHE:CZ	1:A:276:MET:HE2	2.47	0.50
1:A:487:PHE:HB3	1:B:212:PHE:CZ	2.47	0.50
1:A:140:LEU:HG	1:A:189:LEU:HD22	1.94	0.49
1:C:165:LEU:HB3	1:C:181:LYS:HG2	1.94	0.49
1:C:199:PHE:CZ	1:C:276:MET:HE2	2.47	0.49
1:C:68:LYS:HD2	1:C:69:PRO:CD	2.42	0.49
1:B:232:HIS:HD2	1:B:348:SER:OG	1.95	0.49
1:C:217:VAL:HG21	1:C:306:THR:HG22	1.95	0.49
1:C:232:HIS:HE1	1:C:339:SER:OG	1.96	0.49
1:B:468:GLN:NE2	1:B:468:GLN:N	2.60	0.48
1:C:65:ASP:O	1:C:68:LYS:HG3	2.13	0.48
1:A:29:PHE:O	1:A:423:HIS:CE1	2.54	0.48
1:C:221:MET:HE3	1:C:393:ARG:HG3	1.95	0.48
1:A:232:HIS:HE1	1:A:339:SER:OG	1.97	0.48
1:C:174:LYS:O	1:C:179:ILE:HA	2.13	0.48
1:B:313:HIS:HE1	1:B:345:GLU:OE2	1.97	0.48
1:C:323:GLU:OE2	1:C:364:ARG:NH2	2.44	0.47
1:A:227:PHE:HB2	4:A:846:HOH:O	2.14	0.47
1:C:18:GLY:HA3	1:C:288:GLY:O	2.15	0.47
1:A:303:PRO:C	1:A:305:THR:H	2.23	0.47
1:A:242:ASP:HB2	1:A:371:ARG:HG3	1.97	0.46
1:B:252:ARG:O	1:B:256[A]:LYS:HD3	2.16	0.46
1:C:29:PHE:O	1:C:423:HIS:HE1	1.99	0.46
1:C:46:TYR:CE2	1:C:48:GLY:HA2	2.50	0.46
1:C:393:ARG:HD3	2:C:601:20V:OAG	2.15	0.46
1:B:371:ARG:NH1	1:B:378:PRO:O	2.42	0.45
1:A:302:CYS:HB3	1:A:305:THR:HB	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:419:LYS:HD2	2:A:602:20V:OAE	2.16	0.45
1:B:232:HIS:HE1	1:B:339:SER:OG	2.00	0.45
1:C:338:PHE:CE1	1:C:347:VAL:HG13	2.51	0.45
1:A:115:LYS:HE2	1:A:131:TRP:CD2	2.52	0.44
1:C:25:THR:HG22	1:C:424:GLN:HE22	1.82	0.44
1:A:212:PHE:CZ	1:B:487:PHE:HB3	2.52	0.44
1:C:123:TYR:O	1:C:124:HIS:C	2.60	0.44
1:C:449:MET:HE1	4:C:717:HOH:O	2.17	0.44
1:C:148:ASN:ND2	1:C:197:ARG:HD2	2.33	0.44
1:B:468:GLN:N	1:B:468:GLN:CD	2.74	0.44
1:C:20:ALA:HB2	1:C:286:ASP:OD1	2.17	0.43
1:B:43:GLU:HB2	1:B:175:ILE:CD1	2.48	0.43
1:B:18:GLY:HA3	1:B:288:GLY:O	2.19	0.43
1:C:287:VAL:HG22	1:C:290:TYR:O	2.18	0.43
1:B:408:ARG:N	3:B:606:SO4:O2	2.45	0.43
1:B:239:MET:SD	1:B:355:MET:HE1	2.59	0.43
1:A:252:ARG:HG3	1:A:295:GLU:O	2.19	0.43
1:C:440:LEU:HG	1:C:462:VAL:HG13	2.01	0.42
1:B:408:ARG:HG3	1:B:454:TYR:CZ	2.54	0.42
1:C:39:PRO:HA	1:C:40:GLY:HA2	1.80	0.42
1:C:20:ALA:CB	1:C:286:ASP:OD1	2.67	0.42
1:C:455:TYR:CE1	1:C:481:VAL:HG11	2.55	0.42
1:C:164:ALA:C	1:C:165:LEU:HD12	2.44	0.42
1:B:408:ARG:HD3	1:B:450:HIS:CE1	2.55	0.42
1:C:68:LYS:N	1:C:69:PRO:CD	2.82	0.42
1:C:148:ASN:HD21	1:C:197:ARG:HD2	1.85	0.42
1:A:237:TYR:O	1:A:348:SER:HA	2.20	0.41
1:B:313:HIS:CD2	1:B:342:GLY:O	2.70	0.41
1:C:273:ARG:HD3	1:C:273:ARG:O	2.20	0.41
1:A:440:LEU:HG	1:A:462:VAL:HG13	2.02	0.41
1:C:30:TRP:CD2	1:C:430:LEU:CD1	3.04	0.41
1:A:244:THR:HG22	1:A:245:ARG:HG3	2.03	0.41
1:A:385:LEU:O	1:A:386:GLN:C	2.63	0.41
1:A:433:HIS:CA	1:A:434:ALA:CB	2.97	0.41
1:B:323:GLU:CD	1:B:364:ARG:HH22	2.26	0.41
1:A:391:LEU:HD23	2:A:601:20V:CAQ	2.52	0.40
1:A:436:ARG:N	1:A:437:PRO:HD3	2.36	0.40
1:C:281:ALA:O	1:C:282:PRO:C	2.63	0.40
1:C:338:PHE:HE1	1:C:347:VAL:HG13	1.87	0.40
1:C:9:TYR:OH	1:C:64:ARG:NH1	2.50	0.40
1:C:115:LYS:HE2	1:C:131:TRP:CE2	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:HIS:CD2	1:C:348:SER:OG	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ASN:OD1	1:C:234:ASN:OD1[2_656]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	470/515 (91%)	453 (96%)	17 (4%)	0	100	100
1	B	474/515 (92%)	460 (97%)	13 (3%)	1 (0%)	43	58
1	C	469/515 (91%)	439 (94%)	28 (6%)	2 (0%)	30	43
All	All	1413/1545 (92%)	1352 (96%)	58 (4%)	3 (0%)	43	58

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	45	ALA
1	C	35	GLU
1	B	300	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/441 (92%)	392 (97%)	14 (3%)	32	54
1	B	411/441 (93%)	388 (94%)	23 (6%)	19	33
1	C	405/441 (92%)	388 (96%)	17 (4%)	26	45
All	All	1222/1323 (92%)	1168 (96%)	54 (4%)	26	43

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	SER
1	A	37	LEU
1	A	113	LEU
1	A	140	LEU
1	A	220	SER
1	A	242	ASP
1	A	271	LEU
1	A	300	SER
1	A	328	ASP
1	A	391	LEU
1	A	440	LEU
1	A	443	LEU
1	A	444	LEU
1	A	475	VAL
1	B	4	ARG
1	B	6	SER
1	B	37	LEU
1	B	68	LYS
1	B	111	GLU
1	B	113	LEU
1	B	187	SER
1	B	222	ASN
1	B	256[A]	LYS
1	B	256[B]	LYS
1	B	271	LEU
1	B	300	SER
1	B	380	GLU
1	B	388	ILE
1	B	391	LEU
1	B	408	ARG
1	B	436	ARG
1	B	440	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	441	MET
1	B	444	LEU
1	B	453	LYS
1	B	474	VAL
1	B	479	ARG
1	C	36	LYS
1	C	49	SER
1	C	52	GLU
1	C	68	LYS
1	C	140	LEU
1	C	169	LEU
1	C	294	VAL
1	C	305	THR
1	C	311	LEU
1	C	388	ILE
1	C	423	HIS
1	C	430	LEU
1	C	435	GLN
1	C	441	MET
1	C	461	ARG
1	C	464	LYS
1	C	480	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	61	GLN
1	A	124	HIS
1	A	146	HIS
1	A	148	ASN
1	A	232	HIS
1	A	238	HIS
1	A	313	HIS
1	A	414	GLN
1	A	423	HIS
1	A	435	GLN
1	A	439	GLN
1	B	60	GLN
1	B	66	GLN
1	B	124	HIS
1	B	143	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	148	ASN
1	B	232	HIS
1	B	238	HIS
1	B	313	HIS
1	B	334	GLN
1	B	383	GLN
1	B	423	HIS
1	B	468	GLN
1	C	66	GLN
1	C	124	HIS
1	C	148	ASN
1	C	232	HIS
1	C	238	HIS
1	C	313	HIS
1	C	399	GLN
1	C	423	HIS
1	C	424	GLN
1	C	468	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	603	-	4,4,4	0.47	0	6,6,6	0.37	0
2	20V	C	601	-	38,41,41	3.10	12 (31%)	49,64,64	1.39	6 (12%)
3	SO4	B	605	-	4,4,4	0.52	0	6,6,6	0.38	0
3	SO4	A	606	-	4,4,4	0.48	0	6,6,6	0.23	0
3	SO4	A	608	-	4,4,4	0.65	0	6,6,6	0.58	0
3	SO4	A	607	-	4,4,4	0.49	0	6,6,6	0.30	0
3	SO4	A	603	-	4,4,4	0.49	0	6,6,6	0.35	0
2	20V	A	601	-	38,41,41	3.11	11 (28%)	49,64,64	1.51	5 (10%)
2	20V	C	602	-	38,41,41	2.40	12 (31%)	49,64,64	1.41	4 (8%)
2	20V	B	602	-	38,41,41	2.73	12 (31%)	49,64,64	1.49	7 (14%)
3	SO4	A	605	-	4,4,4	0.44	0	6,6,6	0.13	0
3	SO4	B	606	-	4,4,4	0.46	0	6,6,6	0.16	0
3	SO4	B	604	-	4,4,4	0.49	0	6,6,6	0.40	0
2	20V	B	601	-	38,41,41	2.99	13 (34%)	49,64,64	1.51	7 (14%)
2	20V	A	602	-	38,41,41	2.88	11 (28%)	49,64,64	1.56	8 (16%)
3	SO4	A	604	-	4,4,4	0.43	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	20V	C	601	-	-	7/27/29/29	0/3/3/3
2	20V	A	601	-	-	6/27/29/29	0/3/3/3
2	20V	C	602	-	-	11/27/29/29	0/3/3/3
2	20V	B	602	-	-	11/27/29/29	0/3/3/3
2	20V	B	601	-	-	4/27/29/29	0/3/3/3
2	20V	A	602	-	-	14/27/29/29	0/3/3/3

All (71) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	20V	OAI-NBJ	12.48	1.44	1.22
2	C	601	20V	OAI-NBJ	11.90	1.43	1.22
2	B	601	20V	OAI-NBJ	11.84	1.43	1.22
2	A	602	20V	OAI-NBJ	11.18	1.42	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	20V	OAI-NBJ	9.12	1.38	1.22
2	C	601	20V	CAA-CAY	-7.07	1.39	1.50
2	A	601	20V	CAA-CAY	-6.77	1.39	1.50
2	C	602	20V	CAA-CAY	-6.70	1.39	1.50
2	B	602	20V	CAA-CAY	-6.62	1.39	1.50
2	B	601	20V	CAA-CAY	-6.46	1.40	1.50
2	C	601	20V	CAT-CBE	-6.25	1.39	1.51
2	A	602	20V	CAA-CAY	-6.04	1.40	1.50
2	A	602	20V	CAT-CBE	-5.80	1.40	1.51
2	A	601	20V	CAT-CBE	-5.74	1.40	1.51
2	B	602	20V	CAT-CBE	-5.47	1.40	1.51
2	B	602	20V	CBB-NBJ	-5.42	1.32	1.45
2	C	602	20V	CAT-CBE	-5.42	1.41	1.51
2	A	601	20V	CBD-NAV	-5.24	1.33	1.40
2	B	601	20V	CAT-CBE	-5.14	1.41	1.51
2	C	602	20V	CBB-NBJ	-5.13	1.33	1.45
2	C	601	20V	PBK-OAL	5.00	1.66	1.50
2	A	602	20V	CBD-NAV	-4.72	1.34	1.40
2	B	601	20V	CBB-NBJ	-4.70	1.34	1.45
2	B	601	20V	CBD-NAV	-4.61	1.34	1.40
2	A	602	20V	CBB-NBJ	-4.58	1.34	1.45
2	B	602	20V	CBD-NAV	-4.42	1.34	1.40
2	C	602	20V	PBK-OAL	4.41	1.64	1.50
2	C	601	20V	CBD-NAV	-4.36	1.34	1.40
2	C	601	20V	CBB-NBJ	-4.33	1.34	1.45
2	A	602	20V	PBK-OAL	4.26	1.63	1.50
2	C	602	20V	OAI-NBJ	4.24	1.30	1.22
2	B	602	20V	PBK-OAL	4.21	1.63	1.50
2	C	602	20V	CBD-NAV	-4.10	1.35	1.40
2	A	601	20V	CBB-NBJ	-4.07	1.35	1.45
2	A	601	20V	PBK-OAL	3.83	1.62	1.50
2	A	601	20V	OAJ-NBJ	3.70	1.59	1.35
2	B	601	20V	PBK-OAL	3.69	1.62	1.50
2	C	601	20V	CAR-CAZ	3.19	1.40	1.37
2	A	601	20V	CBC-CAO	-3.01	1.39	1.46
2	C	602	20V	PBK-OAK	2.99	1.65	1.54
2	B	601	20V	CAR-CAZ	2.99	1.40	1.37
2	C	601	20V	CBC-CAO	-2.74	1.39	1.46
2	C	601	20V	OAJ-NBJ	2.71	1.53	1.35
2	A	602	20V	CAZ-NAU	-2.69	1.32	1.44
2	A	602	20V	PBK-OAK	2.60	1.64	1.54
2	C	601	20V	PBK-OAK	2.55	1.64	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	20V	CBC-CAO	-2.53	1.40	1.46
2	A	601	20V	CAZ-NAU	-2.49	1.33	1.44
2	B	601	20V	CAZ-NAU	-2.49	1.33	1.44
2	C	602	20V	CAR-CAZ	2.46	1.39	1.37
2	A	602	20V	CAR-CAZ	2.45	1.39	1.37
2	C	602	20V	CAZ-NAU	-2.44	1.33	1.44
2	C	602	20V	OAM-SBL	2.40	1.55	1.43
2	B	601	20V	OAJ-NBJ	2.38	1.51	1.35
2	B	601	20V	PBK-OAK	2.36	1.63	1.54
2	B	602	20V	CAR-CAZ	2.31	1.39	1.37
2	A	602	20V	CBC-CAO	-2.25	1.41	1.46
2	B	602	20V	OAF-SBM	2.25	1.54	1.43
2	B	602	20V	CAZ-NAU	-2.22	1.34	1.44
2	C	601	20V	OAM-SBL	2.20	1.54	1.43
2	B	602	20V	PBK-OAK	2.20	1.63	1.54
2	B	601	20V	OAM-SBL	2.19	1.54	1.43
2	C	601	20V	CAZ-NAU	-2.17	1.35	1.44
2	B	601	20V	OAG-SBM	2.15	1.54	1.43
2	A	601	20V	CAR-CAZ	2.15	1.39	1.37
2	A	602	20V	OAF-SBM	2.14	1.54	1.43
2	C	602	20V	OAD-SBL	2.13	1.54	1.43
2	B	602	20V	OAM-SBL	2.10	1.54	1.43
2	A	601	20V	OAF-SBM	2.05	1.53	1.43
2	C	602	20V	CBC-CAO	-2.02	1.41	1.46
2	B	602	20V	CBC-CAO	-2.00	1.41	1.46

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	602	20V	CBC-CBA-CAY	5.67	123.33	120.14
2	B	602	20V	CBC-CBA-CAY	5.14	123.03	120.14
2	B	601	20V	CAQ-CBB-NBJ	4.90	122.95	118.74
2	A	602	20V	CBC-CBA-CAY	4.82	122.86	120.14
2	A	602	20V	CAS-CBB-NBJ	4.68	122.77	118.74
2	C	601	20V	CBD-NAV-NAU	4.13	123.34	113.89
2	A	601	20V	CAQ-CBB-NBJ	4.09	122.26	118.74
2	B	601	20V	CBD-NAV-NAU	4.02	123.09	113.89
2	A	601	20V	CBD-NAV-NAU	3.90	122.83	113.89
2	A	602	20V	CAA-CAY-CBA	3.53	124.93	120.80
2	B	601	20V	CBC-CBA-CAY	3.46	122.09	120.14
2	B	602	20V	CBA-CBC-CBE	-3.28	116.19	119.54
2	B	601	20V	CBB-CAS-CBI	3.24	121.28	119.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	20V	OAM-SBL-CBF	3.20	115.64	106.37
2	A	601	20V	CBB-CAS-CBI	3.15	121.22	119.03
2	C	601	20V	CAQ-CBB-NBJ	3.14	121.44	118.74
2	C	602	20V	CBA-CBC-CBE	-3.10	116.38	119.54
2	C	601	20V	CBC-CBA-CAY	3.01	121.84	120.14
2	A	601	20V	OAC-PBK-OAX	2.98	114.43	106.67
2	C	602	20V	CBD-NAV-NAU	2.83	120.36	113.89
2	B	602	20V	CBD-NAV-NAU	2.81	120.33	113.89
2	A	602	20V	CBB-CAS-CBI	2.78	120.97	119.03
2	C	602	20V	CAA-CAY-NAW	2.71	120.74	116.53
2	B	602	20V	CBB-CAS-CBI	2.63	120.86	119.03
2	A	602	20V	CBA-CAY-NAW	-2.54	118.03	120.96
2	A	602	20V	OAC-PBK-OAX	2.52	113.24	106.67
2	C	601	20V	CAA-CAY-NAW	2.52	120.44	116.53
2	A	602	20V	CBD-NAV-NAU	2.52	119.66	113.89
2	B	601	20V	CAA-CAY-NAW	2.45	120.34	116.53
2	C	601	20V	CBB-CAS-CBI	2.36	120.67	119.03
2	A	602	20V	CBA-CBC-CBE	-2.34	117.15	119.54
2	A	601	20V	CBC-CBA-CAY	2.28	121.43	120.14
2	B	602	20V	CAZ-CAP-CBF	2.23	121.77	119.47
2	C	601	20V	OAF-SBM-CBG	2.17	112.64	106.37
2	B	601	20V	CBF-CBI-CBH	2.15	120.83	117.97
2	B	601	20V	CBA-CAY-NAW	-2.14	118.49	120.96
2	B	602	20V	OAK-PBK-OAL	-2.05	102.85	110.83

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	20V	CAT-OAX-PBK-OAK
2	A	602	20V	CAT-OAX-PBK-OAK
2	A	602	20V	CAT-OAX-PBK-OAC
2	A	602	20V	CBH-CBG-SBM-OAF
2	B	602	20V	CAT-OAX-PBK-OAK
2	B	602	20V	CAT-OAX-PBK-OAL
2	B	602	20V	CAT-OAX-PBK-OAC
2	C	601	20V	CAT-OAX-PBK-OAK
2	C	601	20V	OAB-CAO-CBC-CBA
2	C	602	20V	CAT-OAX-PBK-OAL
2	C	602	20V	CAS-CBB-NBJ-OAI
2	A	601	20V	OAB-CAO-CBC-CBA
2	A	602	20V	CAR-CAZ-NAU-NAV

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	601	20V	OAB-CAO-CBC-CBE
2	C	601	20V	OAB-CAO-CBC-CBE
2	A	602	20V	OAB-CAO-CBC-CBA
2	A	602	20V	CAP-CAZ-NAU-NAV
2	C	601	20V	OAX-CAT-CBE-CBC
2	C	602	20V	CAQ-CBB-NBJ-OAI
2	B	601	20V	OAB-CAO-CBC-CBA
2	B	602	20V	OAB-CAO-CBC-CBA
2	A	602	20V	CBH-CBG-SBM-OAG
2	B	602	20V	CBI-CBF-SBL-OAM
2	C	602	20V	CBH-CBG-SBM-OAG
2	B	601	20V	OAB-CAO-CBC-CBE
2	A	602	20V	CAQ-CBG-SBM-OAF
2	B	602	20V	CAP-CBF-SBL-OAM
2	A	602	20V	CAT-OAX-PBK-OAL
2	A	601	20V	CAT-OAX-PBK-OAC
2	C	602	20V	CAT-OAX-PBK-OAC
2	B	602	20V	CBI-CBF-SBL-OAD
2	C	602	20V	CBH-CBG-SBM-OAF
2	C	602	20V	CBI-CBF-SBL-OAD
2	B	601	20V	OAX-CAT-CBE-CBD
2	C	601	20V	OAX-CAT-CBE-CBD
2	B	602	20V	CAP-CBF-SBL-OAE
2	B	602	20V	CBI-CBF-SBL-OAE
2	A	602	20V	CAQ-CBG-SBM-OAG
2	A	602	20V	NAW-CBD-NAV-NAU
2	B	601	20V	NAW-CBD-NAV-NAU
2	A	602	20V	OAB-CAO-CBC-CBE
2	C	602	20V	CBI-CBF-SBL-OAM
2	A	601	20V	CBE-CBD-NAV-NAU
2	A	602	20V	CBE-CBD-NAV-NAU
2	C	601	20V	CBE-CBD-NAV-NAU
2	B	602	20V	OAB-CAO-CBC-CBE
2	B	602	20V	CAP-CBF-SBL-OAD
2	C	602	20V	CAQ-CBG-SBM-OAG
2	C	602	20V	CAT-OAX-PBK-OAK
2	A	601	20V	NAW-CBD-NAV-NAU
2	C	601	20V	NAW-CBD-NAV-NAU
2	A	602	20V	CAQ-CBG-SBM-OAN
2	C	602	20V	CAP-CBF-SBL-OAE

There are no ring outliers.


4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	601	20V	2	0
2	A	601	20V	2	0
3	B	606	SO4	1	0
2	A	602	20V	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 20V A 601




Ligand 20V C 602




Ligand 20V B 602



Ligand 20V B 601





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	476/515 (92%)	-0.10	21 (4%) 39 34	20, 35, 77, 126	5 (1%)
1	B	480/515 (93%)	-0.01	22 (4%) 37 33	15, 37, 86, 118	4 (0%)
1	C	474/515 (92%)	0.50	53 (11%) 10 7	20, 46, 84, 117	6 (1%)
All	All	1430/1545 (92%)	0.13	96 (6%) 24 20	15, 39, 83, 126	15 (1%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	488	GLY	5.4
1	B	2	LEU	5.3
1	A	474	VAL	4.9
1	A	303	PRO	4.4
1	A	441	MET	4.2
1	B	474	VAL	4.2
1	A	479	ARG	4.0
1	B	475	VAL	3.9
1	C	36	LYS	3.8
1	C	49	SER	3.7
1	A	372	ALA	3.6
1	B	437	PRO	3.6
1	B	432	GLY	3.5
1	C	399	GLN	3.5
1	A	433	HIS	3.4
1	B	303	PRO	3.3
1	A	173	ASP	3.3
1	C	173	ASP	3.3
1	A	302	CYS	3.3
1	C	417	TRP	3.3
1	B	372	ALA	3.3
1	C	39	PRO	3.2
1	C	475	VAL	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	302	CYS	3.1
1	A	432	GLY	3.1
1	C	176	TYR	3.0
1	C	290	TYR	3.0
1	C	14	ILE	3.0
1	B	453	LYS	3.0
1	C	474	VAL	2.9
1	B	467	ALA	2.9
1	C	427	PHE	2.8
1	C	60	GLN	2.8
1	A	468	GLN	2.8
1	A	434	ALA	2.8
1	B	479	ARG	2.8
1	C	292	ILE	2.7
1	A	371	ARG	2.7
1	A	475	VAL	2.7
1	B	300	SER	2.7
1	B	484	TRP	2.7
1	C	461	ARG	2.7
1	C	152	GLU	2.7
1	B	55	ASP	2.6
1	A	301	GLY	2.6
1	C	466	ALA	2.6
1	A	300	SER	2.5
1	C	46	TYR	2.5
1	C	377	GLY	2.5
1	B	441	MET	2.5
1	C	38	PRO	2.5
1	C	18	GLY	2.5
1	C	428	GLU	2.5
1	C	441	MET	2.4
1	C	17	TYR	2.4
1	C	64	ARG	2.4
1	C	33	SER	2.4
1	C	52	GLU	2.4
1	C	378	PRO	2.4
1	A	488	GLY	2.4
1	C	433	HIS	2.4
1	B	469	SER	2.4
1	A	399	GLN	2.4
1	C	416	LEU	2.4
1	C	434	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	303	PRO	2.3
1	C	8	THR	2.3
1	B	463	SER	2.3
1	C	171	LYS	2.3
1	B	302	CYS	2.3
1	B	377	GLY	2.3
1	B	470	GLY	2.2
1	C	452	GLU	2.2
1	C	180	LYS	2.2
1	C	453	LYS	2.2
1	C	412	ASP	2.2
1	B	476	PRO	2.2
1	C	42	TRP	2.1
1	C	54	VAL	2.1
1	C	424	GLN	2.1
1	A	305	THR	2.1
1	C	40	GLY	2.1
1	A	477	ARG	2.1
1	C	5	PRO	2.1
1	C	467	ALA	2.1
1	A	99	GLU	2.1
1	C	63	MET	2.1
1	C	287	VAL	2.0
1	A	4	ARG	2.0
1	C	15	ALA	2.0
1	C	477	ARG	2.0
1	C	432	GLY	2.0
1	C	488	GLY	2.0
1	B	374	LYS	2.0
1	C	294	VAL	2.0
1	C	9	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	606	5/5	0.70	0.16	87,110,130,138	0
3	SO4	B	606	5/5	0.77	0.12	89,92,108,110	0
3	SO4	A	604	5/5	0.80	0.13	112,115,123,151	0
3	SO4	A	608	5/5	0.84	0.17	45,67,75,85	0
3	SO4	B	605	5/5	0.85	0.14	47,54,68,73	0
3	SO4	A	605	5/5	0.87	0.14	75,76,98,98	0
2	20V	A	602	39/39	0.88	0.12	48,72,99,114	0
3	SO4	B	604	5/5	0.88	0.14	48,59,68,71	0
2	20V	B	602	39/39	0.89	0.11	46,70,91,98	0
2	20V	C	602	39/39	0.90	0.11	42,65,88,100	0
3	SO4	A	607	5/5	0.91	0.10	54,55,66,74	0
2	20V	B	601	39/39	0.93	0.10	39,54,103,107	0
3	SO4	B	603	5/5	0.94	0.15	50,54,67,68	0
3	SO4	A	603	5/5	0.94	0.13	48,63,74,95	0
2	20V	C	601	39/39	0.94	0.10	35,55,98,99	0
2	20V	A	601	39/39	0.94	0.09	47,57,107,110	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 20V A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 20V B 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 20V C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 20V B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 20V C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 20V A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.