



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 03:21 PM UTC

PDB ID : 6O4C / pdb_00006o4c
Title : Structure of ALDH7A1 mutant W175A complexed with NAD
Authors : Tanner, J.J.; Korasick, D.A.; Laciak, A.R.
Deposited on : 2019-02-28
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	96% ..
1	B	513	94% 5% .
1	C	513	95% ..
1	D	513	95% ..
1	E	513	97% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	513	94% 5% •
1	G	513	% 95% • •
1	H	513	94% 5% •

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 35150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-aminoadipic semialdehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	509	Total	C	N	O	S	0	10	0
			3910	2490	673	729	18			
1	B	509	Total	C	N	O	S	0	12	0
			3909	2488	672	730	19			
1	C	509	Total	C	N	O	S	0	9	0
			3881	2468	666	729	18			
1	D	509	Total	C	N	O	S	0	10	0
			3898	2480	674	726	18			
1	E	509	Total	C	N	O	S	0	14	0
			3930	2505	678	729	18			
1	F	509	Total	C	N	O	S	0	8	0
			3894	2475	674	726	19			
1	G	509	Total	C	N	O	S	0	7	0
			3899	2480	674	727	18			
1	H	509	Total	C	N	O	S	0	10	0
			3902	2483	671	730	18			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P49419
A	0	HIS	-	expression tag	UNP P49419
A	175	ALA	TRP	engineered mutation	UNP P49419
B	-1	GLY	-	expression tag	UNP P49419
B	0	HIS	-	expression tag	UNP P49419
B	175	ALA	TRP	engineered mutation	UNP P49419
C	-1	GLY	-	expression tag	UNP P49419
C	0	HIS	-	expression tag	UNP P49419
C	175	ALA	TRP	engineered mutation	UNP P49419
D	-1	GLY	-	expression tag	UNP P49419
D	0	HIS	-	expression tag	UNP P49419
D	175	ALA	TRP	engineered mutation	UNP P49419
E	-1	GLY	-	expression tag	UNP P49419

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	HIS	-	expression tag	UNP P49419
E	175	ALA	TRP	engineered mutation	UNP P49419
F	-1	GLY	-	expression tag	UNP P49419
F	0	HIS	-	expression tag	UNP P49419
F	175	ALA	TRP	engineered mutation	UNP P49419
G	-1	GLY	-	expression tag	UNP P49419
G	0	HIS	-	expression tag	UNP P49419
G	175	ALA	TRP	engineered mutation	UNP P49419
H	-1	GLY	-	expression tag	UNP P49419
H	0	HIS	-	expression tag	UNP P49419
H	175	ALA	TRP	engineered mutation	UNP P49419

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	
			44	21	7	14	2	
2	B	1	Total	C	N	O	P	
			44	21	7	14	2	
2	C	1	Total	C	N	O	P	
			44	21	7	14	2	
2	D	1	Total	C	N	O	P	
			44	21	7	14	2	
2	E	1	Total	C	N	O	P	
			44	21	7	14	2	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	B	1	Total	C	O	0	0
			10	6	4		
3	C	1	Total	C	O	0	0
			10	6	4		
3	D	1	Total	C	O	0	0
			10	6	4		
3	E	1	Total	C	O	0	0
			10	6	4		
3	F	1	Total	C	O	0	0
			10	6	4		
3	G	1	Total	C	O	0	0
			10	6	4		
3	H	1	Total	C	O	0	0
			10	6	4		

- Molecule 4 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			16	10	6		
4	C	1	Total	C	O	0	0
			16	10	6		
4	D	1	Total	C	O	0	0
			13	8	5		
4	E	1	Total	C	O	0	0
			16	10	6		
4	F	1	Total	C	O	0	0
			13	8	5		
4	G	1	Total	C	O	0	0
			16	10	6		
4	H	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Cl	0	0
			2	2		
5	D	2	Total	Cl	0	0
			2	2		
5	E	2	Total	Cl	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	2	Total	Cl	0	0
			2	2		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		
6	E	1	Total	Mg	0	0
			1	1		
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		
7	G	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	G	1	Total	C	O	0	0
			4	2	2		
7	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	H	1	Total	C	O	0	0
			13	8	5		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	432	Total	O	0	1
			433	433		
10	B	383	Total	O	0	0
			383	383		
10	C	447	Total	O	0	0
			447	447		
10	D	422	Total	O	0	1
			423	423		
10	E	438	Total	O	0	1
			439	439		
10	F	392	Total	O	0	0
			392	392		
10	G	412	Total	O	0	0
			412	412		
10	H	394	Total	O	0	0
			394	394		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain A:  96%




- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain B:  94% 5%



- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain C:  95%




- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain D:  95%





- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain E:  97%




- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain F:  94% 5%




- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain G:  95%



- Molecule 1: Alpha-aminoadipic semialdehyde dehydrogenase

Chain H:  94% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	156.06Å 162.33Å 159.63Å 90.00° 94.40° 90.00°	Depositor
Resolution (Å)	53.91 – 1.70 53.91 – 1.70	Depositor EDS
% Data completeness (in resolution range)	95.7 (53.91-1.70) 99.1 (53.91-1.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.95 (at 1.70Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.147 , 0.175 0.146 , 0.174	Depositor DCC
R_{free} test set	21105 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	13.3	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	35150	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, PEG, MG, 1PE, NAD, PG4, EDO, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/4017	0.47	0/5445
1	B	0.25	0/4022	0.45	0/5452
1	C	0.26	0/3988	0.46	0/5410
1	D	0.25	0/4005	0.46	0/5430
1	E	0.26	0/4049	0.48	0/5487
1	F	0.25	0/3995	0.46	0/5412
1	G	0.25	0/3997	0.46	0/5416
1	H	0.24	0/4009	0.46	0/5434
All	All	0.25	0/32082	0.46	0/43486

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3910	0	3940	15	0
1	B	3909	0	3940	19	0
1	C	3881	0	3887	16	0
1	D	3898	0	3925	17	0
1	E	3930	0	3990	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3894	0	3917	15	0
1	G	3899	0	3938	10	0
1	H	3902	0	3932	16	0
2	A	44	0	25	1	0
2	B	44	0	25	1	0
2	C	44	0	25	1	0
2	D	44	0	25	2	0
2	E	44	0	26	1	0
2	F	44	0	24	2	0
2	G	44	0	24	1	0
2	H	44	0	26	1	0
3	A	10	0	14	0	0
3	B	10	0	14	0	0
3	C	10	0	14	0	0
3	D	10	0	14	0	0
3	E	10	0	14	0	0
3	F	10	0	14	0	0
3	G	10	0	14	0	0
3	H	10	0	14	0	0
4	A	10	0	12	0	0
4	B	16	0	22	0	0
4	C	16	0	22	0	0
4	D	13	0	17	1	0
4	E	16	0	22	0	0
4	F	13	0	17	0	0
4	G	16	0	22	0	0
4	H	13	0	17	0	0
5	A	2	0	0	0	0
5	D	2	0	0	0	0
5	E	2	0	0	0	0
5	G	2	0	0	0	0
6	B	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
7	C	8	0	12	0	0
7	D	4	0	6	2	0
7	F	4	0	6	0	0
7	G	8	0	12	0	0
7	H	4	0	6	0	0
8	E	7	0	10	0	0
9	H	13	0	18	0	0
10	A	433	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	B	383	0	0	1	0
10	C	447	0	0	3	0
10	D	423	0	0	0	0
10	E	439	0	0	0	0
10	F	392	0	0	2	0
10	G	412	0	0	1	0
10	H	394	0	0	0	0
All	All	35150	0	32002	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:118:GLU:HG2	1:F:171:ALA:HB2	1.79	0.65
1:D:441:ARG:HD3	7:D:604:EDO:H22	1.80	0.63
1:B:118:GLU:HG2	1:B:171:ALA:HB2	1.84	0.60
1:A:138:GLY:O	1:D:140[B]:ILE:HG22	2.05	0.56
1:A:354:LEU:HD21	1:A:373:VAL:HG23	1.88	0.55
1:B:140[B]:ILE:HG22	1:C:138:GLY:O	2.05	0.55
1:A:118:GLU:HG2	1:A:171:ALA:HB2	1.90	0.54
1:E:138:GLY:O	1:H:140[B]:ILE:HG22	2.09	0.54
1:C:460:SER:HB2	10:C:1028:HOH:O	2.08	0.53
1:A:264:ARG:NH2	10:A:703:HOH:O	2.39	0.53
1:E:20:ARG:NH2	1:E:24:GLU:OE1	2.40	0.53
1:B:138:GLY:O	1:C:140[A]:ILE:HG22	2.09	0.52
1:G:118:GLU:HG2	1:G:171:ALA:HB2	1.92	0.51
1:G:302:CYS:SG	2:G:601:NAD:C4N	2.98	0.51
1:B:68:ARG:HD2	1:B:238:ARG:HB3	1.92	0.51
1:C:458:PRO:HG2	10:C:1028:HOH:O	2.10	0.51
1:E:140[A]:ILE:HG22	1:H:138:GLY:O	2.11	0.51
1:E:431:ILE:HG23	1:E:442:TRP:CE2	2.46	0.51
1:F:431:ILE:HG23	1:F:442:TRP:CE2	2.46	0.51
1:A:279:GLU:CD	1:A:279:GLU:H	2.20	0.50
1:D:302:CYS:SG	2:D:601:NAD:C4N	2.99	0.50
1:E:302:CYS:SG	2:E:601:NAD:C4N	2.99	0.50
1:D:68:ARG:HD2	1:D:238:ARG:HB3	1.94	0.50
1:H:293:ALA:HB2	1:H:458:PRO:HB2	1.94	0.50
1:F:254:VAL:HA	1:F:257:MET:HE3	1.94	0.50
1:G:68:ARG:HD2	1:G:238:ARG:HB3	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:302:CYS:SG	2:C:601:NAD:C4N	3.01	0.49
1:B:302:CYS:SG	2:B:601:NAD:C4N	3.01	0.49
1:B:331:VAL:HG11	1:B:374:MET:SD	2.52	0.49
1:F:302:CYS:SG	2:F:601:NAD:C4N	3.01	0.49
1:G:496:ILE:HD11	1:H:443:LEU:HD11	1.93	0.49
1:D:68:ARG:CZ	4:D:603:1PE:H241	2.43	0.48
1:F:33:GLY:O	1:F:53:ARG:HG2	2.13	0.48
1:F:68:ARG:HD2	1:F:238:ARG:HB3	1.95	0.48
1:B:498:TYR:HE1	7:D:604:EDO:H11	1.78	0.48
1:E:151[A]:ILE:HB	1:H:140[A]:ILE:HD11	1.95	0.48
1:A:68:ARG:HD2	1:A:238:ARG:HB3	1.93	0.48
1:A:431:ILE:HG23	1:A:442:TRP:CE2	2.49	0.48
1:F:374:MET:HE3	1:F:382:GLU:HA	1.95	0.48
1:H:94:ARG:NH2	1:H:127:ASP:OD2	2.42	0.48
1:H:254:VAL:HA	1:H:257:MET:HE3	1.96	0.48
1:B:331:VAL:HG21	1:B:374:MET:HE1	1.94	0.48
1:A:140[A]:ILE:HG22	1:D:138:GLY:O	2.14	0.48
1:D:118:GLU:HG2	1:D:171:ALA:HB2	1.95	0.48
1:F:140:ILE:HG22	1:G:138:GLY:O	2.13	0.48
1:H:302:CYS:SG	2:H:601:NAD:C4N	3.02	0.48
1:H:118:GLU:HG2	1:H:171:ALA:HB2	1.96	0.47
1:H:68:ARG:HD2	1:H:238:ARG:HB3	1.97	0.47
1:A:302:CYS:SG	2:A:601:NAD:C4N	3.03	0.46
1:H:20:ARG:HH22	1:H:24:GLU:CD	2.24	0.46
1:D:189:TRP:CH2	1:D:199:SER:HA	2.52	0.45
1:B:310:ILE:HG22	1:B:314:ILE:HG13	1.99	0.45
1:C:68:ARG:HD2	1:C:238:ARG:HB3	1.99	0.45
1:B:94:ARG:NH2	1:B:127:ASP:OD2	2.43	0.45
1:F:331:VAL:HG21	1:F:374:MET:HE1	1.99	0.45
1:D:22:GLU:OE2	1:D:53[A]:ARG:NE	2.49	0.45
1:G:363:GLU:OE2	1:G:393:ALA:HB1	2.18	0.45
1:A:151:ILE:HB	1:D:140[A]:ILE:CD1	2.47	0.44
1:C:276:ILE:HB	1:C:431:ILE:HG22	2.00	0.44
1:B:431:ILE:HG23	1:B:442:TRP:CE2	2.53	0.44
1:B:412:ASN:O	1:B:415:GLU:HG2	2.17	0.43
1:C:151:ILE:HG12	1:C:494:CYS:HB2	2.01	0.43
1:C:439:ILE:HG23	1:C:455:VAL:HG21	2.00	0.43
1:C:118:GLU:HG2	1:C:171:ALA:HB2	2.00	0.43
1:A:507:GLY:HA3	1:B:330:ARG:HH12	1.83	0.43
1:H:442:TRP:CH2	1:H:448:SER:HB2	2.53	0.43
1:A:151:ILE:HB	1:D:140[A]:ILE:HD11	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:136:ILE:O	1:C:142:PRO:HD3	2.19	0.43
1:D:431:ILE:HG23	1:D:442:TRP:CE2	2.54	0.42
1:C:259:GLN:NE2	10:C:703:HOH:O	2.39	0.42
1:E:151[A]:ILE:HB	1:H:140[A]:ILE:CD1	2.49	0.42
1:G:391:HIS:HA	1:G:408:PHE:CE1	2.55	0.42
1:A:140[B]:ILE:CD1	1:D:151[B]:ILE:HB	2.49	0.42
1:H:246:GLY:O	1:H:269:LEU:HA	2.19	0.42
1:B:246:GLY:O	1:B:269:LEU:HA	2.20	0.42
1:F:269:LEU:O	2:F:601:NAD:H2N	2.20	0.42
1:B:20:ARG:NH1	10:B:708:HOH:O	2.52	0.42
1:G:358:GLU:HG2	10:G:875:HOH:O	2.20	0.41
1:H:276:ILE:HB	1:H:431:ILE:HG22	2.00	0.41
1:C:358:GLU:HG2	1:C:362:LYS:HE2	2.02	0.41
1:G:443:LEU:HD13	1:H:151[B]:ILE:HD11	2.01	0.41
1:D:344:LEU:HD21	1:D:403:PRO:HD3	2.02	0.41
1:F:246:GLY:O	1:F:269:LEU:HA	2.20	0.41
1:F:264:ARG:NH2	10:F:710:HOH:O	2.52	0.41
1:B:374:MET:HE3	1:B:381:VAL:O	2.21	0.41
1:D:269:LEU:O	2:D:601:NAD:H2N	2.21	0.41
1:E:4:LEU:HD23	1:E:48:PRO:HB2	2.02	0.41
1:B:140[A]:ILE:CD1	1:C:151:ILE:HB	2.50	0.41
1:B:140[B]:ILE:HG13	1:B:151:ILE:HG22	2.02	0.41
1:C:442:TRP:CH2	1:C:448:SER:HB2	2.56	0.40
1:F:454:ASN:HB3	1:F:457:ILE:HG23	2.03	0.40
1:A:310:ILE:HG22	1:A:314:ILE:HG13	2.03	0.40
1:F:113:VAL:HG13	10:F:976:HOH:O	2.22	0.40
1:F:354:LEU:HD21	1:F:373:VAL:HG23	2.03	0.40
1:C:443:LEU:HD11	1:D:496:ILE:HD11	2.02	0.40
1:D:246:GLY:O	1:D:269:LEU:HA	2.22	0.40
1:G:442:TRP:CH2	1:G:448:SER:HB2	2.56	0.40
1:A:442:TRP:CH2	1:A:448:SER:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	517/513 (101%)	500 (97%)	16 (3%)	1 (0%)	43	28
1	B	519/513 (101%)	504 (97%)	14 (3%)	1 (0%)	43	28
1	C	517/513 (101%)	501 (97%)	15 (3%)	1 (0%)	43	28
1	D	517/513 (101%)	500 (97%)	16 (3%)	1 (0%)	43	28
1	E	521/513 (102%)	505 (97%)	15 (3%)	1 (0%)	43	28
1	F	515/513 (100%)	499 (97%)	15 (3%)	1 (0%)	43	28
1	G	514/513 (100%)	499 (97%)	14 (3%)	1 (0%)	43	28
1	H	517/513 (101%)	501 (97%)	15 (3%)	1 (0%)	43	28
All	All	4137/4104 (101%)	4009 (97%)	120 (3%)	8 (0%)	43	28

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	480	SER
1	B	480	SER
1	C	480	SER
1	D	480	SER
1	E	480	SER
1	F	480	SER
1	G	480	SER
1	H	480	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	411/409 (100%)	411 (100%)	0	100	100
1	B	413/409 (101%)	413 (100%)	0	100	100
1	C	408/409 (100%)	408 (100%)	0	100	100
1	D	410/409 (100%)	410 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	417/409 (102%)	417 (100%)	0	100	100
1	F	409/409 (100%)	405 (99%)	4 (1%)	68	58
1	G	412/409 (101%)	408 (99%)	4 (1%)	68	58
1	H	412/409 (101%)	410 (100%)	2 (0%)	81	76
All	All	3292/3272 (101%)	3282 (100%)	10 (0%)	86	83

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	36	GLU
1	F	297	THR
1	F	411	LYS
1	F	500	LYS
1	G	21	GLU
1	G	297	THR
1	G	500	LYS
1	G	511	GLN
1	H	182	ILE
1	H	297	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	ASN
1	B	10	GLN
1	B	46	ASN
1	B	155	ASN
1	B	379	ASN
1	C	155	ASN
1	D	46	ASN
1	D	98	GLN
1	D	153	GLN
1	D	155	ASN
1	D	379	ASN
1	E	153	GLN
1	E	155	ASN
1	F	153	GLN
1	F	155	ASN
1	G	10	GLN
1	G	153	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	155	ASN
1	H	120	GLN
1	H	155	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 44 ligands modelled in this entry, 11 are monoatomic - leaving 33 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	1PE	A	603	-	9,9,15	0.52	0	8,8,14	0.40	0
2	NAD	F	601	6	46,48,48	3.31	15 (32%)	64,73,73	1.65	11 (17%)
3	PGE	G	602	-	9,9,9	0.31	0	8,8,8	0.35	0
7	EDO	C	605	-	3,3,3	0.48	0	2,2,2	0.24	0
2	NAD	C	601	-	46,48,48	3.37	14 (30%)	64,73,73	1.61	10 (15%)
7	EDO	G	605	-	3,3,3	0.46	0	2,2,2	0.37	0
8	PEG	E	603	-	6,6,6	0.49	0	5,5,5	0.24	0
9	PG4	H	602	-	12,12,12	0.54	0	11,11,11	0.25	0
7	EDO	H	605	-	3,3,3	0.43	0	2,2,2	0.39	0
3	PGE	C	602	-	9,9,9	0.29	0	8,8,8	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	A	601	-	46,48,48	3.32	15 (32%)	64,73,73	1.61	12 (18%)
3	PGE	A	602	-	9,9,9	0.33	0	8,8,8	0.34	0
4	1PE	G	603	-	15,15,15	0.53	0	14,14,14	0.31	0
2	NAD	D	601	-	46,48,48	3.40	16 (34%)	64,73,73	1.60	12 (18%)
4	1PE	D	603	-	12,12,15	0.54	0	11,11,14	0.27	0
4	1PE	H	604	-	12,12,15	0.54	0	11,11,14	0.33	0
3	PGE	B	602	-	9,9,9	0.31	0	8,8,8	0.31	0
4	1PE	E	604	-	15,15,15	0.54	0	14,14,14	0.31	0
2	NAD	H	601	-	46,48,48	3.43	14 (30%)	64,73,73	1.50	10 (15%)
3	PGE	D	602	-	9,9,9	0.30	0	8,8,8	0.36	0
7	EDO	G	604	-	3,3,3	0.41	0	2,2,2	0.43	0
4	1PE	F	603	-	12,12,15	0.52	0	11,11,14	0.25	0
3	PGE	F	602	-	9,9,9	0.31	0	8,8,8	0.32	0
3	PGE	H	603	-	9,9,9	0.37	0	8,8,8	0.22	0
4	1PE	C	603	-	15,15,15	0.53	0	14,14,14	0.35	0
7	EDO	D	604	-	3,3,3	0.45	0	2,2,2	0.27	0
2	NAD	B	601	6	46,48,48	3.41	15 (32%)	64,73,73	1.70	11 (17%)
2	NAD	E	601	6	46,48,48	3.35	15 (32%)	64,73,73	1.63	13 (20%)
7	EDO	C	604	-	3,3,3	0.43	0	2,2,2	0.36	0
3	PGE	E	602	-	9,9,9	0.33	0	8,8,8	0.28	0
7	EDO	F	604	-	3,3,3	0.47	0	2,2,2	0.25	0
4	1PE	B	603	-	15,15,15	0.53	0	14,14,14	0.35	0
2	NAD	G	601	-	46,48,48	3.42	15 (32%)	64,73,73	1.59	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	1PE	A	603	-	-	1/7/7/13	-
2	NAD	F	601	6	-	4/30/62/62	0/5/5/5
3	PGE	G	602	-	-	3/7/7/7	-
7	EDO	C	605	-	-	0/1/1/1	-
2	NAD	C	601	-	-	4/30/62/62	0/5/5/5
7	EDO	G	605	-	-	0/1/1/1	-
8	PEG	E	603	-	-	2/4/4/4	-
9	PG4	H	602	-	-	4/10/10/10	-
7	EDO	H	605	-	-	1/1/1/1	-
3	PGE	C	602	-	-	3/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	601	-	-	4/30/62/62	0/5/5/5
3	PGE	A	602	-	-	6/7/7/7	-
4	1PE	G	603	-	-	3/13/13/13	-
2	NAD	D	601	-	-	4/30/62/62	0/5/5/5
4	1PE	D	603	-	-	5/10/10/13	-
4	1PE	H	604	-	-	4/10/10/13	-
3	PGE	B	602	-	-	5/7/7/7	-
4	1PE	E	604	-	-	2/13/13/13	-
2	NAD	H	601	-	-	4/30/62/62	0/5/5/5
3	PGE	D	602	-	-	3/7/7/7	-
7	EDO	G	604	-	-	0/1/1/1	-
4	1PE	F	603	-	-	3/10/10/13	-
3	PGE	F	602	-	-	3/7/7/7	-
3	PGE	H	603	-	-	1/7/7/7	-
4	1PE	C	603	-	-	2/13/13/13	-
7	EDO	D	604	-	-	1/1/1/1	-
2	NAD	B	601	6	-	5/30/62/62	0/5/5/5
2	NAD	E	601	6	-	4/30/62/62	0/5/5/5
7	EDO	C	604	-	-	1/1/1/1	-
3	PGE	E	602	-	-	4/7/7/7	-
7	EDO	F	604	-	-	0/1/1/1	-
4	1PE	B	603	-	-	4/13/13/13	-
2	NAD	G	601	-	-	4/30/62/62	0/5/5/5

All (119) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	601	NAD	O4D-C1D	15.06	1.60	1.40
2	B	601	NAD	O4D-C1D	14.85	1.60	1.40
2	C	601	NAD	O4D-C1D	14.79	1.60	1.40
2	G	601	NAD	O4D-C1D	14.59	1.60	1.40
2	D	601	NAD	O4D-C1D	14.53	1.60	1.40
2	E	601	NAD	O4D-C1D	14.49	1.59	1.40
2	A	601	NAD	O4D-C1D	14.11	1.59	1.40
2	F	601	NAD	O4D-C1D	14.00	1.59	1.40
2	B	601	NAD	O4B-C1B	8.08	1.60	1.42
2	G	601	NAD	O4B-C1B	7.97	1.60	1.42
2	E	601	NAD	O4B-C1B	7.83	1.60	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	601	NAD	O4B-C1B	7.74	1.59	1.42
2	F	601	NAD	O4B-C1B	7.73	1.59	1.42
2	D	601	NAD	O4B-C1B	7.62	1.59	1.42
2	C	601	NAD	O4B-C1B	7.57	1.59	1.42
2	A	601	NAD	O4B-C1B	7.55	1.59	1.42
2	G	601	NAD	C2B-C1B	-7.47	1.30	1.53
2	C	601	NAD	C2B-C1B	-7.41	1.30	1.53
2	H	601	NAD	C2B-C1B	-7.41	1.30	1.53
2	D	601	NAD	C2B-C1B	-7.37	1.30	1.53
2	A	601	NAD	C2B-C1B	-7.33	1.30	1.53
2	B	601	NAD	C2B-C1B	-7.28	1.30	1.53
2	F	601	NAD	C2B-C1B	-7.22	1.30	1.53
2	E	601	NAD	C2B-C1B	-7.16	1.31	1.53
2	G	601	NAD	C7N-N7N	6.72	1.45	1.33
2	A	601	NAD	C7N-N7N	6.62	1.45	1.33
2	B	601	NAD	C7N-N7N	6.60	1.45	1.33
2	F	601	NAD	C7N-N7N	6.52	1.45	1.33
2	D	601	NAD	C7N-N7N	6.48	1.44	1.33
2	H	601	NAD	C7N-N7N	6.46	1.44	1.33
2	C	601	NAD	C7N-N7N	6.44	1.44	1.33
2	H	601	NAD	O4B-C4B	-6.16	1.31	1.45
2	E	601	NAD	C7N-N7N	6.04	1.44	1.33
2	G	601	NAD	O4B-C4B	-5.96	1.31	1.45
2	A	601	NAD	O4B-C4B	-5.94	1.31	1.45
2	D	601	NAD	O4B-C4B	-5.81	1.32	1.45
2	E	601	NAD	O4B-C4B	-5.75	1.32	1.45
2	C	601	NAD	O4B-C4B	-5.72	1.32	1.45
2	D	601	NAD	O4D-C4D	-5.71	1.32	1.45
2	B	601	NAD	O4B-C4B	-5.69	1.32	1.45
2	F	601	NAD	O4B-C4B	-5.65	1.32	1.45
2	G	601	NAD	O4D-C4D	-5.61	1.32	1.45
2	C	601	NAD	O4D-C4D	-5.47	1.32	1.45
2	E	601	NAD	O4D-C4D	-5.43	1.32	1.45
2	H	601	NAD	O4D-C4D	-5.42	1.32	1.45
2	A	601	NAD	O4D-C4D	-5.39	1.33	1.45
2	B	601	NAD	O4D-C4D	-5.29	1.33	1.45
2	F	601	NAD	O4D-C4D	-5.13	1.33	1.45
2	D	601	NAD	C6A-N6A	3.76	1.43	1.34
2	F	601	NAD	C6A-N6A	3.68	1.43	1.34
2	G	601	NAD	C6A-N6A	3.65	1.43	1.34
2	E	601	NAD	C6A-N6A	3.64	1.43	1.34
2	H	601	NAD	C6A-N6A	3.55	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NAD	C6A-N6A	3.54	1.43	1.34
2	B	601	NAD	C6A-N6A	3.54	1.43	1.34
2	C	601	NAD	C2N-N1N	3.37	1.38	1.35
2	C	601	NAD	C6A-N6A	3.37	1.42	1.34
2	E	601	NAD	C3N-C7N	3.35	1.55	1.50
2	E	601	NAD	C2N-N1N	3.26	1.38	1.35
2	H	601	NAD	C3N-C7N	3.24	1.55	1.50
2	D	601	NAD	C3N-C7N	3.24	1.55	1.50
2	G	601	NAD	C2N-N1N	3.18	1.38	1.35
2	A	601	NAD	C3N-C7N	3.17	1.55	1.50
2	G	601	NAD	C3N-C7N	3.07	1.55	1.50
2	D	601	NAD	C2N-N1N	3.05	1.38	1.35
2	F	601	NAD	C3N-C7N	3.03	1.55	1.50
2	F	601	NAD	C2N-N1N	2.98	1.38	1.35
2	B	601	NAD	C2N-N1N	2.96	1.38	1.35
2	B	601	NAD	C3N-C7N	2.89	1.54	1.50
2	B	601	NAD	O3D-C3D	-2.89	1.35	1.43
2	C	601	NAD	O3D-C3D	-2.85	1.35	1.43
2	D	601	NAD	PN-O3	2.71	1.62	1.59
2	G	601	NAD	O3B-C3B	-2.69	1.36	1.43
2	C	601	NAD	C3N-C7N	2.68	1.54	1.50
2	A	601	NAD	O3D-C3D	-2.64	1.36	1.43
2	H	601	NAD	C2N-N1N	2.64	1.37	1.35
2	A	601	NAD	C2N-N1N	2.63	1.37	1.35
2	B	601	NAD	O2D-C2D	2.60	1.49	1.43
2	F	601	NAD	O3D-C3D	-2.59	1.36	1.43
2	D	601	NAD	O2B-C2B	2.57	1.49	1.43
2	D	601	NAD	O3D-C3D	-2.57	1.36	1.43
2	C	601	NAD	O2D-C2D	2.57	1.49	1.43
2	B	601	NAD	O2B-C2B	2.55	1.49	1.43
2	G	601	NAD	O3D-C3D	-2.53	1.36	1.43
2	H	601	NAD	O2B-C2B	2.52	1.49	1.43
2	B	601	NAD	C5A-C4A	-2.52	1.34	1.39
2	A	601	NAD	C8A-N7A	2.52	1.36	1.31
2	F	601	NAD	O3B-C3B	-2.48	1.36	1.43
2	E	601	NAD	C8A-N7A	2.48	1.36	1.31
2	C	601	NAD	O2B-C2B	2.47	1.49	1.43
2	F	601	NAD	C8A-N7A	2.46	1.36	1.31
2	F	601	NAD	O2B-C2B	2.44	1.49	1.43
2	B	601	NAD	O3B-C3B	-2.43	1.36	1.43
2	G	601	NAD	C8A-N7A	2.39	1.36	1.31
2	F	601	NAD	O2D-C2D	2.38	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	601	NAD	O3D-C3D	-2.38	1.37	1.43
2	E	601	NAD	O3D-C3D	-2.35	1.37	1.43
2	G	601	NAD	C5A-C4A	-2.33	1.34	1.39
2	D	601	NAD	C5A-C4A	-2.32	1.34	1.39
2	G	601	NAD	O2B-C2B	2.31	1.48	1.43
2	E	601	NAD	O2D-C2D	2.31	1.48	1.43
2	H	601	NAD	O2D-C2D	2.30	1.48	1.43
2	E	601	NAD	O3B-C3B	-2.30	1.37	1.43
2	E	601	NAD	O2B-C2B	2.29	1.48	1.43
2	B	601	NAD	C8A-N7A	2.29	1.36	1.31
2	C	601	NAD	C8A-N7A	2.23	1.36	1.31
2	H	601	NAD	C8A-N7A	2.22	1.36	1.31
2	D	601	NAD	C8A-N7A	2.22	1.35	1.31
2	A	601	NAD	O2B-C2B	2.21	1.48	1.43
2	G	601	NAD	O2D-C2D	2.19	1.48	1.43
2	D	601	NAD	O3B-C3B	-2.18	1.37	1.43
2	E	601	NAD	C5A-C4A	-2.16	1.35	1.39
2	A	601	NAD	C5A-C4A	-2.07	1.35	1.39
2	H	601	NAD	O3B-C3B	-2.06	1.37	1.43
2	A	601	NAD	O2D-C2D	2.03	1.48	1.43
2	D	601	NAD	O2D-C2D	2.03	1.48	1.43
2	C	601	NAD	C5A-C4A	-2.02	1.35	1.39
2	F	601	NAD	C5A-C4A	-2.01	1.35	1.39
2	A	601	NAD	O3B-C3B	-2.00	1.38	1.43

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	NAD	N3A-C2A-N1A	-5.79	119.82	128.58
2	C	601	NAD	N3A-C2A-N1A	-5.74	119.89	128.58
2	F	601	NAD	N3A-C2A-N1A	-5.73	119.91	128.58
2	D	601	NAD	N3A-C2A-N1A	-5.66	120.01	128.58
2	G	601	NAD	N3A-C2A-N1A	-5.59	120.12	128.58
2	E	601	NAD	N3A-C2A-N1A	-5.42	120.38	128.58
2	A	601	NAD	N3A-C2A-N1A	-5.23	120.67	128.58
2	B	601	NAD	C5A-C4A-N3A	-5.20	119.55	126.72
2	C	601	NAD	C5A-C4A-N3A	-4.90	119.96	126.72
2	D	601	NAD	C5A-C4A-N3A	-4.87	120.01	126.72
2	G	601	NAD	C5A-C4A-N3A	-4.85	120.04	126.72
2	F	601	NAD	C5A-C4A-N3A	-4.83	120.06	126.72
2	A	601	NAD	C5A-C4A-N3A	-4.75	120.18	126.72
2	H	601	NAD	N3A-C2A-N1A	-4.67	121.52	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	601	NAD	C5A-C4A-N3A	-4.66	120.30	126.72
2	A	601	NAD	N9A-C8A-N7A	-4.61	107.39	113.94
2	C	601	NAD	N9A-C8A-N7A	-4.54	107.49	113.94
2	B	601	NAD	N9A-C8A-N7A	-4.54	107.50	113.94
2	H	601	NAD	C5A-C4A-N3A	-4.43	120.62	126.72
2	E	601	NAD	N9A-C8A-N7A	-4.36	107.75	113.94
2	F	601	NAD	N9A-C8A-N7A	-4.33	107.80	113.94
2	H	601	NAD	N9A-C8A-N7A	-4.31	107.82	113.94
2	D	601	NAD	N9A-C8A-N7A	-4.29	107.85	113.94
2	G	601	NAD	N9A-C8A-N7A	-4.21	107.96	113.94
2	H	601	NAD	C4D-O4D-C1D	-3.67	106.57	109.92
2	B	601	NAD	C2A-N3A-C4A	3.63	120.70	111.83
2	F	601	NAD	C4D-O4D-C1D	-3.44	106.77	109.92
2	F	601	NAD	C2A-N3A-C4A	3.39	120.11	111.83
2	C	601	NAD	C2A-N3A-C4A	3.38	120.10	111.83
2	D	601	NAD	C2A-N3A-C4A	3.38	120.09	111.83
2	G	601	NAD	C2A-N3A-C4A	3.26	119.80	111.83
2	E	601	NAD	C2A-N3A-C4A	3.19	119.62	111.83
2	A	601	NAD	C5A-N7A-C8A	3.19	108.46	103.45
2	B	601	NAD	N3A-C4A-N9A	3.14	132.50	127.17
2	A	601	NAD	C2A-N3A-C4A	3.13	119.48	111.83
2	C	601	NAD	C5A-N7A-C8A	3.13	108.37	103.45
2	B	601	NAD	C5A-N7A-C8A	3.11	108.34	103.45
2	B	601	NAD	C4D-O4D-C1D	-3.04	107.14	109.92
2	C	601	NAD	N3A-C4A-N9A	3.02	132.30	127.17
2	F	601	NAD	C5A-N7A-C8A	3.02	108.19	103.45
2	G	601	NAD	N3A-C4A-N9A	3.00	132.26	127.17
2	E	601	NAD	C4D-O4D-C1D	-2.97	107.20	109.92
2	E	601	NAD	C5A-N7A-C8A	2.92	108.04	103.45
2	G	601	NAD	C4D-O4D-C1D	-2.87	107.29	109.92
2	D	601	NAD	C5A-N7A-C8A	2.84	107.91	103.45
2	D	601	NAD	N3A-C4A-N9A	2.82	131.96	127.17
2	H	601	NAD	N3A-C4A-N9A	2.74	131.83	127.17
2	C	601	NAD	C4D-O4D-C1D	-2.71	107.44	109.92
2	H	601	NAD	C5A-N7A-C8A	2.68	107.66	103.45
2	H	601	NAD	C2A-N3A-C4A	2.65	118.30	111.83
2	G	601	NAD	C5A-N7A-C8A	2.64	107.60	103.45
2	E	601	NAD	C5A-C4A-N9A	2.57	108.61	105.81
2	A	601	NAD	C4A-C5A-N7A	-2.55	107.66	110.58
2	H	601	NAD	C4A-N9A-C8A	2.54	108.40	105.74
2	F	601	NAD	N3A-C4A-N9A	2.53	131.47	127.17
2	E	601	NAD	C4A-C5A-N7A	-2.50	107.72	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	NAD	C4A-N9A-C8A	2.49	108.35	105.74
2	A	601	NAD	N3A-C4A-N9A	2.48	131.38	127.17
2	F	601	NAD	C4A-C5A-N7A	-2.47	107.75	110.58
2	A	601	NAD	C3N-C7N-N7N	2.46	120.77	117.74
2	B	601	NAD	C2N-C3N-C4N	2.46	121.12	118.26
2	F	601	NAD	C5A-C4A-N9A	2.44	108.47	105.81
2	D	601	NAD	C4D-O4D-C1D	-2.41	107.71	109.92
2	G	601	NAD	C4A-N9A-C8A	2.41	108.27	105.74
2	A	601	NAD	C5A-C4A-N9A	2.41	108.44	105.81
2	E	601	NAD	C3N-C7N-N7N	2.35	120.64	117.74
2	B	601	NAD	C4A-N9A-C8A	2.35	108.20	105.74
2	F	601	NAD	C2N-C3N-C4N	2.34	120.98	118.26
2	D	601	NAD	C4A-N9A-C8A	2.33	108.19	105.74
2	E	601	NAD	N3A-C4A-N9A	2.30	131.08	127.17
2	H	601	NAD	C6A-C5A-C4A	2.26	120.27	117.18
2	B	601	NAD	C4A-C5A-N7A	-2.24	108.02	110.58
2	D	601	NAD	C4A-C5A-N7A	-2.23	108.03	110.58
2	C	601	NAD	C4A-C5A-N7A	-2.21	108.06	110.58
2	A	601	NAD	C4A-N9A-C8A	2.20	108.05	105.74
2	D	601	NAD	C3N-C7N-N7N	2.20	120.45	117.74
2	B	601	NAD	C3N-C7N-N7N	2.16	120.40	117.74
2	E	601	NAD	C6N-N1N-C2N	-2.15	120.05	121.88
2	D	601	NAD	O2N-PN-O3	2.08	112.90	107.27
2	E	601	NAD	O2N-PN-O3	2.07	112.86	107.27
2	H	601	NAD	C2N-C3N-C4N	2.06	120.66	118.26
2	G	601	NAD	O2N-PN-O3	2.05	112.82	107.27
2	C	601	NAD	C2N-C3N-C4N	2.05	120.64	118.26
2	A	601	NAD	O4B-C1B-C2B	-2.04	102.25	106.62
2	A	601	NAD	C6A-C5A-C4A	2.04	119.96	117.18
2	D	601	NAD	C5A-C4A-N9A	2.03	108.03	105.81
2	E	601	NAD	C4A-N9A-C8A	2.03	107.87	105.74
2	F	601	NAD	O2A-PA-O3	2.01	112.70	107.27

There are no chirality outliers.

All (94) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	602	PGE	O2-C3-C4-O3
3	G	602	PGE	O2-C3-C4-O3
3	D	602	PGE	O2-C3-C4-O3
3	F	602	PGE	O2-C3-C4-O3
3	A	602	PGE	O3-C5-C6-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	G	603	1PE	OH7-C16-C26-OH6
9	H	602	PG4	O2-C3-C4-O3
3	A	602	PGE	O2-C3-C4-O3
3	F	602	PGE	O3-C5-C6-O4
4	D	603	1PE	OH4-C13-C23-OH3
4	D	603	1PE	OH7-C16-C26-OH6
3	B	602	PGE	O1-C1-C2-O2
3	C	602	PGE	O1-C1-C2-O2
3	E	602	PGE	O1-C1-C2-O2
4	B	603	1PE	OH7-C16-C26-OH6
4	F	603	1PE	OH7-C16-C26-OH6
4	H	604	1PE	OH4-C13-C23-OH3
9	H	602	PG4	O4-C7-C8-O5
3	C	602	PGE	O2-C3-C4-O3
3	B	602	PGE	O3-C5-C6-O4
3	H	603	PGE	O1-C1-C2-O2
4	F	603	1PE	OH4-C13-C23-OH3
9	H	602	PG4	O3-C5-C6-O4
3	C	602	PGE	O3-C5-C6-O4
3	D	602	PGE	O3-C5-C6-O4
3	A	602	PGE	O1-C1-C2-O2
3	G	602	PGE	O3-C5-C6-O4
4	F	603	1PE	OH6-C15-C25-OH5
2	A	601	NAD	C2B-C1B-N9A-C8A
2	B	601	NAD	C2B-C1B-N9A-C8A
2	C	601	NAD	C2B-C1B-N9A-C8A
2	E	601	NAD	C2B-C1B-N9A-C8A
2	F	601	NAD	C2B-C1B-N9A-C8A
2	G	601	NAD	C2B-C1B-N9A-C8A
2	H	601	NAD	C2B-C1B-N9A-C8A
4	H	604	1PE	OH6-C15-C25-OH5
3	E	602	PGE	O2-C3-C4-O3
4	B	603	1PE	OH6-C15-C25-OH5
2	D	601	NAD	C2B-C1B-N9A-C8A
8	E	603	PEG	O1-C1-C2-O2
3	E	602	PGE	C6-C5-O3-C4
4	G	603	1PE	C16-C26-OH6-C15
3	F	602	PGE	C3-C4-O3-C5
4	B	603	1PE	C16-C26-OH6-C15
4	H	604	1PE	C16-C26-OH6-C15
4	A	603	1PE	OH6-C15-C25-OH5
9	H	602	PG4	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	602	PGE	C3-C4-O3-C5
7	D	604	EDO	O1-C1-C2-O2
4	E	604	1PE	OH6-C15-C25-OH5
4	C	603	1PE	OH7-C16-C26-OH6
8	E	603	PEG	O2-C3-C4-O4
2	B	601	NAD	C4D-C5D-O5D-PN
2	C	601	NAD	C4D-C5D-O5D-PN
2	E	601	NAD	C4D-C5D-O5D-PN
2	G	601	NAD	C4D-C5D-O5D-PN
4	D	603	1PE	C14-C24-OH4-C13
2	B	601	NAD	C5B-O5B-PA-O1A
2	A	601	NAD	C4D-C5D-O5D-PN
2	D	601	NAD	C4D-C5D-O5D-PN
2	F	601	NAD	C4D-C5D-O5D-PN
2	H	601	NAD	C4D-C5D-O5D-PN
3	A	602	PGE	C1-C2-O2-C3
2	A	601	NAD	C2B-C1B-N9A-C4A
2	B	601	NAD	C2B-C1B-N9A-C4A
2	C	601	NAD	C2B-C1B-N9A-C4A
2	D	601	NAD	C2B-C1B-N9A-C4A
2	E	601	NAD	C2B-C1B-N9A-C4A
2	F	601	NAD	C2B-C1B-N9A-C4A
2	G	601	NAD	C2B-C1B-N9A-C4A
2	H	601	NAD	C2B-C1B-N9A-C4A
4	D	603	1PE	C23-C13-OH4-C24
7	H	605	EDO	O1-C1-C2-O2
3	B	602	PGE	C4-C3-O2-C2
4	E	604	1PE	C16-C26-OH6-C15
7	C	604	EDO	O1-C1-C2-O2
4	H	604	1PE	OH7-C16-C26-OH6
3	A	602	PGE	C6-C5-O3-C4
3	G	602	PGE	C3-C4-O3-C5
3	D	602	PGE	C4-C3-O2-C2
4	B	603	1PE	C25-C15-OH6-C26
2	A	601	NAD	O4B-C1B-N9A-C8A
2	B	601	NAD	O4B-C1B-N9A-C8A
2	C	601	NAD	O4B-C1B-N9A-C8A
2	F	601	NAD	O4B-C1B-N9A-C8A
2	H	601	NAD	O4B-C1B-N9A-C8A
4	G	603	1PE	C25-C15-OH6-C26
3	E	602	PGE	O3-C5-C6-O4
2	D	601	NAD	O4B-C1B-N9A-C8A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	E	601	NAD	O4B-C1B-N9A-C8A
2	G	601	NAD	O4B-C1B-N9A-C8A
4	C	603	1PE	OH6-C15-C25-OH5
3	B	602	PGE	C3-C4-O3-C5
4	D	603	1PE	OH5-C14-C24-OH4


There are no ring outliers.


10 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	601	NAD	2	0
2	C	601	NAD	1	0
2	A	601	NAD	1	0
2	D	601	NAD	2	0
4	D	603	1PE	1	0
2	H	601	NAD	1	0
7	D	604	EDO	2	0
2	B	601	NAD	1	0
2	E	601	NAD	1	0
2	G	601	NAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å²)	Q<0.9	
1	A	509/513 (99%)	-0.65	1 (0%)	91	92	5, 12, 26, 35	10 (1%)
1	B	509/513 (99%)	-0.56	2 (0%)	88	90	6, 13, 28, 39	12 (2%)
1	C	509/513 (99%)	-0.64	1 (0%)	91	92	5, 12, 26, 43	9 (1%)
1	D	509/513 (99%)	-0.62	0	100	100	5, 13, 26, 41	10 (1%)
1	E	509/513 (99%)	-0.68	1 (0%)	91	92	5, 12, 25, 36	14 (2%)
1	F	509/513 (99%)	-0.53	2 (0%)	88	90	6, 13, 29, 48	8 (1%)
1	G	509/513 (99%)	-0.57	4 (0%)	82	85	6, 13, 27, 56	7 (1%)
1	H	509/513 (99%)	-0.54	1 (0%)	91	92	6, 14, 27, 41	10 (1%)
All	All	4072/4104 (99%)	-0.60	12 (0%)	90	91	5, 13, 27, 56	80 (1%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	505	ALA	3.5
1	G	510	PHE	3.4
1	G	504	LEU	3.1
1	F	3	THR	3.0
1	G	3	THR	2.7
1	C	3	THR	2.6
1	F	511	GLN	2.6
1	E	9	PRO	2.5
1	B	335	TRP	2.5
1	H	462	ALA	2.3
1	A	3	THR	2.2
1	B	331	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	1PE	D	603	13/16	0.80	0.17	38,42,45,48	0
7	EDO	H	605	4/4	0.81	0.15	44,45,47,50	0
7	EDO	G	604	4/4	0.82	0.14	36,40,45,50	0
7	EDO	C	604	4/4	0.84	0.13	39,40,41,45	0
4	1PE	H	604	13/16	0.85	0.14	31,38,46,52	0
4	1PE	E	604	16/16	0.87	0.14	30,39,47,51	0
4	1PE	F	603	13/16	0.87	0.14	31,35,42,48	0
4	1PE	A	603	10/16	0.87	0.13	31,31,34,36	0
9	PG4	H	602	13/13	0.87	0.13	34,42,46,47	0
4	1PE	G	603	16/16	0.88	0.12	31,38,42,42	0
4	1PE	B	603	16/16	0.88	0.13	24,29,45,51	0
3	PGE	E	602	10/10	0.88	0.13	37,42,44,45	0
3	PGE	A	602	10/10	0.89	0.13	38,41,42,42	0
6	MG	E	607	1/1	0.89	0.17	33,33,33,33	0
3	PGE	G	602	10/10	0.90	0.12	39,40,44,46	0
7	EDO	D	604	4/4	0.90	0.15	18,30,39,47	0
7	EDO	F	604	4/4	0.90	0.16	24,34,36,39	0
3	PGE	D	602	10/10	0.90	0.12	34,39,41,45	0
6	MG	B	604	1/1	0.90	0.22	36,36,36,36	0
3	PGE	C	602	10/10	0.90	0.12	35,39,42,42	0
7	EDO	C	605	4/4	0.91	0.10	26,28,30,38	0
3	PGE	F	602	10/10	0.91	0.12	34,41,45,46	0
3	PGE	B	602	10/10	0.92	0.11	33,36,39,40	0
7	EDO	G	605	4/4	0.92	0.10	32,33,34,34	0
4	1PE	C	603	16/16	0.93	0.09	15,25,39,43	0
3	PGE	H	603	10/10	0.93	0.09	20,24,30,31	0
8	PEG	E	603	7/7	0.94	0.10	20,24,47,54	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	CL	G	606	1/1	0.96	0.11	31,31,31,31	0
6	MG	F	605	1/1	0.97	0.24	30,30,30,30	0
2	NAD	D	601	44/44	0.97	0.06	10,13,18,24	0
2	NAD	E	601	44/44	0.97	0.05	8,12,16,21	0
2	NAD	F	601	44/44	0.97	0.05	8,13,19,27	0
2	NAD	G	601	44/44	0.97	0.05	11,14,18,27	0
2	NAD	H	601	44/44	0.97	0.06	10,14,18,21	0
5	CL	D	606	1/1	0.97	0.08	24,24,24,24	0
2	NAD	A	601	44/44	0.97	0.05	8,12,16,22	0
2	NAD	B	601	44/44	0.97	0.06	8,13,18,28	0
2	NAD	C	601	44/44	0.97	0.06	8,12,15,24	0
5	CL	A	605	1/1	0.98	0.07	23,23,23,23	0
5	CL	D	605	1/1	0.98	0.06	24,24,24,24	0
5	CL	E	605	1/1	0.99	0.04	20,20,20,20	0
5	CL	E	606	1/1	0.99	0.06	21,21,21,21	0
5	CL	A	604	1/1	0.99	0.05	23,23,23,23	0
5	CL	G	607	1/1	0.99	0.05	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NAD E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAD A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.