



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:03 PM UTC

PDB ID : 5O64 / pdb_00005o64
Title : From macrocrystals to microcrystals: a strategy for membrane protein serial crystallography
Authors : Dods, R.; Baath, P.; Branden, G.; Neutze, R.
Deposited on : 2017-06-05
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	336	86% 12% ..
2	H	257	% 81% 14% ..
3	L	273	86% 14%
4	M	323	% 87% 12% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	BCB	L	301	X	-	-	-
11	BCB	L	302	X	-	-	-
11	BCB	M	402	X	-	-	-
11	BCB	M	403	X	-	-	-
7	SO4	M	407	-	-	X	-

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 10157 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	332	Total	C	N	O	S	0	0	0
			2602	1640	466	478	18			

- Molecule 2 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	249	Total	C	N	O	S	0	0	0
			1952	1247	334	370	1			


- Molecule 3 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	273	Total	C	N	O	S	0	1	0
			2172	1460	350	355	7			

- Molecule 4 is a protein called Reaction center protein M chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	M	323	Total	C	N	O	S	0	0	0
			2555	1702	419	423	11			

- Molecule 5 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is DIACYL GLYCEROL (CCD ID: DGA) (formula: C₃₉H₇₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			37	33	4		

- Molecule 7 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	O	S	0	0
			5	4	1		
7	H	1	Total	O	S	0	0
			5	4	1		
7	H	1	Total	O	S	0	0
			5	4	1		
7	H	1	Total	O	S	0	0
			5	4	1		
7	M	1	Total	O	S	0	0
			5	4	1		
7	M	1	Total	O	S	0	0
			5	4	1		
7	M	1	Total	O	S	0	0
			5	4	1		
7	M	1	Total	O	S	0	0
			5	4	1		
7	M	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: C₆H₁₁NO₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	H	1	Total	C	N	O	S	0	0
			10	6	1	2	1		

- Molecule 9 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	H	1	Total	C	N	O		0	0
			16	14	1	1			
9	H	1	Total	C	N	O		0	0
			16	14	1	1			
9	H	1	Total	C	N	O		0	0
			16	14	1	1			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 10 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: $C_7H_{16}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	H	1	Total	C	O	0	0
			10	7	3		
10	L	1	Total	C	O	0	0
			10	7	3		
10	L	1	Total	C	O	0	0
			10	7	3		

- Molecule 11 is BACTERIOCHLOROPHYLL B (CCD ID: BCB) (formula: $C_{55}H_{72}MgN_4O_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 12 is BACTERIOPHEOPHYTIN B (CCD ID: BPB) (formula: C₅₅H₇₄N₄O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	L	1	Total	C	N	O	0	0
			65	55	4	6		
12	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 13 is FE (II) ION (CCD ID: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	L	1	Total	Fe	0	0
			1	1		

- Molecule 14 is MENAQUINONE-7 (CCD ID: MQ7) (formula: C₄₆H₆₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	M	1	Total	C	O	0	0
			48	46	2		

- Molecule 15 is 15-cis-1,2-dihydroneurosporene (CCD ID: NS5) (formula: C₄₀H₆₀).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	M	1	Total C 40 40	0	0


- Molecule 16 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	C	7	Total O 7 7	0	0
16	H	3	Total O 3 3	0	0
16	L	13	Total O 13 13	0	0
16	M	7	Total O 7 7	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein H chain



- Molecule 3: Reaction center protein L chain



- Molecule 4: Reaction center protein M chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	226.60Å 226.60Å 113.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.39 – 3.30 46.39 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.39-3.30) 99.9 (46.39-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 3.32Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.154 , 0.196 (Not available) , 0.182	Depositor DCC
R_{free} test set	2294 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	123.8	Xtriage
Anisotropy	0.019	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 74.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10157	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MQ7, NS5, LDA, HTO, FME, HEC, DGA, BCB, FE2, SO4, BPB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.78	0/2669	1.07	4/3637 (0.1%)
2	H	0.80	0/1997	1.05	3/2725 (0.1%)
3	L	0.76	0/2267	1.04	1/3095 (0.0%)
4	M	0.75	0/2659	1.03	4/3637 (0.1%)
All	All	0.77	0/9592	1.04	12/13094 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	56	ASP	N-CA-C	6.70	119.15	111.11
2	H	78	VAL	N-CA-C	6.48	114.50	109.19
1	C	204	VAL	CA-C-N	6.27	126.22	119.76
1	C	204	VAL	C-N-CA	6.27	126.22	119.76
4	M	14	GLY	CA-C-N	5.57	125.33	119.76
4	M	14	GLY	C-N-CA	5.57	125.33	119.76
1	C	3	GLU	N-CA-C	5.44	117.49	109.50
4	M	45	GLN	N-CA-C	5.39	117.50	109.25
2	H	44	VAL	N-CA-C	5.33	117.75	108.90
4	M	34	TYR	N-CA-C	-5.29	102.92	110.59
3	L	26	VAL	CB-CA-C	5.12	116.40	111.23
1	C	24	HIS	N-CA-C	-5.06	101.93	109.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2602	0	2578	15	0
2	H	1952	0	1939	12	0
3	L	2172	0	2097	16	0
4	M	2555	0	2452	20	0
5	C	172	0	120	3	0
6	C	37	0	58	0	0
7	C	5	0	0	1	0
7	H	15	0	0	0	0
7	M	30	0	0	2	0
8	H	10	0	10	0	0
9	H	48	0	93	0	0
9	M	16	0	31	0	0
10	H	10	0	16	0	0
10	L	20	0	32	0	0
11	L	132	0	144	3	0
11	M	132	0	144	3	0
12	L	65	0	74	2	0
12	M	65	0	74	2	0
13	L	1	0	0	0	0
14	M	48	0	64	1	0
15	M	40	0	60	4	0
16	C	7	0	0	0	0
16	H	3	0	0	0	0
16	L	13	0	0	0	0
16	M	7	0	0	0	0
All	All	10157	0	9986	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:31:VAL:HG22	14:M:401:MQ7:H401	1.72	0.72
4:M:159:GLY:HA3	15:M:405:NS5:H272	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:132:GLN:HE22	3:L:146:PHE:H	1.47	0.61
3:L:133:VAL:O	3:L:137:LEU:HG	2.00	0.60
2:H:180:PHE:CE2	4:M:12:ALA:HB2	2.38	0.59
2:H:20:GLN:HG2	4:M:202:PHE:CE2	2.37	0.59
1:C:216:ARG:O	1:C:219:GLU:HG2	2.05	0.57
4:M:160:CYS:SG	15:M:405:NS5:H322	2.46	0.56
4:M:1:ALA:N	7:M:407:SO4:O2	2.38	0.55
2:H:88:LEU:HB3	2:H:90:LEU:HD12	1.89	0.55
4:M:1:ALA:N	7:M:407:SO4:S	2.80	0.55
2:H:115:ALA:HB2	2:H:244:GLY:HA3	1.90	0.54
5:C:401:HEC:HBB3	5:C:401:HEC:CMB	2.38	0.54
3:L:181:PHE:HB3	12:M:404:BPB:CBB	2.38	0.54
1:C:102:TYR:CG	1:C:103:PRO:HD3	2.43	0.53
1:C:200:GLN:HE21	1:C:201:VAL:N	2.06	0.53
5:C:404:HEC:HHA	5:C:404:HEC:CBD	2.39	0.52
4:M:121:THR:HG23	4:M:156:LEU:HD21	1.91	0.52
2:H:5:ALA:O	2:H:6:LEU:HD23	2.09	0.51
3:L:124:PRO:HD3	12:L:303:BPB:HAC	1.92	0.51
1:C:283:ALA:N	1:C:284:PRO:HD2	2.26	0.51
4:M:184:LEU:CD2	11:M:402:BCB:HBC3	2.40	0.51
5:C:404:HEC:HHA	5:C:404:HEC:HBD1	1.94	0.50
2:H:145:ILE:HD13	2:H:151:ASP:HA	1.93	0.50
3:L:34:PHE:O	3:L:35:GLY:C	2.54	0.50
4:M:184:LEU:HD21	11:M:402:BCB:HBC3	1.92	0.50
2:H:190:SER:O	2:H:192:ARG:N	2.46	0.49
1:C:133:TYR:O	1:C:134:THR:C	2.56	0.48
11:M:402:BCB:HBB2	11:M:402:BCB:HHC	1.96	0.48
1:C:258:LYS:HE3	4:M:305:TYR:O	2.14	0.47
3:L:226:ALA:O	3:L:229:ILE:HG22	2.15	0.47
1:C:35:ASP:OD2	1:C:316:LEU:HA	2.17	0.45
3:L:157:VAL:HG22	11:L:302:BCB:HBC3	1.99	0.45
4:M:132:TYR:CE1	4:M:142:THR:HG21	2.53	0.44
2:H:152:PRO:HD2	2:H:171:LEU:HD11	2.00	0.44
4:M:60:ALA:O	4:M:64:THR:HG23	2.17	0.44
1:C:308:CYS:O	1:C:315:PRO:HB3	2.18	0.44
4:M:25:ASP:OD1	4:M:25:ASP:N	2.52	0.43
12:L:303:BPB:HBBB	12:L:303:BPB:HMB	2.01	0.43
2:H:27:VAL:O	2:H:31:TYR:HB3	2.18	0.43
3:L:94:LEU:HD21	3:L:129:CYS:SG	2.59	0.43
4:M:118:LEU:HD22	15:M:405:NS5:HM33	1.99	0.43
2:H:152:PRO:HA	2:H:155:LEU:HD12	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:117:TYR:HB2	2:H:236:ASP:HB3	2.01	0.42
1:C:247:CYS:HA	1:C:261:THR:OG1	2.19	0.42
1:C:169:ARG:N	7:C:406:SO4:O3	2.52	0.42
2:H:136:PRO:HA	2:H:172:TRP:HA	2.01	0.42
1:C:32:LYS:HA	1:C:317:PHE:CE1	2.55	0.42
3:L:196:SER:N	4:M:143:HIS:HD2	2.18	0.42
4:M:200:HIS:CE1	4:M:204:ILE:HD11	2.55	0.42
3:L:132:GLN:NE2	3:L:132:GLN:HA	2.34	0.41
3:L:259:TRP:N	3:L:260:PRO:CD	2.82	0.41
15:M:405:NS5:H18	15:M:405:NS5:H161	1.88	0.41
1:C:250:ALA:O	1:C:251:GLN:C	2.62	0.41
4:M:239:ARG:HD3	4:M:244:GLU:HG2	2.02	0.41
4:M:157:CYS:HA	4:M:161:ILE:HB	2.01	0.41
1:C:187:TYR:O	1:C:189:PRO:HD3	2.20	0.41
3:L:79:PRO:HG2	3:L:82:GLU:HB2	2.03	0.41
12:M:404:BPB:HHC	12:M:404:BPB:HBBB	2.03	0.41
3:L:135:ARG:HB3	3:L:136:PRO:HD3	2.03	0.40
3:L:164:TYR:CD1	3:L:164:TYR:N	2.89	0.40
11:L:302:BCB:OBD	4:M:201:GLY:HA2	2.21	0.40
1:C:146:ARG:NH1	1:C:150:PRO:HA	2.36	0.40
4:M:34:TYR:CD1	4:M:34:TYR:N	2.89	0.40
3:L:173:HIS:HA	11:L:301:BCB:HED2	2.04	0.40
1:C:118:ASN:ND2	1:C:328:LEU:O	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	C	330/336 (98%)	310 (94%)	18 (6%)	2 (1%)	21 52
2	H	245/257 (95%)	222 (91%)	20 (8%)	3 (1%)	10 37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	L	272/273 (100%)	248 (91%)	21 (8%)	3 (1%)	11	39
4	M	321/323 (99%)	301 (94%)	18 (6%)	2 (1%)	21	52
All	All	1168/1189 (98%)	1081 (93%)	77 (7%)	10 (1%)	14	43

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	55	VAL
3	L	57	PRO
3	L	271	PHE
2	H	83	PRO
3	L	203	GLY
4	M	78	HIS
1	C	88	THR
2	H	8	GLN
2	H	191	ALA
4	M	193	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	227/282 (80%)	216 (95%)	11 (5%)	23	52
2	H	206/212 (97%)	188 (91%)	18 (9%)	9	32
3	L	219/218 (100%)	206 (94%)	13 (6%)	18	46
4	M	249/249 (100%)	233 (94%)	16 (6%)	16	44
All	All	901/961 (94%)	843 (94%)	58 (6%)	16	44

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	88	THR
1	C	122	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	151	THR
1	C	159	THR
1	C	170	SER
1	C	199	ARG
1	C	248	HIS
1	C	252	THR
1	C	258	LYS
1	C	292	SER
1	C	304	ASP
2	H	8	GLN
2	H	10	LEU
2	H	39	GLU
2	H	55	GLU
2	H	56	ASP
2	H	67	THR
2	H	69	VAL
2	H	78	VAL
2	H	85	THR
2	H	90	LEU
2	H	106	ASN
2	H	169	THR
2	H	185	LEU
2	H	209	VAL
2	H	216	GLU
2	H	224	LEU
2	H	236	ASP
2	H	250	THR
3	L	7	ARG
3	L	21	LEU
3	L	26	VAL
3	L	44	LEU
3	L	64	ILE
3	L	81	LEU
3	L	98	ILE
3	L	110	LYS
3	L	119	LEU
3	L	205	LYS
3	L	224	ILE
3	L	228	SER
3	L	249	ILE
4	M	17	ILE
4	M	22	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	M	27	ASP
4	M	31	LYS
4	M	51	LEU
4	M	64	THR
4	M	67	LEU
4	M	118	LEU
4	M	126	SER
4	M	133	SER
4	M	136	ARG
4	M	158	ILE
4	M	171	GLU
4	M	194	PHE
4	M	226	ARG
4	M	290	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	200	GLN
1	C	263	GLN
1	C	286	ASN
2	H	8	GLN
2	H	102	GLN
2	H	106	ASN
3	L	116	HIS
3	L	132	GLN
3	L	144	HIS
3	L	158	ASN
3	L	183	ASN
3	L	214	GLN
3	L	239	ASN
4	M	143	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 1 is monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	SO4	H	303	-	4,4,4	0.58	0	6,6,6	0.54	0
7	SO4	M	409	-	4,4,4	0.47	0	6,6,6	0.28	0
7	SO4	C	406	-	4,4,4	0.52	0	6,6,6	0.47	0
8	FME	H	301	2	8,9,10	0.86	0	8,9,11	3.18	4 (50%)
9	LDA	H	302	-	13,15,15	2.00	2 (15%)	14,17,17	0.55	0
7	SO4	M	410	-	4,4,4	0.48	0	6,6,6	0.32	0
9	LDA	M	412	-	13,15,15	1.96	1 (7%)	14,17,17	0.39	0
11	BCB	M	403	-	60,74,74	2.77	16 (26%)	59,115,115	2.55	19 (32%)
6	DGA	C	405	1	36,36,43	1.47	3 (8%)	38,38,45	1.73	6 (15%)
7	SO4	H	304	-	4,4,4	0.49	0	6,6,6	0.34	0
15	NS5	M	405	-	39,39,39	1.56	4 (10%)	46,46,46	2.46	17 (36%)
5	HEC	C	401	1	46,50,50	1.63	2 (4%)	58,82,82	1.99	7 (12%)
11	BCB	L	301	-	60,74,74	2.83	19 (31%)	59,115,115	2.50	19 (32%)
7	SO4	M	407	-	4,4,4	0.51	0	6,6,6	0.21	0
10	HTO	H	308	-	9,9,9	0.88	0	10,10,10	1.21	1 (10%)
9	LDA	H	306	-	13,15,15	2.25	2 (15%)	14,17,17	0.83	1 (7%)
5	HEC	C	402	1	46,50,50	1.68	3 (6%)	58,82,82	1.51	9 (15%)
12	BPB	L	303	-	57,70,70	2.37	14 (24%)	55,101,101	2.14	11 (20%)
7	SO4	M	406	-	4,4,4	0.45	0	6,6,6	0.58	0
9	LDA	H	307	-	13,15,15	2.05	2 (15%)	14,17,17	0.49	0
7	SO4	M	408	-	4,4,4	0.41	0	6,6,6	0.71	0
12	BPB	M	404	-	57,70,70	2.56	14 (24%)	55,101,101	2.37	13 (23%)
7	SO4	M	411	-	4,4,4	0.54	0	6,6,6	0.33	0
10	HTO	L	304	-	9,9,9	1.30	2 (22%)	10,10,10	1.42	1 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	BCB	M	402	-	60,74,74	2.91	18 (30%)	59,115,115	2.45	16 (27%)
10	HTO	L	305	-	9,9,9	0.76	0	10,10,10	0.66	0
5	HEC	C	404	1	46,50,50	1.83	4 (8%)	58,82,82	1.72	5 (8%)
14	MQ7	M	401	-	49,49,49	1.50	2 (4%)	61,63,63	1.19	5 (8%)
11	BCB	L	302	-	60,74,74	2.88	19 (31%)	59,115,115	2.71	16 (27%)
7	SO4	H	305	-	4,4,4	0.43	0	6,6,6	0.19	0
5	HEC	C	403	1	46,50,50	1.68	3 (6%)	58,82,82	1.97	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	FME	H	301	2	-	3/7/9/11	-
9	LDA	H	302	-	-	3/13/13/13	-
9	LDA	M	412	-	-	5/13/13/13	-
11	BCB	M	403	-	3/3/21/26	8/37/137/137	-
6	DGA	C	405	1	-	21/37/37/45	-
15	NS5	M	405	-	-	13/43/43/43	-
5	HEC	C	401	1	-	8/14/54/54	-
11	BCB	L	301	-	3/3/21/26	8/37/137/137	-
10	HTO	H	308	-	-	4/10/10/10	-
9	LDA	H	306	-	-	7/13/13/13	-
5	HEC	C	402	1	-	7/14/54/54	-
12	BPB	L	303	-	-	9/37/105/105	0/5/6/6
9	LDA	H	307	-	-	4/13/13/13	-
12	BPB	M	404	-	-	15/37/105/105	0/5/6/6
10	HTO	L	304	-	-	2/10/10/10	-
11	BCB	M	402	-	3/3/21/26	13/37/137/137	-
10	HTO	L	305	-	-	3/10/10/10	-
5	HEC	C	404	1	-	8/14/54/54	-
14	MQ7	M	401	-	-	2/41/61/61	0/2/2/2
11	BCB	L	302	-	3/3/21/26	7/37/137/137	-
5	HEC	C	403	1	-	4/14/54/54	-

All (130) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	M	404	BPB	C1B-C2B	8.42	1.48	1.39
11	L	302	BCB	C1B-C2B	8.39	1.49	1.39
11	L	301	BCB	CHC-C1C	8.34	1.48	1.38
11	M	403	BCB	C1A-CHA	8.22	1.49	1.40
14	M	401	MQ7	C3-C2	8.15	1.49	1.35
11	M	402	BCB	C1B-C2B	8.08	1.48	1.39
12	L	303	BPB	C1B-C2B	8.08	1.48	1.39
11	L	301	BCB	C1A-CHA	7.60	1.48	1.40
11	M	403	BCB	C1B-C2B	7.50	1.48	1.39
11	L	301	BCB	C1B-C2B	7.45	1.48	1.39
15	M	405	NS5	C35-C36	7.42	1.54	1.32
12	M	404	BPB	C1D-C2D	7.25	1.47	1.39
11	M	402	BCB	C1D-C2D	7.23	1.47	1.39
11	L	302	BCB	C1D-C2D	7.20	1.47	1.39
11	M	402	BCB	CHC-C1C	7.20	1.47	1.38
11	L	302	BCB	CHC-C1C	7.13	1.47	1.38
9	H	306	LDA	O1-N1	-6.98	1.25	1.42
9	H	302	LDA	O1-N1	-6.81	1.25	1.42
11	M	402	BCB	C1A-CHA	6.80	1.47	1.40
9	M	412	LDA	O1-N1	-6.75	1.25	1.42
5	C	404	HEC	CAC-C3C	6.70	1.56	1.35
5	C	403	HEC	CAC-C3C	6.62	1.56	1.35
5	C	404	HEC	CAB-C3B	6.54	1.56	1.35
11	M	403	BCB	CHC-C1C	6.53	1.46	1.38
5	C	402	HEC	CAC-C3C	6.52	1.56	1.35
5	C	401	HEC	CAC-C3C	6.43	1.55	1.35
5	C	402	HEC	CAB-C3B	6.35	1.55	1.35
9	H	307	LDA	O1-N1	-6.32	1.26	1.42
11	L	301	BCB	CHC-C4B	6.23	1.49	1.39
12	M	404	BPB	O2A-CGA	6.09	1.51	1.33
11	M	403	BCB	C1D-C2D	6.07	1.46	1.39
5	C	403	HEC	CAB-C3B	6.04	1.54	1.35
11	L	302	BCB	C1A-CHA	5.96	1.46	1.40
11	L	301	BCB	C1D-C2D	5.71	1.46	1.39
11	L	302	BCB	CHC-C4B	5.70	1.48	1.39
12	L	303	BPB	C4D-CHA	5.68	1.48	1.39
5	C	401	HEC	CAB-C3B	5.63	1.53	1.35
6	C	405	DGA	OG2-CB1	5.59	1.50	1.34
11	L	301	BCB	O2D-CGD	5.51	1.46	1.33
12	L	303	BPB	C1D-C2D	5.47	1.45	1.39
12	M	404	BPB	C3D-C2D	5.46	1.49	1.39
11	M	403	BCB	CHC-C4B	5.44	1.48	1.39
12	M	404	BPB	OBD-CAD	5.37	1.29	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	M	403	BCB	C3B-C2B	5.28	1.48	1.39
11	L	302	BCB	C3B-C4B	5.25	1.49	1.41
11	M	403	BCB	C3B-C4B	5.20	1.49	1.41
11	L	302	BCB	CHB-C1B	5.20	1.48	1.39
14	M	401	MQ7	C10-C5	5.09	1.49	1.40
12	L	303	BPB	OBD-CAD	5.05	1.28	1.22
12	L	303	BPB	C3B-C2B	5.04	1.48	1.39
11	M	402	BCB	CHC-C4B	5.02	1.47	1.39
11	L	302	BCB	CHD-C1D	5.01	1.47	1.39
11	M	402	BCB	C3D-C2D	5.01	1.48	1.39
11	L	301	BCB	OBD-CAD	4.97	1.28	1.22
6	C	405	DGA	OG1-CA1	4.94	1.47	1.33
11	M	402	BCB	C3A-C2A	-4.94	1.50	1.54
11	M	402	BCB	CHB-C1B	4.91	1.47	1.39
12	M	404	BPB	C4D-CHA	4.88	1.46	1.39
12	L	303	BPB	O2D-CGD	4.87	1.45	1.33
11	M	402	BCB	O2D-CGD	4.86	1.45	1.33
11	L	301	BCB	CHB-C1B	4.72	1.47	1.39
11	L	302	BCB	OBD-CAD	4.71	1.28	1.22
11	M	402	BCB	CHD-C1D	4.71	1.47	1.39
11	L	302	BCB	C3B-C2B	4.70	1.47	1.39
11	M	402	BCB	O2A-CGA	4.67	1.47	1.33
11	M	403	BCB	O2D-CGD	4.66	1.44	1.33
11	L	301	BCB	C3B-C4B	4.65	1.48	1.41
11	M	402	BCB	CHB-C4A	-4.64	1.33	1.38
11	L	301	BCB	C3B-C2B	4.63	1.47	1.39
12	M	404	BPB	O2D-CGD	4.52	1.44	1.33
12	L	303	BPB	C3D-C2D	4.50	1.47	1.39
11	M	403	BCB	C3D-C2D	4.34	1.47	1.39
11	M	402	BCB	C3B-C4B	4.33	1.48	1.41
11	L	302	BCB	CBD-CGD	-4.33	1.47	1.52
11	M	403	BCB	OBD-CAD	4.31	1.28	1.22
11	M	403	BCB	O2A-CGA	4.30	1.45	1.33
11	L	301	BCB	O2A-CGA	4.28	1.45	1.33
11	M	402	BCB	OBD-CAD	4.22	1.27	1.22
11	M	403	BCB	CHB-C1B	4.19	1.46	1.39
11	M	402	BCB	CHD-C4C	4.15	1.47	1.39
11	L	302	BCB	C3D-C2D	4.03	1.46	1.39
9	H	306	LDA	C1-N1	-4.02	1.47	1.51
11	L	302	BCB	CHA-CBD	-3.98	1.47	1.51
11	L	302	BCB	O2D-CGD	3.96	1.43	1.33
11	L	302	BCB	O2A-CGA	3.95	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	L	303	BPB	O2A-CGA	3.94	1.44	1.33
11	L	302	BCB	CHD-C4C	3.93	1.46	1.39
11	M	403	BCB	CHA-CBD	-3.89	1.47	1.51
11	L	301	BCB	C3D-C2D	3.75	1.46	1.39
11	M	403	BCB	CHD-C1D	3.75	1.45	1.39
12	M	404	BPB	C3B-C2B	3.68	1.45	1.39
9	H	307	LDA	C1-N1	-3.66	1.47	1.51
12	L	303	BPB	C4C-NC	-3.66	1.26	1.37
12	M	404	BPB	C3B-C4B	3.64	1.47	1.41
12	M	404	BPB	C4C-NC	-3.58	1.26	1.37
11	M	403	BCB	CHB-C4A	-3.58	1.34	1.38
11	L	301	BCB	CHD-C1D	3.56	1.45	1.39
12	M	404	BPB	CHA-CBD	-3.42	1.47	1.51
11	M	403	BCB	CHD-C4C	3.40	1.45	1.39
11	M	402	BCB	C3B-C2B	3.33	1.45	1.39
11	L	302	BCB	CHB-C4A	-3.31	1.34	1.38
11	L	301	BCB	CHB-C4A	-3.29	1.34	1.38
12	L	303	BPB	C3B-C4B	3.29	1.46	1.41
11	M	402	BCB	CHA-CBD	-3.26	1.47	1.51
12	L	303	BPB	C1D-ND	-3.21	1.32	1.38
12	M	404	BPB	C1D-ND	-3.21	1.32	1.38
11	L	301	BCB	C3A-C2A	-3.21	1.51	1.54
11	L	301	BCB	CHA-CBD	-3.02	1.48	1.51
12	L	303	BPB	CHA-CBD	-2.95	1.48	1.51
11	L	301	BCB	CHD-C4C	2.78	1.44	1.39
11	M	402	BCB	CBD-CGD	-2.75	1.49	1.52
15	M	405	NS5	C23-C21	2.66	1.51	1.46
5	C	402	HEC	CBA-CGA	2.45	1.56	1.50
12	L	303	BPB	CBD-CGD	-2.44	1.49	1.52
12	L	303	BPB	C3A-C2A	-2.40	1.52	1.54
10	L	304	HTO	C4-C3	2.38	1.56	1.52
6	C	405	DGA	CG1-CG2	2.36	1.55	1.50
10	L	304	HTO	C3-C2	2.35	1.58	1.53
5	C	404	HEC	C1A-NA	-2.33	1.35	1.39
5	C	404	HEC	CBA-CGA	2.32	1.56	1.50
11	L	301	BCB	MG-ND	-2.28	2.01	2.05
11	L	302	BCB	C3A-C2A	-2.21	1.52	1.54
15	M	405	NS5	C29-C30	2.20	1.50	1.43
11	L	302	BCB	C3D-C4D	-2.20	1.38	1.41
12	M	404	BPB	C1-C2	2.15	1.55	1.49
5	C	403	HEC	CBD-CGD	2.07	1.55	1.50
12	M	404	BPB	C2-C3	2.07	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	L	301	BCB	CBD-CGD	-2.06	1.49	1.52
9	H	302	LDA	C1-N1	-2.02	1.49	1.51
15	M	405	NS5	C19-C20	2.02	1.49	1.43

All (157) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	403	HEC	CBB-CAB-C3B	-10.43	106.58	127.43
5	C	401	HEC	CBB-CAB-C3B	-10.27	106.91	127.43
11	L	302	BCB	O2D-CGD-CBD	9.37	121.24	110.95
11	L	302	BCB	C4B-CHC-C1C	8.80	126.98	121.32
11	L	301	BCB	C4B-CHC-C1C	8.60	126.85	121.32
5	C	404	HEC	CBB-CAB-C3B	-8.58	110.28	127.43
11	M	403	BCB	C4B-CHC-C1C	8.18	126.58	121.32
12	M	404	BPB	O2D-CGD-CBD	8.15	119.90	110.95
8	H	301	FME	CA-N-CN	-7.86	110.73	122.82
12	L	303	BPB	O2D-CGD-CBD	7.77	119.49	110.95
12	M	404	BPB	C3D-C4D-ND	7.61	117.47	107.71
11	M	403	BCB	O2D-CGD-CBD	7.55	119.24	110.95
15	M	405	NS5	C27-C26-C28	-7.06	107.31	118.09
11	M	402	BCB	O2D-CGD-CBD	7.04	118.68	110.95
12	L	303	BPB	C3D-C4D-ND	6.98	116.66	107.71
11	M	402	BCB	C3D-CAD-CBD	6.70	116.42	107.61
11	M	402	BCB	C4B-CHC-C1C	6.64	125.59	121.32
6	C	405	DGA	OG2-CB1-CB2	6.56	125.68	111.48
12	M	404	BPB	C1A-C2A-C3A	-6.52	96.63	102.84
11	L	302	BCB	CHA-C1A-C2A	-6.37	118.35	133.31
11	M	402	BCB	C1B-CHB-C4A	6.31	125.38	121.32
15	M	405	NS5	C28-C26-C25	6.26	128.86	119.01
11	L	301	BCB	C1B-CHB-C4A	6.14	125.27	121.32
11	M	402	BCB	CHA-C1A-C2A	-6.07	119.05	133.31
5	C	403	HEC	CBC-CAC-C3C	5.99	139.41	127.43
11	L	302	BCB	C3D-CAD-CBD	5.76	115.19	107.61
11	L	301	BCB	OBD-CAD-C3D	-5.57	119.20	127.89
11	M	403	BCB	C1B-CHB-C4A	5.38	124.79	121.32
11	L	301	BCB	CHA-C1A-C2A	-5.28	120.91	133.31
11	L	302	BCB	OBD-CAD-C3D	-5.23	119.73	127.89
11	M	402	BCB	OBD-CAD-C3D	-5.18	119.82	127.89
11	M	403	BCB	C3D-CAD-CBD	5.16	114.40	107.61
11	L	302	BCB	C1B-CHB-C4A	5.14	124.63	121.32
11	M	403	BCB	CHA-C1A-C2A	-4.97	121.63	133.31
5	C	402	HEC	CBB-CAB-C3B	-4.96	117.53	127.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	M	405	NS5	C24-C25-C26	-4.95	120.34	127.28
5	C	404	HEC	CBC-CAC-C3C	-4.93	117.58	127.43
12	L	303	BPB	C2B-C1B-NB	4.91	112.98	109.43
11	L	301	BCB	O2D-CGD-CBD	4.68	116.09	110.95
11	L	301	BCB	CMB-C2B-C3B	4.67	134.01	124.68
11	M	403	BCB	C3D-C4D-CHA	4.63	115.58	108.54
12	M	404	BPB	C2B-C1B-NB	4.56	112.73	109.43
5	C	401	HEC	CBC-CAC-C3C	4.49	136.40	127.43
11	M	403	BCB	CMB-C2B-C3B	4.44	133.56	124.68
15	M	405	NS5	CM4-C36-C35	-4.32	109.69	122.66
11	L	301	BCB	C3D-CAD-CBD	4.27	113.23	107.61
12	M	404	BPB	C1-O2A-CGA	4.27	126.99	116.65
6	C	405	DGA	OG2-CG2-CG1	4.23	115.94	106.21
11	L	301	BCB	C3D-C4D-CHA	4.19	114.91	108.54
15	M	405	NS5	C13-C12-C10	-4.15	121.85	127.69
5	C	401	HEC	C2A-C1A-NA	-4.13	106.34	110.32
5	C	402	HEC	CBC-CAC-C3C	-4.08	119.29	127.43
12	L	303	BPB	OBD-CAD-C3D	-3.99	121.67	127.89
6	C	405	DGA	OG1-CA1-OA1	-3.99	113.65	123.63
11	M	403	BCB	OBD-CAD-C3D	-3.92	121.78	127.89
15	M	405	NS5	C29-C30-C31	3.91	133.19	127.69
11	L	302	BCB	CMD-C2D-C3D	-3.83	117.02	124.68
11	M	402	BCB	C3D-C4D-CHA	3.82	114.35	108.54
11	M	403	BCB	C3D-C4D-ND	3.79	119.02	112.94
6	C	405	DGA	OG1-CA1-CA2	3.77	123.34	111.83
12	M	404	BPB	CMA-C3A-C4A	-3.77	106.48	114.61
11	M	403	BCB	C1-O2A-CGA	3.71	125.62	116.65
11	L	302	BCB	C3D-C4D-CHA	3.69	114.15	108.54
11	L	301	BCB	C4-C3-C5	3.61	121.50	115.23
11	M	402	BCB	C3D-C4D-ND	3.54	118.62	112.94
11	L	302	BCB	C3D-C4D-ND	3.47	118.50	112.94
15	M	405	NS5	C18-C17-C15	-3.45	122.44	127.28
5	C	404	HEC	CAD-C3D-C4D	3.36	131.51	124.94
11	L	302	BCB	O1D-CGD-CBD	-3.34	119.66	124.72
15	M	405	NS5	CM3-C36-C35	-3.33	112.67	122.66
5	C	401	HEC	CBD-CAD-C3D	-3.32	103.36	112.53
11	L	301	BCB	C3D-C4D-ND	3.32	118.26	112.94
12	L	303	BPB	CMA-C3A-C4A	-3.30	107.50	114.61
11	L	302	BCB	CMB-C2B-C3B	3.29	131.26	124.68
12	L	303	BPB	C4D-ND-C1D	-3.27	104.96	108.87
15	M	405	NS5	C19-C20-C21	-3.26	122.71	127.28
14	M	401	MQ7	C24-C23-C25	3.23	120.83	115.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	403	HEC	C2A-C1A-NA	-3.23	107.21	110.32
11	M	403	BCB	O2D-CGD-O1D	-3.21	117.59	123.85
11	M	402	BCB	CHC-C1C-C2C	-3.17	114.19	122.69
12	L	303	BPB	CMD-C2D-C3D	-3.14	118.40	124.68
11	L	302	BCB	C1-O2A-CGA	3.12	124.19	116.65
12	M	404	BPB	O2A-C1-C2	3.11	120.08	108.11
15	M	405	NS5	C34-C35-C36	-3.07	117.39	127.64
11	M	403	BCB	C4D-ND-C1D	-3.03	102.92	105.22
11	M	402	BCB	O2A-CGA-CBA	2.99	120.96	111.83
12	M	404	BPB	O2D-CGD-O1D	-2.97	118.07	123.85
15	M	405	NS5	C14-C15-C17	-2.97	114.34	119.01
11	L	301	BCB	CED-O2D-CGD	2.95	122.61	115.92
11	L	302	BCB	CHC-C1C-C2C	-2.90	114.94	122.69
15	M	405	NS5	C6-C5-C7	-2.89	116.19	123.63
15	M	405	NS5	C16-C15-C14	2.89	122.51	118.09
12	L	303	BPB	O1D-CGD-CBD	-2.88	120.36	124.72
12	M	404	BPB	OBD-CAD-C3D	-2.88	123.40	127.89
12	L	303	BPB	CMB-C2B-C3B	2.85	130.38	124.68
11	L	301	BCB	O2A-CGA-CBA	2.82	120.45	111.83
5	C	402	HEC	C2A-C1A-NA	-2.82	107.60	110.32
5	C	401	HEC	CBA-CAA-C2A	-2.73	104.98	112.53
15	M	405	NS5	C18-C19-C20	2.72	129.09	123.52
11	M	403	BCB	CHC-C1C-C2C	-2.72	115.41	122.69
11	M	403	BCB	CHD-C4C-C3C	-2.71	121.95	130.04
5	C	402	HEC	O2A-CGA-CBA	2.71	122.55	114.00
8	H	301	FME	CE-SD-CG	2.70	114.32	100.32
11	L	302	BCB	CMA-C3A-C4A	-2.69	108.81	114.61
5	C	402	HEC	C4B-NB-C1B	2.69	110.20	105.82
11	M	403	BCB	C1A-CHA-C4D	2.67	123.44	118.98
11	M	402	BCB	CMA-C3A-C4A	-2.66	108.87	114.61
5	C	403	HEC	O2D-CGD-CBD	2.64	122.35	114.00
11	L	301	BCB	C1-C2-C3	-2.63	121.88	126.20
11	L	301	BCB	CHD-C4C-C3C	-2.62	122.22	130.04
11	L	301	BCB	CMD-C2D-C3D	-2.60	119.48	124.68
12	M	404	BPB	CMD-C2D-C3D	-2.58	119.52	124.68
11	M	402	BCB	CMD-C2D-C3D	-2.54	119.60	124.68
12	L	303	BPB	C3D-CAD-CBD	2.54	110.95	107.61
11	M	402	BCB	CMB-C2B-C3B	2.51	129.70	124.68
5	C	403	HEC	C1D-C2D-C3D	2.50	109.67	106.82
5	C	401	HEC	C4A-NA-C1A	2.49	109.88	105.82
11	L	302	BCB	O2D-CGD-O1D	-2.48	119.02	123.85
5	C	404	HEC	O1D-CGD-CBD	-2.47	115.26	123.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	L	301	BCB	C4D-ND-C1D	-2.46	103.35	105.22
5	C	402	HEC	C2B-C1B-NB	-2.46	106.20	110.14
5	C	402	HEC	CBA-CAA-C2A	-2.45	105.75	112.53
11	L	301	BCB	CHC-C1C-C2C	-2.44	116.14	122.69
11	M	402	BCB	O1D-CGD-CBD	-2.42	121.06	124.72
10	L	304	HTO	C1-C2-C3	2.41	117.91	113.00
10	H	308	HTO	O3-C3-C2	-2.40	104.53	109.57
6	C	405	DGA	OG2-CB1-OB1	-2.40	118.10	123.70
11	L	301	BCB	O2A-CGA-O1A	-2.38	117.66	123.63
12	M	404	BPB	C4D-ND-C1D	-2.38	106.02	108.87
15	M	405	NS5	C4-C5-C7	2.34	126.42	121.17
8	H	301	FME	O-C-CA	-2.32	118.81	124.77
15	M	405	NS5	C12-C13-C14	-2.29	116.56	123.20
11	L	302	BCB	CHD-C4C-C3C	-2.26	123.29	130.04
14	M	401	MQ7	C12-C11-C3	-2.26	106.52	112.08
11	M	403	BCB	C4D-CHA-CBD	-2.26	106.69	108.97
11	M	403	BCB	C16-C15-C13	-2.25	108.49	115.97
11	M	403	BCB	CED-O2D-CGD	2.25	121.01	115.92
11	M	402	BCB	C4D-ND-C1D	-2.23	103.53	105.22
12	L	303	BPB	C1A-C2A-C3A	-2.23	100.72	102.84
14	M	401	MQ7	C45-C43-C44	2.21	119.68	114.59
11	M	403	BCB	CMD-C2D-C3D	-2.20	120.28	124.68
6	C	405	DGA	CG3-CG2-CG1	-2.18	106.57	112.69
8	H	301	FME	O1-CN-N	-2.17	119.71	125.32
5	C	404	HEC	C1D-C2D-C3D	2.16	109.29	106.82
14	M	401	MQ7	C2M-C2-C3	-2.15	120.91	124.45
11	M	402	BCB	CHD-C4C-C3C	-2.15	123.60	130.04
11	L	301	BCB	C5-C3-C2	-2.15	116.33	121.17
12	M	404	BPB	O2A-CGA-CBA	2.15	118.39	111.83
14	M	401	MQ7	C39-C38-C40	2.13	118.93	115.23
12	M	404	BPB	C3D-CAD-CBD	2.12	110.40	107.61
5	C	402	HEC	C4A-NA-C1A	2.09	109.24	105.82
5	C	403	HEC	C4A-NA-C1A	2.09	109.22	105.82
5	C	402	HEC	CAD-CBD-CGD	-2.09	108.13	113.67
15	M	405	NS5	C11-C10-C9	2.08	118.85	115.23
5	C	403	HEC	C2D-C1D-ND	-2.06	106.83	110.14
5	C	401	HEC	CHB-C4A-NA	2.04	126.67	124.45
9	H	306	LDA	O1-N1-C1	-2.02	104.32	109.27

All (12) chirality outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
-----	-------	-----	------	------

Mol	Chain	Res	Type	Atom
11	L	301	BCB	NC
11	L	301	BCB	ND
11	L	301	BCB	NA
11	L	302	BCB	NC
11	L	302	BCB	ND
11	L	302	BCB	NA
11	M	402	BCB	NC
11	M	402	BCB	ND
11	M	402	BCB	NA
11	M	403	BCB	NC
11	M	403	BCB	ND
11	M	403	BCB	NA

All (154) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	C	401	HEC	C2B-C3B-CAB-CBB
5	C	401	HEC	C4B-C3B-CAB-CBB
5	C	401	HEC	C2C-C3C-CAC-CBC
5	C	401	HEC	C4C-C3C-CAC-CBC
5	C	402	HEC	C2B-C3B-CAB-CBB
5	C	402	HEC	C4B-C3B-CAB-CBB
5	C	402	HEC	C2C-C3C-CAC-CBC
5	C	402	HEC	C4C-C3C-CAC-CBC
5	C	403	HEC	C2B-C3B-CAB-CBB
5	C	403	HEC	C4B-C3B-CAB-CBB
5	C	403	HEC	C2C-C3C-CAC-CBC
5	C	403	HEC	C4C-C3C-CAC-CBC
5	C	404	HEC	C2B-C3B-CAB-CBB
5	C	404	HEC	C4B-C3B-CAB-CBB
5	C	404	HEC	C2C-C3C-CAC-CBC
5	C	404	HEC	C4D-C3D-CAD-CBD
6	C	405	DGA	OG1-CG1-CG2-CG3
6	C	405	DGA	CG1-CG2-OG2-CB1
8	H	301	FME	O1-CN-N-CA
8	H	301	FME	O-C-CA-CB
9	H	307	LDA	N1-C1-C2-C3
10	H	308	HTO	O1-C1-C2-O2
10	H	308	HTO	O3-C3-C4-C5
10	L	305	HTO	O2-C2-C3-C4
11	L	301	BCB	C2C-C3C-CAC-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	L	302	BCB	C2C-C3C-CAC-CBC
11	L	302	BCB	C4C-C3C-CAC-CBC
11	L	302	BCB	CBD-CGD-O2D-CED
11	M	402	BCB	C2C-C3C-CAC-CBC
11	M	402	BCB	C4C-C3C-CAC-CBC
11	M	402	BCB	CBD-CGD-O2D-CED
11	M	403	BCB	C2C-C3C-CAC-CBC
11	M	403	BCB	CAD-CBD-CGD-O1D
11	M	403	BCB	CAD-CBD-CGD-O2D
12	L	303	BPB	C2C-C3C-CAC-CBC
12	M	404	BPB	CBD-CGD-O2D-CED
12	M	404	BPB	C2C-C3C-CAC-CBC
12	L	303	BPB	CBD-CGD-O2D-CED
15	M	405	NS5	C34-C35-C36-CM3
12	L	303	BPB	O1D-CGD-O2D-CED
11	M	402	BCB	O1D-CGD-O2D-CED
11	L	302	BCB	O1D-CGD-O2D-CED
12	M	404	BPB	O1D-CGD-O2D-CED
6	C	405	DGA	OA1-CA1-OG1-CG1
6	C	405	DGA	CA2-CA1-OG1-CG1
15	M	405	NS5	C28-C29-C30-C31
5	C	401	HEC	C2A-CAA-CBA-CGA
11	L	301	BCB	CBD-CGD-O2D-CED
11	L	301	BCB	C4-C3-C5-C6
11	L	301	BCB	C2-C3-C5-C6
10	H	308	HTO	O1-C1-C2-C3
15	M	405	NS5	C31-C33-C34-C35
12	M	404	BPB	C5-C6-C7-C8
11	M	403	BCB	C2A-CAA-CBA-CGA
12	M	404	BPB	C15-C16-C17-C18
5	C	404	HEC	C2D-C3D-CAD-CBD
12	L	303	BPB	C15-C16-C17-C18
12	M	404	BPB	C10-C11-C12-C13
11	M	402	BCB	C13-C15-C16-C17
11	L	301	BCB	C13-C15-C16-C17
11	M	402	BCB	C8-C10-C11-C12
11	L	301	BCB	C15-C16-C17-C18
14	M	401	MQ7	C24-C23-C25-C26
15	M	405	NS5	C27-C26-C28-C29
15	M	405	NS5	C25-C26-C28-C29
6	C	405	DGA	CBB-CAB-CB9-CB8
9	H	302	LDA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	M	405	NS5	C34-C35-C36-CM4
6	C	405	DGA	CA1-CA2-CA3-CA4
9	M	412	LDA	C6-C7-C8-C9
11	L	301	BCB	O1D-CGD-O2D-CED
12	L	303	BPB	C8-C10-C11-C12
8	H	301	FME	CB-CG-SD-CE
6	C	405	DGA	CA5-CA6-CA7-CA8
14	M	401	MQ7	C22-C23-C25-C26
9	H	302	LDA	C4-C5-C6-C7
6	C	405	DGA	CA2-CA3-CA4-CA5
9	M	412	LDA	C5-C6-C7-C8
6	C	405	DGA	CCB-CDB-CEB-CFB
11	M	402	BCB	C6-C7-C8-C10
11	L	302	BCB	C14-C13-C15-C16
10	L	305	HTO	O2-C2-C3-O3
12	M	404	BPB	O2A-C1-C2-C3
9	H	307	LDA	C6-C7-C8-C9
6	C	405	DGA	CB9-CAB-CBB-CCB
9	H	307	LDA	C1-C2-C3-C4
9	H	306	LDA	N1-C1-C2-C3
9	H	302	LDA	C9-C10-C11-C12
11	M	402	BCB	C6-C7-C8-C9
6	C	405	DGA	CB4-CB5-CB6-CB7
9	H	306	LDA	C7-C8-C9-C10
11	L	302	BCB	C12-C13-C15-C16
11	M	402	BCB	C11-C12-C13-C15
12	M	404	BPB	C11-C12-C13-C15
11	L	302	BCB	C3A-C2A-CAA-CBA
10	L	304	HTO	O2-C2-C3-C4
12	L	303	BPB	C10-C11-C12-C13
6	C	405	DGA	OG1-CG1-CG2-OG2
9	M	412	LDA	C2-C3-C4-C5
11	M	403	BCB	C13-C15-C16-C17
11	M	402	BCB	C11-C12-C13-C14
6	C	405	DGA	CB2-CB3-CB4-CB5
6	C	405	DGA	CG3-CG2-OG2-CB1
10	L	304	HTO	O1-C1-C2-O2
15	M	405	NS5	CM1-C1-C2-C3
6	C	405	DGA	CA7-CA8-CA9-CAA
5	C	402	HEC	C3D-CAD-CBD-CGD
9	H	306	LDA	C9-C10-C11-C12
9	M	412	LDA	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	M	402	BCB	C10-C11-C12-C13
15	M	405	NS5	C2-C3-C4-C5
6	C	405	DGA	CB5-CB6-CB7-CB8
12	L	303	BPB	C4-C3-C5-C6
5	C	404	HEC	C4C-C3C-CAC-CBC
9	H	306	LDA	C2-C3-C4-C5
11	M	402	BCB	C4-C3-C5-C6
6	C	405	DGA	CAB-CBB-CCB-CDB
9	M	412	LDA	C1-C2-C3-C4
11	M	403	BCB	O1D-CGD-O2D-CED
9	H	306	LDA	C11-C10-C9-C8
12	L	303	BPB	C2-C3-C5-C6
12	M	404	BPB	O1A-CGA-O2A-C1
12	M	404	BPB	C16-C17-C18-C20
9	H	306	LDA	C6-C7-C8-C9
12	M	404	BPB	C11-C12-C13-C14
12	M	404	BPB	CBA-CGA-O2A-C1
15	M	405	NS5	C32-C31-C33-C34
11	M	402	BCB	C2-C3-C5-C6
15	M	405	NS5	CM2-C1-C2-C3
9	H	306	LDA	C4-C5-C6-C7
9	H	307	LDA	C3-C4-C5-C6
12	L	303	BPB	O2A-C1-C2-C3
15	M	405	NS5	C30-C31-C33-C34
5	C	404	HEC	CAD-CBD-CGD-O1D
10	H	308	HTO	C2-C3-C4-C5
5	C	404	HEC	CAD-CBD-CGD-O2D
6	C	405	DGA	OB1-CB1-OG2-CG2
5	C	401	HEC	CAA-CBA-CGA-O2A
6	C	405	DGA	CDB-CEB-CFB-CGB
5	C	402	HEC	CAD-CBD-CGD-O2D
12	M	404	BPB	C3-C5-C6-C7
5	C	401	HEC	CAA-CBA-CGA-O1A
11	L	301	BCB	C16-C17-C18-C19
6	C	405	DGA	CA8-CA9-CAA-CBA
5	C	402	HEC	CAD-CBD-CGD-O1D
11	M	403	BCB	C6-C7-C8-C10
12	M	404	BPB	C11-C10-C8-C7
6	C	405	DGA	CB2-CB1-OG2-CG2
10	L	305	HTO	C1-C2-C3-O3
15	M	405	NS5	C23-C24-C25-C26
12	M	404	BPB	C14-C13-C15-C16

Continued on next page...

Continued from previous page...













Mol	Chain	Res	Type	Atoms
15	M	405	NS5	C7-C8-C9-C10
11	M	403	BCB	C15-C16-C17-C18
5	C	401	HEC	CAD-CBD-CGD-O2D

There are no ring outliers.


11 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	406	SO4	1	0
15	M	405	NS5	4	0
5	C	401	HEC	1	0
11	L	301	BCB	1	0
7	M	407	SO4	2	0
12	L	303	BPB	2	0
12	M	404	BPB	2	0
11	M	402	BCB	3	0
5	C	404	HEC	2	0
14	M	401	MQ7	1	0
11	L	302	BCB	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand BCB M 403	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand DGA C 405	
 Bond lengths	 Bond angles
 Torsions	 Rings
Ligand NS5 M 405	
 Bond lengths	 Bond angles
 Torsions	 Rings


Ligand HEC C 401




Bond lengths



Bond angles




Torsions




Rings


Ligand BCB L 301




Bond lengths



Bond angles




Torsions






Rings

Ligand HEC C 402




Ligand BPB L 303







Ligand HEC C 404




Ligand MQ7 M 401



Ligand BCB L 302



Ligand HEC C 403



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	C	332/336 (98%)	-0.71	0	100 100	86, 107, 134, 171	0
2	H	249/257 (96%)	-0.52	2 (0%)	82 68	81, 118, 156, 187	0
3	L	273/273 (100%)	-0.66	1 (0%)	88 79	83, 102, 130, 157	1 (0%)
4	M	323/323 (100%)	-0.58	3 (0%)	81 65	82, 104, 129, 165	0
All	All	1177/1189 (98%)	-0.62	6 (0%)	87 76	81, 108, 140, 187	1 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	54	PRO	4.7
4	M	308	TYR	2.5
2	H	9	HIS	2.3
4	M	102	MET	2.2
3	L	81	LEU	2.1
4	M	167	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	SO4	M	411	5/5	0.76	0.09	172,177,203,236	0
7	SO4	M	409	5/5	0.77	0.06	177,184,198,201	0
7	SO4	H	305	5/5	0.77	0.08	199,208,215,226	0
10	HTO	L	304	10/10	0.77	0.22	100,131,162,165	0
7	SO4	M	410	5/5	0.84	0.06	169,193,200,213	0
10	HTO	H	308	10/10	0.88	0.18	112,132,146,146	0
7	SO4	C	406	5/5	0.88	0.06	153,161,204,207	0
6	DGA	C	405	37/44	0.92	0.21	112,148,177,181	0
7	SO4	M	407	5/5	0.93	0.06	129,148,154,157	0
7	SO4	H	304	5/5	0.94	0.07	114,118,144,147	5
9	LDA	M	412	16/16	0.94	0.18	119,135,175,182	0
7	SO4	H	303	5/5	0.95	0.07	109,124,133,136	0
8	FME	H	301	10/11	0.96	0.09	114,119,125,134	0
10	HTO	L	305	10/10	0.96	0.16	108,141,157,183	0
12	BPB	M	404	65/65	0.96	0.13	91,107,174,185	0
15	NS5	M	405	40/40	0.96	0.16	96,112,140,141	0
9	LDA	H	306	16/16	0.97	0.15	115,138,200,206	0
7	SO4	M	408	5/5	0.98	0.05	97,104,110,116	0
11	BCB	L	301	66/66	0.98	0.10	76,90,112,120	0
11	BCB	M	402	66/66	0.98	0.10	84,97,171,193	0
11	BCB	M	403	66/66	0.98	0.11	78,88,128,131	0
12	BPB	L	303	65/65	0.98	0.08	74,96,106,108	0
7	SO4	M	406	5/5	0.98	0.04	117,118,138,142	0
14	MQ7	M	401	48/48	0.98	0.10	84,100,127,145	0
9	LDA	H	307	16/16	0.98	0.13	117,135,154,155	0
5	HEC	C	403	43/43	0.99	0.05	72,91,96,99	0
5	HEC	C	404	43/43	0.99	0.06	67,97,120,134	0
9	LDA	H	302	16/16	0.99	0.10	99,110,120,122	0
5	HEC	C	401	43/43	0.99	0.05	99,109,122,127	0
5	HEC	C	402	43/43	0.99	0.06	87,107,122,150	0
11	BCB	L	302	66/66	0.99	0.08	80,92,107,113	0
13	FE2	L	306	1/1	1.00	0.04	97,97,97,97	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DGA C 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BPB M 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around NS5 M 405:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB L 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCB M 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB L 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MQ7 M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 404:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC C 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC C 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCB L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.