



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 02:06 AM UTC

PDB ID : 5O6G / pdb_00005o6g
Title : Structures and dynamics of mesophilic variants from the homing endonuclease I-DmoI
Authors : Molina, R.; Marcaida, M.J.
Deposited on : 2017-06-06
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	200	8% 67% 26% • 6%
1	D	200	3% 69% 18% • 11%
1	G	200	4% 69% 19% • 11%
2	B	25	4% 56% 44%
2	E	25	92% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	25	 48% 52%
3	C	25	 72% 28%
3	F	25	 88% 12%
3	I	25	 72% 28%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7676 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Homing endonuclease I-DmoI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	188	Total	C	N	O	S	0	3	0
			1566	1012	284	267	3			
1	D	178	Total	C	N	O	S	0	3	0
			1497	967	273	254	3			
1	G	178	Total	C	N	O	S	0	3	0
			1497	967	273	254	3			

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP P21505
A	1	ALA	-	expression tag	UNP P21505
A	52	PHE	ILE	conflict	UNP P21505
A	95	GLN	LEU	conflict	UNP P21505
A	189	ALA	-	expression tag	UNP P21505
A	190	ALA	-	expression tag	UNP P21505
A	191	ALA	-	expression tag	UNP P21505
A	192	LEU	-	expression tag	UNP P21505
A	193	GLU	-	expression tag	UNP P21505
A	194	HIS	-	expression tag	UNP P21505
A	195	HIS	-	expression tag	UNP P21505
A	196	HIS	-	expression tag	UNP P21505
A	197	HIS	-	expression tag	UNP P21505
A	198	HIS	-	expression tag	UNP P21505
A	199	HIS	-	expression tag	UNP P21505
D	0	MET	-	initiating methionine	UNP P21505
D	1	ALA	-	expression tag	UNP P21505
D	52	PHE	ILE	conflict	UNP P21505
D	95	GLN	LEU	conflict	UNP P21505
D	189	ALA	-	expression tag	UNP P21505
D	190	ALA	-	expression tag	UNP P21505
D	191	ALA	-	expression tag	UNP P21505
D	192	LEU	-	expression tag	UNP P21505

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	193	GLU	-	expression tag	UNP P21505
D	194	HIS	-	expression tag	UNP P21505
D	195	HIS	-	expression tag	UNP P21505
D	196	HIS	-	expression tag	UNP P21505
D	197	HIS	-	expression tag	UNP P21505
D	198	HIS	-	expression tag	UNP P21505
D	199	HIS	-	expression tag	UNP P21505
G	0	MET	-	initiating methionine	UNP P21505
G	1	ALA	-	expression tag	UNP P21505
G	52	PHE	ILE	conflict	UNP P21505
G	95	GLN	LEU	conflict	UNP P21505
G	189	ALA	-	expression tag	UNP P21505
G	190	ALA	-	expression tag	UNP P21505
G	191	ALA	-	expression tag	UNP P21505
G	192	LEU	-	expression tag	UNP P21505
G	193	GLU	-	expression tag	UNP P21505
G	194	HIS	-	expression tag	UNP P21505
G	195	HIS	-	expression tag	UNP P21505
G	196	HIS	-	expression tag	UNP P21505
G	197	HIS	-	expression tag	UNP P21505
G	198	HIS	-	expression tag	UNP P21505
G	199	HIS	-	expression tag	UNP P21505

- Molecule 2 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	25	Total	C	N	O	P	0	0	0
			511	242	94	151	24			
2	E	25	Total	C	N	O	P	0	0	0
			511	242	94	151	24			
2	H	25	Total	C	N	O	P	0	0	0
			511	242	94	151	24			

- Molecule 3 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	25	Total	C	N	O	P	0	0	0
			508	240	99	145	24			
3	F	25	Total	C	N	O	P	0	0	0
			508	240	99	145	24			
3	I	25	Total	C	N	O	P	0	0	0
			508	240	99	145	24			

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total 2	Mn 2	0	0
4	D	2	Total 2	Mn 2	0	0
4	G	2	Total 2	Mn 2	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	1	Total 1	Cl 1	1	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total 5	O 5	0	0
6	B	1	Total 1	O 1	0	0
6	C	6	Total 6	O 6	0	0
6	D	10	Total 10	O 10	0	0
6	E	5	Total 5	O 5	0	0
6	F	6	Total 6	O 6	0	0
6	G	11	Total 11	O 11	0	0
6	H	4	Total 4	O 4	0	0
6	I	4	Total 4	O 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Homing endonuclease I-Dmol



- Molecule 1: Homing endonuclease I-Dmol




- Molecule 1: Homing endonuclease I-Dmol



- Molecule 2: DNA (25-MER)





- Molecule 2: DNA (25-MER)

Chain E: 92% 8%




- Molecule 2: DNA (25-MER)

Chain H: 48% 52%



- Molecule 3: DNA (25-MER)

Chain C: 72% 28%




- Molecule 3: DNA (25-MER)

Chain F: 88% 12%



- Molecule 3: DNA (25-MER)

Chain I: 72% 28%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	107.28Å 70.50Å 107.15Å 90.00° 119.89° 90.00°	Depositor
Resolution (Å)	56.18 – 2.75 56.18 – 2.75	Depositor EDS
% Data completeness (in resolution range)	97.5 (56.18-2.75) 91.9 (56.18-2.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.77Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.177 , 0.232 0.178 , 0.232	Depositor DCC
R_{free} test set	1995 reflections (5.62%)	wwPDB-VP
Wilson B-factor (Å ²)	49.9	Xtriage
Anisotropy	0.536	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.029 for l,k,-h-l 0.029 for -h-l,k,h 0.025 for -h-l,-k,l 0.023 for h,-k,-h-l 0.026 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7676	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/1605	0.64	2/2160 (0.1%)
1	D	0.39	0/1533	0.58	0/2058
1	G	0.41	0/1533	0.62	0/2058
2	B	0.44	0/572	0.62	0/882
2	E	0.43	0/572	0.61	0/882
2	H	0.53	0/572	0.66	0/882
3	C	0.46	0/570	0.65	0/877
3	F	0.48	0/570	0.68	0/877
3	I	0.51	0/570	0.67	0/877
All	All	0.43	0/8097	0.63	2/11553 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	191	ALA	CA-C-N	5.14	130.95	121.70
1	A	191	ALA	C-N-CA	5.14	130.95	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1566	0	1644	40	0
1	D	1497	0	1574	29	0
1	G	1497	0	1574	32	0
2	B	511	0	282	8	0
2	E	511	0	282	2	0
2	H	511	0	282	11	0
3	C	508	0	279	5	0
3	F	508	0	279	3	0
3	I	508	0	279	5	0
4	A	2	0	0	0	0
4	D	2	0	0	0	0
4	G	2	0	0	0	0
5	G	1	0	0	0	0
6	A	5	0	0	2	0
6	B	1	0	0	0	0
6	C	6	0	0	0	0
6	D	10	0	0	2	0
6	E	5	0	0	1	0
6	F	6	0	0	0	0
6	G	11	0	0	2	0
6	H	4	0	0	0	0
6	I	4	0	0	1	0
All	All	7676	0	6475	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:10:ILE:HD13	1:G:55:LEU:HD23	1.48	0.95
1:G:30:LYS:NZ	2:H:20:DG:OP2	2.03	0.91
1:D:43:LYS:NZ	2:E:13:DA:OP2	2.07	0.88
1:G:10:ILE:HG23	1:G:55:LEU:HD22	1.61	0.83
1:D:30:LYS:O	1:D:33:ARG:NH1	2.13	0.81
1:G:73:LYS:HD3	1:G:78:TYR:CE2	2.15	0.81
1:G:43:LYS:HD2	2:H:14:DA:OP2	1.80	0.80
1:A:33:ARG:NH1	2:B:21:DG:O6	2.14	0.80
3:C:5:DC:H2''	3:C:6:DC:H5''	1.66	0.78
3:C:23:DG:H2''	3:C:24:DG:H5''	1.71	0.73
1:D:28:LYS:HE3	1:D:32:ASN:HB3	1.71	0.72
1:G:45:GLU:HB2	1:G:78:TYR:CZ	2.24	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:5:GLU:O	1:G:7:VAL:N	2.26	0.68
1:G:75:ASP:OD2	3:I:11:DC:N4	2.28	0.67
1:A:120:LYS:NZ	6:A:301:HOH:O	2.14	0.67
1:G:63:LEU:O	1:G:86:LYS:NZ	2.28	0.66
1:A:157:ARG:NH2	2:B:10:DG:O6	2.22	0.66
1:A:113:LEU:HG	1:A:127:ILE:HD11	1.77	0.65
1:D:148:ARG:CD	1:D:168:ARG:HH21	2.09	0.65
1:D:21:ASP:OD1	6:D:301:HOH:O	2.14	0.65
2:B:19:DC:H2''	2:B:20:DG:H5'	1.80	0.64
1:A:167:LEU:HD21	1:A:170:ARG:NH1	2.11	0.64
1:G:117:GLU:HG2	1:G:128:TRP:O	1.98	0.64
1:A:30:LYS:NZ	2:B:20:DG:OP2	2.29	0.64
1:D:102:ASN:O	1:D:106:GLN:HG3	1.99	0.62
1:D:39:VAL:HG13	1:D:79:GLU:HG3	1.81	0.62
1:A:104:ARG:NH1	1:A:182:LEU:O	2.33	0.61
2:H:8:DC:H2''	2:H:9:DG:C8	2.36	0.61
1:G:30:LYS:O	1:G:33:ARG:NE	2.31	0.60
2:H:12:DT:H4'	2:H:13:DA:OP1	2.01	0.60
1:G:73:LYS:HD3	1:G:78:TYR:CZ	2.37	0.59
1:D:68:LYS:NZ	3:F:7:DG:OP2	2.34	0.59
1:D:121:THR:HG23	1:D:123:LYS:HG2	1.83	0.59
1:D:5:GLU:O	1:D:7:VAL:N	2.35	0.58
1:G:75:ASP:OD1	1:G:76:THR:N	2.29	0.58
1:D:6:ASN:O	1:D:10:ILE:HD12	2.02	0.58
1:D:64:ASN:O	1:D:66:LYS:NZ	2.31	0.58
1:G:85:LYS:NZ	3:I:4:DG:OP1	2.29	0.57
1:A:167:LEU:HD22	2:B:4:DT:OP1	2.05	0.57
1:A:60[A]:ILE:HD11	1:A:87:LEU:HD22	1.87	0.57
1:A:154:ASP:HB2	1:A:162:VAL:HB	1.87	0.56
2:B:8:DC:H2''	2:B:9:DG:C8	2.40	0.56
1:G:157:ARG:NH2	2:H:10:DG:O6	2.33	0.56
2:E:6:DG:OP1	6:E:101:HOH:O	2.18	0.54
1:G:21:ASP:OD1	6:G:301:HOH:O	2.19	0.54
1:D:45:GLU:HB2	1:D:78:TYR:CE1	2.43	0.53
1:A:32:ASN:N	1:A:32:ASN:OD1	2.41	0.53
1:G:41:THR:HB	1:G:77:ARG:HG3	1.91	0.53
1:G:5:GLU:N	1:G:104:ARG:HH22	2.06	0.53
1:D:148:ARG:HD3	1:D:168:ARG:HH21	1.74	0.52
1:A:111:LYS:HE3	1:A:177:ILE:O	2.09	0.52
1:G:125:LEU:HB2	1:G:165:ILE:HB	1.92	0.51
1:G:22:GLY:HA3	1:G:39:VAL:O	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:LEU:HB2	1:A:165:ILE:HB	1.95	0.49
1:A:183:ASN:HB2	1:A:184:PRO:HD2	1.94	0.49
3:I:16:DC:H5'	6:I:104:HOH:O	2.12	0.49
1:G:60[B]:ILE:HG23	1:G:65:VAL:HB	1.94	0.49
1:G:182:LEU:O	6:G:302:HOH:O	2.20	0.49
1:A:106:GLN:O	1:A:110:ILE:HG13	2.12	0.48
1:G:10:ILE:HG23	1:G:55:LEU:CD2	2.38	0.48
1:A:111:LYS:NZ	1:A:180:SER:O	2.42	0.48
1:D:121:THR:HG22	1:D:123:LYS:H	1.77	0.48
1:D:177:ILE:HG22	1:D:178:LEU:HD23	1.95	0.48
1:G:148:ARG:HG3	1:G:169:ASP:OD2	2.13	0.47
2:H:5:DT:H2''	2:H:6:DG:C8	2.49	0.47
2:H:24:DC:H2''	2:H:25:DG:C8	2.49	0.47
3:I:2:DG:H2''	3:I:3:DC:H5''	1.96	0.47
1:A:128:TRP:CZ3	3:C:16:DC:H2'	2.49	0.47
1:A:75:ASP:N	1:A:75:ASP:OD1	2.48	0.47
3:C:13:DT:H4'	3:C:14:DA:OP1	2.14	0.47
1:D:68:LYS:HZ1	3:F:7:DG:P	2.36	0.47
1:A:127:ILE:CG2	1:A:163:LEU:HB3	2.45	0.47
1:A:119:ASP:OD2	1:A:121:THR:HG22	2.15	0.46
1:D:125:LEU:HB2	1:D:165:ILE:HB	1.97	0.46
1:A:111:LYS:HG2	1:A:186:PRO:HG3	1.97	0.46
1:D:35:GLU:HG3	6:D:306:HOH:O	2.15	0.46
3:I:6:DC:H2''	3:I:7:DG:H5'	1.95	0.46
1:D:75:ASP:OD1	1:D:76:THR:N	2.46	0.46
2:B:2:DC:H2'	2:B:3:DC:C6	2.51	0.46
1:A:68:LYS:HE3	1:A:68:LYS:HB2	1.75	0.45
1:A:102:ASN:O	1:A:106:GLN:HG3	2.16	0.45
1:A:115:VAL:HG22	1:A:187:PRO:HD3	1.99	0.45
2:H:19:DC:H2'	2:H:20:DG:C8	2.51	0.45
1:G:141:TRP:O	1:G:145:LEU:HD12	2.17	0.45
1:A:45:GLU:HB2	1:A:78:TYR:CE1	2.51	0.45
1:A:104:ARG:HG3	1:A:182:LEU:HD23	1.98	0.45
1:G:5:GLU:N	1:G:104:ARG:NH2	2.65	0.44
1:D:154:ASP:HB2	1:D:162:VAL:HB	2.00	0.44
1:A:39:VAL:HG13	1:A:79:GLU:HG3	1.99	0.43
3:F:20:DC:H2''	3:F:21:DA:C8	2.53	0.43
1:A:111:LYS:HG2	1:A:186:PRO:CG	2.48	0.43
1:A:136:GLU:O	1:A:140:ARG:HG3	2.18	0.43
1:A:155:ASP:HB3	1:A:160:VAL:HB	2.00	0.43
1:D:104:ARG:HE	1:D:104:ARG:HB3	1.69	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:60[A]:ILE:HD11	1:G:87:LEU:HD22	1.99	0.43
1:G:76:THR:OG1	2:H:14:DA:N7	2.50	0.43
1:A:152[A]:HIS:CE1	1:A:154:ASP:HA	2.53	0.42
1:A:172:LYS:O	1:A:176:THR:HB	2.19	0.42
1:D:168:ARG:H	1:D:168:ARG:HG3	1.62	0.42
2:H:12:DT:H2''	2:H:13:DA:C8	2.54	0.42
1:D:102:ASN:HD21	1:D:104:ARG:HE	1.68	0.42
1:G:56:MET:HG3	1:G:60[A]:ILE:HD13	2.02	0.42
1:A:103:MET:HE2	1:A:103:MET:HB3	1.93	0.42
1:A:150:THR:HG21	1:A:152[B]:HIS:NE2	2.35	0.42
1:D:142:LEU:HD23	1:D:142:LEU:HA	1.87	0.41
2:H:4:DT:H2''	2:H:5:DT:O5'	2.20	0.41
6:A:301:HOH:O	3:C:16:DC:P	2.78	0.41
1:D:48:ILE:HD12	1:D:80:LEU:HB2	2.03	0.41
1:D:31:GLY:HA2	1:D:32:ASN:HA	1.89	0.41
1:A:60[A]:ILE:HD13	1:A:60[A]:ILE:HA	1.89	0.41
1:A:94:MET:HE3	1:A:94:MET:HB2	1.77	0.41
1:A:191:ALA:HA	1:A:192:LEU:C	2.44	0.41
2:B:24:DC:H2''	2:B:25:DG:C8	2.56	0.41
1:D:148:ARG:HD3	1:D:168:ARG:NH2	2.36	0.41
1:A:41:THR:O	1:A:42:GLN:NE2	2.52	0.41
1:G:10:ILE:HD13	1:G:55:LEU:CD2	2.34	0.40
1:A:183:ASN:HB2	1:A:184:PRO:CD	2.51	0.40
1:A:50:GLN:O	1:A:54:PRO:HG2	2.22	0.40
1:G:98:ILE:HA	1:G:101:PHE:CE2	2.57	0.40
1:D:60[A]:ILE:HD11	1:D:87:LEU:HD22	2.02	0.40
1:G:132:LYS:HD2	1:G:161:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	189/200 (94%)	173 (92%)	16 (8%)	0	100	100
1	D	179/200 (90%)	167 (93%)	11 (6%)	1 (1%)	21	38
1	G	179/200 (90%)	170 (95%)	7 (4%)	2 (1%)	11	22
All	All	547/600 (91%)	510 (93%)	34 (6%)	3 (0%)	21	43

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	6	ASN
1	D	6	ASN
1	G	75	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	171/179 (96%)	170 (99%)	1 (1%)	78	88
1	D	164/179 (92%)	161 (98%)	3 (2%)	51	71
1	G	164/179 (92%)	163 (99%)	1 (1%)	78	88
All	All	499/537 (93%)	494 (99%)	5 (1%)	68	81

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	D	42	GLN
1	D	102	ASN
1	D	121	THR
1	G	117	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	42	GLN
1	D	51	HIS
1	D	102	ASN
1	D	106	GLN
1	D	158	HIS
1	G	42	GLN
1	G	70	GLN
1	G	158	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	188/200 (94%)	0.23	17 (9%) 15 14	26, 49, 86, 101	3 (1%)
1	D	178/200 (89%)	-0.06	6 (3%) 48 46	24, 44, 67, 120	3 (1%)
1	G	178/200 (89%)	0.09	7 (3%) 43 40	27, 49, 72, 91	3 (1%)
2	B	25/25 (100%)	-0.25	1 (4%) 42 40	38, 57, 69, 75	0
2	E	25/25 (100%)	-0.46	0 100 100	40, 52, 64, 67	0
2	H	25/25 (100%)	-0.25	0 100 100	35, 55, 65, 68	0
3	C	25/25 (100%)	-0.27	0 100 100	38, 53, 81, 83	0
3	F	25/25 (100%)	-0.39	0 100 100	37, 53, 74, 77	0
3	I	25/25 (100%)	-0.14	0 100 100	40, 53, 74, 76	0
All	All	694/750 (92%)	0.01	31 (4%) 38 37	24, 49, 75, 120	9 (1%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	182	LEU	8.1
1	A	192	LEU	5.0
1	G	75	ASP	4.5
1	G	182	LEU	4.4
1	A	182	LEU	3.9
1	A	188	GLU	3.9
1	A	190	ALA	3.8
1	G	31	GLY	3.6
1	A	181	HIS	3.3
1	A	187	PRO	3.3
1	A	171	ILE	2.9
1	A	152[A]	HIS	2.8
1	A	191	ALA	2.8
1	G	181	HIS	2.6
1	D	180	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	167	LEU	2.6
1	D	175	HIS	2.6
1	A	31	GLY	2.6
1	A	175	HIS	2.5
1	A	97[A]	ARG	2.5
1	A	180	SER	2.4
1	A	189	ALA	2.4
1	A	186	PRO	2.3
1	D	181	HIS	2.2
1	A	5	GLU	2.2
1	D	146	GLY	2.2
1	G	168	ARG	2.2
1	G	152[A]	HIS	2.2
1	D	97[A]	ARG	2.0
1	G	97[A]	ARG	2.0
2	B	1	DG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MN	A	201	1/1	0.99	0.03	39,39,39,39	0
4	MN	A	202	1/1	0.99	0.02	45,45,45,45	0
4	MN	D	201	1/1	0.99	0.02	42,42,42,42	0
4	MN	G	201	1/1	0.99	0.02	43,43,43,43	0
4	MN	G	202	1/1	0.99	0.02	45,45,45,45	0
4	MN	D	202	1/1	1.00	0.02	41,41,41,41	0
5	CL	G	203	1/1	-	-	48,48,48,48	1

6.5 Other polymers [i](#)

There are no such residues in this entry.