



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:13 PM UTC

PDB ID : 1OAT / pdb_00001oat
Title : ORNITHINE AMINOTRANSFERASE
Authors : Shen, B.W.; Schirmer, T.; Jansonius, J.N.
Deposited on : 1997-03-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	439	2% 70% 17% • 8%
1	B	439	2% 71% 18% • 8%
1	C	439	% 70% 18% • 8%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ORNITHINE AMINOTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	404	Total	C	N	O	S	11	0	0
			3161	2030	533	586	12			
1	B	404	Total	C	N	O	S	25	0	0
			3161	2030	533	586	12			
1	C	404	Total	C	N	O	S	55	0	0
			3161	2030	533	586	12			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	111	Total 111	O 111	1	0
3	B	168	Total 168	O 168	0	0
3	C	147	Total 147	O 147	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ORNITHINE AMINOTRANSFERASE




• Molecule 1: ORNITHINE AMINOTRANSFERASE



• Molecule 1: ORNITHINE AMINOTRANSFERASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	116.30Å 116.30Å 190.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.00 – 2.50 38.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	95.3 (38.00-2.50) 95.2 (38.00-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.44 (at 2.50Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.185 , 0.235 0.192 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 61.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9954	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/3235 (0.0%)	1.15	22/4393 (0.5%)
1	B	0.84	2/3235 (0.1%)	1.16	19/4393 (0.4%)
1	C	0.80	2/3235 (0.1%)	1.14	22/4393 (0.5%)
All	All	0.80	5/9705 (0.1%)	1.15	63/13179 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	228	MET	SD-CE	-6.88	1.62	1.79
1	B	228	MET	SD-CE	-6.25	1.64	1.79
1	C	383	LYS	CE-NZ	5.87	1.67	1.49
1	B	292	LYS	CA-CB	-5.43	1.44	1.53
1	C	228	MET	SD-CE	-5.18	1.66	1.79

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	36	GLY	CA-C-N	11.13	131.84	120.38
1	C	36	GLY	C-N-CA	11.13	131.84	120.38
1	B	36	GLY	CA-C-N	10.61	131.31	120.38
1	B	36	GLY	C-N-CA	10.61	131.31	120.38
1	A	36	GLY	CA-C-N	10.37	131.06	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	36	GLY	C-N-CA	10.37	131.06	120.38
1	A	143	VAL	CB-CA-C	-8.57	100.56	112.14
1	C	143	VAL	CB-CA-C	-8.40	100.80	112.14
1	B	197	PHE	N-CA-C	8.00	122.51	111.55
1	B	37	PRO	N-CA-C	7.62	120.00	110.70
1	B	143	VAL	CB-CA-C	-7.58	101.90	112.14
1	A	197	PHE	N-CA-C	7.52	121.86	111.55
1	A	229	VAL	CB-CA-C	-7.44	97.08	110.48
1	B	229	VAL	CB-CA-C	-7.39	97.81	110.30
1	C	229	VAL	CB-CA-C	-7.38	97.89	111.18
1	C	197	PHE	N-CA-C	7.24	121.47	111.55
1	A	387	ASP	N-CA-CB	-7.03	100.08	111.18
1	B	119	VAL	N-CA-C	6.93	118.93	111.58
1	B	308	ASP	N-CA-C	6.89	119.67	111.33
1	B	58	LEU	N-CA-C	-6.87	100.99	109.65
1	A	308	ASP	N-CA-C	6.79	119.54	111.33
1	A	383	LYS	CD-CE-NZ	6.63	133.12	111.90
1	A	58	LEU	N-CA-C	-6.55	101.40	109.65
1	C	58	LEU	N-CA-C	-6.44	101.53	109.65
1	A	135	LYS	N-CA-C	6.44	118.73	109.14
1	A	37	PRO	CA-C-N	6.29	128.51	120.89
1	A	37	PRO	C-N-CA	6.29	128.51	120.89
1	B	387	ASP	N-CA-C	6.25	121.19	113.50
1	B	135	LYS	N-CA-C	6.18	118.35	109.14
1	B	200	PHE	N-CA-C	6.17	119.65	110.52
1	C	135	LYS	N-CA-C	6.08	118.19	109.14
1	C	308	ASP	N-CA-C	6.03	118.63	111.33
1	C	37	PRO	N-CA-C	6.00	118.02	110.70
1	B	292	LYS	CB-CA-C	5.86	122.08	110.42
1	A	143	VAL	N-CA-CB	5.86	118.51	110.54
1	B	232	ILE	N-CA-C	-5.78	99.73	108.17
1	C	119	VAL	N-CA-C	5.77	119.17	111.44
1	A	292	LYS	CB-CA-C	5.61	121.58	110.42
1	A	371	VAL	N-CA-C	-5.59	100.01	108.17
1	A	200	PHE	N-CA-C	5.49	118.93	110.42
1	C	69	TYR	N-CA-C	5.48	119.00	110.17
1	B	387	ASP	CB-CA-C	-5.45	99.36	109.29
1	A	69	TYR	N-CA-C	5.44	118.61	109.95
1	C	200	PHE	N-CA-C	5.34	118.70	110.42
1	C	143	VAL	N-CA-CB	5.34	117.80	110.54
1	B	397	LEU	N-CA-C	-5.29	105.68	111.82
1	C	383	LYS	CG-CD-CE	5.28	123.45	111.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	385	THR	N-CA-C	-5.26	101.76	109.81
1	B	69	TYR	N-CA-C	5.24	118.28	109.95
1	C	387	ASP	CB-CA-C	-5.19	100.30	109.02
1	B	292	LYS	CB-CG-CD	-5.17	99.42	111.30
1	A	269	LEU	N-CA-C	5.15	118.50	111.39
1	C	326	ASN	CA-C-N	5.15	124.76	119.05
1	C	326	ASN	C-N-CA	5.15	124.76	119.05
1	A	165	LYS	CA-C-N	5.14	131.36	121.54
1	A	165	LYS	C-N-CA	5.14	131.36	121.54
1	A	79	PHE	N-CA-C	-5.12	101.62	109.76
1	A	292	LYS	CB-CG-CD	-5.08	99.61	111.30
1	C	37	PRO	CA-C-N	5.05	127.00	120.89
1	C	37	PRO	C-N-CA	5.05	127.00	120.89
1	C	232	ILE	N-CA-C	-5.05	100.80	108.17
1	C	397	LEU	N-CA-C	-5.03	105.98	111.82
1	B	117	ASN	N-CA-C	-5.02	102.13	109.81

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	166	TYR	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3161	0	3163	65	0
1	B	3161	0	3163	72	0
1	C	3161	0	3163	49	0
2	A	15	0	7	1	0
2	B	15	0	7	1	0
2	C	15	0	6	1	0
3	A	111	0	0	2	0
3	B	168	0	0	1	0
3	C	147	0	0	3	0
All	All	9954	0	9509	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:VAL:HG13	1:B:388:TRP:CH2	1.75	1.22
1:C:143:VAL:HG13	1:C:179:GLY:HA3	1.32	1.12
1:B:367:VAL:HG13	1:B:388:TRP:HH2	1.07	1.11
1:A:143:VAL:HG13	1:A:179:GLY:HA3	1.33	1.09
1:B:143:VAL:HG13	1:B:179:GLY:HA3	1.40	1.02
1:A:363:LEU:HD13	1:A:368:VAL:HG21	1.57	0.87
1:B:367:VAL:HG11	1:B:436:ILE:HG23	1.57	0.85
1:A:86:SER:OG	1:A:271:ARG:HD3	1.80	0.82
1:C:86:SER:OG	1:C:271:ARG:HD3	1.83	0.78
1:B:118:ASN:HD22	1:B:118:ASN:H	1.33	0.77
1:C:143:VAL:CG1	1:C:179:GLY:HA3	2.13	0.77
1:C:118:ASN:H	1:C:118:ASN:HD22	1.34	0.76
1:B:86:SER:OG	1:B:271:ARG:HD3	1.84	0.76
1:C:385:THR:HG1	1:C:388:TRP:CD1	2.04	0.75
1:B:367:VAL:CG1	1:B:388:TRP:HH2	1.94	0.75
1:A:118:ASN:HD22	1:A:118:ASN:H	1.35	0.75
1:B:385:THR:HG1	1:B:388:TRP:CD1	2.06	0.74
1:A:134:HIS:HD2	1:A:308:ASP:H	1.36	0.74
1:A:143:VAL:CG1	1:A:179:GLY:HA3	2.15	0.73
1:A:101:LEU:HD12	1:A:328:LEU:HD11	1.69	0.73
1:A:385:THR:HG1	1:A:388:TRP:CD1	2.07	0.72
1:B:101:LEU:HD12	1:B:328:LEU:HD11	1.72	0.71
1:B:134:HIS:HD2	1:B:308:ASP:H	1.34	0.71
1:C:134:HIS:HD2	1:C:308:ASP:H	1.39	0.70
1:C:385:THR:OG1	1:C:388:TRP:CD1	2.46	0.68
1:B:250:ARG:O	1:B:250:ARG:HD3	1.92	0.68
1:A:158:TYR:OH	1:B:198:GLY:HA2	1.94	0.68
1:A:105:VAL:HG11	1:B:101:LEU:HD23	1.76	0.67
1:C:250:ARG:O	1:C:250:ARG:HD3	1.94	0.67
1:A:367:VAL:HG12	1:A:368:VAL:HG23	1.76	0.67
1:C:101:LEU:HD12	1:C:328:LEU:HD11	1.77	0.66
1:B:367:VAL:CG1	1:B:388:TRP:CH2	2.68	0.66
1:A:152:LEU:HD13	1:A:314:ILE:HD12	1.78	0.66
1:C:250:ARG:HD3	1:C:250:ARG:C	2.20	0.65
1:B:250:ARG:HD3	1:B:250:ARG:C	2.21	0.65
1:C:357:ARG:O	1:C:361:MET:HG3	1.97	0.64
1:A:250:ARG:O	1:A:250:ARG:HD3	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:GLU:HG2	3:C:482:HOH:O	2.00	0.62
1:A:250:ARG:HD3	1:A:250:ARG:C	2.23	0.62
1:A:385:THR:OG1	1:A:388:TRP:CD1	2.54	0.60
1:C:85:TYR:O	1:C:86:SER:HB2	2.02	0.60
1:A:134:HIS:CD2	1:A:308:ASP:H	2.20	0.59
1:A:101:LEU:HD23	1:B:105:VAL:HG11	1.85	0.58
1:A:198:GLY:HA2	1:B:158:TYR:OH	2.03	0.58
1:B:143:VAL:CG1	1:B:179:GLY:HA3	2.24	0.57
1:C:152:LEU:HD13	1:C:314:ILE:HD12	1.86	0.57
1:B:367:VAL:O	1:B:382:ILE:HA	2.05	0.56
1:C:250:ARG:HH22	1:C:286:ASP:CG	2.14	0.55
1:B:250:ARG:HH22	1:B:286:ASP:CG	2.14	0.55
1:A:117:ASN:CG	1:A:327:PRO:HG3	2.31	0.55
1:B:134:HIS:CD2	1:B:308:ASP:H	2.20	0.55
1:B:349:ALA:HA	1:B:376:LEU:HD22	1.88	0.55
1:A:217:ARG:HD2	3:A:497:HOH:O	2.05	0.55
1:C:217:ARG:HD3	3:C:470:HOH:O	2.07	0.55
1:A:158:TYR:HH	1:A:166:TYR:HA	1.71	0.55
1:A:110:LEU:HG	1:B:84:SER:OG	2.07	0.54
1:C:385:THR:OG1	1:C:388:TRP:HD1	1.88	0.54
1:B:385:THR:OG1	1:B:388:TRP:CD1	2.61	0.54
1:B:367:VAL:HA	1:B:388:TRP:HZ2	1.73	0.53
1:A:355:ILE:O	1:A:359:GLU:HG2	2.09	0.53
1:B:152:LEU:HD13	1:B:314:ILE:HD12	1.91	0.53
1:B:367:VAL:HA	1:B:388:TRP:CZ2	2.43	0.53
1:A:250:ARG:HH22	1:A:286:ASP:CG	2.17	0.53
1:B:48:TYR:O	1:B:53:HIS:HE1	1.92	0.52
1:A:114:ALA:HB1	1:B:405:LYS:HG3	1.92	0.52
1:A:154:ARG:HG2	1:B:198:GLY:HA3	1.91	0.52
1:B:180:ARG:HH11	1:B:180:ARG:CG	2.21	0.52
1:A:125:GLU:HG3	1:A:129:LYS:HE2	1.91	0.51
1:B:125:GLU:HG3	1:B:129:LYS:HE2	1.90	0.51
1:A:152:LEU:HD13	1:A:314:ILE:CD1	2.39	0.51
1:A:367:VAL:HG11	1:A:436:ILE:HG23	1.93	0.51
1:A:118:ASN:H	1:A:118:ASN:ND2	2.05	0.51
1:A:299:TYR:CZ	1:B:300:PRO:HD3	2.46	0.50
1:B:180:ARG:HH11	1:B:180:ARG:HG3	1.75	0.50
1:A:154:ARG:NE	1:B:198:GLY:HA3	2.26	0.50
1:A:349:ALA:HA	1:A:376:LEU:HD22	1.93	0.50
1:A:48:TYR:O	1:A:53:HIS:HE1	1.94	0.50
1:A:85:TYR:O	1:A:86:SER:HB2	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:VAL:HG11	1:A:436:ILE:CG2	2.41	0.50
1:B:62:LEU:HA	1:B:72:ASP:HA	1.93	0.50
1:B:158:TYR:OH	1:B:166:TYR:HA	2.12	0.49
1:C:134:HIS:CD2	1:C:308:ASP:H	2.24	0.49
1:C:97:ILE:HG22	1:C:298:LEU:HD22	1.95	0.49
1:C:158:TYR:OH	1:C:166:TYR:HA	2.12	0.49
1:A:137:LEU:HG	1:A:148:THR:HG21	1.95	0.48
1:C:62:LEU:HA	1:C:72:ASP:HA	1.95	0.48
1:A:326:ASN:HA	3:A:445:HOH:O	2.14	0.48
1:C:266:GLN:HB2	2:C:440:PLP:O3	2.13	0.48
1:B:118:ASN:H	1:B:118:ASN:ND2	2.07	0.47
1:B:158:TYR:HH	1:B:166:TYR:HA	1.79	0.47
1:A:300:PRO:HD3	1:B:299:TYR:CZ	2.48	0.47
1:A:62:LEU:HA	1:A:72:ASP:HA	1.97	0.47
1:A:105:VAL:CG1	1:B:101:LEU:HD23	2.42	0.47
1:B:166:TYR:CD1	1:B:166:TYR:N	2.82	0.46
1:C:355:ILE:O	1:C:359:GLU:HG2	2.15	0.46
1:A:201:MET:HE3	1:B:182:LEU:HB3	1.97	0.46
1:A:158:TYR:OH	1:A:166:TYR:HA	2.15	0.46
1:C:397:LEU:HG	1:C:402:LEU:HD22	1.97	0.46
1:B:385:THR:OG1	1:B:388:TRP:HD1	1.99	0.46
1:A:46:ARG:HD2	1:B:121:GLY:HA3	1.98	0.46
1:B:152:LEU:HD13	1:B:314:ILE:CD1	2.46	0.46
1:B:385:THR:HG1	1:B:388:TRP:HD1	1.58	0.46
1:C:349:ALA:HA	1:C:376:LEU:HD22	1.97	0.45
1:A:101:LEU:HD12	1:A:328:LEU:CD1	2.44	0.45
1:B:165:LYS:HG3	1:B:166:TYR:CE1	2.52	0.45
1:C:271:ARG:NH2	1:C:416:PRO:O	2.48	0.45
1:C:180:ARG:CG	1:C:180:ARG:HH11	2.30	0.45
1:B:219:LEU:HB2	3:B:460:HOH:O	2.16	0.44
1:A:367:VAL:HG13	1:A:388:TRP:HH2	1.82	0.44
1:C:151:LYS:NZ	1:C:319:HIS:HD2	2.15	0.44
1:C:84:SER:HB3	1:C:87:ALA:HB3	2.00	0.44
1:B:88:VAL:HG23	1:B:88:VAL:O	2.17	0.44
1:C:48:TYR:O	1:C:53:HIS:HE1	2.00	0.44
1:A:397:LEU:HG	1:A:402:LEU:HD22	1.99	0.44
1:C:49:LYS:HE3	1:C:50:TYR:OH	2.18	0.44
1:B:397:LEU:HG	1:B:402:LEU:HD22	2.00	0.44
1:A:84:SER:OG	1:B:110:LEU:HG	2.18	0.43
1:C:139:MET:HE3	1:C:144:GLU:HB3	1.98	0.43
1:B:151:LYS:NZ	1:B:319:HIS:HD2	2.15	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:97:ILE:HG22	1:B:298:LEU:HD22	2.00	0.43
1:A:118:ASN:ND2	1:B:63:GLU:HA	2.33	0.43
1:B:227:PHE:CZ	1:B:229:VAL:HG13	2.54	0.43
1:B:237:GLY:HA2	1:B:407:THR:HG21	2.01	0.43
1:C:117:ASN:CG	1:C:327:PRO:HG3	2.43	0.43
1:C:271:ARG:O	1:C:271:ARG:HG3	2.18	0.43
1:A:101:LEU:HD23	1:B:105:VAL:CG1	2.49	0.43
1:B:180:ARG:HG3	1:B:180:ARG:NH1	2.33	0.43
1:B:271:ARG:NH2	1:B:416:PRO:O	2.48	0.43
1:A:260:PHE:C	1:A:260:PHE:CD1	2.96	0.42
1:A:199:PRO:O	1:B:154:ARG:NH2	2.52	0.42
1:B:233:GLN:HB2	1:B:239:VAL:HG13	2.01	0.42
1:C:180:ARG:HA	1:C:180:ARG:HD2	1.85	0.42
1:C:347:GLU:HG2	1:C:351:LYS:HE3	2.01	0.42
1:A:142:GLY:HA3	2:A:440:PLP:O4P	2.19	0.42
1:C:87:ALA:O	1:C:293:ALA:HA	2.19	0.42
1:A:182:LEU:HB3	1:B:201:MET:HE3	2.00	0.42
1:A:358:ASN:HA	1:A:361:MET:HE3	2.01	0.42
1:C:260:PHE:C	1:C:260:PHE:CD1	2.98	0.42
1:A:237:GLY:HA2	1:A:407:THR:HG21	2.02	0.41
1:C:152:LEU:HD13	1:C:314:ILE:CD1	2.49	0.41
1:A:215:LEU:HD22	1:A:219:LEU:HG	2.02	0.41
1:C:165:LYS:HB2	3:C:455:HOH:O	2.20	0.41
1:A:271:ARG:NH2	1:A:416:PRO:O	2.51	0.41
1:B:137:LEU:HG	1:B:148:THR:HG21	2.02	0.41
1:B:355:ILE:O	1:B:359:GLU:HG2	2.21	0.41
1:C:227:PHE:CZ	1:C:229:VAL:HG13	2.56	0.41
1:A:88:VAL:O	1:A:88:VAL:HG23	2.20	0.41
1:A:385:THR:C	1:A:387:ASP:H	2.29	0.41
1:B:85:TYR:O	1:B:86:SER:HB2	2.21	0.41
1:B:111:THR:O	1:B:112:SER:CB	2.69	0.41
1:C:118:ASN:H	1:C:118:ASN:ND2	2.08	0.41
1:A:97:ILE:HG22	1:A:298:LEU:HD22	2.03	0.41
1:C:382:ILE:O	1:C:410:ASP:HB2	2.21	0.41
1:A:422:GLU:OE2	1:A:426:ARG:NH1	2.54	0.41
1:C:88:VAL:HG23	1:C:88:VAL:O	2.21	0.41
1:C:111:THR:O	1:C:112:SER:CB	2.69	0.41
1:C:376:LEU:HD12	1:C:376:LEU:HA	1.98	0.41
1:B:101:LEU:HD12	1:B:328:LEU:CD1	2.48	0.40
1:A:405:LYS:HG3	1:B:114:ALA:HB1	2.02	0.40
1:C:118:ASN:HD22	1:C:118:ASN:N	2.11	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:TYR:HE2	1:B:198:GLY:H	1.67	0.40
1:B:266:GLN:HB2	2:B:440:PLP:O3	2.22	0.40
1:C:128:THR:HB	1:C:133:TYR:O	2.22	0.40
1:C:233:GLN:HB2	1:C:239:VAL:HG13	2.02	0.40
1:A:198:GLY:HA3	1:B:154:ARG:NE	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/439 (92%)	381 (95%)	18 (4%)	3 (1%)	18	34
1	B	402/439 (92%)	377 (94%)	24 (6%)	1 (0%)	43	63
1	C	402/439 (92%)	378 (94%)	21 (5%)	3 (1%)	18	34
All	All	1206/1317 (92%)	1136 (94%)	63 (5%)	7 (1%)	21	38

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	292	LYS
1	B	292	LYS
1	C	292	LYS
1	C	386	LYS
1	A	386	LYS
1	A	59	PRO
1	C	59	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/366 (92%)	308 (91%)	29 (9%)	10	21
1	B	337/366 (92%)	310 (92%)	27 (8%)	11	24
1	C	337/366 (92%)	310 (92%)	27 (8%)	11	24
All	All	1011/1098 (92%)	928 (92%)	83 (8%)	10	23

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	VAL
1	A	62	LEU
1	A	84	SER
1	A	86	SER
1	A	108	LEU
1	A	118	ASN
1	A	130	LEU
1	A	137	LEU
1	A	143	VAL
1	A	152	LEU
1	A	154	ARG
1	A	165	LYS
1	A	180	ARG
1	A	182	LEU
1	A	185	ILE
1	A	212	LEU
1	A	215	LEU
1	A	229	VAL
1	A	239	VAL
1	A	250	ARG
1	A	252	LEU
1	A	260	PHE
1	A	278	VAL
1	A	356	LEU
1	A	367	VAL
1	A	376	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	387	ASP
1	A	423	ASP
1	A	426	ARG
1	B	60	VAL
1	B	62	LEU
1	B	84	SER
1	B	108	LEU
1	B	118	ASN
1	B	130	LEU
1	B	132	ASN
1	B	137	LEU
1	B	143	VAL
1	B	152	LEU
1	B	154	ARG
1	B	155	LYS
1	B	180	ARG
1	B	182	LEU
1	B	185	ILE
1	B	212	LEU
1	B	215	LEU
1	B	229	VAL
1	B	239	VAL
1	B	250	ARG
1	B	252	LEU
1	B	278	VAL
1	B	356	LEU
1	B	376	LEU
1	B	383	LYS
1	B	423	ASP
1	B	426	ARG
1	C	60	VAL
1	C	62	LEU
1	C	84	SER
1	C	108	LEU
1	C	118	ASN
1	C	130	LEU
1	C	137	LEU
1	C	143	VAL
1	C	152	LEU
1	C	154	ARG
1	C	180	ARG
1	C	182	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	185	ILE
1	C	212	LEU
1	C	215	LEU
1	C	229	VAL
1	C	239	VAL
1	C	250	ARG
1	C	252	LEU
1	C	278	VAL
1	C	356	LEU
1	C	365	SER
1	C	376	LEU
1	C	383	LYS
1	C	423	ASP
1	C	426	ARG
1	C	430	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS
1	A	118	ASN
1	A	134	HIS
1	A	256	HIS
1	A	319	HIS
1	A	400	ASN
1	B	53	HIS
1	B	118	ASN
1	B	134	HIS
1	B	319	HIS
1	B	400	ASN
1	C	53	HIS
1	C	118	ASN
1	C	134	HIS
1	C	233	GLN
1	C	319	HIS
1	C	400	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLP	A	440	1	15,15,16	1.28	3 (20%)	21,22,23	1.08	1 (4%)
2	PLP	B	440	1	15,15,16	1.72	5 (33%)	21,22,23	1.38	2 (9%)
2	PLP	C	440	1	15,15,16	2.01	5 (33%)	21,22,23	1.45	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	440	1	-	0/6/6/8	0/1/1/1
2	PLP	B	440	1	-	0/6/6/8	0/1/1/1
2	PLP	C	440	1	-	2/6/6/8	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	440	PLP	C2-N1	3.74	1.40	1.33
2	B	440	PLP	C3-C2	-3.61	1.37	1.41
2	C	440	PLP	C5A-C5	3.29	1.59	1.50
2	B	440	PLP	C5A-C5	2.78	1.58	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	440	PLP	O4P-C5A	-2.77	1.34	1.44
2	C	440	PLP	C3-C4	2.72	1.45	1.40
2	C	440	PLP	C3-C2	-2.69	1.38	1.41
2	B	440	PLP	C6-C5	-2.57	1.32	1.37
2	A	440	PLP	C2-N1	2.49	1.38	1.33
2	B	440	PLP	C4A-C4	2.40	1.56	1.51
2	B	440	PLP	C2A-C2	2.38	1.54	1.50
2	A	440	PLP	P-O3P	-2.17	1.46	1.54
2	A	440	PLP	P-O1P	-2.09	1.44	1.50

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	440	PLP	O2P-P-O4P	-4.81	94.12	106.67
2	B	440	PLP	O2P-P-O4P	-3.59	97.32	106.67
2	B	440	PLP	O3P-P-O1P	3.28	123.63	110.83
2	C	440	PLP	O3P-P-O1P	2.26	119.65	110.83
2	A	440	PLP	O2P-P-O4P	-2.13	101.12	106.67

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	440	PLP	C5A-O4P-P-O3P
2	C	440	PLP	C4-C5-C5A-O4P

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	440	PLP	1	0
2	B	440	PLP	1	0
2	C	440	PLP	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	402/439 (91%)	-0.26	9 (2%) 62 58	16, 35, 69, 99	0
1	B	400/439 (91%)	-0.36	9 (2%) 61 57	13, 30, 54, 99	0
1	C	397/439 (90%)	-0.37	6 (1%) 72 68	6, 31, 55, 85	1 (0%)
All	All	1199/1317 (91%)	-0.33	24 (2%) 65 61	6, 32, 61, 99	1 (0%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	388	TRP	4.2
1	B	387	ASP	3.9
1	B	386	LYS	3.5
1	B	198	GLY	3.3
1	A	198	GLY	3.2
1	C	198	GLY	3.2
1	B	388	TRP	2.9
1	A	386	LYS	2.8
1	A	408	HIS	2.6
1	B	367	VAL	2.6
1	C	39	THR	2.6
1	C	367	VAL	2.5
1	C	385	THR	2.4
1	B	408	HIS	2.4
1	A	367	VAL	2.4
1	A	385	THR	2.3
1	A	363	LEU	2.2
1	B	354	ILE	2.2
1	A	366	ASP	2.2
1	B	38	PRO	2.2
1	A	368	VAL	2.1
1	C	99	ASN	2.1
1	B	385	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	38	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PLP	C	440	15/16	0.97	0.06	14,17,24,27	0
2	PLP	A	440	15/16	0.98	0.06	13,24,31,32	0
2	PLP	B	440	15/16	0.99	0.04	11,18,25,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.