



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:23 PM UTC

PDB ID : 7OA1 / pdb_00007oa1
Title : Crystal structure of alfa carbonic anhydrase from Schistosoma mansoni with 4-(2-(3-(4-iodophenyl)ureido)ethyl)benzenesulfonamide
Authors : Angelil, A.; Ferraroni, M.
Deposited on : 2021-04-18
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	312	 3% 74% 12% • 11%
1	BBB	312	 2% 72% 14% •• 11%
2	GGG	2	 100%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4961 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	277	Total	C	N	O	S	0	3	0
			2248	1434	382	425	7			
1	BBB	277	Total	C	N	O	S	0	3	0
			2249	1435	384	423	7			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	12	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	13	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	14	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	15	GLN	-	expression tag	UNP A0A3Q0KSG2
AAA	16	PRO	-	expression tag	UNP A0A3Q0KSG2
AAA	17	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	18	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	19	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	20	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	299	ARG	-	expression tag	UNP A0A3Q0KSG2
AAA	300	GLY	-	expression tag	UNP A0A3Q0KSG2
AAA	301	GLY	-	expression tag	UNP A0A3Q0KSG2
AAA	302	PRO	-	expression tag	UNP A0A3Q0KSG2
AAA	303	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	304	GLN	-	expression tag	UNP A0A3Q0KSG2
AAA	305	LYS	-	expression tag	UNP A0A3Q0KSG2
AAA	306	LEU	-	expression tag	UNP A0A3Q0KSG2
AAA	307	ILE	-	expression tag	UNP A0A3Q0KSG2
AAA	308	SER	-	expression tag	UNP A0A3Q0KSG2
AAA	309	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	310	GLU	-	expression tag	UNP A0A3Q0KSG2
AAA	311	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	312	LEU	-	expression tag	UNP A0A3Q0KSG2
AAA	313	ASN	-	expression tag	UNP A0A3Q0KSG2
AAA	314	SER	-	expression tag	UNP A0A3Q0KSG2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	315	ALA	-	expression tag	UNP A0A3Q0KSG2
AAA	316	VAL	-	expression tag	UNP A0A3Q0KSG2
AAA	317	ASP	-	expression tag	UNP A0A3Q0KSG2
AAA	318	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	319	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	320	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	321	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	322	HIS	-	expression tag	UNP A0A3Q0KSG2
AAA	323	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	12	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	13	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	14	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	15	GLN	-	expression tag	UNP A0A3Q0KSG2
BBB	16	PRO	-	expression tag	UNP A0A3Q0KSG2
BBB	17	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	18	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	19	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	20	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	299	ARG	-	expression tag	UNP A0A3Q0KSG2
BBB	300	GLY	-	expression tag	UNP A0A3Q0KSG2
BBB	301	GLY	-	expression tag	UNP A0A3Q0KSG2
BBB	302	PRO	-	expression tag	UNP A0A3Q0KSG2
BBB	303	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	304	GLN	-	expression tag	UNP A0A3Q0KSG2
BBB	305	LYS	-	expression tag	UNP A0A3Q0KSG2
BBB	306	LEU	-	expression tag	UNP A0A3Q0KSG2
BBB	307	ILE	-	expression tag	UNP A0A3Q0KSG2
BBB	308	SER	-	expression tag	UNP A0A3Q0KSG2
BBB	309	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	310	GLU	-	expression tag	UNP A0A3Q0KSG2
BBB	311	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	312	LEU	-	expression tag	UNP A0A3Q0KSG2
BBB	313	ASN	-	expression tag	UNP A0A3Q0KSG2
BBB	314	SER	-	expression tag	UNP A0A3Q0KSG2
BBB	315	ALA	-	expression tag	UNP A0A3Q0KSG2
BBB	316	VAL	-	expression tag	UNP A0A3Q0KSG2
BBB	317	ASP	-	expression tag	UNP A0A3Q0KSG2
BBB	318	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	319	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	320	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	321	HIS	-	expression tag	UNP A0A3Q0KSG2
BBB	322	HIS	-	expression tag	UNP A0A3Q0KSG2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BBB	323	HIS	-	expression tag	UNP A0A3Q0KSG2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	GGG	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	AAA	1	Total	Zn	0	0
			1	1		
3	BBB	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	AAA	1	Total	C	N	O	0	0
			14	8	1	5		
4	AAA	1	Total	C	N	O	0	0
			14	8	1	5		
4	AAA	1	Total	C	N	O	0	0
			14	8	1	5		
4	BBB	1	Total	C	N	O	0	0
			14	8	1	5		
4	BBB	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 1-(4-iodophenyl)-3-[2-(4-sulfamoylphenyl)ethyl]urea (CCD ID: TKQ) (formula: $C_{15}H_{16}IN_3O_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	AAA	1	Total	C	I	N	O	S	0	0
			23	15	1	3	3	1		
5	BBB	1	Total	C	I	N	O	S	0	0
			23	15	1	3	3	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	BBB	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	AAA	162	Total	O	0	0
			162	162		
7	BBB	150	Total	O	0	0
			150	150		

4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.50Å 103.50Å 133.29Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	89.63 – 2.00 89.63 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (89.63-2.00) 100.0 (89.63-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	10.39 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.164 , 0.194 (Not available) , 0.219	Depositor DCC
R_{free} test set	2818 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	27.3	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4961	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAG, GOL, TKQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	1.09	2/2317 (0.1%)	1.28	6/3152 (0.2%)
1	BBB	1.09	0/2319	1.32	12/3156 (0.4%)
All	All	1.09	2/4636 (0.0%)	1.30	18/6308 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AAA	117	HIS	CE1-NE2	6.37	1.39	1.32
1	AAA	224	PHE	C-O	5.16	1.30	1.23

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	BBB	75	THR	CA-CB-OG1	-9.75	94.97	109.60
1	BBB	81	THR	CA-CB-OG1	6.71	119.67	109.60
1	AAA	81	THR	CA-CB-OG1	6.58	119.48	109.60
1	AAA	32	THR	CA-CB-OG1	-6.56	99.77	109.60
1	AAA	205	THR	CA-CB-OG1	-5.56	101.26	109.60
1	BBB	78	THR	CA-CB-OG1	-5.49	101.37	109.60
1	BBB	256	ASN	CA-CB-CG	-5.48	107.12	112.60
1	BBB	81	THR	CB-CA-C	5.47	118.74	109.50
1	BBB	117	HIS	CA-CB-CG	-5.46	108.34	113.80
1	AAA	81	THR	CB-CA-C	5.37	119.20	109.37
1	BBB	114	ILE	CB-CA-C	-5.34	106.37	111.44
1	BBB	263	TYR	CA-C-N	5.20	126.11	120.44
1	BBB	263	TYR	C-N-CA	5.20	126.11	120.44
1	BBB	42	LYS	CA-C-O	-5.19	115.05	120.55
1	BBB	273	GLY	CA-C-O	-5.12	116.58	121.49
1	BBB	291	ARG	CB-CA-C	5.11	118.91	109.71
1	AAA	78	THR	CA-CB-OG1	-5.09	101.96	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	203	ASN	CB-CA-C	5.06	119.95	109.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2248	0	2174	36	0
1	BBB	2249	0	2171	39	0
2	GGG	28	0	25	0	0
3	AAA	1	0	0	0	0
3	BBB	1	0	0	0	0
4	AAA	42	0	39	7	0
4	BBB	28	0	26	0	0
5	AAA	23	0	0	0	0
5	BBB	23	0	0	1	0
6	BBB	6	0	8	0	0
7	AAA	162	0	0	3	0
7	BBB	150	0	0	4	0
All	All	4961	0	4443	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:97:ASN:HB3	4:AAA:403:NAG:H83	1.54	0.88
5:BBB:405:TKQ:I	7:BBB:628:HOH:O	2.66	0.84
1:BBB:59:ILE:CG1	7:BBB:648:HOH:O	2.29	0.79
1:AAA:50:GLN:HE22	1:AAA:235:CYS:HB3	1.50	0.76
1:AAA:130:HIS:HE1	1:AAA:226:TYR:OH	1.70	0.75
1:BBB:130:HIS:HE1	1:BBB:226:TYR:OH	1.75	0.69
1:BBB:120:TRP:H	1:BBB:275:ASN:HD21	1.41	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:85:ASN:HD22	1:AAA:85:ASN:C	1.99	0.68
1:BBB:85:ASN:C	1:BBB:85:ASN:HD22	2.00	0.68
1:BBB:50:GLN:HE22	1:BBB:235:CYS:HB3	1.59	0.67
1:AAA:120:TRP:H	1:AAA:275:ASN:HD21	1.44	0.66
1:AAA:148:ARG:HH12	4:AAA:403:NAG:H81	1.61	0.66
1:BBB:95:PRO:HG2	1:BBB:98:THR:HG21	1.77	0.65
1:AAA:275:ASN:HD22	1:AAA:275:ASN:H	1.45	0.63
7:AAA:631:HOH:O	1:BBB:57:THR:HG21	1.98	0.63
1:BBB:29:ASN:HD22	1:BBB:31:LEU:H	1.43	0.63
1:BBB:96:ARG:NH1	1:BBB:112:GLU:OE2	2.32	0.62
1:AAA:120:TRP:H	1:AAA:275:ASN:ND2	1.98	0.62
1:BBB:275:ASN:HD22	1:BBB:275:ASN:H	1.48	0.61
1:AAA:50:GLN:NE2	1:AAA:277:ARG:HH12	2.00	0.60
1:BBB:147:ARG:HE	1:BBB:149:GLN:HE21	1.48	0.60
1:AAA:174:VAL:HG12	1:BBB:174:VAL:HG12	1.82	0.59
1:BBB:50:GLN:HE21	1:BBB:277:ARG:HH22	1.51	0.59
1:BBB:81:THR:CG2	7:BBB:561:HOH:O	2.51	0.59
1:AAA:130:HIS:HD2	1:AAA:140:GLU:OE2	1.86	0.58
1:AAA:85:ASN:ND2	1:AAA:87:GLY:H	2.02	0.58
4:AAA:402:NAG:HO4	4:AAA:404:NAG:C1	2.17	0.57
1:BBB:120:TRP:H	1:BBB:275:ASN:ND2	2.02	0.57
1:AAA:50:GLN:HE21	1:AAA:277:ARG:HH22	1.52	0.57
1:BBB:57:THR:HG23	1:BBB:133:ASP:OD2	2.05	0.57
1:AAA:81:THR:HG22	7:AAA:526:HOH:O	2.04	0.57
1:BBB:81:THR:HG21	1:BBB:208:ASP:OD1	2.04	0.57
1:AAA:85:ASN:HD22	1:AAA:87:GLY:H	1.54	0.56
1:AAA:81:THR:HG21	1:AAA:208:ASP:OD1	2.06	0.55
1:BBB:81:THR:HG23	7:BBB:561:HOH:O	2.05	0.55
1:BBB:175:GLU:OE2	1:BBB:252:ARG:NH1	2.41	0.54
1:BBB:85:ASN:ND2	1:BBB:87:GLY:H	2.07	0.53
1:BBB:85:ASN:HD22	1:BBB:87:GLY:H	1.56	0.53
1:AAA:275:ASN:HD22	1:AAA:275:ASN:N	2.07	0.53
1:BBB:29:ASN:HD22	1:BBB:29:ASN:C	2.17	0.53
1:BBB:130:HIS:HD2	1:BBB:140:GLU:OE2	1.92	0.53
1:BBB:147:ARG:HE	1:BBB:149:GLN:NE2	2.07	0.52
1:BBB:96:ARG:O	1:BBB:98:THR:HG22	2.10	0.51
1:BBB:29:ASN:ND2	1:BBB:31:LEU:H	2.08	0.51
1:BBB:77:SER:CB	1:BBB:98:THR:HB	2.41	0.51
1:AAA:79:GLU:HB3	1:AAA:95:PRO:HB3	1.93	0.50
1:AAA:24:GLU:HA	1:AAA:24:GLU:OE1	2.12	0.49
1:BBB:50:GLN:NE2	1:BBB:277:ARG:HH12	2.11	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:BBB:95:PRO:O	1:BBB:98:THR:HG23	2.14	0.48
1:AAA:275:ASN:H	1:AAA:275:ASN:ND2	2.09	0.48
1:BBB:96:ARG:O	1:BBB:98:THR:CG2	2.62	0.48
1:BBB:85:ASN:C	1:BBB:85:ASN:ND2	2.72	0.47
4:AAA:402:NAG:O4	4:AAA:404:NAG:C1	2.63	0.47
1:BBB:74:ASN:C	1:BBB:74:ASN:HD22	2.23	0.47
1:BBB:146:PHE:CE1	1:BBB:154:PRO:HG3	2.50	0.47
1:AAA:148:ARG:NH1	4:AAA:403:NAG:H81	2.30	0.45
1:BBB:95:PRO:HG2	1:BBB:98:THR:CG2	2.45	0.45
1:AAA:116:MET:HA	1:AAA:142:HIS:O	2.18	0.44
1:BBB:30:ILE:HD12	1:BBB:31:LEU:N	2.32	0.44
1:AAA:120:TRP:CE2	1:AAA:258:PHE:HB3	2.52	0.44
1:AAA:256:ASN:HD22	1:AAA:259:ARG:HD2	1.83	0.44
1:AAA:263:TYR:CD1	1:AAA:267:GLU:HG3	2.53	0.44
1:AAA:34:PRO:HA	1:AAA:37:TRP:CE2	2.54	0.43
1:BBB:252:ARG:O	1:BBB:255:ILE:HG22	2.19	0.42
1:AAA:50:GLN:HE21	1:AAA:277:ARG:HH12	1.66	0.42
1:AAA:218:LEU:C	1:AAA:218:LEU:HD12	2.45	0.42
1:BBB:218:LEU:C	1:BBB:218:LEU:HD12	2.45	0.42
1:AAA:79:GLU:HB3	1:AAA:95:PRO:CB	2.49	0.41
1:AAA:85:ASN:HD22	1:AAA:86:ASN:N	2.18	0.41
1:BBB:57:THR:HG22	1:BBB:224:PHE:HZ	1.84	0.41
1:AAA:97:ASN:CB	4:AAA:403:NAG:H83	2.39	0.41
1:AAA:26:SER:O	1:AAA:33:GLY:HA2	2.20	0.41
1:BBB:263:TYR:CD1	1:BBB:267:GLU:HG3	2.56	0.41
1:AAA:97:ASN:HB3	4:AAA:403:NAG:C8	2.38	0.41
1:AAA:181:GLN:NE2	1:AAA:181:GLN:HA	2.36	0.40
1:AAA:81:THR:CG2	7:AAA:526:HOH:O	2.67	0.40
1:AAA:85:ASN:C	1:AAA:85:ASN:ND2	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	278/312 (89%)	271 (98%)	6 (2%)	1 (0%)	30	27
1	BBB	278/312 (89%)	270 (97%)	7 (2%)	1 (0%)	30	27
All	All	556/624 (89%)	541 (97%)	13 (2%)	2 (0%)	30	27

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	AAA	299	ARG
1	BBB	299	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	253/279 (91%)	239 (94%)	14 (6%)	19	17
1	BBB	251/279 (90%)	237 (94%)	14 (6%)	19	16
All	All	504/558 (90%)	476 (94%)	28 (6%)	20	16

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	31	LEU
1	AAA	74	ASN
1	AAA	76[A]	SER
1	AAA	76[B]	SER
1	AAA	78	THR
1	AAA	79	GLU
1	AAA	81	THR
1	AAA	85	ASN
1	AAA	107	LEU
1	AAA	201	PRO
1	AAA	203	ASN
1	AAA	263	TYR
1	AAA	275	ASN
1	AAA	297	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	BBB	29	ASN
1	BBB	74	ASN
1	BBB	78	THR
1	BBB	81	THR
1	BBB	85	ASN
1	BBB	98	THR
1	BBB	107	LEU
1	BBB	115	GLN
1	BBB	169	ILE
1	BBB	222	ARG
1	BBB	257	LEU
1	BBB	263	TYR
1	BBB	275	ASN
1	BBB	297	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	GGG	1	2	14,14,15	0.71	0	17,19,21	1.23	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	GGG	2	2	14,14,15	0.62	0	17,19,21	1.62	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	GGG	1	2	-	0/6/23/26	0/1/1/1
2	NAG	GGG	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	GGG	2	NAG	C1-O5-C5	5.16	119.11	112.19
2	GGG	1	NAG	O3-C3-C2	-2.55	104.11	109.40
2	GGG	1	NAG	O7-C7-C8	-2.26	118.04	122.05
2	GGG	2	NAG	O3-C3-C4	-2.02	105.62	110.38

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	GGG	2	NAG	C4-C5-C6-O6
2	GGG	2	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	BBB	403	-	14,14,15	1.30	2 (14%)	17,19,21	2.52	5 (29%)
4	NAG	AAA	402	-	14,14,15	0.61	0	17,19,21	1.78	3 (17%)
6	GOL	BBB	404	-	5,5,5	0.38	0	5,5,5	1.26	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	AAA	403	-	14,14,15	0.98	1 (7%)	17,19,21	1.66	4 (23%)
5	TKQ	BBB	405	3	24,24,24	0.45	0	33,33,33	1.14	4 (12%)
4	NAG	AAA	404	-	14,14,15	0.51	0	17,19,21	1.50	3 (17%)
5	TKQ	AAA	405	3	24,24,24	0.46	0	33,33,33	0.65	1 (3%)
4	NAG	BBB	402	-	14,14,15	1.47	2 (14%)	17,19,21	3.09	10 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	BBB	403	-	-	2/6/23/26	0/1/1/1
4	NAG	AAA	402	-	-	0/6/23/26	0/1/1/1
6	GOL	BBB	404	-	-	0/4/4/4	-
4	NAG	AAA	403	-	-	4/6/23/26	0/1/1/1
5	TKQ	BBB	405	3	-	7/16/16/16	0/2/2/2
4	NAG	AAA	404	-	-	4/6/23/26	0/1/1/1
5	TKQ	AAA	405	3	-	9/16/16/16	0/2/2/2
4	NAG	BBB	402	-	-	3/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	BBB	402	NAG	O5-C5	3.17	1.49	1.43
4	BBB	403	NAG	C1-C2	2.50	1.55	1.52
4	BBB	403	NAG	O5-C1	2.34	1.47	1.43
4	AAA	403	NAG	O5-C5	2.25	1.47	1.43
4	BBB	402	NAG	O5-C1	2.16	1.47	1.43

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	BBB	403	NAG	C1-O5-C5	8.28	123.28	112.19
4	BBB	402	NAG	C1-C2-N2	6.00	119.89	110.43
4	BBB	402	NAG	C2-N2-C7	4.73	129.24	122.90
4	BBB	402	NAG	O7-C7-N2	-4.64	113.78	121.98
4	AAA	402	NAG	O5-C5-C6	3.99	115.43	107.66
4	BBB	402	NAG	O4-C4-C5	3.77	118.61	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AAA	402	NAG	O5-C1-C2	3.75	117.09	111.29
4	AAA	404	NAG	C1-O5-C5	3.69	117.14	112.19
4	BBB	402	NAG	O7-C7-C8	3.67	128.60	122.05
4	BBB	402	NAG	C1-O5-C5	3.54	116.93	112.19
4	BBB	402	NAG	O5-C1-C2	-3.53	105.83	111.29
4	AAA	402	NAG	C1-O5-C5	3.45	116.81	112.19
4	AAA	403	NAG	O4-C4-C5	3.30	117.46	109.32
4	AAA	403	NAG	C2-N2-C7	3.22	127.21	122.90
4	BBB	402	NAG	C3-C4-C5	-2.99	104.81	110.23
5	BBB	405	TKQ	C1-N-C	2.92	132.57	126.61
4	AAA	403	NAG	O7-C7-C8	-2.89	116.90	122.05
4	BBB	403	NAG	O5-C5-C6	2.76	113.04	107.66
4	AAA	404	NAG	C8-C7-N2	2.70	120.60	116.12
5	BBB	405	TKQ	C6-C1-N	-2.68	111.40	120.41
4	BBB	403	NAG	C2-N2-C7	2.67	126.48	122.90
4	BBB	402	NAG	C4-C3-C2	-2.66	107.13	111.02
5	BBB	405	TKQ	N-C-N1	-2.47	109.71	113.83
5	AAA	405	TKQ	C7-C8-C9	2.44	118.34	112.83
4	BBB	403	NAG	O4-C4-C5	2.40	115.24	109.32
4	BBB	403	NAG	O5-C1-C2	2.34	114.92	111.29
4	BBB	402	NAG	O3-C3-C2	-2.32	104.58	109.40
4	AAA	403	NAG	O3-C3-C2	-2.24	104.76	109.40
5	BBB	405	TKQ	C2-C1-N	2.12	127.53	120.41
6	BBB	404	GOL	O2-C2-C3	2.09	117.84	109.18
4	AAA	404	NAG	O5-C5-C6	2.02	111.60	107.66

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	BBB	402	NAG	C1-C2-N2-C7
5	AAA	405	TKQ	N1-C7-C8-C9
5	AAA	405	TKQ	N1-C-N-C1
5	AAA	405	TKQ	O-C-N-C1
5	BBB	405	TKQ	O-C-N1-C7
5	BBB	405	TKQ	N-C-N1-C7
5	BBB	405	TKQ	N1-C7-C8-C9
4	BBB	403	NAG	C4-C5-C6-O6
4	AAA	403	NAG	C8-C7-N2-C2
4	AAA	403	NAG	O7-C7-N2-C2
4	AAA	404	NAG	C8-C7-N2-C2
4	AAA	404	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	BBB	402	NAG	C8-C7-N2-C2
4	BBB	402	NAG	O7-C7-N2-C2
4	BBB	403	NAG	O5-C5-C6-O6
4	AAA	404	NAG	C4-C5-C6-O6
5	BBB	405	TKQ	C7-C8-C9-C14
4	AAA	404	NAG	O5-C5-C6-O6
5	BBB	405	TKQ	C7-C8-C9-C10
4	AAA	403	NAG	C4-C5-C6-O6
5	AAA	405	TKQ	N-C-N1-C7
5	AAA	405	TKQ	C7-C8-C9-C10
5	AAA	405	TKQ	C13-C12-S-O2
5	AAA	405	TKQ	C11-C12-S-O2
4	AAA	403	NAG	O5-C5-C6-O6
5	BBB	405	TKQ	C11-C12-S-O1
5	BBB	405	TKQ	C13-C12-S-O1
5	AAA	405	TKQ	O-C-N1-C7
5	AAA	405	TKQ	C7-C8-C9-C14


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	AAA	402	NAG	2	0
4	AAA	403	NAG	5	0
5	BBB	405	TKQ	1	0
4	AAA	404	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand NAG BBB 403




Ligand NAG AAA 402




Ligand NAG AAA 403




Ligand TKQ BBB 405




Ligand NAG AAA 404



Ligand TKQ AAA 405





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	AAA	277/312 (88%)	-0.13	9 (3%)	50	49	14, 26, 48, 64	3 (1%)
1	BBB	277/312 (88%)	0.04	7 (2%)	58	58	17, 27, 49, 64	3 (1%)
All	All	554/624 (88%)	-0.04	16 (2%)	53	52	14, 27, 48, 64	6 (1%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	300	GLY	5.2
1	AAA	300	GLY	3.7
1	BBB	59	ILE	3.4
1	AAA	299	ARG	3.0
1	BBB	299	ARG	3.0
1	AAA	298	ALA	2.9
1	BBB	31	LEU	2.7
1	AAA	78	THR	2.4
1	AAA	30	ILE	2.4
1	BBB	193	VAL	2.4
1	AAA	31	LEU	2.4
1	BBB	156	GLU	2.4
1	AAA	297	THR	2.3
1	AAA	59	ILE	2.3
1	BBB	80	THR	2.3
1	AAA	88	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	GGG	1	14/15	-	-	43,51,62,65	0
2	NAG	GGG	2	14/15	-	-	51,82,95,104	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	AAA	404	14/15	0.58	0.21	85,98,106,112	0
4	NAG	BBB	403	14/15	0.68	0.15	66,76,86,92	0
4	NAG	BBB	402	14/15	0.76	0.15	40,52,55,59	0
5	TKQ	BBB	405	23/23	0.85	0.20	34,52,143,293	0
4	NAG	AAA	403	14/15	0.89	0.10	36,46,50,53	0
5	TKQ	AAA	405	23/23	0.90	0.20	30,46,162,265	0
4	NAG	AAA	402	14/15	0.90	0.13	40,52,67,68	0
6	GOL	BBB	404	6/6	0.92	0.11	23,29,30,36	0
3	ZN	AAA	401	1/1	0.99	0.03	22,22,22,22	1
3	ZN	BBB	401	1/1	0.99	0.07	26,26,26,26	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAG AAA 404:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG BBB 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG BBB 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TKQ BBB 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG AAA 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TKQ AAA 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG AAA 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.