



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 05:08 AM UTC

PDB ID : 7OAX / pdb_00007oax
Title : Crystal structure of the Chili RNA aptamer in complex with DMHBO+
Authors : Mieczkowski, M.; Pena, V.; Hoebartner, C.
Deposited on : 2021-04-20
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)
RNA backbone	3983	1014 (2.54-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	52	 81% 17% .
1	B	52	 75% 17% 6% .
1	C	52	 81% 15% . .
1	D	52	 83% 15% .

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 4773 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called Chili RNA Aptamer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	51	Total	C	N	O	P	0	0	0
			1100	487	198	364	51			
1	B	51	Total	C	N	O	P	0	0	0
			1100	487	198	364	51			
1	C	51	Total	C	N	O	P	0	0	0
			1100	487	198	364	51			
1	D	51	Total	C	N	O	P	0	0	0
			1100	487	198	364	51			

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
2	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
2	D	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 3 is DMHBO⁺ (CCD ID: V5Z) (formula: C₂₂H₂₅N₄O₅) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O		0	0
			31	22	4	5			
3	B	1	Total	C	N	O		0	0
			31	22	4	5			
3	C	1	Total	C	N	O		0	0
			31	22	4	5			
3	D	1	Total	C	N	O		0	0
			31	22	4	5			

- Molecule 4 is SPERMINE (CCD ID: SPM) (formula: C₁₀H₂₆N₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			14	10	4		
4	B	1	Total	C	N	0	0
			14	10	4		
4	C	1	Total	C	N	0	0
			14	10	4		
4	D	1	Total	C	N	0	0
			14	10	4		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0

- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Cl 1 1	0	0
6	B	1	Total Cl 1 1	0	0
6	D	1	Total Cl 1 1	0	0

- Molecule 7 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	3	Total K 3 3	0	0
7	B	3	Total K 3 3	0	0
7	C	3	Total K 3 3	0	0
7	D	3	Total K 3 3	0	0

- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total Mg 1 1	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	8	Total O 8 8	0	0
9	B	4	Total O 4 4	0	0
9	C	12	Total O 12 12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	13	Total	O	0	0
			13	13		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chili RNA Aptamer

Chain A:  81% 17% .



- Molecule 1: Chili RNA Aptamer

Chain B:  75% 17% 6% .




- Molecule 1: Chili RNA Aptamer

Chain C:  81% 15% . .



- Molecule 1: Chili RNA Aptamer

Chain D:  83% 15% .



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.32Å 100.35Å 113.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.97 – 2.24 40.97 – 2.24	Depositor EDS
% Data completeness (in resolution range)	76.5 (40.97-2.24) 76.6 (40.97-2.24)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 2.24Å)	Xtriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.202 , 0.237 0.204 , 0.238	Depositor DCC
R_{free} test set	1272 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	61.6	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4773	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9497e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SPM, GTP, K, V5Z, MG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.08	0/1229	0.20	0/1918
1	B	0.08	0/1229	0.20	0/1918
1	C	0.08	0/1229	0.19	0/1918
1	D	0.10	0/1229	0.25	0/1918
All	All	0.09	0/4916	0.21	0/7672

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1100	0	551	3	0
1	B	1100	0	551	4	0
1	C	1100	0	551	2	0
1	D	1100	0	551	2	0
2	A	32	0	10	0	0
2	B	32	0	11	0	0
2	C	32	0	11	0	0
2	D	32	0	11	0	0
3	A	31	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	31	0	0	0	0
3	C	31	0	0	0	0
3	D	31	0	0	1	0
4	A	14	0	26	0	0
4	B	14	0	26	0	0
4	C	14	0	26	1	0
4	D	14	0	26	0	0
5	A	6	0	8	0	0
5	C	6	0	8	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	A	3	0	0	0	0
7	B	3	0	0	0	0
7	C	3	0	0	0	0
7	D	3	0	0	0	0
8	B	1	0	0	0	0
9	A	8	0	0	0	0
9	B	4	0	0	0	0
9	C	12	0	0	0	0
9	D	13	0	0	0	0
All	All	4773	0	2367	11	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (11) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37:G:H4'	1:C:38:U:H5'	1.81	0.62
1:B:35:G:H5''	1:B:36:G:H5''	1.87	0.56
1:D:15:G:N7	3:D:103:V5Z:O31	2.47	0.48
1:B:48:U:H2'	1:B:49:A:C8	2.51	0.46
1:C:29:G:N7	4:C:102:SPM:H131	2.31	0.44
1:A:15:G:N7	3:A:102:V5Z:O31	2.52	0.43
1:A:27:U:H2'	1:A:28:G:C8	2.55	0.41
1:A:27:U:H2'	1:A:28:G:H8	1.85	0.41
1:B:27:U:H2'	1:B:28:G:C8	2.56	0.41
1:B:34:U:H2'	1:B:35:G:C8	2.56	0.40
1:D:4:U:H2'	1:D:5:A:C8	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	50/52 (96%)	6 (12%)	0
1	B	50/52 (96%)	8 (16%)	0
1	C	50/52 (96%)	7 (14%)	0
1	D	50/52 (96%)	5 (10%)	0
All	All	200/208 (96%)	26 (13%)	0

All (26) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	3	C
1	A	10	G
1	A	11	A
1	A	14	G
1	A	32	G
1	A	33	U
1	B	10	G
1	B	11	A
1	B	14	G
1	B	32	G
1	B	33	U
1	B	34	U
1	B	35	G
1	B	36	G
1	C	10	G
1	C	11	A
1	C	14	G
1	C	32	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	34	U
1	C	36	G
1	C	38	U
1	D	10	G
1	D	11	A
1	D	14	G
1	D	32	G
1	D	37	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 16 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SPM	D	102	-	13,13,13	0.33	0	12,12,12	0.79	0
2	GTP	D	101	8,1	33,34,34	0.97	2 (6%)	50,54,54	1.60	9 (18%)
4	SPM	B	102	-	13,13,13	0.34	0	12,12,12	0.70	0
2	GTP	C	101	1	33,34,34	0.96	1 (3%)	50,54,54	1.59	8 (16%)
4	SPM	C	102	-	13,13,13	0.34	0	12,12,12	0.72	0
3	V5Z	A	102	7	33,33,33	2.77	10 (30%)	46,48,48	2.19	10 (21%)
2	GTP	B	101	1	33,34,34	0.95	1 (3%)	50,54,54	1.59	8 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	A	104	-	5,5,5	0.91	0	5,5,5	1.10	0
5	GOL	C	104	-	5,5,5	0.93	0	5,5,5	1.06	0
3	V5Z	B	103	7	33,33,33	2.80	10 (30%)	46,48,48	2.16	9 (19%)
2	GTP	A	101	1	33,34,34	0.98	2 (6%)	50,54,54	1.59	8 (16%)
3	V5Z	C	103	7	33,33,33	2.78	8 (24%)	46,48,48	2.27	10 (21%)
4	SPM	A	103	-	13,13,13	0.33	0	12,12,12	0.72	0
3	V5Z	D	103	7	33,33,33	2.74	9 (27%)	46,48,48	2.19	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SPM	D	102	-	-	5/11/11/11	-
2	GTP	D	101	8,1	-	6/22/38/38	0/3/3/3
4	SPM	B	102	-	-	4/11/11/11	-
2	GTP	C	101	1	-	5/22/38/38	0/3/3/3
4	SPM	C	102	-	-	2/11/11/11	-
3	V5Z	A	102	7	-	2/21/37/37	0/3/3/3
2	GTP	B	101	1	-	6/22/38/38	0/3/3/3
5	GOL	A	104	-	-	2/4/4/4	-
5	GOL	C	104	-	-	2/4/4/4	-
3	V5Z	B	103	7	-	2/21/37/37	0/3/3/3
2	GTP	A	101	1	-	8/22/38/38	0/3/3/3
3	V5Z	C	103	7	-	4/21/37/37	0/3/3/3
4	SPM	A	103	-	-	2/11/11/11	-
3	V5Z	D	103	7	-	2/21/37/37	0/3/3/3

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	103	V5Z	C07-C24	-9.11	1.38	1.48
3	B	103	V5Z	C07-C24	-9.10	1.38	1.48
3	A	102	V5Z	C07-C24	-8.89	1.38	1.48
3	D	103	V5Z	C07-C24	-8.76	1.39	1.48
3	A	102	V5Z	C10-C09	7.03	1.53	1.45
3	B	103	V5Z	C10-C09	6.99	1.53	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	103	V5Z	C10-C09	6.97	1.53	1.45
3	D	103	V5Z	C10-C09	6.94	1.53	1.45
3	B	103	V5Z	C14-N13	-6.05	1.35	1.44
3	C	103	V5Z	C14-N13	-5.96	1.35	1.44
3	A	102	V5Z	C14-N13	-5.84	1.35	1.44
3	D	103	V5Z	C14-N13	-5.78	1.35	1.44
3	A	102	V5Z	C05-C06	4.61	1.55	1.46
3	D	103	V5Z	C05-C06	4.58	1.55	1.46
3	C	103	V5Z	C05-C06	4.41	1.55	1.46
3	B	103	V5Z	C05-C06	4.37	1.54	1.46
3	B	103	V5Z	C24-N13	-4.07	1.32	1.40
3	C	103	V5Z	C24-N13	-3.95	1.32	1.40
3	A	102	V5Z	C24-N13	-3.94	1.32	1.40
3	D	103	V5Z	C24-N13	-3.89	1.32	1.40
3	B	103	V5Z	C09-N13	-3.32	1.34	1.40
3	A	102	V5Z	C09-N13	-3.27	1.34	1.40
3	C	103	V5Z	C09-N13	-3.26	1.34	1.40
3	D	103	V5Z	C09-N13	-3.19	1.34	1.40
3	D	103	V5Z	C07-N08	-2.96	1.32	1.38
3	B	103	V5Z	C07-N08	-2.89	1.32	1.38
3	A	102	V5Z	C07-N08	-2.88	1.32	1.38
3	C	103	V5Z	C07-N08	-2.86	1.32	1.38
3	A	102	V5Z	O28-C27	2.39	1.41	1.37
3	C	103	V5Z	O28-C27	2.31	1.40	1.37
2	D	101	GTP	C2-N3	2.24	1.38	1.33
2	C	101	GTP	C2-N3	2.24	1.38	1.33
3	D	103	V5Z	O28-C27	2.23	1.40	1.37
2	A	101	GTP	C2-N3	2.22	1.38	1.33
2	B	101	GTP	C2-N3	2.22	1.38	1.33
3	B	103	V5Z	O28-C27	2.20	1.40	1.37
3	A	102	V5Z	O02-C03	2.13	1.40	1.37
2	A	101	GTP	PB-O3A	2.04	1.61	1.59
3	A	102	V5Z	O25-C24	-2.02	1.18	1.23
2	D	101	GTP	PB-O3A	2.01	1.61	1.59
3	B	103	V5Z	O25-C24	-2.01	1.19	1.23
3	B	103	V5Z	O02-C03	2.00	1.40	1.37
3	D	103	V5Z	O25-C24	-2.00	1.19	1.23

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	103	V5Z	O25-C24-C07	-8.45	125.63	131.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	102	V5Z	O25-C24-C07	-8.15	125.82	131.02
3	D	103	V5Z	O25-C24-C07	-8.14	125.83	131.02
3	B	103	V5Z	O25-C24-C07	-8.08	125.86	131.02
3	A	102	V5Z	C07-C24-N13	5.42	108.38	103.45
2	D	101	GTP	C5-C4-N3	-5.32	119.92	128.39
3	D	103	V5Z	C07-C24-N13	5.29	108.27	103.45
2	A	101	GTP	C5-C4-N3	-5.29	119.97	128.39
3	C	103	V5Z	C07-C24-N13	5.29	108.27	103.45
2	C	101	GTP	C5-C4-N3	-5.28	119.99	128.39
2	B	101	GTP	C5-C4-N3	-5.26	120.01	128.39
3	B	103	V5Z	C07-C24-N13	5.18	108.17	103.45
3	C	103	V5Z	O02-C03-C30	4.94	119.69	114.53
2	D	101	GTP	C2-N3-C4	4.77	120.51	112.30
2	B	101	GTP	C2-N3-C4	4.73	120.44	112.30
2	C	101	GTP	C2-N3-C4	4.72	120.44	112.30
2	A	101	GTP	C2-N3-C4	4.71	120.42	112.30
3	C	103	V5Z	O28-C27-C30	4.63	119.38	114.53
3	A	102	V5Z	O28-C27-C30	4.56	119.30	114.53
3	D	103	V5Z	O12-N11-C10	4.46	120.18	111.29
3	A	102	V5Z	O02-C03-C30	4.42	119.16	114.53
3	B	103	V5Z	O12-N11-C10	4.37	119.98	111.29
3	B	103	V5Z	O02-C03-C30	4.30	119.03	114.53
3	A	102	V5Z	O12-N11-C10	4.30	119.84	111.29
3	D	103	V5Z	O02-C03-C30	4.24	118.97	114.53
3	B	103	V5Z	O28-C27-C30	4.24	118.97	114.53
3	D	103	V5Z	O28-C27-C30	4.23	118.95	114.53
3	D	103	V5Z	C05-C06-C07	-4.21	124.86	129.87
3	C	103	V5Z	O12-N11-C10	4.19	119.63	111.29
3	C	103	V5Z	C05-C06-C07	-4.09	125.00	129.87
3	B	103	V5Z	C05-C06-C07	-3.99	125.12	129.87
3	A	102	V5Z	C05-C06-C07	-3.55	125.65	129.87
2	D	101	GTP	N9-C4-N3	3.51	132.97	125.95
2	C	101	GTP	N9-C4-N3	3.51	132.97	125.95
2	B	101	GTP	N9-C4-N3	3.50	132.95	125.95
2	A	101	GTP	N9-C4-N3	3.49	132.94	125.95
3	A	102	V5Z	C07-N08-C09	3.37	108.75	105.57
3	C	103	V5Z	C07-N08-C09	3.33	108.71	105.57
3	D	103	V5Z	C07-N08-C09	3.25	108.63	105.57
3	A	102	V5Z	C24-C07-N08	-3.24	106.63	108.95
3	B	103	V5Z	C07-N08-C09	3.13	108.52	105.57
3	C	103	V5Z	C24-C07-N08	-3.05	106.76	108.95
2	C	101	GTP	C2-N1-C6	-2.99	119.69	125.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	103	V5Z	C24-C07-N08	-2.98	106.81	108.95
2	D	101	GTP	C2-N1-C6	-2.96	119.73	125.11
2	A	101	GTP	C2-N1-C6	-2.95	119.76	125.11
2	B	101	GTP	C2-N1-C6	-2.88	119.88	125.11
3	B	103	V5Z	C24-C07-N08	-2.85	106.91	108.95
3	C	103	V5Z	C01-O02-C03	-2.76	113.46	117.51
3	D	103	V5Z	C06-C07-C24	2.56	125.46	122.36
2	B	101	GTP	O6-C6-C5	-2.56	119.79	126.53
2	A	101	GTP	O6-C6-C5	-2.52	119.87	126.53
3	D	103	V5Z	C01-O02-C03	-2.51	113.83	117.51
2	C	101	GTP	C5-C6-N1	2.51	119.64	113.25
2	C	101	GTP	O6-C6-C5	-2.48	119.99	126.53
2	D	101	GTP	C5-C6-N1	2.48	119.56	113.25
2	A	101	GTP	C5-C6-N1	2.47	119.54	113.25
2	D	101	GTP	N9-C8-N7	-2.45	108.85	113.40
2	B	101	GTP	C5-C6-N1	2.45	119.48	113.25
2	D	101	GTP	O6-C6-C5	-2.45	120.08	126.53
2	D	101	GTP	C8-N7-C5	2.44	108.61	104.26
2	C	101	GTP	N9-C8-N7	-2.44	108.89	113.40
3	B	103	V5Z	C01-O02-C03	-2.43	113.95	117.51
2	A	101	GTP	N9-C8-N7	-2.41	108.93	113.40
2	B	101	GTP	N9-C8-N7	-2.40	108.94	113.40
2	A	101	GTP	C8-N7-C5	2.39	108.51	104.26
2	C	101	GTP	C8-N7-C5	2.37	108.48	104.26
3	C	103	V5Z	O02-C03-C04	-2.36	120.02	124.08
2	B	101	GTP	C8-N7-C5	2.34	108.43	104.26
3	A	102	V5Z	C01-O02-C03	-2.28	114.17	117.51
3	A	102	V5Z	C06-C07-C24	2.24	125.08	122.36
2	D	101	GTP	C2'-C1'-N9	-2.02	107.62	113.25

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	101	GTP	C5'-O5'-PA-O3A
2	A	101	GTP	C5'-O5'-PA-O1A
2	A	101	GTP	C5'-O5'-PA-O2A
2	B	101	GTP	C5'-O5'-PA-O3A
2	B	101	GTP	C5'-O5'-PA-O2A
2	C	101	GTP	C5'-O5'-PA-O3A
2	C	101	GTP	C5'-O5'-PA-O1A
2	C	101	GTP	C5'-O5'-PA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	101	GTP	C5'-O5'-PA-O3A
2	D	101	GTP	C5'-O5'-PA-O1A
2	D	101	GTP	C5'-O5'-PA-O2A
2	D	101	GTP	O4'-C4'-C5'-O5'
3	C	103	V5Z	N08-C09-C10-N11
3	C	103	V5Z	N13-C09-C10-N11
3	D	103	V5Z	N08-C09-C10-N11
3	D	103	V5Z	N13-C09-C10-N11
4	D	102	SPM	C8-C9-N10-C11
5	A	104	GOL	C1-C2-C3-O3
5	C	104	GOL	O1-C1-C2-C3
3	C	103	V5Z	C30-C03-O02-C01
2	A	101	GTP	O4'-C4'-C5'-O5'
2	A	101	GTP	C3'-C4'-C5'-O5'
2	B	101	GTP	O4'-C4'-C5'-O5'
2	B	101	GTP	C3'-C4'-C5'-O5'
2	D	101	GTP	C3'-C4'-C5'-O5'
3	C	103	V5Z	C04-C03-O02-C01
2	C	101	GTP	O4'-C4'-C5'-O5'
2	C	101	GTP	C3'-C4'-C5'-O5'
4	C	102	SPM	C2-C3-C4-N5
4	D	102	SPM	C12-C11-N10-C9
5	C	104	GOL	O1-C1-C2-O2
4	A	103	SPM	C12-C11-N10-C9
5	A	104	GOL	O2-C2-C3-O3
3	A	102	V5Z	N13-C09-C10-N11
3	B	103	V5Z	N13-C09-C10-N11
2	D	101	GTP	PB-O3A-PA-O1A
3	A	102	V5Z	N08-C09-C10-N11
3	B	103	V5Z	N08-C09-C10-N11
2	B	101	GTP	C5'-O5'-PA-O1A
4	A	103	SPM	C7-C6-N5-C4
4	B	102	SPM	C11-C12-C13-N14
2	A	101	GTP	PB-O3A-PA-O2A
4	B	102	SPM	C12-C11-N10-C9
4	D	102	SPM	C3-C4-N5-C6
4	D	102	SPM	C7-C6-N5-C4
4	B	102	SPM	C7-C6-N5-C4
4	C	102	SPM	C3-C4-N5-C6
2	A	101	GTP	PB-O3A-PA-O1A
2	A	101	GTP	C4'-C5'-O5'-PA
4	D	102	SPM	C2-C3-C4-N5

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	B	102	SPM	C8-C9-N10-C11
2	B	101	GTP	PB-O3A-PA-O2A

There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	102	SPM	1	0
3	A	102	V5Z	1	0
3	D	103	V5Z	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand V5Z A 102




Ligand GTP B 101




Ligand V5Z B 103



Ligand GTP A 101





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	51/52 (98%)	-0.49	0 100 100	42, 61, 105, 116	0
1	B	51/52 (98%)	-0.52	0 100 100	43, 63, 93, 190	0
1	C	51/52 (98%)	-0.47	0 100 100	43, 59, 104, 172	0
1	D	51/52 (98%)	-0.47	0 100 100	44, 64, 92, 156	0
All	All	204/208 (98%)	-0.49	0 100 100	42, 63, 104, 190	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	K	D	107	1/1	0.70	0.19	93,93,93,93	0
8	MG	B	108	1/1	0.75	0.16	77,77,77,77	0
2	GTP	A	101	32/32	0.78	0.09	64,89,145,145	0
2	GTP	B	101	32/32	0.83	0.10	54,77,155,156	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	CL	A	105	1/1	0.83	0.10	95,95,95,95	0
2	GTP	C	101	32/32	0.84	0.10	58,78,131,135	0
7	K	A	108	1/1	0.85	0.14	77,77,77,77	0
5	GOL	A	104	6/6	0.87	0.10	64,70,76,79	0
7	K	C	107	1/1	0.87	0.16	69,69,69,69	0
2	GTP	D	101	32/32	0.88	0.09	58,74,117,120	0
7	K	C	106	1/1	0.90	0.10	56,56,56,56	0
4	SPM	B	102	14/14	0.90	0.12	41,58,71,72	0
6	CL	D	104	1/1	0.90	0.10	82,82,82,82	0
5	GOL	C	104	6/6	0.90	0.12	59,68,73,80	0
7	K	B	107	1/1	0.91	0.15	68,68,68,68	0
7	K	A	106	1/1	0.92	0.09	62,62,62,62	0
7	K	A	107	1/1	0.92	0.08	52,52,52,52	0
4	SPM	C	102	14/14	0.92	0.12	35,45,49,50	14
4	SPM	D	102	14/14	0.92	0.13	36,49,62,64	14
4	SPM	A	103	14/14	0.93	0.13	38,50,58,58	14
3	V5Z	A	102	31/31	0.93	0.09	33,47,63,68	0
3	V5Z	C	103	31/31	0.93	0.11	42,51,67,79	0
3	V5Z	D	103	31/31	0.93	0.11	38,51,62,84	0
6	CL	B	104	1/1	0.94	0.09	74,74,74,74	0
3	V5Z	B	103	31/31	0.94	0.09	33,48,62,72	0
7	K	C	105	1/1	0.95	0.07	56,56,56,56	0
7	K	D	105	1/1	0.95	0.07	57,57,57,57	0
7	K	D	106	1/1	0.96	0.07	52,52,52,52	0
7	K	B	106	1/1	0.96	0.06	53,53,53,53	0
7	K	B	105	1/1	0.96	0.07	53,53,53,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GTP A 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP B 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP C 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP D 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V5Z A 102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around V5Z C 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V5Z D 103:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around V5Z B 103:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.