



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:25 PM UTC

PDB ID : 5OCA / pdb_00005oca
Title : PCSK9:Fab Complex with Dextran Sulfate
Authors : Thirup, S.S.; Vilstrup, J.P.
Deposited on : 2017-06-30
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	126	2% 61% 12% 27%
2	B	540	13% 78% 13% 8%
3	H	238	3% 82% 9% 8%
4	L	217	2% 92% 7%
5	C	2	100%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proprotein convertase subtilisin/kexin type 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	92	Total	C	N	O	S	0	0	0
			740	474	133	131	2			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	GLY	-	expression tag	UNP Q8NBP7
A	28	ALA	-	expression tag	UNP Q8NBP7
A	29	MET	-	expression tag	UNP Q8NBP7
A	30	GLY	-	expression tag	UNP Q8NBP7

- Molecule 2 is a protein called Proprotein convertase subtilisin/kexin type 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	495	Total	C	N	O	S	0	1	0
			3665	2261	679	693	32			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	474	ILE	VAL	conflict	UNP Q8NBP7
B	533	ALA	ASN	conflict	UNP Q8NBP7
B	620	GLY	GLU	conflict	UNP Q8NBP7
B	670	GLU	GLY	conflict	UNP Q8NBP7


- Molecule 3 is a protein called Fab from LDLR competitive antibody: Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	219	Total	C	N	O	S	0	1	0
			1648	1044	271	326	7			

- Molecule 4 is a protein called Fab from LDLR competitive antibody: Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	L	214	Total	C	N	O	S	0	1	0
			1571	977	263	327	4			

- Molecule 5 is an oligosaccharide called 2,3,4-tri-O-sulfo-beta-D-altropyranose-(1-6)-2,3-di-O-sulfo-alpha-L-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	C	2	Total	C	O	S	0	2	0
			86	24	52	10			

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Na	0	0
			2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	90	Total	O	0	0
			90	90		
7	B	233	Total	O	0	0
			233	233		
7	H	227	Total	O	0	0
			227	227		
7	L	238	Total	O	0	0
			238	238		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proprotein convertase subtilisin/kexin type 9





- Molecule 2: Proprotein convertase subtilisin/kexin type 9



- Molecule 3: Fab from LDLR competitive antibody: Heavy chain



- Molecule 4: Fab from LDLR competitive antibody: Light chain



- Molecule 5: 2,3,4-tri-O-sulfo-beta-D-altropyranose-(1-6)-2,3-di-O-sulfo-alpha-L-glucopyranoside



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	264.72Å 137.35Å 69.89Å 90.00° 102.84° 90.00°	Depositor
Resolution (Å)	38.29 – 2.30 38.29 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (38.29-2.30) 99.8 (38.29-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 2.29Å)	Xtriage
Refinement program	PHENIX (dev_2614: ???)	Depositor
R, R_{free}	0.167 , 0.195 0.169 , 0.197	Depositor DCC
R_{free} test set	5376 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	38.0	Xtriage
Anisotropy	0.481	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8500	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TWA, TWD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/757	0.51	0/1023
2	B	0.35	0/3736	0.56	0/5073
3	H	0.41	0/1692	0.59	0/2302
4	L	0.36	0/1611	0.58	0/2200
All	All	0.37	0/7796	0.57	0/10598

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	469	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	740	0	750	18	0
2	B	3665	0	3586	60	0
3	H	1648	0	1597	22	0
4	L	1571	0	1523	12	0
5	C	86	0	0	4	0
6	B	2	0	0	0	0
7	A	90	0	0	3	0
7	B	233	0	0	10	1
7	H	227	0	0	5	3
7	L	238	0	0	6	0
All	All	8500	0	7456	107	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:203:THR:O	7:H:301:HOH:O	1.90	0.90
2:B:258[A]:LYS:NZ	7:B:802:HOH:O	2.05	0.86
3:H:134:LEU:HD22	3:H:150:CYS:CA	2.06	0.85
2:B:159:GLU:OE2	7:B:801:HOH:O	1.98	0.81
2:B:469:ARG:HE	2:B:516:GLY:H	1.27	0.78
1:A:87:HIS:H	1:A:90:GLN:HE21	1.32	0.77
4:L:161:LYS:O	7:L:302:HOH:O	2.07	0.72
4:L:17:ARG:NH1	7:L:304:HOH:O	2.23	0.72
1:A:69:LYS:NZ	7:A:301:HOH:O	2.21	0.72
1:A:139:HIS:NE2	5:C:1[B]:TWD:O22	2.26	0.69
3:H:134:LEU:HD22	3:H:150:CYS:C	2.18	0.69
2:B:469:ARG:HB3	2:B:515:PHE:HA	1.74	0.68
2:B:414:ARG:HH11	2:B:414:ARG:HG3	1.58	0.67
1:A:87:HIS:H	1:A:90:GLN:NE2	1.94	0.66
3:H:6:GLU:CD	3:H:116:GLY:H	2.03	0.66
1:A:66:ARG:NE	1:A:73:ARG:HH11	1.95	0.65
2:B:469:ARG:HB2	2:B:515:PHE:CD2	2.31	0.65
2:B:500:MET:HB3	2:B:507:LEU:HD21	1.80	0.64
2:B:185:LEU:HD11	2:B:271:ILE:HD11	1.79	0.64
2:B:469:ARG:HE	2:B:516:GLY:N	1.96	0.63
2:B:391:HIS:HB3	7:B:1005:HOH:O	1.99	0.62
2:B:555:GLN:NE2	7:B:806:HOH:O	2.33	0.62
4:L:81:GLN:NE2	7:L:305:HOH:O	2.24	0.62
2:B:611:LYS:HD2	2:B:627:GLU:OE2	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:L:107:LYS:HD3	4:L:107:LYS:C	2.25	0.61
3:H:134:LEU:HD22	3:H:150:CYS:N	2.17	0.60
3:H:134:LEU:CD2	3:H:150:CYS:C	2.75	0.60
1:A:66:ARG:HD2	1:A:73:ARG:NH1	2.17	0.59
2:B:154:ILE:HD11	2:B:159:GLU:HB2	1.85	0.59
3:H:134:LEU:HD22	3:H:150:CYS:HA	1.83	0.59
1:A:116:HIS:HB2	7:A:371:HOH:O	2.05	0.56
2:B:414:ARG:HG3	2:B:414:ARG:NH1	2.20	0.56
2:B:566:TRP:NE1	2:B:569:GLU:OE1	2.35	0.56
1:A:150:PHE:CG	3:H:105:ALA:HB2	2.40	0.56
3:H:12:VAL:HG21	3:H:18:LEU:HG	1.86	0.56
2:B:304:LEU:HD22	2:B:309:VAL:HG21	1.89	0.54
2:B:256:GLN:HB3	3:H:57:TYR:CZ	2.43	0.54
2:B:495:ARG:HH11	2:B:644:VAL:HG12	1.73	0.53
2:B:283:LEU:HD21	2:B:309:VAL:HG22	1.90	0.52
2:B:196:ILE:HD12	2:B:200:VAL:HG11	1.92	0.52
1:A:132:GLU:HG2	7:A:333:HOH:O	2.10	0.51
2:B:186:ASP:OD1	2:B:288:PRO:HG2	2.11	0.51
2:B:302:GLN:HG3	2:B:332:GLU:OE2	2.12	0.50
2:B:302:GLN:NE2	2:B:332:GLU:OE2	2.40	0.50
2:B:469:ARG:NH2	2:B:513:ASN:HD21	2.09	0.50
2:B:218:ARG:NH1	7:B:815:HOH:O	2.45	0.50
2:B:483:LEU:HD23	2:B:507:LEU:HD22	1.93	0.50
2:B:492:SER:N	2:B:518:GLU:OE2	2.44	0.49
2:B:454:GLN:N	7:B:814:HOH:O	2.45	0.49
1:A:66:ARG:CD	1:A:73:ARG:HH11	2.25	0.49
1:A:104:ARG:NH2	5:C:1[A]:TWD:O22	2.46	0.49
3:H:203:THR:HB	7:H:334:HOH:O	2.12	0.49
2:B:200:VAL:HG23	2:B:247:MET:HB2	1.94	0.49
3:H:89:GLU:H	3:H:89:GLU:CD	2.21	0.48
2:B:469:ARG:CB	2:B:515:PHE:HA	2.43	0.48
4:L:56:ARG:NH2	7:L:301:HOH:O	2.03	0.48
4:L:214:THR:OG1	7:L:303:HOH:O	2.20	0.48
1:A:99:GLN:HG2	1:A:109:THR:OG1	2.14	0.48
3:H:165:ASN:ND2	7:H:301:HOH:O	2.02	0.48
2:B:464:HIS:CE1	2:B:519:GLY:HA3	2.49	0.47
1:A:117:GLY:O	2:B:303:ARG:NH2	2.47	0.47
3:H:20:LEU:HG	3:H:83:MET:HE2	1.97	0.47
2:B:496:ARG:HG3	2:B:514:ALA:HA	1.96	0.47
2:B:638:LEU:HD23	2:B:638:LEU:HA	1.77	0.46
3:H:2:VAL:HG12	3:H:112:VAL:HG11	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:418:PHE:CD2	2:B:445:PRO:HB3	2.50	0.46
2:B:469:ARG:HH21	2:B:513:ASN:HD21	1.64	0.46
2:B:523:ILE:HD13	2:B:648:TYR:HB3	1.97	0.46
2:B:588:CYS:HB3	2:B:596:ILE:HD11	1.96	0.46
2:B:469:ARG:HH22	2:B:519:GLY:N	2.13	0.46
4:L:41:LEU:HD23	4:L:86:ALA:HB2	1.97	0.45
2:B:468:THR:HB	2:B:471:ALA:HB2	1.97	0.45
2:B:194:ARG:NH2	7:B:811:HOH:O	2.40	0.45
2:B:295:ARG:HD2	7:B:958:HOH:O	2.16	0.45
2:B:423:VAL:HG22	7:B:856:HOH:O	2.16	0.45
2:B:477:CYS:H	2:B:506:LYS:HZ1	1.63	0.45
1:A:66:ARG:HD2	1:A:73:ARG:HH11	1.82	0.45
2:B:217:HIS:HE1	7:H:391:HOH:O	2.00	0.45
2:B:503:GLN:NE2	2:B:510:ARG:HH11	2.16	0.44
2:B:431:GLU:HA	2:B:434:ARG:HD2	2.00	0.44
2:B:302:GLN:HA	2:B:332:GLU:HG3	2.00	0.44
2:B:477:CYS:H	2:B:506:LYS:NZ	2.16	0.43
4:L:10:VAL:HG12	7:L:417:HOH:O	2.18	0.43
2:B:345:PRO:HB2	2:B:428:TRP:CD2	2.53	0.43
1:A:66:ARG:HE	1:A:73:ARG:HH11	1.63	0.43
2:B:156:TRP:CZ3	2:B:341:ALA:HA	2.53	0.43
2:B:345:PRO:HD3	2:B:424:ILE:HG23	2.00	0.43
3:H:2:VAL:HG11	3:H:112:VAL:HG21	2.00	0.43
3:H:143:GLY:O	7:H:302:HOH:O	2.21	0.43
2:B:467:PRO:O	2:B:469:ARG:HD3	2.18	0.42
3:H:134:LEU:HD11	3:H:151:LEU:HB2	2.00	0.42
4:L:93:TYR:HA	4:L:100:SER:HA	2.00	0.42
2:B:194:ARG:NH1	2:B:237:ARG:NH1	2.66	0.42
2:B:638:LEU:HB2	2:B:673:THR:HB	2.00	0.42
1:A:66:ARG:HE	1:A:73:ARG:HD2	1.84	0.42
3:H:160:VAL:HG12	3:H:210:HIS:CD2	2.55	0.42
3:H:219:LYS:NZ	4:L:128:GLU:OE2	2.53	0.42
2:B:201:MET:HE1	2:B:248:ARG:CZ	2.50	0.42
2:B:248:ARG:NH1	7:B:818:HOH:O	2.53	0.42
3:H:191:VAL:HG21	4:L:140:LEU:CD1	2.49	0.42
4:L:26:SER:O	4:L:31:ALA:HB2	2.20	0.41
1:A:97:ARG:HG3	5:C:2[B]:TWA:O40	2.20	0.41
1:A:97:ARG:NH2	5:C:2[B]:TWA:C1	2.84	0.41
2:B:302:GLN:CG	2:B:332:GLU:OE2	2.69	0.41
2:B:206:GLU:OE2	2:B:251:ARG:NH2	2.54	0.40
2:B:643:HIS:ND1	2:B:643:HIS:N	2.69	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:188:LEU:C	3:H:188:LEU:HD12	2.47	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:H:491:HOH:O	7:H:491:HOH:O[2_556]	1.92	0.28
7:H:461:HOH:O	7:H:491:HOH:O[2_556]	2.01	0.19
7:B:986:HOH:O	7:H:498:HOH:O[1_554]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	90/126 (71%)	85 (94%)	5 (6%)	0	100	100
2	B	486/540 (90%)	464 (96%)	21 (4%)	1 (0%)	43	55
3	H	216/238 (91%)	213 (99%)	3 (1%)	0	100	100
4	L	213/217 (98%)	208 (98%)	5 (2%)	0	100	100
All	All	1005/1121 (90%)	970 (96%)	34 (3%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	514	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	79/104 (76%)	78 (99%)	1 (1%)	61	77
2	B	392/429 (91%)	389 (99%)	3 (1%)	73	86
3	H	185/201 (92%)	183 (99%)	2 (1%)	65	81
4	L	178/180 (99%)	178 (100%)	0	100	100
All	All	834/914 (91%)	828 (99%)	6 (1%)	78	87

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	119	LEU
2	B	258[A]	LYS
2	B	258[B]	LYS
2	B	295	ARG
3	H	131	VAL
3	H	134	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
2	B	207	ASN
2	B	278	GLN
2	B	587	GLN
2	B	602	HIS
3	H	35	ASN
3	H	77	ASN
3	H	82	GLN
4	L	113	GLN
4	L	175	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	TWD	C	1[A]	5	20,20,20	2.87	9 (45%)	26,31,31	1.58	3 (11%)
5	TWD	C	1[B]	5	20,20,20	2.83	9 (45%)	26,31,31	1.32	6 (23%)
5	TWA	C	2[A]	5	23,23,24	3.27	13 (56%)	26,36,38	1.49	5 (19%)
5	TWA	C	2[B]	5	23,23,24	3.26	13 (56%)	26,36,38	1.63	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TWD	C	1[A]	5	-	8/12/32/32	0/1/1/1
5	TWD	C	1[B]	5	-	5/12/32/32	0/1/1/1
5	TWA	C	2[A]	5	-	9/17/34/37	0/1/1/1
5	TWA	C	2[B]	5	-	5/17/34/37	0/1/1/1

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	2[A]	TWA	O36-S33	5.09	1.67	1.45
5	C	2[B]	TWA	O36-S33	5.06	1.67	1.45
5	C	1[A]	TWD	O18-S15	5.03	1.67	1.45
5	C	2[B]	TWA	O4-S45	4.99	1.72	1.57
5	C	2[B]	TWA	O5-C5	4.96	1.53	1.43
5	C	1[B]	TWD	O18-S15	4.96	1.66	1.45
5	C	2[A]	TWA	O47-S45	4.96	1.66	1.45
5	C	2[A]	TWA	O4-S45	4.94	1.72	1.57
5	C	1[A]	TWD	O22-S21	4.93	1.66	1.45
5	C	2[B]	TWA	O47-S45	4.91	1.66	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	1[B]	TWD	O17-S15	4.90	1.66	1.45
5	C	2[A]	TWA	O41-S39	4.90	1.66	1.45
5	C	2[A]	TWA	O40-S39	4.89	1.66	1.45
5	C	1[A]	TWD	O24-S21	4.88	1.66	1.45
5	C	1[A]	TWD	O17-S15	4.83	1.66	1.45
5	C	2[A]	TWA	O48-S45	4.78	1.66	1.45
5	C	2[B]	TWA	O41-S39	4.78	1.66	1.45
5	C	2[B]	TWA	O48-S45	4.78	1.66	1.45
5	C	1[B]	TWD	O22-S21	4.75	1.65	1.45
5	C	1[B]	TWD	O24-S21	4.75	1.65	1.45
5	C	2[B]	TWA	O40-S39	4.71	1.65	1.45
5	C	2[A]	TWA	O35-S33	4.62	1.65	1.45
5	C	2[B]	TWA	O35-S33	4.62	1.65	1.45
5	C	2[A]	TWA	O5-C5	4.51	1.52	1.43
5	C	1[B]	TWD	O5-C1	3.92	1.52	1.42
5	C	1[A]	TWD	O5-C1	3.88	1.52	1.42
5	C	1[A]	TWD	O2-S15	3.79	1.68	1.57
5	C	1[B]	TWD	O3-S21	3.64	1.68	1.57
5	C	2[A]	TWA	O3-S39	3.60	1.68	1.57
5	C	2[A]	TWA	O2-S33	3.58	1.68	1.57
5	C	2[B]	TWA	O3-S39	3.44	1.67	1.57
5	C	1[B]	TWD	O2-S15	3.42	1.67	1.57
5	C	2[B]	TWA	O2-S33	3.41	1.67	1.57
5	C	1[A]	TWD	O3-S21	3.38	1.67	1.57
5	C	1[B]	TWD	O16-S15	3.14	1.69	1.50
5	C	1[A]	TWD	O16-S15	3.02	1.69	1.50
5	C	2[B]	TWA	O34-S33	2.97	1.68	1.50
5	C	2[A]	TWA	O34-S33	2.97	1.68	1.50
5	C	2[A]	TWA	O42-S39	2.64	1.66	1.50
5	C	1[A]	TWD	O23-S21	2.63	1.66	1.50
5	C	2[A]	TWA	O46-S45	2.60	1.66	1.50
5	C	2[B]	TWA	O42-S39	2.57	1.66	1.50
5	C	2[B]	TWA	O46-S45	2.53	1.66	1.50
5	C	1[B]	TWD	O23-S21	2.50	1.66	1.50

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1[A]	TWD	C3-C4-C5	4.81	119.81	109.57
5	C	2[B]	TWA	O5-C5-C4	4.64	118.40	110.06
5	C	1[A]	TWD	O5-C5-C4	4.35	117.53	109.70
5	C	2[B]	TWA	C3-C4-C5	3.79	118.35	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	2[A]	TWA	C3-C4-C5	3.06	116.85	110.58
5	C	2[A]	TWA	O4-C4-C3	3.02	115.14	108.56
5	C	2[B]	TWA	O2-C2-C3	2.90	109.86	106.65
5	C	1[B]	TWD	O5-C1-C2	2.79	118.90	110.21
5	C	2[A]	TWA	O2-C2-C3	2.78	109.73	106.65
5	C	1[B]	TWD	O3-C3-C2	2.78	114.62	108.56
5	C	2[A]	TWA	O5-C5-C4	2.59	114.71	110.06
5	C	2[B]	TWA	C4-C3-C2	2.57	115.84	110.58
5	C	2[A]	TWA	O42-S39-O3	2.46	112.02	106.37
5	C	1[B]	TWD	C3-O3-S21	2.39	124.76	119.04
5	C	1[B]	TWD	O5-C5-C6	2.24	112.00	106.44
5	C	2[B]	TWA	C6-C5-C4	-2.19	107.21	113.38
5	C	1[B]	TWD	O23-S21-O3	2.18	111.38	106.37
5	C	1[B]	TWD	C3-C4-C5	2.09	114.03	109.57
5	C	1[A]	TWD	O2-C2-C3	2.04	113.00	108.56

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	C	1[B]	TWD	C2-C3-O3-S21
5	C	2[A]	TWA	C1-C2-O2-S33
5	C	2[A]	TWA	C3-C4-O4-S45
5	C	2[A]	TWA	C2-O2-S33-O35
5	C	2[A]	TWA	C4-O4-S45-O48
5	C	2[B]	TWA	C1-C2-O2-S33
5	C	2[B]	TWA	C3-C2-O2-S33
5	C	2[B]	TWA	O5-C5-C6-O6
5	C	1[A]	TWD	C4-C5-C6-O6
5	C	2[B]	TWA	C4-C5-C6-O6
5	C	1[B]	TWD	O5-C5-C6-O6
5	C	1[A]	TWD	O5-C5-C6-O6
5	C	2[A]	TWA	C2-O2-S33-O36
5	C	2[A]	TWA	C4-O4-S45-O47
5	C	2[A]	TWA	C2-O2-S33-O34
5	C	2[A]	TWA	C4-O4-S45-O46
5	C	2[A]	TWA	C3-C2-O2-S33
5	C	1[A]	TWD	C1-C2-O2-S15
5	C	1[B]	TWD	C1-C2-O2-S15
5	C	1[A]	TWD	C3-C2-O2-S15
5	C	1[B]	TWD	C3-C2-O2-S15
5	C	1[A]	TWD	C2-O2-S15-O16

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	C	2[B]	TWA	C4-O4-S45-O46
5	C	1[A]	TWD	C2-O2-S15-O17
5	C	1[B]	TWD	C4-C5-C6-O6
5	C	1[A]	TWD	C2-C3-O3-S21
5	C	1[A]	TWD	C2-O2-S15-O18

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	1[B]	TWD	1	0
5	C	2[B]	TWA	2	0
5	C	1[A]	TWD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	92/126 (73%)	-0.17	3 (3%) 49 51	23, 40, 58, 76	0
2	B	495/540 (91%)	0.60	68 (13%) 6 7	17, 49, 103, 137	1 (0%)
3	H	219/238 (92%)	-0.22	6 (2%) 56 58	18, 38, 55, 73	1 (0%)
4	L	214/217 (98%)	-0.21	5 (2%) 61 63	24, 38, 62, 81	1 (0%)
All	All	1020/1121 (90%)	0.18	82 (8%) 18 20	17, 42, 88, 137	3 (0%)

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	515	PHE	9.0
2	B	517	GLY	7.9
2	B	546	MET	7.9
2	B	169	ASP	7.5
2	B	568	VAL	7.2
2	B	447	SER	6.7
2	B	449	HIS	6.6
2	B	448	THR	5.9
2	B	446	PRO	5.7
2	B	516	GLY	5.5
2	B	573	THR	5.4
2	B	643	HIS	5.3
2	B	168	ALA	5.0
2	B	468	THR	5.0
2	B	166	TYR	4.7
2	B	671	ALA	4.6
2	B	570	ASP	4.6
2	B	280	VAL	4.6
2	B	617	ALA	4.5
2	B	569	GLU	4.4
3	H	137	SER	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	571	LEU	4.3
2	B	544	ALA	4.2
2	B	682	ARG	4.2
2	B	553	HIS	4.1
2	B	279	PRO	4.1
4	L	214	THR	4.0
2	B	167	ARG	4.0
2	B	153	SER	3.9
2	B	659	ARG	3.9
2	B	179	LEU	3.9
1	A	61	THR	3.6
2	B	467	PRO	3.6
2	B	470	MET	3.6
2	B	549	ARG	3.6
3	H	224	LYS	3.5
2	B	585	PRO	3.5
2	B	492	SER	3.4
2	B	469	ARG	3.4
2	B	514	ALA	3.3
2	B	572	GLY	3.3
2	B	278	GLN	3.3
2	B	506	LYS	3.2
1	A	85	GLU	3.1
2	B	499	ARG	3.1
3	H	143	GLY	3.0
4	L	161	LYS	3.0
2	B	642	SER	3.0
2	B	543	GLU	2.9
2	B	567	GLU	2.9
2	B	164	PRO	2.9
2	B	165	ARG	2.8
2	B	640	GLY	2.8
2	B	493	GLY	2.7
2	B	616	PRO	2.7
2	B	518	GLU	2.7
2	B	303	ARG	2.7
4	L	194	ARG	2.6
2	B	545	SER	2.6
2	B	494	LYS	2.5
2	B	405	GLU	2.5
2	B	586	ASN	2.4
3	H	201	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	507	LEU	2.4
2	B	513	ASN	2.4
4	L	43	GLY	2.3
1	A	116	HIS	2.3
2	B	641	THR	2.3
2	B	554	GLN	2.3
2	B	618	PRO	2.3
2	B	620	GLY	2.3
2	B	223	CYS	2.2
2	B	590	GLY	2.2
2	B	306	ARG	2.2
2	B	277	VAL	2.2
2	B	619	GLN	2.2
4	L	127	SER	2.2
3	H	134	LEU	2.1
3	H	200	GLY	2.1
2	B	504	GLY	2.1
2	B	186	ASP	2.0
2	B	444	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	TWD	C	1[A]	20/20	-	-	74,91,95,100	20
5	TWD	C	1[B]	20/20	-	-	60,86,91,91	20
5	TWA	C	2[A]	23/24	-	-	72,87,92,93	23
5	TWA	C	2[B]	23/24	-	-	72,90,94,98	23

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NA	B	702	1/1	0.94	0.38	55,55,55,55	0
6	NA	B	701	1/1	0.95	0.08	51,51,51,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.