



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 27, 2026 – 05:27 PM EDT

PDB ID : 2OEZ / pdb_00002oez
Title : Protein of Unknown Function (DUF1342) from *Vibrio parahaemolyticus*
Authors : Kim, Y.; Volkart, L.; Abdullah, J.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2007-01-02
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	247	26% 67% 27% • •
1	B	247	48% 64% 28% 5% • •

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UPF0289 protein VP2528.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	241	Total	C	N	O	S	Se	0	29	0
			2266	1433	415	407	5	6			
1	B	243	Total	C	N	O	S	Se	0	26	0
			2242	1419	412	401	4	6			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	SER	-	cloning artifact	UNP Q87LT3
A	0	ASN	-	cloning artifact	UNP Q87LT3
A	1	ALA	-	cloning artifact	UNP Q87LT3
A	49	MSE	MET	modified residue	UNP Q87LT3
A	102	MSE	MET	modified residue	UNP Q87LT3
A	206	MSE	MET	modified residue	UNP Q87LT3
A	213	MSE	MET	modified residue	UNP Q87LT3
A	226	MSE	MET	modified residue	UNP Q87LT3
B	-1	SER	-	cloning artifact	UNP Q87LT3
B	0	ASN	-	cloning artifact	UNP Q87LT3
B	1	ALA	-	cloning artifact	UNP Q87LT3
B	49	MSE	MET	modified residue	UNP Q87LT3
B	102	MSE	MET	modified residue	UNP Q87LT3
B	206	MSE	MET	modified residue	UNP Q87LT3
B	213	MSE	MET	modified residue	UNP Q87LT3
B	226	MSE	MET	modified residue	UNP Q87LT3


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	221	Total	O	0	0
			221	221		
2	B	203	Total	O	0	0
			203	203		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UPF0289 protein VP2528



• Molecule 1: UPF0289 protein VP2528



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.76Å 77.57Å 146.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.25 – 1.97 49.25 – 1.97	Depositor EDS
% Data completeness (in resolution range)	93.7 (49.25-1.97) 93.7 (49.25-1.97)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.72 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.2.0000	Depositor
R, R_{free}	0.210 , 0.267 0.207 , 0.264	Depositor DCC
R_{free} test set	4912 reflections (9.15%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtriage
Anisotropy	0.565	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 64.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4932	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.93	0/2310	0.96	2/3090 (0.1%)
1	B	1.12	8/2290 (0.3%)	0.96	3/3070 (0.1%)
All	All	1.03	8/4600 (0.2%)	0.96	5/6160 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	209	GLY	C-N	16.23	1.55	1.33
1	B	209	GLY	C-O	16.15	1.45	1.23
1	B	227	ALA	C-O	9.70	1.35	1.24
1	B	230	ASN	C-N	8.50	1.45	1.33
1	B	90	LEU	C-O	-5.70	1.17	1.24
1	B	227	ALA	C-N	5.63	1.41	1.33
1	B	232	GLN	C-O	5.41	1.31	1.23
1	B	211	TYR	CA-C	5.18	1.57	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	94	ILE	N-CA-C	5.68	116.33	110.36
1	A	132	CYS	N-CA-C	5.41	118.89	112.72
1	B	52	ILE	CB-CA-C	-5.08	105.28	112.14
1	B	30	ALA	CA-C-N	5.06	128.78	120.63
1	B	30	ALA	C-N-CA	5.06	128.78	120.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2266	0	2200	84	0
1	B	2242	0	2153	90	1
2	A	221	0	0	29	0
2	B	203	0	0	27	0
All	All	4932	0	4353	155	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6[B]:PHE:CE1	2:B:399:HOH:O	2.12	1.01
1:B:56:ILE:HG12	2:B:442:HOH:O	1.59	1.00
1:A:4:HIS:HD2	1:A:206:MSE:HE2	1.37	0.90
1:A:232:GLN:HE21	1:A:232:GLN:HA	1.37	0.90
1:A:4:HIS:NE2	1:A:206:MSE:HG2	1.90	0.85
1:A:29:LEU:HG	2:A:463:HOH:O	1.76	0.85
1:A:4:HIS:CD2	1:A:206:MSE:HE2	2.14	0.82
1:B:4:HIS:CE1	1:B:206:MSE:HG2	2.14	0.81
1:B:2:THR:HA	1:B:206:MSE:SE	2.31	0.81
1:B:154[B]:ASN:ND2	2:B:335:HOH:O	1.96	0.80
1:A:4:HIS:CD2	1:A:206:MSE:HG2	2.17	0.80
1:B:127:PRO:HD3	2:B:433:HOH:O	1.82	0.79
1:A:139:HIS:HD2	2:A:389:HOH:O	1.71	0.73
2:A:447:HOH:O	1:B:6[B]:PHE:CE1	2.42	0.72
1:B:71:LEU:CD1	1:B:74[B]:ARG:HH11	2.02	0.72
1:A:139:HIS:CD2	2:A:389:HOH:O	2.43	0.70
1:B:194:ALA:HB1	1:B:197:ALA:HB3	1.72	0.70
1:B:61[B]:GLU:OE1	2:B:410:HOH:O	2.10	0.70
1:A:11:ASN:HD21	1:A:198:ASN:HD22	1.39	0.69
1:B:19:ARG:HD3	2:B:440:HOH:O	1.92	0.69
1:A:5:LYS:O	1:B:139:HIS:HE1	1.76	0.69
1:B:71:LEU:HD22	2:B:375:HOH:O	1.92	0.69
1:A:15[A]:ARG:HG3	1:B:133:PHE:CE1	2.29	0.68
1:A:23:LEU:HD21	1:B:129:GLY:HA3	1.74	0.67
1:A:134:ASP:HB2	2:A:449:HOH:O	1.94	0.67
1:B:28:HIS:O	1:B:31:SER:HB2	1.95	0.67
1:A:143:HIS:CE1	2:A:434:HOH:O	2.47	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:HIS:ND1	2:B:398:HOH:O	2.29	0.66
1:B:52:ILE:O	1:B:55[A]:GLN:HG2	1.95	0.66
1:B:4:HIS:HE1	1:B:206:MSE:HE3	1.61	0.66
1:A:97:VAL:HG11	1:A:166:ALA:HA	1.76	0.65
1:A:158[B]:LYS:HD2	1:A:159:SER:N	2.13	0.63
1:B:35:ASP:HB3	2:B:370:HOH:O	1.96	0.63
1:A:233:ALA:HB2	2:A:446:HOH:O	1.98	0.63
2:A:339:HOH:O	1:B:6[B]:PHE:HZ	1.82	0.63
1:A:213[A]:MSE:SE	1:A:226:MSE:HG3	2.50	0.62
1:A:234[A]:CYS:SG	1:A:234[A]:CYS:O	2.58	0.62
1:B:2:THR:C	1:B:206:MSE:HG3	2.24	0.61
1:A:97:VAL:CG1	1:A:166:ALA:HA	2.31	0.60
1:A:22:SER:HB2	1:B:131:CYS:HB3	1.82	0.60
1:A:232:GLN:HA	1:A:232:GLN:NE2	2.13	0.60
1:A:30:ALA:HA	1:A:38[B]:GLN:HG2	1.83	0.60
1:A:78:ASN:H	1:A:84:GLN:NE2	2.01	0.59
1:B:54:GLU:HG3	2:B:347:HOH:O	2.00	0.59
1:A:187:ALA:HA	1:A:235[A]:SER:O	2.01	0.59
1:B:74[B]:ARG:NH1	2:B:257:HOH:O	2.35	0.59
1:B:15[B]:ARG:NE	2:B:440:HOH:O	2.23	0.59
1:A:44[B]:ARG:NH1	2:A:452:HOH:O	2.36	0.59
1:A:92:ASN:HA	1:A:95[B]:ASP:OD1	2.04	0.58
1:A:144:LEU:HD23	2:B:402:HOH:O	2.03	0.58
1:A:4:HIS:CE1	1:B:140:TYR:CE1	2.93	0.57
1:A:216:GLY:O	2:A:444:HOH:O	2.18	0.56
1:A:54:GLU:OE2	1:A:112:LYS:HE3	2.05	0.56
1:A:74[A]:ARG:HA	1:A:77:LEU:HD22	1.87	0.56
1:B:37[B]:HIS:HB2	2:B:370:HOH:O	2.05	0.55
1:A:139:HIS:HE1	1:B:5:LYS:O	1.88	0.55
1:A:22:SER:CB	1:B:131:CYS:HB3	2.37	0.55
1:A:146:ILE:HG13	1:A:150:LYS:HD2	1.88	0.55
1:B:35:ASP:C	1:B:37[B]:HIS:H	2.14	0.54
1:B:143[B]:HIS:CE1	2:B:398:HOH:O	2.60	0.54
1:A:143:HIS:HD2	1:B:4:HIS:HA	1.73	0.54
1:B:28:HIS:HA	1:B:157:GLN:HE22	1.72	0.54
1:A:44[A]:ARG:HG2	2:A:422:HOH:O	2.06	0.54
1:B:67:GLU:OE2	1:B:98:HIS:HE1	1.91	0.54
1:B:224:LYS:HE2	2:B:424:HOH:O	2.07	0.53
1:A:213[B]:MSE:HE3	2:A:443:HOH:O	2.08	0.53
1:B:131:CYS:SG	1:B:133:PHE:CE2	3.02	0.53
1:A:158[B]:LYS:HD2	1:A:158[B]:LYS:C	2.34	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68[A]:LYS:HD2	2:A:466:HOH:O	2.08	0.53
1:B:146:ILE:HG13	1:B:150:LYS:HD2	1.90	0.52
1:A:68[B]:LYS:HE2	2:A:465:HOH:O	2.10	0.52
1:A:195[B]:ASP:OD1	1:A:196[B]:GLU:HG2	2.10	0.52
1:B:145:PRO:HB2	1:B:147[A]:GLU:HG2	1.92	0.52
1:B:147[A]:GLU:H	1:B:147[A]:GLU:CD	2.17	0.52
1:A:30:ALA:HB2	1:B:37[B]:HIS:CE1	2.45	0.52
1:A:143:HIS:ND1	2:A:434:HOH:O	2.34	0.52
2:A:447:HOH:O	1:B:6[B]:PHE:HE1	1.84	0.52
1:A:44[A]:ARG:HD2	1:A:48:ASP:OD2	2.09	0.51
1:A:131:CYS:HB3	1:B:22:SER:OG	2.11	0.51
1:A:4:HIS:NE2	2:A:424:HOH:O	2.32	0.51
1:B:100[A]:GLN:HG2	1:B:162:PRO:HB3	1.93	0.51
1:A:5:LYS:H	1:B:143[B]:HIS:CE1	2.28	0.51
1:A:23:LEU:CD2	1:B:129:GLY:HA3	2.40	0.51
1:B:131:CYS:O	2:B:438:HOH:O	2.20	0.51
1:A:4:HIS:NE2	1:A:206:MSE:CG	2.70	0.51
1:B:16:ILE:HD13	1:B:56:ILE:HG21	1.93	0.50
1:B:194:ALA:HB1	1:B:197:ALA:CB	2.42	0.50
1:B:71:LEU:CD1	1:B:74[B]:ARG:NH1	2.72	0.50
1:B:131:CYS:SG	1:B:133:PHE:CD2	3.05	0.50
1:A:154:ASN:CG	2:A:416:HOH:O	2.53	0.50
1:B:64:LYS:NZ	2:B:409:HOH:O	2.44	0.50
1:A:74[B]:ARG:HA	1:A:77:LEU:HD22	1.92	0.50
1:A:64[B]:LYS:HE3	2:A:466:HOH:O	2.12	0.49
1:B:69[A]:GLN:HE22	1:B:170:TRP:HA	1.77	0.49
1:A:90:LEU:HD21	1:A:173:LEU:HD21	1.94	0.49
1:A:140:TYR:OH	1:B:209:GLY:HA2	2.12	0.49
1:A:4:HIS:HE1	1:B:140:TYR:CE1	2.31	0.48
1:A:202:LEU:HD12	1:A:202:LEU:N	2.28	0.48
1:A:15[B]:ARG:NH1	2:A:387:HOH:O	2.47	0.48
1:A:44[A]:ARG:HD3	2:A:453:HOH:O	2.12	0.48
1:A:70[A]:ARG:NE	1:A:95[A]:ASP:OD1	2.46	0.48
1:A:122:GLN:HB3	2:A:331:HOH:O	2.14	0.48
1:B:132:CYS:HB2	2:B:422:HOH:O	2.14	0.47
1:B:59:LYS:HE3	1:B:101:LEU:O	2.14	0.47
1:B:178:GLY:HA3	1:B:245:CYS:SG	2.55	0.47
1:A:105[B]:GLU:O	1:A:106[B]:ARG:C	2.57	0.47
1:B:224:LYS:CB	1:B:224:LYS:NZ	2.78	0.47
1:A:213[A]:MSE:SE	2:A:369:HOH:O	2.83	0.47
1:B:77:LEU:HD23	1:B:87:LEU:HD13	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:428:HOH:O	1:B:127:PRO:HB2	2.15	0.47
1:A:25[A]:ARG:HD2	2:A:308:HOH:O	2.15	0.46
1:B:139:HIS:HD2	2:B:422:HOH:O	1.97	0.46
1:A:4:HIS:CE1	1:A:206:MSE:HG2	2.50	0.46
1:A:30:ALA:HB2	1:B:37[B]:HIS:HE1	1.81	0.46
1:B:122[A]:GLN:HG2	2:B:334:HOH:O	2.15	0.46
1:B:241:GLU:OE1	2:B:443:HOH:O	2.21	0.46
1:A:6[A]:PHE:CE1	1:A:204:ILE:HD12	2.51	0.46
1:B:126:LEU:HB3	1:B:127:PRO:HD2	1.98	0.45
1:B:232:GLN:HE21	1:B:232:GLN:HA	1.80	0.45
1:B:25[B]:ARG:HG2	2:B:341:HOH:O	2.16	0.45
1:A:70[A]:ARG:O	1:A:74[A]:ARG:HG3	2.16	0.45
1:B:150:LYS:NZ	2:B:309:HOH:O	2.50	0.45
1:A:154:ASN:OD1	2:A:416:HOH:O	2.21	0.45
1:B:176[B]:GLU:OE2	1:B:176[B]:GLU:HA	2.17	0.45
1:A:119:SER:O	1:A:123:ARG:NH2	2.49	0.44
2:A:424:HOH:O	1:B:144:LEU:HD23	2.16	0.44
1:B:204:ILE:HD13	1:B:225:PHE:HE1	1.82	0.44
1:B:184:ILE:HD13	1:B:185:ALA:N	2.33	0.43
1:A:108:GLY:O	1:A:112:LYS:HG3	2.17	0.43
1:A:26:GLN:HE22	1:A:44[A]:ARG:CZ	2.31	0.43
1:A:143:HIS:CD2	1:B:4:HIS:HA	2.54	0.43
1:B:35:ASP:HB2	1:B:38:GLN:HG2	2.01	0.43
1:B:194:ALA:N	1:B:219:ASN:O	2.52	0.43
1:B:224:LYS:HB3	1:B:224:LYS:HZ3	1.83	0.43
1:B:236[A]:GLN:HE21	1:B:236[A]:GLN:HB3	1.54	0.43
1:A:5:LYS:O	1:B:139:HIS:CE1	2.65	0.43
2:A:357:HOH:O	1:B:213[B]:MSE:SE	2.86	0.43
1:A:70[A]:ARG:CZ	1:A:95[A]:ASP:OD1	2.67	0.42
1:B:203:HIS:O	1:B:240:PHE:HB2	2.19	0.42
1:B:56:ILE:HG13	1:B:57:GLN:N	2.35	0.42
1:A:4:HIS:CD2	1:A:206:MSE:CE	2.94	0.42
1:B:31:SER:HB3	2:B:446:HOH:O	2.20	0.42
1:A:15[A]:ARG:O	1:A:19:ARG:HG3	2.20	0.41
1:A:29:LEU:HD13	2:B:370:HOH:O	2.19	0.41
1:B:78:ASN:H	1:B:84:GLN:NE2	2.18	0.41
1:A:29:LEU:HD12	1:B:37[A]:HIS:CE1	2.56	0.41
1:A:9:PRO:HG2	1:A:15[A]:ARG:CZ	2.50	0.41
1:A:15[A]:ARG:HG3	1:B:133:PHE:HE1	1.82	0.41
1:A:70[B]:ARG:HB2	1:A:94:ILE:HG21	2.02	0.41
1:B:25[B]:ARG:HG3	2:B:324:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:ASP:HB3	1:B:37[B]:HIS:HB2	2.03	0.41
1:B:76:TRP:HE3	1:B:82:VAL:HG21	1.86	0.41
1:B:224:LYS:NZ	1:B:224:LYS:HB3	2.35	0.41
1:A:3:THR:CG2	2:A:399:HOH:O	2.68	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74[B]:ARG:NH2	1:B:207:LYS:O[4_556]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/247 (108%)	257 (96%)	10 (4%)	0	100	100
1	B	265/247 (107%)	255 (96%)	10 (4%)	0	100	100
All	All	532/494 (108%)	512 (96%)	20 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/209 (115%)	220 (92%)	20 (8%)	10	3
1	B	237/209 (113%)	212 (90%)	25 (10%)	6	1
All	All	477/418 (114%)	432 (91%)	45 (9%)	9	2

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	THR
1	A	40	GLN
1	A	41	LEU
1	A	58	LEU
1	A	60	SER
1	A	61	GLU
1	A	77	LEU
1	A	80[A]	GLU
1	A	80[B]	GLU
1	A	90	LEU
1	A	100	GLN
1	A	118	SER
1	A	143	HIS
1	A	158[A]	LYS
1	A	158[B]	LYS
1	A	232	GLN
1	A	234[A]	CYS
1	A	234[B]	CYS
1	A	236	GLN
1	A	245	CYS
1	B	31	SER
1	B	46	LEU
1	B	52	ILE
1	B	71	LEU
1	B	74[A]	ARG
1	B	74[B]	ARG
1	B	87	LEU
1	B	90	LEU
1	B	134[A]	ASP
1	B	134[B]	ASP
1	B	147[A]	GLU
1	B	147[B]	GLU
1	B	176[A]	GLU
1	B	176[B]	GLU
1	B	177	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	181	LYS
1	B	184	ILE
1	B	186	ARG
1	B	207	LYS
1	B	217	HIS
1	B	224	LYS
1	B	232	GLN
1	B	236[A]	GLN
1	B	236[B]	GLN
1	B	241	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	HIS
1	A	26	GLN
1	A	37	HIS
1	A	40	GLN
1	A	78	ASN
1	A	84	GLN
1	A	139	HIS
1	A	198	ASN
1	A	232	GLN
1	B	4	HIS
1	B	38	GLN
1	B	84	GLN
1	B	98	HIS
1	B	139	HIS
1	B	157	GLN
1	B	232	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	236/247 (95%)	1.53	64 (27%) 1 1	17, 54, 73, 85	28 (11%)
1	B	238/247 (96%)	2.15	118 (49%) 0 0	24, 55, 79, 92	25 (10%)
All	All	474/494 (95%)	1.84	182 (38%) 1 0	17, 55, 77, 92	53 (11%)

All (182) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	194	ALA	5.9
1	A	229[A]	GLU	5.8
1	B	128	GLY	5.7
1	B	129	GLY	5.6
1	A	131	CYS	5.4
1	B	127	PRO	5.0
1	A	179[A]	HIS	4.8
1	B	56	ILE	4.7
1	B	126	LEU	4.6
1	B	131	CYS	4.6
1	B	3	THR	4.4
1	B	125[A]	ASN	4.3
1	B	74[A]	ARG	4.2
1	B	184	ILE	4.2
1	B	132	CYS	4.2
1	B	35	ASP	4.2
1	B	133	PHE	4.0
1	B	140	TYR	4.0
1	A	34	ALA	4.0
1	B	96	VAL	4.0
1	B	90	LEU	4.0
1	B	109[A]	GLN	3.9
1	B	245	CYS	3.9
1	B	242	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	182	ALA	3.9
1	B	73	TYR	3.9
1	B	55[A]	GLN	3.8
1	A	133	PHE	3.8
1	B	118	SER	3.8
1	B	34	ALA	3.8
1	B	153	ALA	3.7
1	A	158[A]	LYS	3.7
1	B	243	ALA	3.6
1	B	244	VAL	3.6
1	A	6[A]	PHE	3.6
1	B	79	VAL	3.6
1	A	126	LEU	3.6
1	A	1	ALA	3.5
1	B	154[A]	ASN	3.5
1	B	190	PHE	3.4
1	B	122[A]	GLN	3.4
1	B	143[A]	HIS	3.4
1	B	222	ALA	3.4
1	B	188	GLY	3.3
1	A	36[A]	ASN	3.3
1	B	124	PHE	3.3
1	B	241	GLU	3.2
1	B	37[A]	HIS	3.2
1	B	134[A]	ASP	3.1
1	B	100[A]	GLN	3.1
1	B	30	ALA	3.1
1	B	214	ILE	3.1
1	B	6[A]	PHE	3.1
1	A	57	GLN	3.1
1	B	229	GLU	3.1
1	B	29	LEU	3.1
1	B	2	THR	3.1
1	B	193	ASP	3.0
1	A	237	ASP	3.0
1	B	103	GLY	3.0
1	A	35	ASP	3.0
1	A	44[A]	ARG	3.0
1	B	147[A]	GLU	3.0
1	B	94	ILE	3.0
1	B	146	ILE	2.9
1	A	210	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	56	ILE	2.9
1	B	179[A]	HIS	2.9
1	B	120	ILE	2.9
1	B	81	GLY	2.9
1	B	36	ASN	2.8
1	B	221	PHE	2.8
1	A	125	ASN	2.8
1	A	238	VAL	2.8
1	B	238	VAL	2.8
1	B	158[A]	LYS	2.8
1	B	156	TRP	2.8
1	B	180	PHE	2.7
1	A	146	ILE	2.7
1	B	52	ILE	2.7
1	B	89	SER	2.7
1	B	107	PHE	2.7
1	B	142	LEU	2.7
1	A	190	PHE	2.7
1	B	88	ASN	2.7
1	B	217	HIS	2.7
1	B	197	ALA	2.6
1	B	76	TRP	2.6
1	A	89	SER	2.6
1	B	231	GLY	2.6
1	B	84	GLN	2.6
1	B	141	TRP	2.6
1	B	75[A]	HIS	2.6
1	B	135	LEU	2.6
1	B	95	ASP	2.6
1	B	210	VAL	2.6
1	B	40	GLN	2.6
1	A	68[A]	LYS	2.6
1	B	151	HIS	2.5
1	A	82	VAL	2.5
1	B	82	VAL	2.5
1	B	186	ARG	2.5
1	A	204	ILE	2.5
1	B	119	SER	2.5
1	B	220	ARG	2.5
1	B	12[A]	GLU	2.5
1	B	51[A]	GLU	2.5
1	B	61[A]	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	218	LYS	2.5
1	B	99	SER	2.4
1	B	97	VAL	2.4
1	B	215	SER	2.4
1	B	189	PHE	2.4
1	B	110	ALA	2.4
1	B	137	ALA	2.4
1	B	227	ALA	2.4
1	B	236[A]	GLN	2.4
1	A	37	HIS	2.4
1	A	15[A]	ARG	2.3
1	A	81	GLY	2.3
1	B	33	PHE	2.3
1	A	185	ALA	2.3
1	A	235[A]	SER	2.3
1	A	122	GLN	2.3
1	B	117	LEU	2.3
1	A	27	ALA	2.3
1	A	209	GLY	2.3
1	B	32	GLY	2.3
1	A	134	ASP	2.3
1	B	237	ASP	2.3
1	A	40	GLN	2.3
1	A	50	VAL	2.3
1	A	154	ASN	2.3
1	A	47	PHE	2.2
1	A	189	PHE	2.2
1	A	205	PRO	2.2
1	B	53	PHE	2.2
1	A	95[A]	ASP	2.2
1	B	177	THR	2.2
1	A	227	ALA	2.2
1	B	185	ALA	2.2
1	A	80[A]	GLU	2.2
1	B	54	GLU	2.2
1	B	195[A]	ASP	2.2
1	B	104	ALA	2.2
1	A	53	PHE	2.2
1	A	180	PHE	2.2
1	A	28	HIS	2.2
1	B	196	GLU	2.2
1	A	90	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	GLY	2.2
1	A	110	ALA	2.2
1	B	115	ARG	2.2
1	B	219	ASN	2.1
1	A	39	TYR	2.1
1	B	204	ILE	2.1
1	B	192	SER	2.1
1	A	25[A]	ARG	2.1
1	A	58	LEU	2.1
1	A	70[A]	ARG	2.1
1	A	71	LEU	2.1
1	B	25[A]	ARG	2.1
1	B	230	ASN	2.1
1	A	124	PHE	2.1
1	A	244	VAL	2.1
1	B	232	GLN	2.1
1	A	231	GLY	2.1
1	B	92	ASN	2.1
1	A	55[A]	GLN	2.1
1	B	77	LEU	2.1
1	B	63	ALA	2.1
1	B	152	ASP	2.1
1	B	106[A]	ARG	2.1
1	A	240	PHE	2.0
1	B	159	SER	2.0
1	A	208	TYR	2.0
1	A	108	GLY	2.0
1	A	236	GLN	2.0
1	A	97	VAL	2.0
1	A	162	PRO	2.0
1	A	142	LEU	2.0
1	B	44	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.