



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 08:55 AM UTC

PDB ID : 3OEH / pdb_00003oeh
Title : Structure of four mutant forms of yeast F1 ATPase: beta-V279F
Authors : Arsenieva, D.; Symersky, J.; Wang, Y.; Pagadala, V.; Mueller, D.M.
Deposited on : 2010-08-12
Resolution : 3.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	 76% 16% • 5%
1	B	510	 75% 18% • 5%
1	C	510	 77% 17% • 5%
1	J	510	 78% 15% • 6%
1	K	510	 75% 20% • 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	L	510	
1	S	510	
1	T	510	
1	U	510	
2	D	484	
2	E	484	
2	F	484	
2	M	484	
2	N	484	
2	O	484	
2	V	484	
2	W	484	
2	X	484	
3	G	278	
3	P	278	
3	Y	278	
4	H	138	
4	Q	138	
4	Z	138	
5	1	61	
5	I	61	
5	R	61	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 72707 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	482	Total	C	N	O	S	0	0	0
			3664	2314	648	699	3			
1	B	483	Total	C	N	O	S	0	0	0
			3669	2317	649	700	3			
1	C	484	Total	C	N	O	S	0	0	0
			3680	2325	650	702	3			
1	J	481	Total	C	N	O	S	0	0	0
			3655	2309	646	697	3			
1	K	486	Total	C	N	O	S	0	0	0
			3688	2327	652	706	3			
1	L	482	Total	C	N	O	S	0	0	0
			3664	2314	648	699	3			
1	S	478	Total	C	N	O	S	0	0	0
			3635	2297	643	692	3			
1	T	479	Total	C	N	O	S	0	0	0
			3642	2302	644	693	3			
1	U	481	Total	C	N	O	S	0	0	0
			3655	2308	646	698	3			

- Molecule 2 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	470	Total	C	N	O	S	0	0	0
			3549	2252	603	688	6			
2	E	468	Total	C	N	O	S	0	0	0
			3508	2227	598	677	6			
2	F	469	Total	C	N	O	S	0	0	0
			3531	2242	602	681	6			
2	M	470	Total	C	N	O	S	0	0	0
			3543	2249	600	688	6			
2	N	470	Total	C	N	O	S	0	0	0
			3545	2249	602	688	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	O	468	Total	C	N	O	S	0	0	0
			3538	2246	602	684	6			
2	V	470	Total	C	N	O	S	0	0	0
			3550	2251	604	689	6			
2	W	467	Total	C	N	O	S	0	0	0
			3535	2244	601	684	6			
2	X	469	Total	C	N	O	S	0	0	0
			3547	2251	603	687	6			

There are 81 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-5	ALA	-	expression tag	UNP P00830
D	-4	SER	-	expression tag	UNP P00830
D	-3	HIS	-	expression tag	UNP P00830
D	-2	HIS	-	expression tag	UNP P00830
D	-1	HIS	-	expression tag	UNP P00830
D	0	HIS	-	expression tag	UNP P00830
D	1	HIS	-	expression tag	UNP P00830
D	2	HIS	-	expression tag	UNP P00830
D	279	PHE	VAL	engineered mutation	UNP P00830
E	-5	ALA	-	expression tag	UNP P00830
E	-4	SER	-	expression tag	UNP P00830
E	-3	HIS	-	expression tag	UNP P00830
E	-2	HIS	-	expression tag	UNP P00830
E	-1	HIS	-	expression tag	UNP P00830
E	0	HIS	-	expression tag	UNP P00830
E	1	HIS	-	expression tag	UNP P00830
E	2	HIS	-	expression tag	UNP P00830
E	279	PHE	VAL	engineered mutation	UNP P00830
F	-5	ALA	-	expression tag	UNP P00830
F	-4	SER	-	expression tag	UNP P00830
F	-3	HIS	-	expression tag	UNP P00830
F	-2	HIS	-	expression tag	UNP P00830
F	-1	HIS	-	expression tag	UNP P00830
F	0	HIS	-	expression tag	UNP P00830
F	1	HIS	-	expression tag	UNP P00830
F	2	HIS	-	expression tag	UNP P00830
F	279	PHE	VAL	engineered mutation	UNP P00830
M	-5	ALA	-	expression tag	UNP P00830
M	-4	SER	-	expression tag	UNP P00830
M	-3	HIS	-	expression tag	UNP P00830
M	-2	HIS	-	expression tag	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	-1	HIS	-	expression tag	UNP P00830
M	0	HIS	-	expression tag	UNP P00830
M	1	HIS	-	expression tag	UNP P00830
M	2	HIS	-	expression tag	UNP P00830
M	279	PHE	VAL	engineered mutation	UNP P00830
N	-5	ALA	-	expression tag	UNP P00830
N	-4	SER	-	expression tag	UNP P00830
N	-3	HIS	-	expression tag	UNP P00830
N	-2	HIS	-	expression tag	UNP P00830
N	-1	HIS	-	expression tag	UNP P00830
N	0	HIS	-	expression tag	UNP P00830
N	1	HIS	-	expression tag	UNP P00830
N	2	HIS	-	expression tag	UNP P00830
N	279	PHE	VAL	engineered mutation	UNP P00830
O	-5	ALA	-	expression tag	UNP P00830
O	-4	SER	-	expression tag	UNP P00830
O	-3	HIS	-	expression tag	UNP P00830
O	-2	HIS	-	expression tag	UNP P00830
O	-1	HIS	-	expression tag	UNP P00830
O	0	HIS	-	expression tag	UNP P00830
O	1	HIS	-	expression tag	UNP P00830
O	2	HIS	-	expression tag	UNP P00830
O	279	PHE	VAL	engineered mutation	UNP P00830
V	-5	ALA	-	expression tag	UNP P00830
V	-4	SER	-	expression tag	UNP P00830
V	-3	HIS	-	expression tag	UNP P00830
V	-2	HIS	-	expression tag	UNP P00830
V	-1	HIS	-	expression tag	UNP P00830
V	0	HIS	-	expression tag	UNP P00830
V	1	HIS	-	expression tag	UNP P00830
V	2	HIS	-	expression tag	UNP P00830
V	279	PHE	VAL	engineered mutation	UNP P00830
W	-5	ALA	-	expression tag	UNP P00830
W	-4	SER	-	expression tag	UNP P00830
W	-3	HIS	-	expression tag	UNP P00830
W	-2	HIS	-	expression tag	UNP P00830
W	-1	HIS	-	expression tag	UNP P00830
W	0	HIS	-	expression tag	UNP P00830
W	1	HIS	-	expression tag	UNP P00830
W	2	HIS	-	expression tag	UNP P00830
W	279	PHE	VAL	engineered mutation	UNP P00830
X	-5	ALA	-	expression tag	UNP P00830

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-4	SER	-	expression tag	UNP P00830
X	-3	HIS	-	expression tag	UNP P00830
X	-2	HIS	-	expression tag	UNP P00830
X	-1	HIS	-	expression tag	UNP P00830
X	0	HIS	-	expression tag	UNP P00830
X	1	HIS	-	expression tag	UNP P00830
X	2	HIS	-	expression tag	UNP P00830
X	279	PHE	VAL	engineered mutation	UNP P00830

- Molecule 3 is a protein called ATP synthase subunit gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	266	Total	C	N	O	S	0	0	0
			2059	1293	359	397	10			
3	P	246	Total	C	N	O	S	0	0	0
			1872	1175	327	361	9			
3	Y	201	Total	C	N	O	S	0	0	0
			1523	947	274	293	9			


- Molecule 4 is a protein called ATP synthase subunit delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	116	Total	C	N	O	S	0	0	0
			763	477	132	152	2			
4	Q	84	Total	C	N	O		0	0	0
			454	277	89	88				
4	Z	17	Total	C	N	O		0	0	0
			85	51	17	17				

- Molecule 5 is a protein called ATP synthase subunit epsilon.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	49	Total	C	N	O	0	0	0
			339	212	57	70			
5	R	34	Total	C	N	O	0	0	0
			189	116	34	39			
5	1	27	Total	C	N	O	0	0	0
			145	86	31	28			

- Molecule 6 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	D	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	F	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	J	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	K	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	L	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	M	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	O	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	S	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	T	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	U	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
6	V	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	X	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Mg	0	0
			1	1		
7	B	1	Total	Mg	0	0
			1	1		
7	C	1	Total	Mg	0	0
			1	1		
7	D	1	Total	Mg	0	0
			1	1		
7	F	1	Total	Mg	0	0
			1	1		
7	J	1	Total	Mg	0	0
			1	1		
7	K	1	Total	Mg	0	0
			1	1		
7	L	1	Total	Mg	0	0
			1	1		
7	M	1	Total	Mg	0	0
			1	1		
7	O	1	Total	Mg	0	0
			1	1		
7	S	1	Total	Mg	0	0
			1	1		
7	T	1	Total	Mg	0	0
			1	1		
7	U	1	Total	Mg	0	0
			1	1		
7	V	1	Total	Mg	0	0
			1	1		
7	X	1	Total	Mg	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP synthase subunit alpha




• Molecule 1: ATP synthase subunit alpha




• Molecule 1: ATP synthase subunit alpha






• Molecule 1: ATP synthase subunit alpha

Chain J: 78% 15% • 6%



• Molecule 1: ATP synthase subunit alpha


Chain K: 75% 20% • 5%



• Molecule 1: ATP synthase subunit alpha


Chain L: 73% 20% • 5%






- Molecule 1: ATP synthase subunit alpha

Chain S: 69% 24% • 6%




- Molecule 1: ATP synthase subunit alpha

Chain T: 78% 15% • 6%




- Molecule 1: ATP synthase subunit alpha

Chain U: 71% 23% • 6%




• Molecule 2: ATP synthase subunit beta

Chain D: 75% 21% ..




• Molecule 2: ATP synthase subunit beta

Chain E: 76% 20% ..




• Molecule 2: ATP synthase subunit beta

Chain F: 74% 21% ..




• Molecule 2: ATP synthase subunit beta

Chain M: 76% 19%




• Molecule 2: ATP synthase subunit beta

Chain N: 74% 22%




• Molecule 2: ATP synthase subunit beta

Chain O: 78% 18%




• Molecule 2: ATP synthase subunit beta

Chain V: 74% 21% . .




• Molecule 2: ATP synthase subunit beta



Chain W: 77% 18% . .




• Molecule 2: ATP synthase subunit beta

Chain X: 80% 15% . .








• Molecule 4: ATP synthase subunit delta



• Molecule 4: ATP synthase subunit delta




• Molecule 5: ATP synthase subunit epsilon



• Molecule 5: ATP synthase subunit epsilon



• Molecule 5: ATP synthase subunit epsilon



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	110.93Å 291.90Å 188.76Å 90.00° 101.91° 90.00°	Depositor
Resolution (Å)	20.00 – 3.00 20.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	88.8 (20.00-3.00) 88.6 (20.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.209 , 0.270 0.207 , 0.264	Depositor DCC
R_{free} test set	4161 reflections (1.77%)	wwPDB-VP
Wilson B-factor (Å ²)	82.8	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 69.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	72707	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ANP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.59	0/3718	0.97	1/5032 (0.0%)
1	B	0.52	0/3723	0.88	3/5039 (0.1%)
1	C	0.56	2/3736 (0.1%)	0.93	2/5057 (0.0%)
1	J	0.48	0/3709	0.87	2/5020 (0.0%)
1	K	0.48	0/3742	0.84	0/5065
1	L	0.58	0/3718	0.91	2/5032 (0.0%)
1	S	0.51	0/3689	0.88	4/4992 (0.1%)
1	T	0.48	0/3696	0.82	1/5002 (0.0%)
1	U	0.49	0/3709	0.84	1/5021 (0.0%)
2	D	0.60	0/3606	0.92	1/4890 (0.0%)
2	E	0.55	0/3565	0.88	0/4840
2	F	0.53	0/3588	0.87	2/4868 (0.0%)
2	M	0.51	0/3600	0.89	4/4883 (0.1%)
2	N	0.49	0/3602	0.84	2/4886 (0.0%)
2	O	0.48	0/3595	0.86	0/4875
2	V	0.51	0/3607	0.86	0/4891
2	W	0.51	0/3592	0.84	0/4869
2	X	0.50	0/3604	0.86	2/4887 (0.0%)
3	G	0.52	0/2084	0.88	0/2803
3	P	0.49	0/1889	0.90	3/2537 (0.1%)
3	Y	0.47	0/1533	0.85	0/2056
4	H	0.56	0/772	0.91	1/1058 (0.1%)
4	Q	0.57	0/453	1.03	2/621 (0.3%)
4	Z	0.52	0/84	0.70	0/116
5	1	0.47	0/143	0.76	0/195
5	I	0.58	0/343	0.95	0/470
5	R	0.56	0/189	0.89	0/261
All	All	0.52	2/73289 (0.0%)	0.88	33/99266 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	340	ILE	CA-CB	5.66	1.57	1.53
1	C	444	VAL	CA-CB	5.39	1.56	1.54

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	444	VAL	N-CA-CB	9.73	116.63	110.50
1	S	460	LEU	N-CA-C	6.49	118.35	111.28
1	C	93	THR	N-CA-C	-6.39	106.02	113.88
4	Q	78	GLN	CA-C-N	6.27	127.68	119.84
4	Q	78	GLN	C-N-CA	6.27	127.68	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3664	0	3747	63	0
1	B	3669	0	3752	59	0
1	C	3680	0	3763	40	0
1	J	3655	0	3739	43	0
1	K	3688	0	3763	66	0
1	L	3664	0	3747	58	0
1	S	3635	0	3724	71	0
1	T	3642	0	3733	38	0
1	U	3655	0	3734	66	0
2	D	3549	0	3614	62	0
2	E	3508	0	3550	54	0
2	F	3531	0	3592	58	0
2	M	3543	0	3603	53	0
2	N	3545	0	3604	65	0
2	O	3538	0	3606	48	0
2	V	3550	0	3611	65	0
2	W	3535	0	3605	48	0
2	X	3547	0	3615	38	0
3	G	2059	0	2127	43	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	P	1872	0	1917	35	0
3	Y	1523	0	1569	17	0
4	H	763	0	653	22	0
4	Q	454	0	259	2	0
4	Z	85	0	45	0	0
5	1	145	0	87	0	0
5	I	339	0	280	8	0
5	R	189	0	114	0	0
6	A	31	0	13	1	0
6	B	31	0	13	4	0
6	C	31	0	13	0	0
6	D	31	0	13	0	0
6	F	31	0	13	1	0
6	J	31	0	13	1	0
6	K	31	0	13	3	0
6	L	31	0	13	1	0
6	M	31	0	13	4	0
6	O	31	0	13	3	0
6	S	31	0	13	0	0
6	T	31	0	13	1	0
6	U	31	0	13	1	0
6	V	31	0	13	1	0
6	X	31	0	13	4	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
7	F	1	0	0	0	0
7	J	1	0	0	0	0
7	K	1	0	0	0	0
7	L	1	0	0	0	0
7	M	1	0	0	0	0
7	O	1	0	0	0	0
7	S	1	0	0	0	0
7	T	1	0	0	0	0
7	U	1	0	0	0	0
7	V	1	0	0	0	0
7	X	1	0	0	0	0
All	All	72707	0	73348	1043	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 1043 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:85:VAL:HG11	2:M:235:THR:HG23	1.30	1.12
2:D:85:VAL:HG11	2:D:235:THR:HG23	1.15	1.09
1:A:395:PHE:HZ	1:A:419:THR:HA	1.15	1.07
2:E:85:VAL:HG11	2:E:235:THR:HG23	1.38	1.01
1:B:174:GLN:HA	6:B:600:ANP:HNB1	1.28	0.97

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	478/510 (94%)	454 (95%)	23 (5%)	1 (0%)	43	76
1	B	479/510 (94%)	448 (94%)	30 (6%)	1 (0%)	43	76
1	C	482/510 (94%)	453 (94%)	28 (6%)	1 (0%)	43	76
1	J	477/510 (94%)	460 (96%)	16 (3%)	1 (0%)	43	76
1	K	482/510 (94%)	442 (92%)	35 (7%)	5 (1%)	12	45
1	L	478/510 (94%)	450 (94%)	27 (6%)	1 (0%)	43	76
1	S	474/510 (93%)	447 (94%)	25 (5%)	2 (0%)	30	65
1	T	475/510 (93%)	438 (92%)	33 (7%)	4 (1%)	16	50
1	U	477/510 (94%)	432 (91%)	39 (8%)	6 (1%)	9	38
2	D	468/484 (97%)	439 (94%)	28 (6%)	1 (0%)	43	76
2	E	466/484 (96%)	436 (94%)	28 (6%)	2 (0%)	30	65
2	F	467/484 (96%)	435 (93%)	27 (6%)	5 (1%)	11	43
2	M	468/484 (97%)	437 (93%)	30 (6%)	1 (0%)	43	76
2	N	468/484 (97%)	431 (92%)	33 (7%)	4 (1%)	14	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	O	466/484 (96%)	442 (95%)	24 (5%)	0	100	100
2	V	468/484 (97%)	423 (90%)	38 (8%)	7 (2%)	8	35
2	W	465/484 (96%)	432 (93%)	30 (6%)	3 (1%)	21	56
2	X	467/484 (96%)	432 (92%)	33 (7%)	2 (0%)	30	65
3	G	262/278 (94%)	245 (94%)	17 (6%)	0	100	100
3	P	234/278 (84%)	210 (90%)	19 (8%)	5 (2%)	5	27
3	Y	189/278 (68%)	176 (93%)	13 (7%)	0	100	100
4	H	110/138 (80%)	89 (81%)	19 (17%)	2 (2%)	6	31
4	Q	74/138 (54%)	61 (82%)	13 (18%)	0	100	100
4	Z	15/138 (11%)	11 (73%)	3 (20%)	1 (7%)	1	5
5	1	23/61 (38%)	19 (83%)	3 (13%)	1 (4%)	2	12
5	I	43/61 (70%)	33 (77%)	6 (14%)	4 (9%)	0	2
5	R	30/61 (49%)	25 (83%)	5 (17%)	0	100	100
All	All	9485/10377 (91%)	8800 (93%)	625 (7%)	60 (1%)	21	56

5 of 60 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	101	ILE
5	I	55	GLU
1	L	390	GLY
2	N	221	GLN
2	V	347	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	388/412 (94%)	368 (95%)	20 (5%)	21	55
1	B	388/412 (94%)	371 (96%)	17 (4%)	25	60
1	C	390/412 (95%)	368 (94%)	22 (6%)	19	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	387/412 (94%)	367 (95%)	20 (5%)	21	55
1	K	390/412 (95%)	373 (96%)	17 (4%)	25	60
1	L	388/412 (94%)	364 (94%)	24 (6%)	16	49
1	S	385/412 (93%)	366 (95%)	19 (5%)	22	56
1	T	386/412 (94%)	364 (94%)	22 (6%)	18	52
1	U	387/412 (94%)	371 (96%)	16 (4%)	27	61
2	D	379/390 (97%)	363 (96%)	16 (4%)	26	61
2	E	370/390 (95%)	352 (95%)	18 (5%)	22	56
2	F	375/390 (96%)	356 (95%)	19 (5%)	21	55
2	M	378/390 (97%)	354 (94%)	24 (6%)	16	48
2	N	378/390 (97%)	356 (94%)	22 (6%)	18	51
2	O	378/390 (97%)	361 (96%)	17 (4%)	24	59
2	V	379/390 (97%)	359 (95%)	20 (5%)	20	54
2	W	378/390 (97%)	359 (95%)	19 (5%)	22	56
2	X	379/390 (97%)	352 (93%)	27 (7%)	13	43
3	G	226/236 (96%)	206 (91%)	20 (9%)	9	35
3	P	200/236 (85%)	177 (88%)	23 (12%)	5	24
3	Y	164/236 (70%)	145 (88%)	19 (12%)	5	23
4	H	64/112 (57%)	56 (88%)	8 (12%)	4	20
4	Q	11/112 (10%)	8 (73%)	3 (27%)	0	2
5	1	2/48 (4%)	2 (100%)	0	100	100
5	I	28/48 (58%)	26 (93%)	2 (7%)	13	43
5	R	5/48 (10%)	4 (80%)	1 (20%)	1	7
All	All	7583/8294 (91%)	7148 (94%)	435 (6%)	18	52

5 of 435 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	N	132	GLU
3	P	229	GLU
2	X	167	ILE
2	N	247	GLU
2	O	208	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 139 such sidechains are listed below:

Mol	Chain	Res	Type
2	V	52	GLN
2	V	263	GLN
2	X	118	HIS
1	J	174	GLN
1	J	149	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 15 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	ANP	L	600	7	33,33,33	2.13	12 (36%)	45,52,52	2.12	14 (31%)
6	ANP	C	600	7	33,33,33	2.00	9 (27%)	45,52,52	2.19	11 (24%)
6	ANP	D	600	7	33,33,33	1.89	11 (33%)	45,52,52	2.01	12 (26%)
6	ANP	U	600	7	33,33,33	2.06	10 (30%)	45,52,52	2.34	11 (24%)
6	ANP	M	600	7	33,33,33	1.88	10 (30%)	45,52,52	2.36	10 (22%)
6	ANP	F	600	7	33,33,33	1.99	11 (33%)	45,52,52	2.07	13 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ANP	S	600	7	33,33,33	2.07	10 (30%)	45,52,52	2.13	11 (24%)
6	ANP	B	600	7	33,33,33	2.00	10 (30%)	45,52,52	2.18	13 (28%)
6	ANP	O	600	7	33,33,33	2.03	12 (36%)	45,52,52	2.12	14 (31%)
6	ANP	J	600	7	33,33,33	2.01	10 (30%)	45,52,52	2.12	12 (26%)
6	ANP	K	600	7	33,33,33	2.05	10 (30%)	45,52,52	2.25	13 (28%)
6	ANP	A	600	7	33,33,33	2.06	11 (33%)	45,52,52	2.07	12 (26%)
6	ANP	V	600	7	33,33,33	1.91	9 (27%)	45,52,52	2.27	15 (33%)
6	ANP	X	600	7	33,33,33	1.97	9 (27%)	45,52,52	2.21	14 (31%)
6	ANP	T	600	7	33,33,33	2.08	9 (27%)	45,52,52	2.11	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ANP	L	600	7	-	3/18/38/38	0/3/3/3
6	ANP	C	600	7	-	3/18/38/38	0/3/3/3
6	ANP	D	600	7	-	4/18/38/38	0/3/3/3
6	ANP	U	600	7	-	4/18/38/38	0/3/3/3
6	ANP	M	600	7	-	4/18/38/38	0/3/3/3
6	ANP	F	600	7	-	3/18/38/38	0/3/3/3
6	ANP	S	600	7	-	4/18/38/38	0/3/3/3
6	ANP	B	600	7	-	2/18/38/38	0/3/3/3
6	ANP	O	600	7	-	3/18/38/38	0/3/3/3
6	ANP	J	600	7	-	2/18/38/38	0/3/3/3
6	ANP	K	600	7	-	9/18/38/38	0/3/3/3
6	ANP	A	600	7	-	2/18/38/38	0/3/3/3
6	ANP	V	600	7	-	7/18/38/38	0/3/3/3
6	ANP	X	600	7	-	7/18/38/38	0/3/3/3
6	ANP	T	600	7	-	2/18/38/38	0/3/3/3

The worst 5 of 153 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	K	600	ANP	C5-C4	5.15	1.48	1.39
6	X	600	ANP	C5-C4	5.13	1.48	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	600	ANP	C5-C4	5.04	1.48	1.39
6	L	600	ANP	C5-C4	4.92	1.47	1.39
6	T	600	ANP	C5-C4	4.91	1.47	1.39

The worst 5 of 187 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	600	ANP	O1G-PG-N3B	-7.65	100.51	111.77
6	U	600	ANP	C5-C4-N3	-6.51	117.75	126.72
6	K	600	ANP	O1G-PG-N3B	-6.50	102.20	111.77
6	J	600	ANP	O1G-PG-N3B	-6.49	102.21	111.77
6	M	600	ANP	C5-C4-N3	-6.31	118.02	126.72

There are no chirality outliers.

5 of 59 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	600	ANP	PB-N3B-PG-O1G
6	A	600	ANP	PG-N3B-PB-O1B
6	B	600	ANP	PB-N3B-PG-O1G
6	B	600	ANP	PG-N3B-PB-O1B
6	C	600	ANP	PB-N3B-PG-O1G


There are no ring outliers.


12 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	L	600	ANP	1	0
6	U	600	ANP	1	0
6	M	600	ANP	4	0
6	F	600	ANP	1	0
6	B	600	ANP	4	0
6	O	600	ANP	3	0
6	J	600	ANP	1	0
6	K	600	ANP	3	0
6	A	600	ANP	1	0
6	V	600	ANP	1	0
6	X	600	ANP	4	0
6	T	600	ANP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























Ligand ANP J 600














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	482/510 (94%)	-0.73	0 100 100	41, 63, 99, 156	0
1	B	483/510 (94%)	-0.52	1 (0%) 91 83	48, 92, 148, 188	0
1	C	484/510 (94%)	-0.71	0 100 100	43, 73, 129, 177	0
1	J	481/510 (94%)	-0.58	0 100 100	60, 100, 149, 206	0
1	K	486/510 (95%)	-0.41	0 100 100	78, 126, 187, 217	0
1	L	482/510 (94%)	-0.68	0 100 100	47, 68, 137, 194	0
1	S	478/510 (93%)	-0.48	0 100 100	77, 109, 153, 179	0
1	T	479/510 (93%)	-0.31	0 100 100	103, 151, 186, 202	0
1	U	481/510 (94%)	-0.14	1 (0%) 91 83	104, 150, 181, 217	0
2	D	470/484 (97%)	-0.69	0 100 100	42, 70, 123, 181	0
2	E	468/484 (96%)	-0.60	0 100 100	46, 86, 161, 211	0
2	F	469/484 (96%)	-0.61	1 (0%) 91 83	48, 89, 128, 169	0
2	M	470/484 (97%)	-0.58	0 100 100	55, 86, 134, 180	0
2	N	470/484 (97%)	-0.32	2 (0%) 88 76	71, 133, 199, 229	0
2	O	468/484 (96%)	-0.59	0 100 100	54, 94, 141, 175	0
2	V	470/484 (97%)	-0.30	0 100 100	93, 138, 180, 210	0
2	W	467/484 (96%)	-0.43	2 (0%) 88 76	89, 117, 164, 189	0
2	X	469/484 (96%)	-0.37	2 (0%) 88 76	93, 134, 185, 234	0
3	G	266/278 (95%)	-0.35	0 100 100	63, 103, 140, 167	0
3	P	246/278 (88%)	-0.07	1 (0%) 88 76	69, 131, 195, 237	0
3	Y	201/278 (72%)	-0.15	1 (0%) 87 72	107, 146, 192, 232	0
4	H	116/138 (84%)	0.06	3 (2%) 57 34	82, 127, 216, 236	0
4	Q	84/138 (60%)	0.24	2 (2%) 59 36	109, 150, 208, 214	0
4	Z	17/138 (12%)	0.11	0 100 100	190, 210, 236, 245	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
5	1	27/61 (44%)	0.13	0 100 100	159, 168, 187, 210	0
5	I	49/61 (80%)	0.21	3 (6%) 27 14	97, 127, 178, 217	0
5	R	34/61 (55%)	0.04	0 100 100	108, 122, 187, 200	0
All	All	9597/10377 (92%)	-0.46	19 (0%) 91 83	41, 108, 176, 245	0

The worst 5 of 19 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	H	103	ASN	3.7
4	Q	126	GLN	3.5
2	W	189	GLU	3.4
5	I	29	LEU	2.7
5	I	61	LYS	2.7

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MG	K	700	1/1	0.80	0.08	66,66,66,66	0
7	MG	F	700	1/1	0.86	0.10	55,55,55,55	0
7	MG	C	700	1/1	0.87	0.14	52,52,52,52	0
6	ANP	U	600	31/31	0.88	0.10	73,79,82,82	0
7	MG	J	700	1/1	0.89	0.08	51,51,51,51	0
7	MG	S	700	1/1	0.89	0.10	53,53,53,53	0
6	ANP	V	600	31/31	0.90	0.10	80,100,102,102	0
7	MG	T	700	1/1	0.90	0.07	62,62,62,62	0
6	ANP	X	600	31/31	0.91	0.09	83,95,97,97	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	MG	M	700	1/1	0.92	0.15	53,53,53,53	0
6	ANP	T	600	31/31	0.92	0.07	81,102,107,108	0
7	MG	L	700	1/1	0.92	0.13	48,48,48,48	0
7	MG	X	700	1/1	0.92	0.08	70,70,70,70	0
7	MG	O	700	1/1	0.93	0.11	61,61,61,61	0
6	ANP	K	600	31/31	0.93	0.09	79,96,100,101	0
6	ANP	S	600	31/31	0.93	0.07	64,78,80,80	0
6	ANP	F	600	31/31	0.93	0.08	65,79,84,85	0
6	ANP	B	600	31/31	0.94	0.07	66,79,81,82	0
6	ANP	O	600	31/31	0.94	0.09	69,79,81,82	0
7	MG	D	700	1/1	0.94	0.12	48,48,48,48	0
7	MG	B	700	1/1	0.95	0.12	57,57,57,57	0
6	ANP	J	600	31/31	0.95	0.08	60,74,82,83	0
7	MG	A	700	1/1	0.95	0.11	41,41,41,41	0
6	ANP	C	600	31/31	0.96	0.06	57,68,75,75	0
6	ANP	M	600	31/31	0.96	0.07	60,70,73,74	0
7	MG	U	700	1/1	0.96	0.09	61,61,61,61	0
7	MG	V	700	1/1	0.96	0.06	61,61,61,61	0
6	ANP	D	600	31/31	0.96	0.06	55,65,68,69	0
6	ANP	A	600	31/31	0.97	0.06	44,57,61,63	0
6	ANP	L	600	31/31	0.97	0.06	49,62,70,70	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP U 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP V 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP X 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP T 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP K 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP S 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP F 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP O 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP J 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ANP C 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ANP M 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ANP D 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP A 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.