



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:00 PM UTC

PDB ID : 4OE5 / pdb_00004oe5
Title : Structure of Human ALDH4A1 Crystallized in Space Group P21
Authors : Tanner, J.J.
Deposited on : 2014-01-11
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	549	4% 87% 5% 8%
1	B	549	5% 87% 8% 5%
1	C	549	5% 88% 7% 5%
1	D	549	4% 88% • 8%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	505	Total	C	N	O	S	0	0	0
			3746	2396	632	704	14			
1	B	522	Total	C	N	O	S	0	0	0
			3830	2439	651	726	14			
1	C	520	Total	C	N	O	S	0	0	0
			3809	2436	649	710	14			
1	D	507	Total	C	N	O	S	0	0	0
			3764	2404	635	711	14			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	GLY	-	expression tag	UNP P30038
A	16	SER	-	expression tag	UNP P30038
A	17	HIS	-	expression tag	UNP P30038
B	15	GLY	-	expression tag	UNP P30038
B	16	SER	-	expression tag	UNP P30038
B	17	HIS	-	expression tag	UNP P30038
C	15	GLY	-	expression tag	UNP P30038
C	16	SER	-	expression tag	UNP P30038
C	17	HIS	-	expression tag	UNP P30038
D	15	GLY	-	expression tag	UNP P30038
D	16	SER	-	expression tag	UNP P30038
D	17	HIS	-	expression tag	UNP P30038

- Molecule 2 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			16	10	6		
2	B	1	Total	C	O	0	0
			13	8	5		
2	C	1	Total	C	O	0	0
			16	10	6		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	67	Total	O	0	0
			67	67		
4	B	63	Total	O	0	0
			63	63		
4	C	53	Total	O	0	0
			53	53		
4	D	58	Total	O	0	0
			58	58		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial




- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial





- Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial





● Molecule 1: Delta-1-pyrroline-5-carboxylate dehydrogenase, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.96Å 121.33Å 93.40Å 90.00° 104.23° 90.00°	Depositor
Resolution (Å)	42.41 – 1.95 42.41 – 1.95	Depositor EDS
% Data completeness (in resolution range)	96.2 (42.41-1.95) 96.3 (42.41-1.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 1.95Å)	Xtriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.194 , 0.235 0.197 , 0.236	Depositor DCC
R_{free} test set	6975 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.391	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.011 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	15436	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/3836	0.77	0/5236
1	B	0.46	0/3924	0.79	3/5363 (0.1%)
1	C	0.47	0/3904	0.77	1/5334 (0.0%)
1	D	0.46	0/3856	0.78	1/5264 (0.0%)
All	All	0.46	0/15520	0.78	5/21197 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	392	ILE	N-CA-C	5.86	116.59	110.62
1	B	137	GLY	CA-C-N	5.79	125.65	119.28
1	B	137	GLY	C-N-CA	5.79	125.65	119.28
1	C	392	ILE	N-CA-C	5.69	116.47	110.72
1	D	392	ILE	N-CA-C	5.64	116.42	110.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3746	0	3521	19	0
1	B	3830	0	3576	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3809	0	3586	25	0
1	D	3764	0	3560	16	0
2	A	16	0	22	5	0
2	B	13	0	17	1	0
2	C	16	0	22	0	0
3	B	1	0	0	0	0
4	A	67	0	0	0	0
4	B	63	0	0	0	0
4	C	53	0	0	0	0
4	D	58	0	0	0	0
All	All	15436	0	14304	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:LYS:HZ1	2:A:601:1PE:H152	1.44	0.82
1:D:121:ILE:HG21	1:D:181:GLU:HG3	1.63	0.81
1:B:189:PRO:HA	1:B:191:SER:H	1.59	0.67
1:C:213:THR:HG21	1:C:346:GLN:HB3	1.78	0.65
1:C:282:ILE:HB	1:C:311:LEU:HD23	1.79	0.64
1:A:93:LYS:HZ1	2:A:601:1PE:H142	1.65	0.61
1:B:189:PRO:HA	1:B:191:SER:N	2.16	0.60
1:D:209:PRO:HD3	1:D:285:THR:O	2.03	0.58
1:C:209:PRO:HG2	1:C:212:PHE:HB2	1.85	0.58
1:A:30:LEU:HD21	1:A:129:LEU:HD11	1.88	0.56
1:B:209:PRO:HD3	1:B:285:THR:O	2.07	0.55
1:A:93:LYS:NZ	2:A:601:1PE:H152	2.20	0.53
1:C:213:THR:HB	1:C:343:TYR:HE2	1.74	0.52
1:A:42:GLN:HA	1:A:47:ARG:HD3	1.92	0.52
1:C:213:THR:HB	1:C:343:TYR:CE2	2.45	0.51
1:B:286:GLY:O	1:B:315:CYS:HB3	2.10	0.51
1:B:356:VAL:HG21	1:B:361:TRP:CE3	2.46	0.51
1:A:37:VAL:HG13	1:A:159:GLU:HG3	1.93	0.51
1:A:93:LYS:NZ	2:A:601:1PE:H142	2.26	0.49
1:C:301:ASN:O	1:C:304:ARG:HG2	2.12	0.49
1:D:24:TRP:HZ3	1:D:26:HIS:HB2	1.78	0.49
1:B:187:SER:O	1:B:189:PRO:HD3	2.12	0.49
1:B:479:THR:HG22	1:B:503:ASN:HB2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:209:PRO:HD3	1:C:285:THR:O	2.13	0.48
1:B:509:LYS:HD2	1:B:511:THR:OG1	2.14	0.48
1:A:479:THR:HG22	1:A:503:ASN:HB2	1.94	0.48
1:B:375:ILE:HG23	1:B:387:PHE:CG	2.50	0.47
1:C:302:LEU:HD11	1:D:295:TRP:CG	2.49	0.47
1:C:302:LEU:HB2	1:D:296:LYS:HE3	1.96	0.47
1:C:282:ILE:HD12	1:C:311:LEU:HD21	1.97	0.47
1:C:354:LEU:HG	1:C:356:VAL:HG13	1.97	0.46
1:D:359:SER:OG	1:D:460:ASP:OD2	2.31	0.46
1:B:357:PRO:HG2	1:B:360:LEU:HB2	1.97	0.46
1:B:333:VAL:HG13	1:B:368:LEU:HD23	1.97	0.46
1:D:298:VAL:HG21	1:D:311:LEU:HD11	1.98	0.45
1:B:255:PRO:HG2	1:B:258:ILE:HG13	1.97	0.45
1:C:423:ASP:HA	1:C:426:GLY:O	2.17	0.45
1:A:302:LEU:HD11	1:B:295:TRP:CD2	2.52	0.45
1:C:56:ASP:O	1:C:60:ARG:HD3	2.17	0.45
1:C:537:TYR:CE2	1:C:539:LEU:HD12	2.52	0.45
1:A:441:GLU:CD	1:A:442:PRO:HD2	2.42	0.45
1:D:30:LEU:HD21	1:D:129:LEU:HD11	1.97	0.45
1:D:366:GLY:O	1:D:370:GLU:HG3	2.17	0.45
1:D:441:GLU:CD	1:D:442:PRO:HD2	2.42	0.45
1:A:312:ALA:HB2	1:A:540:ARG:HD2	1.99	0.45
1:A:209:PRO:HD3	1:A:285:THR:O	2.17	0.44
1:C:532:PRO:HA	1:C:537:TYR:CD2	2.52	0.44
1:C:410:SER:HA	1:C:411:PRO:HD3	1.79	0.44
1:D:24:TRP:CZ3	1:D:26:HIS:HB2	2.52	0.44
1:B:30:LEU:HD23	1:B:175:LYS:HA	2.00	0.44
1:D:410:SER:HA	1:D:411:PRO:HD3	1.86	0.44
1:B:288:VAL:HG22	1:B:315:CYS:HB2	2.01	0.43
1:A:135:LEU:HD13	1:A:166:LEU:HG	2.00	0.43
2:A:601:1PE:H152	2:A:601:1PE:H142	1.60	0.43
1:C:302:LEU:HD23	1:C:302:LEU:HA	1.88	0.43
1:C:539:LEU:HD23	1:C:539:LEU:HA	1.84	0.43
1:A:357:PRO:HG2	1:A:360:LEU:HB2	2.01	0.43
1:D:173:ASN:HD22	1:D:173:ASN:HA	1.66	0.42
1:A:147:THR:HG21	1:A:215:ILE:HD11	2.00	0.42
1:A:288:VAL:N	1:A:289:PRO:HD2	2.35	0.42
1:D:121:ILE:CG2	1:D:181:GLU:HG3	2.44	0.42
1:B:47:ARG:O	1:B:51:GLN:HG2	2.20	0.42
1:D:439:PRO:HB2	1:D:469:LEU:HD21	2.01	0.42
1:A:197:TYR:OH	1:B:532:PRO:HG2	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:ARG:O	1:B:144:LEU:HG	2.20	0.42
1:B:37:VAL:HG13	1:B:159:GLU:HG3	2.02	0.42
1:B:423:ASP:HA	1:B:426:GLY:O	2.20	0.42
1:D:209:PRO:HD2	1:D:212:PHE:CB	2.49	0.42
1:B:339:SER:HB2	1:B:509:LYS:HB2	2.02	0.41
1:B:93:LYS:NZ	2:B:602:1PE:H221	2.35	0.41
1:B:173:ASN:HB3	1:B:225:LEU:CD2	2.50	0.41
1:A:410:SER:HA	1:A:411:PRO:HD3	1.88	0.41
1:C:189:PRO:HA	1:C:191:SER:N	2.36	0.41
1:A:478:LEU:HA	1:A:478:LEU:HD12	1.84	0.41
1:C:210:PHE:O	1:C:236:ASP:HB2	2.21	0.41
1:C:380:PRO:HD3	1:C:389:SER:OG	2.21	0.41
1:B:27:THR:HG22	1:B:28:SER:H	1.84	0.41
1:C:191:SER:HA	1:C:549:GLU:O	2.20	0.41
1:C:165:GLU:O	1:C:169:PHE:HB2	2.21	0.40
1:C:35:GLU:HA	1:C:36:PRO:HD3	1.98	0.40
1:B:360:LEU:HD23	1:B:360:LEU:HA	1.92	0.40
1:B:368:LEU:HD23	1:B:368:LEU:HA	1.95	0.40
1:C:439:PRO:HD3	1:C:456:TYR:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	499/549 (91%)	491 (98%)	8 (2%)	0	100	100
1	B	518/549 (94%)	507 (98%)	10 (2%)	1 (0%)	43	36
1	C	516/549 (94%)	506 (98%)	10 (2%)	0	100	100
1	D	503/549 (92%)	495 (98%)	8 (2%)	0	100	100
All	All	2036/2196 (93%)	1999 (98%)	36 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	42	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/449 (82%)	368 (100%)	2 (0%)	81	82
1	B	377/449 (84%)	371 (98%)	6 (2%)	55	52
1	C	374/449 (83%)	372 (100%)	2 (0%)	81	82
1	D	377/449 (84%)	375 (100%)	2 (0%)	81	82
All	All	1498/1796 (83%)	1486 (99%)	12 (1%)	73	74

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	193	ASN
1	A	460	ASP
1	B	26	HIS
1	B	56	ASP
1	B	315	CYS
1	B	360	LEU
1	B	441	GLU
1	B	478	LEU
1	C	30	LEU
1	C	247	ARG
1	D	295	TRP
1	D	441	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	297	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	151	GLN
1	B	193	ASN
1	B	293	HIS
1	B	297	GLN
1	B	300	GLN
1	C	151	GLN
1	C	173	ASN
1	C	218	ASN
1	C	468	GLN
1	D	193	ASN
1	D	293	HIS
1	D	297	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	1PE	A	601	-	15,15,15	0.68	0	14,14,14	0.89	1 (7%)
2	1PE	B	602	-	12,12,15	0.68	0	11,11,14	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1PE	C	601	-	15,15,15	0.66	0	14,14,14	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1PE	A	601	-	-	7/13/13/13	-
2	1PE	B	602	-	-	4/10/10/13	-
2	1PE	C	601	-	-	7/13/13/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	1PE	C25-OH5-C14	2.12	122.55	113.26

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	1PE	C15-C25-OH5-C14
2	A	601	1PE	OH6-C15-C25-OH5
2	A	601	1PE	OH5-C14-C24-OH4
2	A	601	1PE	OH7-C16-C26-OH6
2	B	602	1PE	OH2-C12-C22-OH3
2	C	601	1PE	OH7-C16-C26-OH6
2	A	601	1PE	C16-C26-OH6-C15
2	B	602	1PE	C14-C24-OH4-C13
2	C	601	1PE	C23-C13-OH4-C24
2	B	602	1PE	OH5-C14-C24-OH4
2	B	602	1PE	C13-C23-OH3-C22
2	A	601	1PE	C14-C24-OH4-C13
2	C	601	1PE	C25-C15-OH6-C26
2	C	601	1PE	OH2-C12-C22-OH3
2	C	601	1PE	C16-C26-OH6-C15
2	C	601	1PE	C13-C23-OH3-C22
2	C	601	1PE	C15-C25-OH5-C14
2	A	601	1PE	OH4-C13-C23-OH3

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	1PE	5	0
2	B	602	1PE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	505/549 (91%)	0.09	21 (4%)	40	47	15, 29, 51, 67	0
1	B	522/549 (95%)	0.31	28 (5%)	31	37	20, 33, 54, 84	0
1	C	520/549 (94%)	0.26	30 (5%)	29	33	18, 32, 51, 83	0
1	D	507/549 (92%)	0.25	23 (4%)	38	44	16, 31, 57, 78	0
All	All	2054/2196 (93%)	0.23	102 (4%)	34	40	15, 32, 54, 84	0

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	210	PHE	8.0
1	D	186	ILE	6.5
1	B	210	PHE	5.5
1	D	210	PHE	5.2
1	A	188	VAL	5.1
1	C	212	PHE	5.0
1	B	186	ILE	4.6
1	C	190	PRO	4.3
1	B	42	GLN	4.2
1	D	536	HIS	4.1
1	C	186	ILE	4.0
1	A	59	GLY	3.9
1	B	316	GLY	3.9
1	C	188	VAL	3.8
1	B	213	THR	3.8
1	C	523	ALA	3.6
1	B	514	ILE	3.6
1	B	188	VAL	3.6
1	D	537	TYR	3.6
1	A	186	ILE	3.5
1	A	537	TYR	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	213	THR	3.5
1	C	211	ASN	3.5
1	C	189	PRO	3.4
1	D	27	THR	3.4
1	D	188	VAL	3.4
1	A	536	HIS	3.4
1	A	476	TYR	3.4
1	A	185	PRO	3.3
1	C	24	TRP	3.3
1	A	187	SER	3.3
1	B	523	ALA	3.2
1	C	534	GLY	3.2
1	C	209	PRO	3.2
1	A	513	SER	3.2
1	B	189	PRO	3.1
1	A	182	GLY	3.1
1	D	295	TRP	3.0
1	C	536	HIS	3.0
1	D	476	TYR	3.0
1	C	551	HIS	3.0
1	B	190	PRO	3.0
1	D	215	ILE	3.0
1	B	182	GLY	2.9
1	D	216	GLY	2.9
1	D	190	PRO	2.9
1	C	525	ALA	2.9
1	D	164	ALA	2.8
1	B	551	HIS	2.8
1	A	164	ALA	2.8
1	B	476	TYR	2.8
1	B	192	THR	2.8
1	D	189	PRO	2.7
1	A	191	SER	2.7
1	B	44	SER	2.7
1	B	45	PRO	2.6
1	D	165	GLU	2.6
1	A	23	ARG	2.6
1	B	187	SER	2.6
1	C	317	GLY	2.5
1	B	39	ALA	2.5
1	C	187	SER	2.5
1	A	538	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	26	HIS	2.5
1	B	191	SER	2.5
1	B	528	THR	2.5
1	D	213	THR	2.5
1	C	476	TYR	2.5
1	A	193	ASN	2.5
1	A	60	ARG	2.5
1	D	183	GLN	2.4
1	C	513	SER	2.4
1	D	513	SER	2.4
1	B	209	PRO	2.4
1	A	181	GLU	2.4
1	B	407	ALA	2.3
1	C	308	PHE	2.3
1	B	214	ALA	2.3
1	C	185	PRO	2.3
1	C	398	ALA	2.2
1	B	43	GLY	2.2
1	D	185	PRO	2.2
1	A	28	SER	2.2
1	C	530	ASP	2.2
1	D	214	ALA	2.2
1	A	475	SER	2.2
1	C	23	ARG	2.2
1	C	26	HIS	2.1
1	D	212	PHE	2.1
1	A	176	TYR	2.1
1	C	528	THR	2.1
1	D	41	THR	2.1
1	B	211	ASN	2.1
1	C	164	ALA	2.1
1	A	491	GLN	2.1
1	B	308	PHE	2.1
1	C	537	TYR	2.1
1	B	185	PRO	2.1
1	C	449	PHE	2.1
1	C	358	HIS	2.1
1	D	29	SER	2.0
1	D	192	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	1PE	B	602	13/16	0.83	0.14	41,51,56,59	0
2	1PE	C	601	16/16	0.85	0.14	33,48,52,52	0
2	1PE	A	601	16/16	0.93	0.10	31,35,49,55	0
3	MG	B	601	1/1	0.97	0.04	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.