



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 09:25 AM UTC

PDB ID : 3OF3 / pdb_00003of3
Title : Crystal structure of PNP with an inhibitor DADME_immH from *Vibrio cholerae*
Authors : Kim, J.; Ramagopal, U.A.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2010-08-13
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1296 (1.84-1.84)
Clashscore	190562	1329 (1.84-1.84)
Ramachandran outliers	187476	1318 (1.84-1.84)
Sidechain outliers	187428	1318 (1.84-1.84)
RSRZ outliers	180081	1296 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	93%6%
1	B	241	94%5%
1	C	241	2% 90%10%
1	D	241	92%7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	241	94% 6%
1	F	241	91% 8%
1	G	241	91% 8%
1	H	241	93% 6%
1	I	241	95% 5%
1	J	241	94% 6%
1	K	241	94% 5%
1	L	241	92% 7%

2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 24255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Purine nucleoside phosphorylase deoD-type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	240	Total	C	N	O	S	0	1	0
			1826	1151	306	352	17			
1	B	240	Total	C	N	O	S	0	3	0
			1838	1158	308	354	18			
1	C	240	Total	C	N	O	S	0	3	0
			1843	1160	308	358	17			
1	D	238	Total	C	N	O	S	0	1	0
			1809	1140	304	348	17			
1	E	240	Total	C	N	O	S	0	2	0
			1828	1152	307	352	17			
1	F	240	Total	C	N	O	S	0	1	0
			1822	1149	305	351	17			
1	G	240	Total	C	N	O	S	0	1	0
			1818	1147	305	349	17			
1	H	240	Total	C	N	O	S	0	1	0
			1822	1149	306	350	17			
1	I	240	Total	C	N	O	S	0	4	0
			1850	1163	310	360	17			
1	J	240	Total	C	N	O	S	0	1	0
			1822	1149	306	350	17			
1	K	240	Total	C	N	O	S	0	1	0
			1826	1151	306	352	17			
1	L	240	Total	C	N	O	S	0	4	0
			1851	1164	310	360	17			

- Molecule 2 is 7-[[[(3R,4R)-3-(hydroxymethyl)-4-oxidanyl-pyrrolidin-1-ium-1-yl]methyl]-3,5-dihydropyrrolo[3,2-d]pyrimidin-4-one (CCD ID: DIH) (formula: C₁₂H₁₇N₄O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	12	4	3		
2	B	1	Total	C	N	O	0	0
			19	12	4	3		
2	C	1	Total	C	N	O	0	0
			19	12	4	3		
2	D	1	Total	C	N	O	0	0
			19	12	4	3		
2	E	1	Total	C	N	O	0	0
			19	12	4	3		
2	F	1	Total	C	N	O	0	0
			19	12	4	3		
2	G	1	Total	C	N	O	0	0
			19	12	4	3		
2	H	1	Total	C	N	O	0	0
			19	12	4	3		
2	I	1	Total	C	N	O	0	0
			19	12	4	3		
2	J	1	Total	C	N	O	0	0
			19	12	4	3		
2	K	1	Total	C	N	O	0	0
			19	12	4	3		
2	L	1	Total	C	N	O	0	0
			19	12	4	3		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		
3	D	1	Total	O	P	0	0
			5	4	1		
3	E	1	Total	O	P	0	0
			5	4	1		
3	F	1	Total	O	P	0	0
			5	4	1		
3	G	1	Total	O	P	0	0
			5	4	1		
3	H	1	Total	O	P	0	0
			5	4	1		
3	I	1	Total	O	P	0	0
			5	4	1		
3	J	1	Total	O	P	0	0
			5	4	1		
3	K	1	Total	O	P	0	0
			5	4	1		
3	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total 146	O 146	0	0
4	B	156	Total 156	O 156	0	0
4	C	179	Total 179	O 179	0	0
4	D	172	Total 172	O 172	0	0
4	E	147	Total 147	O 147	0	0
4	F	186	Total 186	O 186	0	0
4	G	160	Total 160	O 160	0	0
4	H	156	Total 156	O 156	0	0
4	I	175	Total 175	O 175	0	0
4	J	164	Total 164	O 164	0	0
4	K	166	Total 166	O 166	0	0
4	L	205	Total 205	O 205	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain A:  93% 6%




- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain B:  94% 5%




- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain C:  90% 10% 2%





- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain D:  92% 7% 1%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain E:  94% 6%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain F:  91% 8%




- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain G:  91% 8%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain H:  93% 6%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain I:  95% 5%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain J:  94% 6%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain K:  94% 5%



- Molecule 1: Purine nucleoside phosphorylase deoD-type 1

Chain L:  92% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.38Å 160.97Å 188.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.03 – 1.83 43.03 – 1.83	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.03-1.83) 99.9 (43.03-1.83)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 1.83Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.154 , 0.188 (Not available) , 0.184	Depositor DCC
R_{free} test set	13629 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtrriage
Anisotropy	0.203	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	24255	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.95 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0086e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, DIH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/1855	0.87	0/2499
1	B	0.73	0/1867	0.85	0/2515
1	C	0.79	1/1872 (0.1%)	0.86	0/2522
1	D	0.84	1/1837 (0.1%)	0.90	1/2476 (0.0%)
1	E	0.70	0/1857	0.89	0/2502
1	F	0.79	0/1851	0.89	0/2494
1	G	0.74	0/1847	0.89	1/2489 (0.0%)
1	H	0.76	0/1851	0.86	0/2494
1	I	0.82	0/1879	0.87	0/2532
1	J	0.78	0/1851	0.90	0/2494
1	K	0.72	0/1855	0.88	0/2499
1	L	0.81	0/1880	0.89	0/2533
All	All	0.77	2/22302 (0.0%)	0.88	2/30049 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	80	ILE	CA-CB	7.04	1.58	1.54
1	D	80	ILE	CA-CB	5.09	1.57	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	173	PHE	N-CA-C	-5.17	105.54	111.07
1	G	129	VAL	N-CA-C	5.17	115.90	110.62

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1826	0	1811	9	0
1	B	1838	0	1818	9	0
1	C	1843	0	1819	12	0
1	D	1809	0	1799	9	0
1	E	1828	0	1811	10	0
1	F	1822	0	1805	14	0
1	G	1818	0	1801	9	0
1	H	1822	0	1807	19	0
1	I	1850	0	1823	7	0
1	J	1822	0	1807	12	0
1	K	1826	0	1811	7	0
1	L	1851	0	1824	9	0
2	A	19	0	17	0	0
2	B	19	0	17	0	0
2	C	19	0	17	0	0
2	D	19	0	17	0	0
2	E	19	0	17	0	0
2	F	19	0	17	0	0
2	G	19	0	17	0	0
2	H	19	0	17	0	0
2	I	19	0	17	0	0
2	J	19	0	17	0	0
2	K	19	0	17	0	0
2	L	19	0	17	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	0	0
3	G	5	0	0	0	0
3	H	5	0	0	0	0
3	I	5	0	0	0	0
3	J	5	0	0	0	0
3	K	5	0	0	0	0
3	L	5	0	0	0	0
4	A	146	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	156	0	0	1	0
4	C	179	0	0	3	0
4	D	172	0	0	2	0
4	E	147	0	0	1	0
4	F	186	0	0	2	0
4	G	160	0	0	2	0
4	H	156	0	0	5	0
4	I	175	0	0	3	0
4	J	164	0	0	2	0
4	K	166	0	0	2	0
4	L	205	0	0	1	0
All	All	24255	0	21940	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97:LYS:HE3	4:C:1270:HOH:O	1.68	0.93
1:A:108:VAL:O	1:A:221:LYS:HD3	1.76	0.85
1:H:121[B]:MET:SD	1:J:121[B]:MET:SD	2.76	0.84
1:G:239:ILE:HD11	4:G:1122:HOH:O	1.76	0.83
1:J:113:LYS:HD3	4:J:594:HOH:O	1.79	0.82
1:H:221:LYS:HD3	4:H:1690:HOH:O	1.80	0.81
1:H:225:GLN:NE2	1:H:231:ARG:NH2	2.30	0.80
1:H:225:GLN:HE22	1:H:231:ARG:NH2	1.83	0.77
1:E:109:ASN:ND2	1:E:111:GLY:H	1.83	0.77
1:H:225:GLN:HE22	1:H:231:ARG:HH22	1.36	0.74
1:H:225:GLN:NE2	1:H:231:ARG:HH22	1.86	0.73
1:D:161:ASP:HB2	4:D:1977:HOH:O	1.89	0.71
1:J:109:ASN:ND2	1:J:111:GLY:H	1.88	0.71
1:I:67:LYS:HE2	4:I:482:HOH:O	1.91	0.70
1:E:229:GLU:HG3	4:E:2024:HOH:O	1.95	0.66
1:L:109:ASN:ND2	1:L:111:GLY:H	1.95	0.64
1:J:221:LYS:HG3	4:J:764:HOH:O	1.97	0.64
1:F:108:VAL:O	1:F:221:LYS:CD	2.48	0.61
1:F:108:VAL:O	1:F:221:LYS:HD3	2.01	0.61
1:F:97:LYS:HE2	4:F:1892:HOH:O	1.99	0.60
1:B:109:ASN:ND2	1:B:111:GLY:H	2.00	0.59
1:H:109:ASN:ND2	1:H:111:GLY:H	2.00	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:109:ASN:ND2	1:F:111:GLY:H	2.00	0.58
1:H:121[B]:MET:CG	1:J:121[B]:MET:SD	2.93	0.56
1:D:109:ASN:ND2	1:D:111:GLY:H	2.03	0.56
1:H:182:ASP:HB3	4:H:963:HOH:O	2.05	0.56
1:B:218:ASP:OD1	1:B:225:GLN:HG2	2.06	0.55
1:G:42:ILE:HG12	1:G:239:ILE:HD13	1.89	0.54
1:C:218:ASP:OD1	1:C:225:GLN:HG2	2.08	0.54
1:A:109:ASN:ND2	1:A:111:GLY:H	2.05	0.54
1:L:186:LYS:NZ	4:L:1600:HOH:O	2.41	0.53
1:H:121[B]:MET:SD	1:J:121[B]:MET:CG	2.97	0.53
1:L:19:ILE:HG12	1:L:74:MET:HE1	1.91	0.53
1:D:108:VAL:O	1:D:221:LYS:HE3	2.10	0.52
1:K:109:ASN:ND2	1:K:111:GLY:H	2.07	0.52
1:C:97:LYS:CE	4:C:1270:HOH:O	2.42	0.52
1:G:109:ASN:ND2	1:G:111:GLY:H	2.09	0.51
1:C:146:LYS:HG3	4:C:1852:HOH:O	2.11	0.50
1:G:66:TYR:HB3	1:G:71:ILE:HD12	1.92	0.49
1:D:161:ASP:CB	4:D:1977:HOH:O	2.53	0.49
1:E:40:LYS:NZ	1:E:44:GLU:OE1	2.37	0.49
1:L:32:MET:HE2	1:L:76:HIS:HB3	1.95	0.48
1:I:239:ILE:CG1	4:I:1938:HOH:O	2.62	0.48
1:F:108:VAL:O	1:F:221:LYS:HD2	2.13	0.48
1:J:247:LEU:O	1:J:251:GLN:HG3	2.14	0.48
1:B:76:HIS:CE1	1:B:195:GLU:HG2	2.50	0.47
1:G:186:LYS:HE2	4:G:875:HOH:O	2.14	0.47
1:G:108:VAL:O	1:G:221:LYS:HD2	2.14	0.47
1:L:218:ASP:OD1	1:L:225:GLN:HG2	2.15	0.46
1:H:221:LYS:CD	4:H:1690:HOH:O	2.52	0.46
1:B:221:LYS:HD2	4:B:1616:HOH:O	2.15	0.46
1:I:109:ASN:ND2	1:I:111:GLY:H	2.12	0.46
1:I:16:THR:OG1	1:I:89:GLU:OE1	2.25	0.46
1:F:218:ASP:OD1	1:F:225:GLN:HG2	2.15	0.45
1:F:57:ARG:HA	1:J:35:ASP:OD1	2.16	0.45
1:H:182:ASP:CB	4:H:963:HOH:O	2.62	0.45
1:B:58:ASN:HB3	1:E:58:ASN:HB3	1.99	0.45
1:C:108:VAL:O	1:C:221:LYS:HD2	2.17	0.45
1:E:109:ASN:ND2	1:E:111:GLY:N	2.60	0.44
1:L:149:LYS:O	1:L:153[A]:GLU:HG3	2.16	0.44
1:G:154:ALA:HB2	1:G:248:ILE:HD12	1.99	0.44
1:F:76:HIS:CE1	1:F:195:GLU:HG2	2.52	0.44
1:B:126:ASP:O	1:E:128:LYS:HE2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:33:PRO:O	1:C:75:GLY:HA2	2.18	0.44
1:A:222:THR:CG2	4:A:1207:HOH:O	2.64	0.44
1:B:128:LYS:HE2	1:E:126:ASP:O	2.17	0.44
1:D:57:ARG:HA	1:L:35:ASP:OD1	2.18	0.44
1:K:161:ASP:HA	4:K:1829:HOH:O	2.18	0.44
1:H:121[B]:MET:HG3	1:J:121[B]:MET:SD	2.58	0.43
1:H:128:LYS:HE2	1:K:126:ASP:O	2.18	0.43
1:C:31:LEU:O	1:C:73:VAL:HA	2.18	0.43
1:L:108:VAL:O	1:L:221:LYS:HD2	2.18	0.43
1:A:34:GLY:HA2	1:A:76:HIS:CE1	2.54	0.43
1:K:76:HIS:CE1	1:K:195:GLU:HG2	2.54	0.43
1:H:121[B]:MET:SD	1:J:121[B]:MET:HG3	2.58	0.43
1:E:146:LYS:HD3	1:E:146:LYS:HA	1.87	0.43
1:K:16:THR:OG1	1:K:89:GLU:OE1	2.28	0.43
1:A:76:HIS:CE1	1:A:195:GLU:HG2	2.54	0.43
1:A:114:VAL:O	1:A:115:ARG:HB2	2.19	0.43
1:B:22:GLN:HE21	1:B:22:GLN:HA	1.84	0.43
1:F:32:MET:HE2	1:F:76:HIS:HB3	1.99	0.43
1:A:229:GLU:HB2	4:A:1154:HOH:O	2.18	0.42
1:L:57:ARG:O	1:L:58:ASN:HB2	2.18	0.42
1:D:16:THR:HB	1:D:17:PRO:CD	2.50	0.42
1:A:58:ASN:HB3	1:C:58:ASN:HB3	2.01	0.42
1:C:19:ILE:HG12	1:C:74:MET:HE1	2.00	0.42
1:H:29:VAL:HG22	1:H:98:LYS:HB2	2.02	0.42
1:H:30:VAL:HG22	1:H:72:SER:HB2	2.02	0.42
1:H:76:HIS:CE1	1:H:195:GLU:HG2	2.55	0.42
1:F:109:ASN:ND2	4:F:1682:HOH:O	2.52	0.42
1:B:146:LYS:HD3	1:B:146:LYS:HA	1.87	0.42
1:G:59:MET:HG2	1:G:86:TYR:CZ	2.54	0.42
1:D:57:ARG:O	1:D:58:ASN:HB2	2.20	0.42
1:F:57:ARG:O	1:F:58:ASN:HB2	2.20	0.42
1:J:109:ASN:HD22	1:J:111:GLY:H	1.63	0.42
1:A:126:ASP:O	1:C:128:LYS:HE2	2.20	0.41
1:G:31:LEU:O	1:G:73:VAL:HA	2.20	0.41
1:K:42:ILE:HG12	1:K:239:ILE:HD13	2.02	0.41
1:E:221:LYS:HB3	1:E:221:LYS:HE3	1.88	0.41
1:F:121[B]:MET:SD	1:I:145:TYR:HB2	2.60	0.41
1:I:218:ASP:OD1	1:I:225:GLN:HG2	2.21	0.41
1:K:182:ASP:HB3	4:K:1626:HOH:O	2.20	0.41
1:I:239:ILE:HG13	4:I:1938:HOH:O	2.19	0.41
1:J:119:ILE:HG23	1:J:211:LEU:HD11	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:114:VAL:O	1:D:115:ARG:HB2	2.20	0.41
1:E:76:HIS:CE1	1:E:195:GLU:HG2	2.56	0.40
1:C:109:ASN:ND2	1:C:111:GLY:H	2.20	0.40
1:D:76:HIS:CE1	1:D:195:GLU:HG2	2.56	0.40
1:F:119:ILE:HG23	1:F:211:LEU:HD11	2.03	0.40
1:C:76:HIS:CE1	1:C:195:GLU:HG2	2.57	0.40
1:H:182:ASP:CG	4:H:1296:HOH:O	2.64	0.40
1:F:149:LYS:O	1:F:153:GLU:HG3	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	239/241 (99%)	232 (97%)	7 (3%)	0	100	100
1	B	241/241 (100%)	235 (98%)	6 (2%)	0	100	100
1	C	241/241 (100%)	232 (96%)	9 (4%)	0	100	100
1	D	237/241 (98%)	230 (97%)	7 (3%)	0	100	100
1	E	240/241 (100%)	232 (97%)	8 (3%)	0	100	100
1	F	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
1	G	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
1	H	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
1	I	242/241 (100%)	234 (97%)	8 (3%)	0	100	100
1	J	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
1	K	239/241 (99%)	231 (97%)	8 (3%)	0	100	100
1	L	242/241 (100%)	231 (96%)	11 (4%)	0	100	100
All	All	2877/2892 (100%)	2781 (97%)	96 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/191 (100%)	189 (99%)	2 (1%)	68	58
1	B	192/191 (100%)	189 (98%)	3 (2%)	55	39
1	C	193/191 (101%)	189 (98%)	4 (2%)	47	30
1	D	190/191 (100%)	189 (100%)	1 (0%)	81	75
1	E	191/191 (100%)	189 (99%)	2 (1%)	68	58
1	F	190/191 (100%)	187 (98%)	3 (2%)	55	39
1	G	189/191 (99%)	185 (98%)	4 (2%)	47	30
1	H	190/191 (100%)	185 (97%)	5 (3%)	40	23
1	I	194/191 (102%)	192 (99%)	2 (1%)	68	58
1	J	190/191 (100%)	186 (98%)	4 (2%)	47	30
1	K	191/191 (100%)	188 (98%)	3 (2%)	55	39
1	L	194/191 (102%)	192 (99%)	2 (1%)	68	58
All	All	2295/2292 (100%)	2260 (98%)	35 (2%)	57	42

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	VAL
1	A	193	GLU
1	B	22	GLN
1	B	51	VAL
1	B	193	GLU
1	C	16	THR
1	C	22	GLN
1	C	70	LYS
1	C	193	GLU
1	D	193	GLU
1	E	192	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	193	GLU
1	F	102	VAL
1	F	161	ASP
1	F	193	GLU
1	G	97	LYS
1	G	161	ASP
1	G	192	VAL
1	G	193	GLU
1	H	51	VAL
1	H	189	ILE
1	H	193	GLU
1	H	221	LYS
1	H	225	GLN
1	I	70	LYS
1	I	193	GLU
1	J	22	GLN
1	J	161	ASP
1	J	189	ILE
1	J	193	GLU
1	K	16	THR
1	K	22	GLN
1	K	193	GLU
1	L	92	LYS
1	L	193	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	109	ASN
1	A	236	ASN
1	A	251	GLN
1	B	22	GLN
1	B	109	ASN
1	B	251	GLN
1	C	232	GLN
1	C	233	ASN
1	C	236	ASN
1	C	251	GLN
1	D	22	GLN
1	D	49	ASN
1	D	109	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	225	GLN
1	D	236	ASN
1	D	251	GLN
1	E	22	GLN
1	E	109	ASN
1	E	232	GLN
1	E	233	ASN
1	E	236	ASN
1	E	251	GLN
1	F	52	GLN
1	F	109	ASN
1	F	236	ASN
1	F	251	GLN
1	G	109	ASN
1	G	232	GLN
1	G	236	ASN
1	G	251	GLN
1	H	109	ASN
1	H	225	GLN
1	I	22	GLN
1	I	109	ASN
1	I	236	ASN
1	I	251	GLN
1	J	109	ASN
1	K	52	GLN
1	K	109	ASN
1	K	251	GLN
1	L	52	GLN
1	L	109	ASN
1	L	251	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DIH	A	500	-	21,21,21	1.94	5 (23%)	22,30,30	2.79	9 (40%)
2	DIH	E	500	-	21,21,21	2.16	3 (14%)	22,30,30	2.65	6 (27%)
3	PO4	D	501	-	4,4,4	0.82	0	6,6,6	0.45	0
2	DIH	J	500	-	21,21,21	2.19	4 (19%)	22,30,30	3.07	9 (40%)
3	PO4	A	501	-	4,4,4	1.30	0	6,6,6	0.63	0
3	PO4	G	501	-	4,4,4	1.18	0	6,6,6	1.04	0
3	PO4	F	501	-	4,4,4	0.89	0	6,6,6	0.44	0
2	DIH	H	500	-	21,21,21	2.12	4 (19%)	22,30,30	2.69	8 (36%)
3	PO4	I	501	-	4,4,4	0.85	0	6,6,6	0.65	0
3	PO4	L	501	-	4,4,4	0.83	0	6,6,6	0.94	0
2	DIH	B	500	-	21,21,21	1.99	4 (19%)	22,30,30	2.75	10 (45%)
2	DIH	D	500	-	21,21,21	2.18	4 (19%)	22,30,30	2.63	8 (36%)
3	PO4	J	501	-	4,4,4	0.70	0	6,6,6	0.67	0
2	DIH	G	500	-	21,21,21	2.28	5 (23%)	22,30,30	2.71	10 (45%)
3	PO4	K	501	-	4,4,4	1.10	0	6,6,6	0.58	0
2	DIH	F	500	-	21,21,21	2.29	5 (23%)	22,30,30	2.73	10 (45%)
3	PO4	C	501	-	4,4,4	0.78	0	6,6,6	0.36	0
3	PO4	E	501	-	4,4,4	1.35	0	6,6,6	0.96	0
3	PO4	H	501	-	4,4,4	1.10	0	6,6,6	0.60	0
2	DIH	K	500	-	21,21,21	2.23	4 (19%)	22,30,30	2.73	11 (50%)
2	DIH	C	500	-	21,21,21	2.27	4 (19%)	22,30,30	2.67	9 (40%)
3	PO4	B	501	-	4,4,4	0.78	0	6,6,6	0.60	0
2	DIH	I	500	-	21,21,21	2.25	4 (19%)	22,30,30	2.55	9 (40%)
2	DIH	L	500	-	21,21,21	2.03	4 (19%)	22,30,30	2.57	9 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DIH	F	500	-	-	1/6/18/18	0/3/3/3
2	DIH	A	500	-	-	1/6/18/18	0/3/3/3
2	DIH	H	500	-	-	1/6/18/18	0/3/3/3
2	DIH	B	500	-	-	1/6/18/18	0/3/3/3
2	DIH	C	500	-	-	1/6/18/18	0/3/3/3
2	DIH	D	500	-	-	1/6/18/18	0/3/3/3
2	DIH	K	500	-	-	1/6/18/18	0/3/3/3
2	DIH	E	500	-	-	1/6/18/18	0/3/3/3
2	DIH	G	500	-	-	1/6/18/18	0/3/3/3
2	DIH	I	500	-	-	1/6/18/18	0/3/3/3
2	DIH	J	500	-	-	1/6/18/18	0/3/3/3
2	DIH	L	500	-	-	1/6/18/18	0/3/3/3

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	500	DIH	C5-C4	8.40	1.46	1.38
2	C	500	DIH	C5-C4	8.30	1.46	1.38
2	G	500	DIH	C5-C4	8.05	1.46	1.38
2	K	500	DIH	C5-C4	7.93	1.46	1.38
2	J	500	DIH	C5-C4	7.81	1.46	1.38
2	D	500	DIH	C5-C4	7.75	1.46	1.38
2	E	500	DIH	C5-C4	7.70	1.46	1.38
2	F	500	DIH	C5-C4	7.62	1.45	1.38
2	H	500	DIH	C5-C4	7.53	1.45	1.38
2	L	500	DIH	C5-C4	7.38	1.45	1.38
2	B	500	DIH	C5-C4	6.95	1.45	1.38
2	A	500	DIH	C5-C4	6.94	1.45	1.38
2	F	500	DIH	C2-N1	4.53	1.43	1.35
2	I	500	DIH	C2-N1	3.99	1.42	1.35
2	E	500	DIH	C2-N1	3.99	1.42	1.35
2	B	500	DIH	C2-N1	3.98	1.42	1.35
2	K	500	DIH	C2-N1	3.97	1.42	1.35
2	G	500	DIH	C2-N1	3.92	1.42	1.35
2	D	500	DIH	C2-N1	3.81	1.42	1.35
2	C	500	DIH	C2-N1	3.63	1.41	1.35
2	H	500	DIH	C2-N1	3.57	1.41	1.35
2	J	500	DIH	C2-N1	3.57	1.41	1.35
2	F	500	DIH	C2-N3	3.49	1.36	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	DIH	C2-N3	3.40	1.36	1.30
2	A	500	DIH	C2-N1	3.27	1.41	1.35
2	J	500	DIH	C2-N3	3.06	1.36	1.30
2	H	500	DIH	C5-N7	-3.02	1.33	1.38
2	L	500	DIH	C2-N1	3.01	1.40	1.35
2	G	500	DIH	C2-N3	2.70	1.35	1.30
2	H	500	DIH	C2-N3	2.54	1.35	1.30
2	C	500	DIH	C5-N7	-2.51	1.34	1.38
2	D	500	DIH	C2-N3	2.48	1.35	1.30
2	B	500	DIH	C2-N3	2.46	1.34	1.30
2	G	500	DIH	C5-N7	-2.43	1.34	1.38
2	L	500	DIH	C2-N3	2.42	1.34	1.30
2	E	500	DIH	C2-N3	2.39	1.34	1.30
2	F	500	DIH	C5-N7	-2.37	1.34	1.38
2	I	500	DIH	C2-N3	2.32	1.34	1.30
2	A	500	DIH	C5-N7	-2.29	1.34	1.38
2	D	500	DIH	C5-C6	2.26	1.48	1.41
2	A	500	DIH	C2-N3	2.24	1.34	1.30
2	A	500	DIH	C5-C6	2.18	1.48	1.41
2	K	500	DIH	C2-N3	2.16	1.34	1.30
2	F	500	DIH	O6-C6	2.12	1.27	1.23
2	L	500	DIH	O6-C6	2.11	1.27	1.23
2	K	500	DIH	C5-N7	-2.10	1.35	1.38
2	I	500	DIH	C5-N7	-2.07	1.35	1.38
2	B	500	DIH	C5-N7	-2.05	1.35	1.38
2	J	500	DIH	C5-C6	2.04	1.48	1.41
2	G	500	DIH	C5-C6	2.04	1.48	1.41

All (108) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	500	DIH	C2-N1-C6	-6.80	115.78	125.09
2	D	500	DIH	C4-C5-C6	-6.60	115.60	121.41
2	A	500	DIH	C4-C5-C6	-6.56	115.64	121.41
2	E	500	DIH	C4-C5-C6	-6.50	115.69	121.41
2	G	500	DIH	C2-N1-C6	-6.46	116.23	125.09
2	I	500	DIH	C4-C5-C6	-6.27	115.90	121.41
2	K	500	DIH	C4-C5-C6	-6.21	115.95	121.41
2	J	500	DIH	C4-C5-C6	-6.19	115.96	121.41
2	B	500	DIH	C2-N1-C6	-6.13	116.69	125.09
2	F	500	DIH	C4-C5-C6	-6.07	116.07	121.41
2	A	500	DIH	C2-N1-C6	-6.07	116.77	125.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	500	DIH	C2-N1-C6	-6.01	116.86	125.09
2	E	500	DIH	C2-N1-C6	-5.97	116.91	125.09
2	L	500	DIH	C4-C5-C6	-5.86	116.26	121.41
2	C	500	DIH	C2-N1-C6	-5.71	117.26	125.09
2	H	500	DIH	C2-N1-C6	-5.69	117.29	125.09
2	D	500	DIH	C2-N1-C6	-5.67	117.32	125.09
2	B	500	DIH	C4-C5-C6	-5.64	116.45	121.41
2	H	500	DIH	C4-C5-C6	-5.43	116.64	121.41
2	F	500	DIH	C2-N1-C6	-5.35	117.76	125.09
2	C	500	DIH	C4-C5-C6	-5.27	116.78	121.41
2	J	500	DIH	C5-C6-N1	5.17	121.60	110.26
2	G	500	DIH	C4-C5-C6	-5.14	116.89	121.41
2	J	500	DIH	C6'-C4'-C5'	-5.13	105.67	112.71
2	I	500	DIH	C2-N1-C6	-5.12	118.08	125.09
2	F	500	DIH	C5-C6-N1	4.95	121.12	110.26
2	H	500	DIH	C9-C10-N1'	4.93	120.28	113.38
2	B	500	DIH	C5-C6-N1	4.86	120.92	110.26
2	K	500	DIH	C5-C6-N1	4.78	120.74	110.26
2	A	500	DIH	C5-C6-N1	4.75	120.69	110.26
2	D	500	DIH	C5-C6-N1	4.69	120.55	110.26
2	G	500	DIH	C5-C6-N1	4.67	120.50	110.26
2	E	500	DIH	C5-C6-N1	4.58	120.30	110.26
2	C	500	DIH	C6'-C4'-C5'	-4.50	106.54	112.71
2	C	500	DIH	C5-C6-N1	4.49	120.11	110.26
2	I	500	DIH	C5-C6-N1	4.44	120.01	110.26
2	L	500	DIH	C2-N1-C6	-4.37	119.10	125.09
2	H	500	DIH	C5-C6-N1	4.33	119.77	110.26
2	E	500	DIH	O6-C6-C5	-4.31	116.88	127.26
2	F	500	DIH	O6-C6-C5	-4.23	117.06	127.26
2	L	500	DIH	C5-C6-N1	4.13	119.33	110.26
2	J	500	DIH	C2'-N1'-C6'	3.96	109.88	104.12
2	H	500	DIH	C2'-N1'-C6'	3.91	109.80	104.12
2	K	500	DIH	O6-C6-C5	-3.88	117.89	127.26
2	B	500	DIH	C6'-C4'-C5'	-3.86	107.42	112.71
2	J	500	DIH	O6-C6-C5	-3.83	118.03	127.26
2	H	500	DIH	O6-C6-C5	-3.74	118.25	127.26
2	L	500	DIH	C6'-C4'-C5'	-3.74	107.58	112.71
2	B	500	DIH	O6-C6-C5	-3.65	118.45	127.26
2	C	500	DIH	O6-C6-C5	-3.63	118.50	127.26
2	A	500	DIH	C9-C10-N1'	3.61	118.44	113.38
2	L	500	DIH	C9-C10-N1'	3.60	118.42	113.38
2	G	500	DIH	C9-C10-N1'	3.52	118.30	113.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	DIH	C6-C5-N7	3.51	137.84	131.14
2	L	500	DIH	C2'-N1'-C6'	3.45	109.14	104.12
2	G	500	DIH	O6-C6-C5	-3.42	119.01	127.26
2	D	500	DIH	C6-C5-N7	3.37	137.59	131.14
2	I	500	DIH	O6-C6-C5	-3.34	119.21	127.26
2	E	500	DIH	C2'-N1'-C6'	3.30	108.92	104.12
2	G	500	DIH	C5-C4-N3	-3.27	121.02	124.64
2	A	500	DIH	C2'-N1'-C6'	3.23	108.82	104.12
2	L	500	DIH	O6-C6-C5	-3.04	119.92	127.26
2	F	500	DIH	C6'-C4'-C5'	-3.04	108.53	112.71
2	J	500	DIH	C5-C4-N3	-3.04	121.27	124.64
2	I	500	DIH	C9-C10-N1'	3.01	117.59	113.38
2	F	500	DIH	C9-C10-N1'	2.99	117.56	113.38
2	J	500	DIH	C6-C5-N7	2.96	136.80	131.14
2	A	500	DIH	O6-C6-C5	-2.94	120.17	127.26
2	J	500	DIH	O5'-C5'-C4'	-2.79	104.91	111.26
2	D	500	DIH	C2'-N1'-C6'	2.76	108.14	104.12
2	G	500	DIH	C2'-N1'-C6'	2.74	108.11	104.12
2	C	500	DIH	C2'-N1'-C6'	2.73	108.08	104.12
2	B	500	DIH	C2'-N1'-C6'	2.72	108.08	104.12
2	F	500	DIH	C2'-N1'-C6'	2.65	107.97	104.12
2	G	500	DIH	C6'-C4'-C5'	-2.65	109.07	112.71
2	K	500	DIH	C5-C4-N3	-2.65	121.70	124.64
2	B	500	DIH	C9-C10-N1'	2.64	117.08	113.38
2	K	500	DIH	C6'-C4'-C5'	-2.56	109.19	112.71
2	B	500	DIH	C3'-C2'-N1'	-2.53	99.79	104.47
2	L	500	DIH	C6-C5-N7	2.53	135.97	131.14
2	C	500	DIH	C9-C10-N1'	2.52	116.91	113.38
2	B	500	DIH	C5-C4-N3	-2.49	121.88	124.64
2	D	500	DIH	O6-C6-C5	-2.48	121.28	127.26
2	D	500	DIH	C9-C10-N1'	2.48	116.84	113.38
2	K	500	DIH	C2'-N1'-C6'	2.47	107.71	104.12
2	E	500	DIH	C6-C5-N7	2.46	135.83	131.14
2	K	500	DIH	C6-C5-N7	2.40	135.73	131.14
2	F	500	DIH	C5-C4-N3	-2.40	121.98	124.64
2	K	500	DIH	O3'-C3'-C2'	-2.40	105.32	110.94
2	K	500	DIH	C9-C10-N1'	2.37	116.70	113.38
2	F	500	DIH	C6-C5-N7	2.37	135.67	131.14
2	B	500	DIH	C6-C5-N7	2.36	135.66	131.14
2	D	500	DIH	C5-C4-N3	-2.36	122.02	124.64
2	I	500	DIH	C2'-N1'-C6'	2.36	107.55	104.12
2	C	500	DIH	C10-N1'-C2'	-2.35	108.89	113.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	500	DIH	C6-C5-N7	2.32	135.57	131.14
2	C	500	DIH	C6-C5-N7	2.31	135.55	131.14
2	A	500	DIH	C5-C4-N3	-2.29	122.10	124.64
2	G	500	DIH	O5'-C5'-C4'	-2.26	106.10	111.26
2	I	500	DIH	C6-C5-N7	2.26	135.45	131.14
2	A	500	DIH	C6'-C4'-C5'	-2.22	109.66	112.71
2	L	500	DIH	C9-C8-N7	2.17	112.02	109.22
2	H	500	DIH	C6'-C4'-C5'	-2.17	109.73	112.71
2	F	500	DIH	N1-C2-N3	-2.16	123.01	125.50
2	G	500	DIH	C6-C5-N7	2.16	135.26	131.14
2	K	500	DIH	O5'-C5'-C4'	-2.10	106.47	111.26
2	I	500	DIH	C4-C5-N7	2.09	108.61	105.57
2	I	500	DIH	O3'-C3'-C4'	-2.04	105.82	111.76

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	500	DIH	C9-C10-N1'-C6'
2	B	500	DIH	C9-C10-N1'-C6'
2	C	500	DIH	C9-C10-N1'-C6'
2	D	500	DIH	C9-C10-N1'-C6'
2	E	500	DIH	C9-C10-N1'-C6'
2	F	500	DIH	C9-C10-N1'-C6'
2	G	500	DIH	C9-C10-N1'-C6'
2	H	500	DIH	C9-C10-N1'-C6'
2	I	500	DIH	C9-C10-N1'-C6'
2	J	500	DIH	C9-C10-N1'-C6'
2	K	500	DIH	C9-C10-N1'-C6'
2	L	500	DIH	C9-C10-N1'-C6'

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the


average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand DIH J 500




Ligand DIH H 500




Ligand DIH B 500




Ligand DIH D 500




Ligand DIH G 500




Ligand DIH F 500




Ligand DIH K 500



Ligand DIH C 500





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/241 (99%)	-0.39	0 100 100	12, 26, 43, 53	1 (0%)
1	B	240/241 (99%)	-0.43	1 (0%) 88 93	10, 25, 40, 45	3 (1%)
1	C	240/241 (99%)	-0.55	4 (1%) 69 77	9, 22, 35, 54	3 (1%)
1	D	238/241 (98%)	-0.53	1 (0%) 88 93	9, 21, 37, 46	1 (0%)
1	E	240/241 (99%)	-0.35	1 (0%) 88 93	12, 27, 42, 56	2 (0%)
1	F	240/241 (99%)	-0.50	1 (0%) 88 93	9, 23, 35, 44	1 (0%)
1	G	240/241 (99%)	-0.42	0 100 100	10, 25, 38, 46	1 (0%)
1	H	240/241 (99%)	-0.48	0 100 100	9, 24, 41, 48	1 (0%)
1	I	240/241 (99%)	-0.51	2 (0%) 82 88	9, 22, 37, 47	4 (1%)
1	J	240/241 (99%)	-0.40	3 (1%) 75 82	10, 23, 41, 49	1 (0%)
1	K	240/241 (99%)	-0.42	2 (0%) 82 88	10, 25, 41, 50	1 (0%)
1	L	240/241 (99%)	-0.57	0 100 100	9, 21, 33, 39	4 (1%)
All	All	2878/2892 (99%)	-0.46	15 (0%) 87 92	9, 24, 39, 56	23 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	253	GLY	4.3
1	C	15	ALA	4.0
1	J	252	ALA	4.0
1	F	15	ALA	3.9
1	J	254	TYR	3.7
1	K	15	ALA	3.6
1	B	23[A]	MET	3.4
1	C	254	TYR	2.8
1	C	252	ALA	2.7
1	C	253	GLY	2.6
1	E	222	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	254	TYR	2.2
1	I	252	ALA	2.2
1	D	161	ASP	2.1
1	K	161	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	DIH	E	500	19/19	0.95	0.06	26,29,33,36	0
2	DIH	J	500	19/19	0.95	0.06	19,25,31,37	0
2	DIH	H	500	19/19	0.96	0.06	20,22,24,32	0
2	DIH	A	500	19/19	0.96	0.06	21,25,28,33	0
2	DIH	K	500	19/19	0.96	0.06	21,25,29,33	0
2	DIH	F	500	19/19	0.97	0.05	15,18,22,28	0
2	DIH	G	500	19/19	0.97	0.05	18,22,26,29	0
2	DIH	C	500	19/19	0.97	0.04	17,18,21,25	0
2	DIH	D	500	19/19	0.97	0.05	18,21,24,30	0
2	DIH	B	500	19/19	0.97	0.05	20,22,23,29	0
2	DIH	L	500	19/19	0.97	0.05	15,18,22,24	0
2	DIH	I	500	19/19	0.98	0.05	16,20,24,28	0
3	PO4	A	501	5/5	0.99	0.03	22,23,24,24	0
3	PO4	B	501	5/5	0.99	0.04	20,20,21,22	0
3	PO4	C	501	5/5	0.99	0.04	19,20,20,21	0
3	PO4	D	501	5/5	0.99	0.04	18,19,20,20	0
3	PO4	E	501	5/5	0.99	0.04	27,27,29,30	0
3	PO4	F	501	5/5	0.99	0.04	18,18,20,20	0
3	PO4	G	501	5/5	0.99	0.04	20,20,22,24	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PO4	I	501	5/5	0.99	0.03	17,17,19,20	0
3	PO4	J	501	5/5	0.99	0.05	20,21,23,23	0
3	PO4	K	501	5/5	0.99	0.04	25,25,27,27	0
3	PO4	L	501	5/5	0.99	0.04	18,18,19,20	0
3	PO4	H	501	5/5	1.00	0.03	21,22,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DIH E 500:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH J 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DIH H 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DIH K 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DIH G 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH D 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DIH B 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DIH L 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DIH I 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.