



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 07:29 AM UTC

PDB ID : 8OFK / pdb_00008ofk
Title : Crystal structure of the cysteine-rich Gallus gallus urate oxidase in complex with the 8-azaxanthine inhibitor under reducing conditions (space group C 2 2 21)
Authors : Di Palma, M.; Chegkazi, M.; Bui, S.; Mori, G.; Percudani, R.; Steiner, R.A.
Deposited on : 2023-03-15
Resolution : 1.71 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	343	 4% 83% 5% 13%
1	BBB	343	 5% 84% 5% 13%
1	CCC	343	 5% 81% 6% 13%
1	DDD	343	 4% 82% 5% 13%

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 11102 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uricase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	AAA	300	2491	1582	425	458	26	0	10	0
1	BBB	300	2516	1596	432	460	28	0	13	0
1	CCC	298	2461	1563	422	451	25	0	8	0
1	DDD	299	2497	1581	433	458	25	0	11	0

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	-22	MET	-	initiating methionine	UNP A0A8V0ZED1
AAA	-21	GLY	-	expression tag	UNP A0A8V0ZED1
AAA	-20	SER	-	expression tag	UNP A0A8V0ZED1
AAA	-19	SER	-	expression tag	UNP A0A8V0ZED1
AAA	-18	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-17	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-16	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-15	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-14	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-13	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-12	SER	-	expression tag	UNP A0A8V0ZED1
AAA	-11	SER	-	expression tag	UNP A0A8V0ZED1
AAA	-10	GLY	-	expression tag	UNP A0A8V0ZED1
AAA	-9	LEU	-	expression tag	UNP A0A8V0ZED1
AAA	-8	VAL	-	expression tag	UNP A0A8V0ZED1
AAA	-7	PRO	-	expression tag	UNP A0A8V0ZED1
AAA	-6	ARG	-	expression tag	UNP A0A8V0ZED1
AAA	-5	GLY	-	expression tag	UNP A0A8V0ZED1
AAA	-4	SER	-	expression tag	UNP A0A8V0ZED1
AAA	-3	HIS	-	expression tag	UNP A0A8V0ZED1
AAA	-2	MET	-	expression tag	UNP A0A8V0ZED1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
AAA	-1	ALA	-	expression tag	UNP A0A8V0ZED1
AAA	0	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-22	MET	-	initiating methionine	UNP A0A8V0ZED1
BBB	-21	GLY	-	expression tag	UNP A0A8V0ZED1
BBB	-20	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-19	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-18	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-17	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-16	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-15	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-14	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-13	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-12	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-11	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-10	GLY	-	expression tag	UNP A0A8V0ZED1
BBB	-9	LEU	-	expression tag	UNP A0A8V0ZED1
BBB	-8	VAL	-	expression tag	UNP A0A8V0ZED1
BBB	-7	PRO	-	expression tag	UNP A0A8V0ZED1
BBB	-6	ARG	-	expression tag	UNP A0A8V0ZED1
BBB	-5	GLY	-	expression tag	UNP A0A8V0ZED1
BBB	-4	SER	-	expression tag	UNP A0A8V0ZED1
BBB	-3	HIS	-	expression tag	UNP A0A8V0ZED1
BBB	-2	MET	-	expression tag	UNP A0A8V0ZED1
BBB	-1	ALA	-	expression tag	UNP A0A8V0ZED1
BBB	0	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-22	MET	-	initiating methionine	UNP A0A8V0ZED1
CCC	-21	GLY	-	expression tag	UNP A0A8V0ZED1
CCC	-20	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-19	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-18	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-17	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-16	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-15	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-14	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-13	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-12	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-11	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-10	GLY	-	expression tag	UNP A0A8V0ZED1
CCC	-9	LEU	-	expression tag	UNP A0A8V0ZED1
CCC	-8	VAL	-	expression tag	UNP A0A8V0ZED1
CCC	-7	PRO	-	expression tag	UNP A0A8V0ZED1
CCC	-6	ARG	-	expression tag	UNP A0A8V0ZED1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
CCC	-5	GLY	-	expression tag	UNP A0A8V0ZED1
CCC	-4	SER	-	expression tag	UNP A0A8V0ZED1
CCC	-3	HIS	-	expression tag	UNP A0A8V0ZED1
CCC	-2	MET	-	expression tag	UNP A0A8V0ZED1
CCC	-1	ALA	-	expression tag	UNP A0A8V0ZED1
CCC	0	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-22	MET	-	initiating methionine	UNP A0A8V0ZED1
DDD	-21	GLY	-	expression tag	UNP A0A8V0ZED1
DDD	-20	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-19	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-18	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-17	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-16	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-15	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-14	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-13	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-12	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-11	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-10	GLY	-	expression tag	UNP A0A8V0ZED1
DDD	-9	LEU	-	expression tag	UNP A0A8V0ZED1
DDD	-8	VAL	-	expression tag	UNP A0A8V0ZED1
DDD	-7	PRO	-	expression tag	UNP A0A8V0ZED1
DDD	-6	ARG	-	expression tag	UNP A0A8V0ZED1
DDD	-5	GLY	-	expression tag	UNP A0A8V0ZED1
DDD	-4	SER	-	expression tag	UNP A0A8V0ZED1
DDD	-3	HIS	-	expression tag	UNP A0A8V0ZED1
DDD	-2	MET	-	expression tag	UNP A0A8V0ZED1
DDD	-1	ALA	-	expression tag	UNP A0A8V0ZED1
DDD	0	SER	-	expression tag	UNP A0A8V0ZED1

- Molecule 2 is 8-AZAXANTHINE (CCD ID: AZA) (formula: C₄H₃N₅O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	AAA	1	11	4	5	2	0	0
2	BBB	1	11	4	5	2	0	0
2	CCC	1	11	4	5	2	0	0
2	DDD	1	11	4	5	2	0	0

- Molecule 3 is OXYGEN MOLECULE (CCD ID: OXY) (formula: O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	AAA	1	Total O 2 2	0	0
3	BBB	1	Total O 2 2	0	0
3	CCC	1	Total O 2 2	0	0
3	DDD	1	Total O 2 2	0	0

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	AAA	1	Total C O 4 2 2	0	0
4	BBB	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	BBB	1	Total	C	O	0	0
			4	2	2		
4	BBB	1	Total	C	O	0	0
			4	2	2		
4	BBB	1	Total	C	O	0	1
			8	4	4		
4	BBB	1	Total	C	O	0	0
			4	2	2		
4	BBB	1	Total	C	O	0	0
			4	2	2		
4	CCC	1	Total	C	O	0	0
			4	2	2		
4	CCC	1	Total	C	O	0	1
			8	4	4		
4	CCC	1	Total	C	O	0	0
			4	2	2		
4	CCC	1	Total	C	O	0	0
			4	2	2		
4	CCC	1	Total	C	O	0	0
			4	2	2		
4	CCC	1	Total	C	O	0	1
			8	4	4		
4	DDD	1	Total	C	O	0	0
			4	2	2		
4	DDD	1	Total	C	O	0	0
			4	2	2		
4	DDD	1	Total	C	O	0	0
			4	2	2		
4	DDD	1	Total	C	O	0	0
			4	2	2		
4	DDD	1	Total	C	O	0	0
			4	2	2		
4	DDD	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	AAA	3	Total 3	Cl 3	0	0
5	BBB	5	Total 5	Cl 5	0	0
5	CCC	1	Total 1	Cl 1	0	0
5	DDD	3	Total 3	Cl 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	AAA	269	Total 274	O 274	0	5
6	BBB	261	Total 265	O 265	0	4
6	CCC	210	Total 215	O 215	0	5
6	DDD	193	Total 199	O 199	0	6



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	107.19Å 125.47Å 238.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.50 – 1.71 81.50 – 1.71	Depositor EDS
% Data completeness (in resolution range)	98.0 (81.50-1.71) 98.0 (81.50-1.71)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.71Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.181 , 0.201 0.188 , 0.208	Depositor DCC
R_{free} test set	8247 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtrriage
Anisotropy	0.357	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11102	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, OXY, AZA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AAA	0.96	0/2546	1.14	0/3442
1	BBB	0.95	0/2570	1.13	0/3470
1	CCC	0.93	0/2514	1.14	0/3397
1	DDD	0.93	0/2552	1.13	0/3451
All	All	0.94	0/10182	1.13	0/13760

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2491	0	2447	18	0
1	BBB	2516	0	2483	8	0
1	CCC	2461	0	2434	16	0
1	DDD	2497	0	2453	15	0
2	AAA	11	0	3	1	0
2	BBB	11	0	3	2	0
2	CCC	11	0	3	1	0
2	DDD	11	0	3	2	0
3	AAA	2	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	BBB	2	0	0	1	0
3	CCC	2	0	0	0	0
3	DDD	2	0	0	0	0
4	AAA	28	0	42	2	0
4	BBB	28	0	42	0	0
4	CCC	32	0	48	1	0
4	DDD	32	0	48	3	0
5	AAA	3	0	0	0	0
5	BBB	5	0	0	0	0
5	CCC	1	0	0	0	0
5	DDD	3	0	0	0	0
6	AAA	274	0	0	2	0
6	BBB	265	0	0	3	0
6	CCC	215	0	0	1	0
6	DDD	199	0	0	0	0
All	All	11102	0	10009	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 52 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:198[B]:ARG:CG	1:AAA:198[B]:ARG:HH11	1.42	1.30
1:AAA:198[B]:ARG:HH11	1:AAA:198[B]:ARG:HG3	1.01	1.10
1:AAA:198[B]:ARG:HH11	1:AAA:198[B]:ARG:HG2	1.33	0.91
1:AAA:198[B]:ARG:HG3	1:AAA:198[B]:ARG:NH1	1.63	0.91
1:AAA:198[B]:ARG:CG	1:AAA:198[B]:ARG:NH1	2.15	0.90

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	308/343 (90%)	301 (98%)	7 (2%)	0	100	100
1	BBB	311/343 (91%)	305 (98%)	6 (2%)	0	100	100
1	CCC	304/343 (89%)	298 (98%)	6 (2%)	0	100	100
1	DDD	308/343 (90%)	304 (99%)	4 (1%)	0	100	100
All	All	1231/1372 (90%)	1208 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	282/308 (92%)	278 (99%)	4 (1%)	59	40
1	BBB	285/308 (92%)	283 (99%)	2 (1%)	76	64
1	CCC	279/308 (91%)	277 (99%)	2 (1%)	76	64
1	DDD	283/308 (92%)	279 (99%)	4 (1%)	59	40
All	All	1129/1232 (92%)	1117 (99%)	12 (1%)	65	50

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	CCC	171	ASN
1	DDD	75	LYS
1	DDD	266	LYS
1	DDD	171	ASN
1	AAA	171	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 12 are monoatomic - leaving 38 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	DDD	406	-	3,3,3	0.13	0	2,2,2	0.19	0
4	EDO	CCC	408[A]	-	3,3,3	0.09	0	2,2,2	0.13	0
4	EDO	BBB	506[A]	-	3,3,3	0.08	0	2,2,2	0.18	0
4	EDO	AAA	404	-	3,3,3	0.09	0	2,2,2	0.08	0
4	EDO	CCC	405	-	3,3,3	0.04	0	2,2,2	0.02	0
3	OXY	DDD	402	-	1,1,1	0.17	0	-		
4	EDO	DDD	404	-	3,3,3	0.07	0	2,2,2	0.17	0
2	AZA	DDD	401	-	12,12,12	0.42	0	12,17,17	1.08	1 (8%)
4	EDO	DDD	405	-	3,3,3	0.09	0	2,2,2	0.11	0
4	EDO	CCC	407	-	3,3,3	0.08	0	2,2,2	0.20	0
4	EDO	CCC	404[A]	-	3,3,3	0.10	0	2,2,2	0.11	0
3	OXY	CCC	402	-	1,1,1	0.17	0	-		
4	EDO	DDD	408	-	3,3,3	0.06	0	2,2,2	0.09	0
4	EDO	AAA	405	-	3,3,3	0.52	0	2,2,2	0.25	0
4	EDO	BBB	506[B]	-	3,3,3	0.07	0	2,2,2	0.21	0
2	AZA	BBB	502	-	12,12,12	0.53	0	12,17,17	1.10	1 (8%)
4	EDO	AAA	407	-	3,3,3	0.10	0	2,2,2	0.24	0
4	EDO	CCC	406	-	3,3,3	0.26	0	2,2,2	0.15	0
4	EDO	CCC	408[B]	-	3,3,3	0.08	0	2,2,2	0.12	0
4	EDO	DDD	410	-	3,3,3	0.28	0	2,2,2	0.30	0
3	OXY	BBB	501	-	1,1,1	0.27	0	-		
4	EDO	AAA	403	-	3,3,3	0.19	0	2,2,2	0.05	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AZA	CCC	401	-	12,12,12	0.29	0	12,17,17	1.12	1 (8%)
4	EDO	DDD	407	-	3,3,3	0.07	0	2,2,2	0.35	0
4	EDO	BBB	504	-	3,3,3	0.13	0	2,2,2	0.12	0
4	EDO	BBB	508	-	3,3,3	0.23	0	2,2,2	0.61	0
3	OXY	AAA	402	-	1,1,1	0.18	0	-		
4	EDO	CCC	403	-	3,3,3	0.06	0	2,2,2	0.12	0
4	EDO	DDD	403	-	3,3,3	0.10	0	2,2,2	0.06	0
2	AZA	AAA	401	-	12,12,12	0.51	0	12,17,17	1.14	1 (8%)
4	EDO	BBB	507	-	3,3,3	0.08	0	2,2,2	0.17	0
4	EDO	BBB	505	-	3,3,3	0.03	0	2,2,2	0.10	0
4	EDO	BBB	503	-	3,3,3	0.10	0	2,2,2	0.17	0
4	EDO	AAA	408	-	3,3,3	0.11	0	2,2,2	0.19	0
4	EDO	AAA	409	-	3,3,3	0.08	0	2,2,2	0.16	0
4	EDO	CCC	404[B]	-	3,3,3	0.09	0	2,2,2	0.23	0
4	EDO	DDD	409	-	3,3,3	0.08	0	2,2,2	0.21	0
4	EDO	AAA	406	-	3,3,3	0.06	0	2,2,2	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	DDD	406	-	-	1/1/1/1	-
4	EDO	CCC	408[A]	-	-	0/1/1/1	-
4	EDO	BBB	506[A]	-	-	1/1/1/1	-
4	EDO	AAA	404	-	-	0/1/1/1	-
4	EDO	CCC	405	-	-	1/1/1/1	-
4	EDO	DDD	404	-	-	1/1/1/1	-
2	AZA	DDD	401	-	-	-	0/2/2/2
4	EDO	DDD	405	-	-	1/1/1/1	-
4	EDO	CCC	407	-	-	1/1/1/1	-
4	EDO	CCC	404[A]	-	-	1/1/1/1	-
4	EDO	DDD	408	-	-	0/1/1/1	-
4	EDO	AAA	405	-	-	1/1/1/1	-
4	EDO	BBB	506[B]	-	-	1/1/1/1	-
2	AZA	BBB	502	-	-	-	0/2/2/2
4	EDO	AAA	407	-	-	0/1/1/1	-
4	EDO	CCC	406	-	-	1/1/1/1	-
4	EDO	CCC	408[B]	-	-	0/1/1/1	-
4	EDO	DDD	410	-	-	1/1/1/1	-
4	EDO	AAA	403	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AZA	CCC	401	-	-	-	0/2/2/2
4	EDO	DDD	407	-	-	1/1/1/1	-
4	EDO	BBB	504	-	-	0/1/1/1	-
4	EDO	BBB	508	-	-	0/1/1/1	-
4	EDO	CCC	403	-	-	0/1/1/1	-
4	EDO	DDD	403	-	-	0/1/1/1	-
2	AZA	AAA	401	-	-	-	0/2/2/2
4	EDO	BBB	507	-	-	1/1/1/1	-
4	EDO	BBB	505	-	-	1/1/1/1	-
4	EDO	BBB	503	-	-	0/1/1/1	-
4	EDO	AAA	408	-	-	1/1/1/1	-
4	EDO	AAA	409	-	-	0/1/1/1	-
4	EDO	CCC	404[B]	-	-	1/1/1/1	-
4	EDO	DDD	409	-	-	1/1/1/1	-
4	EDO	AAA	406	-	-	0/1/1/1	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	BBB	502	AZA	N3-C4-N9	3.42	130.15	124.57
2	AAA	401	AZA	N3-C4-N9	3.33	130.01	124.57
2	DDD	401	AZA	N3-C4-N9	3.26	129.88	124.57
2	CCC	401	AZA	N3-C4-N9	3.17	129.74	124.57

There are no chirality outliers.

5 of 17 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	BBB	507	EDO	O1-C1-C2-O2
4	CCC	407	EDO	O1-C1-C2-O2
4	AAA	408	EDO	O1-C1-C2-O2
4	BBB	506[B]	EDO	O1-C1-C2-O2
4	DDD	406	EDO	O1-C1-C2-O2

There are no ring outliers.

12 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	DDD	401	AZA	2	0
4	AAA	405	EDO	1	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	BBB	502	AZA	2	0
4	AAA	407	EDO	1	0
4	DDD	410	EDO	1	0
3	BBB	501	OXY	1	0
2	CCC	401	AZA	1	0
4	DDD	407	EDO	2	0
3	AAA	402	OXY	1	0
2	AAA	401	AZA	1	0
4	CCC	404[B]	EDO	1	0
4	AAA	406	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AAA	300/343 (87%)	0.13	14 (4%) 36 42	14, 30, 54, 92	10 (3%)
1	BBB	300/343 (87%)	0.32	17 (5%) 29 35	13, 32, 58, 91	13 (4%)
1	CCC	298/343 (86%)	0.43	18 (6%) 27 33	16, 37, 59, 89	8 (2%)
1	DDD	299/343 (87%)	0.34	14 (4%) 36 42	14, 36, 62, 91	11 (3%)
All	All	1197/1372 (87%)	0.30	63 (5%) 32 38	13, 34, 60, 92	42 (3%)

The worst 5 of 63 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	BBB	200[A]	PHE	6.3
1	BBB	4	VAL	6.2
1	CCC	6	ILE	5.6
1	BBB	197	CYS	4.7
1	BBB	2	SER	4.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	EDO	BBB	505	4/4	0.68	0.25	72,74,75,75	0
4	EDO	CCC	407	4/4	0.81	0.17	60,63,65,67	0
4	EDO	AAA	406	4/4	0.82	0.17	56,60,62,63	0
4	EDO	AAA	409	4/4	0.82	0.17	68,71,72,72	0
4	EDO	DDD	404	4/4	0.83	0.16	71,74,74,76	0
4	EDO	DDD	407	4/4	0.85	0.15	43,50,52,57	0
4	EDO	BBB	506[B]	4/4	0.86	0.22	43,45,45,46	4
4	EDO	BBB	506[A]	4/4	0.86	0.22	45,48,49,49	4
4	EDO	DDD	409	4/4	0.86	0.14	56,61,62,63	0
4	EDO	BBB	507	4/4	0.87	0.17	62,64,65,65	0
4	EDO	DDD	405	4/4	0.88	0.15	56,57,57,57	0
4	EDO	DDD	406	4/4	0.88	0.15	41,46,52,55	0
4	EDO	CCC	406	4/4	0.89	0.17	35,42,47,51	0
4	EDO	BBB	504	4/4	0.90	0.16	46,49,49,56	0
4	EDO	AAA	408	4/4	0.90	0.15	45,46,49,49	0
4	EDO	AAA	404	4/4	0.90	0.15	45,46,46,51	0
4	EDO	DDD	408	4/4	0.91	0.15	50,51,54,56	0
4	EDO	AAA	407	4/4	0.91	0.12	51,51,51,53	0
4	EDO	DDD	410	4/4	0.91	0.15	43,47,49,51	0
4	EDO	CCC	405	4/4	0.92	0.12	47,47,48,51	0
4	EDO	AAA	405	4/4	0.92	0.15	31,35,41,47	0
4	EDO	CCC	404[A]	4/4	0.92	0.12	33,33,33,35	4
4	EDO	CCC	408[A]	4/4	0.92	0.13	40,41,41,41	4
4	EDO	CCC	408[B]	4/4	0.92	0.13	36,36,36,37	4
4	EDO	CCC	404[B]	4/4	0.92	0.12	33,37,37,38	4
4	EDO	BBB	508	4/4	0.93	0.17	34,37,38,38	0
5	CL	BBB	509	1/1	0.93	0.09	37,37,37,37	0
5	CL	DDD	412	1/1	0.93	0.10	52,52,52,52	0
5	CL	AAA	411	1/1	0.94	0.10	51,51,51,51	0
4	EDO	CCC	403	4/4	0.95	0.09	32,33,34,34	0
2	AZA	CCC	401	11/11	0.95	0.06	29,30,31,32	0
2	AZA	BBB	502	11/11	0.96	0.06	25,26,28,30	0
2	AZA	DDD	401	11/11	0.96	0.06	27,28,30,31	0
3	OXY	CCC	402	2/2	0.96	0.09	33,33,33,35	0
5	CL	AAA	412	1/1	0.96	0.07	46,46,46,46	0
3	OXY	DDD	402	2/2	0.96	0.06	29,29,29,30	2
4	EDO	DDD	403	4/4	0.96	0.08	32,34,35,36	0
5	CL	DDD	413	1/1	0.96	0.09	52,52,52,52	0
4	EDO	AAA	403	4/4	0.97	0.07	27,28,30,30	0
4	EDO	BBB	503	4/4	0.97	0.07	33,33,34,35	0
2	AZA	AAA	401	11/11	0.97	0.05	21,22,24,24	0
5	CL	BBB	510	1/1	0.97	0.06	35,35,35,35	0
5	CL	BBB	513	1/1	0.97	0.09	49,49,49,49	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	OXY	AAA	402	2/2	0.97	0.06	28,28,28,30	0
5	CL	AAA	410	1/1	0.97	0.06	35,35,35,35	0
3	OXY	BBB	501	2/2	0.98	0.05	24,24,24,28	0
5	CL	DDD	411	1/1	0.98	0.05	29,29,29,29	0
5	CL	BBB	512	1/1	0.99	0.04	43,43,43,43	0
5	CL	BBB	511	1/1	0.99	0.05	39,39,39,39	0
5	CL	CCC	409	1/1	0.99	0.06	32,32,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AZA BBB 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AZA DDD 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OXY CCC 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OXY DDD 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AZA AAA 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OXY AAA 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OXY BBB 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.