



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 11:31 PM UTC

PDB ID : 1OG5 / pdb_00001og5
Title : Structure of human cytochrome P450 CYP2C9
Authors : Williams, P.A.; Cosme, J.; Ward, A.; Angove, H.C.; Matak Vinkovic, D.; Jhoti, H.
Deposited on : 2003-04-24
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	475	 67% 23% 6% . .
1	B	475	 66% 23% 7% . .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CYTOCHROME P450 2C9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	S	0	0	0
			3692	2384	616	669	23			
1	B	461	Total	C	N	O	S	0	0	0
			3692	2384	616	669	23			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	206	GLU	LYS	engineered mutation	UNP P11712
A	215	VAL	ILE	engineered mutation	UNP P11712
A	216	TYR	CYS	engineered mutation	UNP P11712
A	220	PRO	SER	engineered mutation	UNP P11712
A	221	ALA	PRO	engineered mutation	UNP P11712
A	222	LEU	ILE	engineered mutation	UNP P11712
A	223	LEU	ILE	engineered mutation	UNP P11712
B	206	GLU	LYS	engineered mutation	UNP P11712
B	215	VAL	ILE	engineered mutation	UNP P11712
B	216	TYR	CYS	engineered mutation	UNP P11712
B	220	PRO	SER	engineered mutation	UNP P11712
B	221	ALA	PRO	engineered mutation	UNP P11712
B	222	LEU	ILE	engineered mutation	UNP P11712
B	223	LEU	ILE	engineered mutation	UNP P11712

- Molecule 2 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is S-WARFARIN (CCD ID: SWF) (formula: C₁₉H₁₆O₄).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			23	19 4		
3	B	1	Total	C O	0	0
			23	19 4		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	198	Total 198	O 198	0	0
4	B	225	Total 225	O 225	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYTOCHROME P450 2C9



• Molecule 1: CYTOCHROME P450 2C9



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	164.76Å 164.76Å 110.76Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.55	Depositor
% Data completeness (in resolution range)	99.9 (50.00-2.55)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNX 2002	Depositor
R, R_{free}	0.225 , 0.257	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7939	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, SWF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	8/3783 (0.2%)	1.33	43/5119 (0.8%)
1	B	0.69	4/3783 (0.1%)	1.27	49/5119 (1.0%)
All	All	0.74	12/7566 (0.2%)	1.30	92/10238 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
All	All	0	5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	279	PRO	N-CD	13.99	1.67	1.47
1	A	278	GLN	C-O	10.71	1.38	1.24
1	B	277	ASN	CA-C	10.05	1.65	1.52
1	A	277	ASN	C-O	9.46	1.35	1.23
1	A	277	ASN	N-CA	-8.28	1.36	1.45
1	B	278	GLN	N-CA	-7.95	1.34	1.46
1	A	279	PRO	N-CA	7.06	1.56	1.47
1	A	280	SER	N-CA	7.04	1.54	1.46
1	B	279	PRO	N-CA	6.08	1.55	1.47
1	A	318	GLU	C-O	5.89	1.30	1.24
1	A	211	PRO	CA-C	-5.71	1.44	1.52
1	B	278	GLN	CA-C	-5.24	1.46	1.52

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	ASN	N-CA-C	-21.96	76.10	110.14
1	B	279	PRO	CA-N-CD	-19.26	85.03	112.00
1	A	278	GLN	O-C-N	-14.68	104.44	121.32
1	A	279	PRO	CA-N-CD	-14.19	92.14	112.00
1	A	257	MET	N-CA-C	-10.84	95.21	110.50
1	A	379	TYR	N-CA-C	10.84	127.52	112.45
1	B	277	ASN	CA-C-N	-10.74	95.58	121.80
1	B	277	ASN	C-N-CA	-10.74	95.58	121.80
1	A	318	GLU	CA-C-N	10.64	133.97	120.56
1	A	318	GLU	C-N-CA	10.64	133.97	120.56
1	A	333	ARG	N-CA-C	-10.38	99.69	114.12
1	A	278	GLN	CA-C-O	-10.16	106.24	120.16
1	A	416	GLY	N-CA-C	-9.67	98.84	112.37
1	B	416	GLY	N-CA-C	-9.52	97.53	112.85
1	A	279	PRO	N-CD-CG	-9.52	88.93	103.20
1	B	278	GLN	OE1-CD-NE2	-9.29	113.31	122.60
1	B	277	ASN	N-CA-C	-9.19	90.70	107.98
1	A	463	ASP	CA-C-N	9.15	131.28	119.84
1	A	463	ASP	C-N-CA	9.15	131.28	119.84
1	B	333	ARG	N-CA-C	-8.70	101.64	113.30
1	A	277	ASN	CB-CA-C	8.67	125.31	109.71
1	B	401	PHE	CA-C-N	8.62	130.61	119.84
1	B	401	PHE	C-N-CA	8.62	130.61	119.84
1	B	30	PRO	CA-C-N	8.53	129.05	119.92
1	B	30	PRO	C-N-CA	8.53	129.05	119.92
1	B	278	GLN	C-N-CD	-8.37	90.70	125.00
1	B	362	LEU	CA-C-N	7.87	129.67	119.84
1	B	362	LEU	C-N-CA	7.87	129.67	119.84
1	B	279	PRO	N-CD-CG	7.67	114.71	103.20
1	A	277	ASN	O-C-N	7.43	132.68	123.10
1	A	277	ASN	CA-C-N	-7.32	103.93	121.80
1	A	277	ASN	C-N-CA	-7.32	103.93	121.80
1	B	403	ASN	CA-C-N	6.85	127.42	119.47
1	B	403	ASN	C-N-CA	6.85	127.42	119.47
1	A	278	GLN	CA-C-N	6.85	128.40	119.84
1	A	278	GLN	C-N-CA	6.85	128.40	119.84
1	B	278	GLN	N-CA-C	6.83	124.90	109.81
1	B	379	TYR	N-CA-C	-6.80	98.83	109.72
1	B	275	LYS	N-CA-C	6.75	125.19	110.80
1	A	30	PRO	CA-C-N	6.71	127.10	119.92
1	A	30	PRO	C-N-CA	6.71	127.10	119.92
1	A	231	ASN	N-CA-C	-6.68	104.07	111.36
1	B	300	GLU	N-CA-C	6.64	119.12	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	188	ASP	N-CA-C	-6.52	99.90	110.20
1	B	278	GLN	CG-CD-NE2	6.48	126.12	116.40
1	B	361	LEU	N-CA-C	6.39	119.06	111.33
1	A	401	PHE	CA-C-N	6.31	127.73	119.84
1	A	401	PHE	C-N-CA	6.31	127.73	119.84
1	B	457	ASN	N-CA-C	-6.31	99.92	109.95
1	A	398	ASN	N-CA-C	6.26	118.10	111.28
1	B	359	ILE	N-CA-C	6.20	118.84	111.09
1	B	467	LEU	N-CA-C	6.19	119.46	110.42
1	A	366	LEU	N-CA-C	-6.18	100.80	110.14
1	A	78	HIS	N-CA-C	5.92	123.42	110.80
1	B	78	HIS	N-CA-C	5.92	123.42	110.80
1	B	366	LEU	N-CA-C	-5.84	101.16	110.10
1	B	229	THR	N-CA-C	-5.78	101.07	110.20
1	B	279	PRO	N-CA-CB	5.77	109.31	103.25
1	B	342	ARG	N-CA-C	5.74	117.53	111.28
1	B	277	ASN	CA-C-O	-5.74	115.16	121.58
1	A	211	PRO	N-CA-C	5.73	124.28	112.47
1	A	361	LEU	N-CA-C	5.70	118.23	111.33
1	B	463	ASP	CA-C-N	5.68	125.80	119.32
1	B	463	ASP	C-N-CA	5.68	125.80	119.32
1	B	213	ILE	N-CA-C	-5.67	104.36	112.35
1	B	462	VAL	N-CA-C	5.66	121.11	109.34
1	A	276	HIS	N-CA-C	5.63	120.30	113.38
1	B	466	ASN	N-CA-C	5.61	119.73	111.04
1	B	257	MET	N-CA-C	-5.58	102.14	110.23
1	A	394	VAL	N-CA-C	-5.57	106.27	111.45
1	A	325	GLU	N-CA-C	-5.51	105.17	111.07
1	B	188	ASP	N-CA-C	-5.45	102.41	110.48
1	A	403	ASN	CA-C-N	5.39	125.21	119.28
1	A	403	ASN	C-N-CA	5.39	125.21	119.28
1	B	280	SER	N-CA-C	5.38	122.25	110.80
1	B	36	LEU	CA-C-N	5.37	126.55	119.84
1	B	36	LEU	C-N-CA	5.37	126.55	119.84
1	B	231	ASN	N-CA-C	-5.34	105.11	111.69
1	B	87	LEU	N-CA-C	5.32	117.82	111.71
1	B	380	LEU	N-CA-CB	-5.25	102.33	110.57
1	B	279	PRO	CB-CA-C	-5.23	102.92	111.56
1	A	165	ASP	N-CA-C	-5.22	99.29	108.69
1	B	276	HIS	CB-CA-C	5.22	119.97	110.11
1	A	457	ASN	N-CA-C	-5.21	101.66	109.95
1	A	65	PHE	N-CA-C	5.21	117.60	109.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	398	ASN	N-CA-C	5.16	117.65	111.71
1	A	270	LYS	N-CA-C	-5.14	105.75	112.23
1	A	467	LEU	N-CA-C	5.13	118.30	110.20
1	A	359	ILE	N-CA-C	5.11	117.48	111.09
1	A	186	ARG	N-CA-C	-5.05	103.74	110.55
1	B	380	LEU	N-CA-C	-5.04	100.96	109.07
1	A	87	LEU	N-CA-C	5.03	116.84	111.36

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	277	ASN	Mainchain
1	A	278	GLN	Peptide,Mainchain
1	B	278	GLN	Peptide
1	B	279	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3692	0	3720	78	0
1	B	3692	0	3720	77	0
2	A	43	0	32	5	0
2	B	43	0	32	3	0
3	A	23	0	16	3	0
3	B	23	0	16	5	0
4	A	198	0	0	4	0
4	B	225	0	0	1	0
All	All	7939	0	7536	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:ARG:HH11	1:B:125:ARG:HG3	0.89	1.03
1:B:278:GLN:O	1:B:278:GLN:HG2	1.23	1.03
1:B:278:GLN:O	1:B:278:GLN:CG	2.10	0.97
1:A:41:ASN:HD22	1:A:68:TYR:H	1.11	0.96
1:B:41:ASN:HD22	1:B:68:TYR:H	1.00	0.96
1:B:125:ARG:HG3	1:B:125:ARG:NH1	1.69	0.92
1:B:125:ARG:HH11	1:B:125:ARG:CG	1.82	0.90
1:B:136:MET:HE1	1:B:181:ILE:HG23	1.54	0.89
1:A:203:GLU:OE2	1:A:232:LYS:CE	2.25	0.85
1:A:277:ASN:O	1:A:278:GLN:CB	2.24	0.84
1:A:203:GLU:OE2	1:A:232:LYS:HE2	1.77	0.84
1:A:277:ASN:O	1:A:278:GLN:HB3	1.75	0.83
1:A:301:THR:HG23	1:A:361:LEU:HD23	1.60	0.83
1:A:210:SER:HG	1:A:212:TRP:CD1	1.96	0.83
1:B:133:ASN:HD21	1:B:142:GLU:H	1.32	0.78
1:A:155:GLU:HG3	1:A:189:TYR:CD1	2.21	0.76
1:B:41:ASN:HD22	1:B:68:TYR:N	1.83	0.74
1:B:41:ASN:ND2	1:B:68:TYR:H	1.80	0.73
1:A:241:LYS:HE2	1:A:289:ASN:ND2	2.04	0.73
1:A:166:PRO:HB2	1:A:170:LEU:HD22	1.71	0.72
1:B:126:PHE:O	1:B:130:THR:HG23	1.89	0.72
1:A:113:VAL:HG12	3:A:502:SWF:H17	1.71	0.72
1:A:133:ASN:HD21	1:A:142:GLU:H	1.37	0.72
1:B:241:LYS:NZ	1:B:289:ASN:HD21	1.88	0.71
1:A:155:GLU:HG3	1:A:189:TYR:HD1	1.54	0.70
1:A:414:ASP:OD2	1:A:416:GLY:O	2.09	0.70
1:A:365:SER:OG	2:A:501:HEC:HBA1	1.92	0.69
1:B:210:SER:HG	1:B:212:TRP:CD1	2.12	0.67
1:A:178:ILE:CD1	4:A:2185:HOH:O	2.43	0.67
1:A:307:ARG:NH2	4:A:2109:HOH:O	2.29	0.64
1:A:105:ARG:HG3	1:A:223:LEU:HD13	1.79	0.64
1:A:113:VAL:CG1	3:A:502:SWF:H17	2.27	0.63
1:B:210:SER:OG	1:B:212:TRP:CD1	2.52	0.63
1:B:212:TRP:O	1:B:212:TRP:CE3	2.51	0.63
1:A:178:ILE:HD11	4:A:2185:HOH:O	1.99	0.62
1:B:113:VAL:HG12	3:B:502:SWF:H17	1.79	0.62
1:B:244:ILE:O	1:B:248:VAL:HG13	1.99	0.62
1:A:278:GLN:C	1:A:279:PRO:O	2.43	0.61
1:A:325:GLU:OE1	1:A:325:GLU:C	2.43	0.61
1:A:325:GLU:OE1	1:A:326:GLU:N	2.34	0.61
1:A:184:HIS:ND1	1:A:261:GLN:HB3	2.14	0.61
1:A:50:ILE:O	1:A:50:ILE:HG13	2.00	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:251:HIS:O	1:B:255:MET:HB2	2.01	0.60
1:B:274:GLU:OE1	1:B:280:SER:HB2	2.03	0.59
1:B:155:GLU:HG3	1:B:189:TYR:CD1	2.39	0.58
1:A:133:ASN:ND2	1:A:142:GLU:H	2.01	0.57
1:A:36:LEU:HD12	1:A:39:ILE:HD11	1.87	0.57
1:B:133:ASN:ND2	1:B:142:GLU:H	2.00	0.57
1:B:408:ASP:HB3	1:B:411:HIS:HD2	1.68	0.57
1:A:241:LYS:HE2	1:A:289:ASN:HD22	1.66	0.57
1:B:463:ASP:OD1	1:B:464:PRO:HD2	2.05	0.57
1:A:203:GLU:OE2	1:A:232:LYS:NZ	2.38	0.57
1:A:462:VAL:O	1:A:463:ASP:HB3	2.05	0.57
1:A:93:GLU:HG2	1:A:374:ILE:HD13	1.85	0.56
1:A:41:ASN:HD22	1:A:68:TYR:N	1.93	0.56
1:B:288:GLU:O	1:B:292:VAL:HG13	2.05	0.56
1:B:108:ARG:HG3	1:B:234:LEU:HD21	1.88	0.56
1:B:100:PHE:HB2	3:B:502:SWF:H4C1	1.87	0.56
1:B:408:ASP:HB3	1:B:411:HIS:CD2	2.41	0.56
1:B:241:LYS:HE2	1:B:289:ASN:ND2	2.20	0.55
1:B:113:VAL:CG1	3:B:502:SWF:H17	2.36	0.55
1:A:50:ILE:O	1:A:54:LEU:HG	2.06	0.55
1:A:41:ASN:ND2	1:A:68:TYR:H	1.92	0.55
1:A:78:HIS:O	1:A:393:SER:OG	2.22	0.55
2:A:501:HEC:HHD	2:A:501:HEC:HBC2	1.89	0.54
1:A:184:HIS:CD2	1:A:184:HIS:O	2.60	0.54
1:A:277:ASN:O	1:A:278:GLN:HB2	2.07	0.54
1:B:335:ARG:NH2	1:B:341:ASP:OD1	2.42	0.53
1:B:257:MET:HA	1:B:269:MET:HE2	1.90	0.53
1:A:85:GLU:O	1:A:89:ASP:HB2	2.09	0.53
1:A:192:GLN:HE21	1:A:196:ASN:HD21	1.56	0.53
1:B:313:LEU:HD13	1:B:453:LEU:HD11	1.91	0.53
1:B:267:PHE:CE2	1:B:287:LEU:HB2	2.45	0.52
1:A:108:ARG:CG	1:A:108:ARG:HH11	2.23	0.52
1:B:36:LEU:HD12	1:B:39:ILE:HD11	1.91	0.52
1:A:184:HIS:O	1:A:184:HIS:HD2	1.92	0.52
1:A:173:ALA:HB3	1:A:174:PRO:HD3	1.92	0.51
1:B:166:PRO:HB2	1:B:170:LEU:HD22	1.93	0.51
1:B:414:ASP:OD2	1:B:416:GLY:O	2.28	0.50
1:A:249:LYS:HA	1:A:252:GLN:HE21	1.76	0.50
1:A:284:ILE:O	1:A:288:GLU:HG3	2.11	0.50
1:B:125:ARG:NH1	1:B:125:ARG:CG	2.53	0.50
1:A:244:ILE:O	1:A:248:VAL:HG13	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:MET:HA	4:A:2173:HOH:O	2.12	0.49
1:B:108:ARG:HG3	1:B:234:LEU:CD2	2.42	0.49
1:B:78:HIS:O	1:B:393:SER:OG	2.24	0.49
1:A:215:VAL:HG12	1:A:222:LEU:HD12	1.95	0.48
1:A:210:SER:OG	1:A:212:TRP:NE1	2.46	0.48
1:B:118:LYS:CE	1:B:122:GLU:OE1	2.61	0.48
1:A:100:PHE:HB2	3:A:502:SWF:O23	2.12	0.48
1:B:314:LEU:HD22	1:B:460:SER:HB2	1.94	0.48
1:B:155:GLU:HG3	1:B:189:TYR:HD1	1.78	0.48
1:B:209:SER:O	1:B:211:PRO:HD3	2.13	0.48
1:A:251:HIS:O	1:A:255:MET:HB2	2.14	0.48
1:B:142:GLU:O	1:B:146:GLN:HG3	2.14	0.48
1:A:359:ILE:HD12	1:A:361:LEU:HD13	1.96	0.48
1:B:105:ARG:HG3	1:B:223:LEU:HD13	1.95	0.47
1:B:173:ALA:HB3	1:B:174:PRO:HD3	1.96	0.47
1:A:314:LEU:HD22	1:A:460:SER:HB2	1.97	0.47
1:A:298:GLY:HA2	2:A:501:HEC:C2C	2.44	0.47
1:A:379:TYR:O	1:A:380:LEU:HB3	2.14	0.47
1:B:118:LYS:HE3	1:B:122:GLU:OE1	2.14	0.47
1:A:264:ILE:HG22	1:A:268:LEU:HD22	1.96	0.47
1:A:408:ASP:O	1:A:411:HIS:HD2	1.98	0.47
1:B:100:PHE:HB2	3:B:502:SWF:O23	2.15	0.47
1:A:142:GLU:O	1:A:146:GLN:HG3	2.15	0.47
1:B:298:GLY:HA2	2:B:501:HEC:C2C	2.44	0.46
1:A:108:ARG:HH11	1:A:108:ARG:HG2	1.80	0.46
1:A:155:GLU:HG3	1:A:189:TYR:CE1	2.50	0.46
1:B:129:MET:SD	1:B:132:ARG:CZ	3.03	0.46
1:A:366:LEU:HB2	2:A:501:HEC:HAA2	1.96	0.46
1:A:461:LEU:HD11	1:A:484:GLN:HB2	1.97	0.46
1:A:184:HIS:CE1	1:A:261:GLN:HB3	2.50	0.46
1:B:241:LYS:HZ1	1:B:289:ASN:HD21	1.60	0.46
1:A:276:HIS:C	1:A:277:ASN:O	2.47	0.46
1:B:158:LYS:O	1:B:160:LYS:HG2	2.16	0.45
1:B:401:PHE:HB3	1:B:411:HIS:ND1	2.32	0.45
1:B:133:ASN:HD22	1:B:141:ILE:HB	1.81	0.45
1:B:318:GLU:HB2	4:B:2125:HOH:O	2.16	0.45
1:A:410:HIS:ND1	1:A:413:LEU:HD12	2.32	0.44
1:A:257:MET:O	1:A:258:ASN:CB	2.65	0.44
1:B:215:VAL:HG12	1:B:222:LEU:HD12	2.00	0.44
1:B:30:PRO:HG3	1:B:379:TYR:HB3	1.99	0.44
1:B:290:THR:O	1:B:294:LEU:HG	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:LEU:HD12	3:B:502:SWF:H1C2	2.00	0.44
2:B:501:HEC:HBC2	2:B:501:HEC:HHD	1.98	0.44
1:B:327:ILE:O	1:B:331:ILE:O	2.36	0.43
1:B:74:ILE:HD12	1:B:386:THR:HB	2.00	0.43
1:A:110:PHE:HB3	1:A:115:SER:OG	2.18	0.43
1:B:349:ASP:O	1:B:353:HIS:HD2	2.01	0.43
1:B:375:LYS:HA	1:B:379:TYR:O	2.18	0.43
1:A:267:PHE:CG	1:A:287:LEU:HD13	2.54	0.43
1:B:274:GLU:O	1:B:277:ASN:O	2.37	0.43
1:B:365:SER:OG	2:B:501:HEC:HAA2	2.18	0.43
1:B:280:SER:OG	1:B:282:PHE:N	2.50	0.42
1:B:60:VAL:HG22	1:B:61:TYR:CD2	2.54	0.42
1:B:255:MET:HE2	1:B:268:LEU:HB3	2.01	0.42
1:A:112:ILE:HD11	1:A:436:VAL:HG21	2.02	0.42
1:A:301:THR:HG22	2:A:501:HEC:HBB3	2.01	0.42
1:B:269:MET:HE3	1:B:269:MET:HB2	1.73	0.42
1:B:97:ARG:HD3	1:B:367:PRO:O	2.20	0.42
1:A:415:GLU:CD	1:A:415:GLU:H	2.28	0.41
1:B:241:LYS:CE	1:B:289:ASN:ND2	2.83	0.41
1:A:108:ARG:HG2	1:A:108:ARG:NH1	2.35	0.41
1:B:192:GLN:HE21	1:B:196:ASN:ND2	2.18	0.41
1:A:237:VAL:HG12	1:A:241:LYS:HE3	2.01	0.41
1:A:314:LEU:HD11	1:A:485:LEU:HB3	2.02	0.41
1:A:474:ASN:HD22	1:A:474:ASN:HA	1.65	0.41
1:B:147:GLU:HA	1:B:150:ARG:NH2	2.35	0.41
1:B:314:LEU:HD11	1:B:485:LEU:HB3	2.01	0.41
1:A:188:ASP:C	1:A:190:LYS:H	2.28	0.41
1:B:401:PHE:HB3	1:B:411:HIS:CE1	2.56	0.41
1:A:269:MET:HE2	1:A:269:MET:HB3	1.77	0.41
1:B:41:ASN:ND2	1:B:68:TYR:N	2.55	0.41
1:A:257:MET:HE3	1:A:257:MET:HB3	1.91	0.41
1:B:281:GLU:HA	1:B:281:GLU:OE1	2.21	0.40
1:A:60:VAL:HG22	1:A:61:TYR:CD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/475 (97%)	426 (93%)	23 (5%)	10 (2%)	5	5
1	B	459/475 (97%)	423 (92%)	26 (6%)	10 (2%)	5	5
All	All	918/950 (97%)	849 (92%)	49 (5%)	20 (2%)	5	5

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	PRO
1	A	230	HIS
1	A	258	ASN
1	A	402	PRO
1	B	230	HIS
1	B	463	ASP
1	B	37	PRO
1	B	275	LYS
1	B	280	SER
1	A	48	LYS
1	A	189	TYR
1	A	278	GLN
1	B	48	LYS
1	A	463	ASP
1	B	279	PRO
1	B	429	SER
1	B	47	ILE
1	A	47	ILE
1	A	417	GLY
1	B	402	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	416/428 (97%)	367 (88%)	49 (12%)	5	5
1	B	416/428 (97%)	364 (88%)	52 (12%)	4	4
All	All	832/856 (97%)	731 (88%)	101 (12%)	5	5

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	LEU
1	A	44	GLN
1	A	47	ILE
1	A	48	LYS
1	A	50	ILE
1	A	52	LYS
1	A	59	LYS
1	A	60	VAL
1	A	67	LEU
1	A	87	LEU
1	A	90	LEU
1	A	99	ILE
1	A	102	LEU
1	A	108	ARG
1	A	118	LYS
1	A	139	ARG
1	A	143	ASP
1	A	152	LEU
1	A	154	GLU
1	A	170	LEU
1	A	185	LYS
1	A	206	GLU
1	A	211	PRO
1	A	214	GLN
1	A	242	SER
1	A	245	LEU
1	A	248	VAL
1	A	255	MET
1	A	257	MET
1	A	268	LEU
1	A	277	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	278	GLN
1	A	285	GLU
1	A	318	GLU
1	A	328	GLU
1	A	344	HIS
1	A	361	LEU
1	A	366	LEU
1	A	380	LEU
1	A	395	LEU
1	A	398	ASN
1	A	402	PRO
1	A	415	GLU
1	A	461	LEU
1	A	463	ASP
1	A	465	LYS
1	A	466	ASN
1	A	467	LEU
1	A	473	VAL
1	B	37	PRO
1	B	38	VAL
1	B	43	LEU
1	B	44	GLN
1	B	50	ILE
1	B	52	LYS
1	B	59	LYS
1	B	60	VAL
1	B	67	LEU
1	B	84	LYS
1	B	87	LEU
1	B	90	LEU
1	B	121	LYS
1	B	125	ARG
1	B	129	MET
1	B	130	THR
1	B	150	ARG
1	B	152	LEU
1	B	160	LYS
1	B	163	PRO
1	B	170	LEU
1	B	184	HIS
1	B	185	LYS
1	B	210	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	211	PRO
1	B	213	ILE
1	B	214	GLN
1	B	222	LEU
1	B	235	LYS
1	B	245	LEU
1	B	248	VAL
1	B	255	MET
1	B	268	LEU
1	B	277	ASN
1	B	278	GLN
1	B	279	PRO
1	B	280	SER
1	B	285	GLU
1	B	292	VAL
1	B	318	GLU
1	B	361	LEU
1	B	366	LEU
1	B	371	THR
1	B	375	LYS
1	B	378	ASN
1	B	380	LEU
1	B	395	LEU
1	B	398	ASN
1	B	402	PRO
1	B	467	LEU
1	B	470	THR
1	B	473	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	ASN
1	A	44	GLN
1	A	133	ASN
1	A	184	HIS
1	A	196	ASN
1	A	202	ASN
1	A	204	ASN
1	A	236	ASN
1	A	252	GLN
1	A	258	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	289	ASN
1	A	316	HIS
1	A	324	GLN
1	A	378	ASN
1	A	411	HIS
1	A	474	ASN
1	B	41	ASN
1	B	44	GLN
1	B	133	ASN
1	B	146	GLN
1	B	196	ASN
1	B	202	ASN
1	B	204	ASN
1	B	236	ASN
1	B	252	GLN
1	B	258	ASN
1	B	289	ASN
1	B	324	GLN
1	B	334	ASN
1	B	353	HIS
1	B	356	GLN
1	B	368	HIS
1	B	396	HIS
1	B	411	HIS
1	B	418	ASN
1	B	455	ASN
1	B	484	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEC	B	501	1	46,50,50	1.86	10 (21%)	58,82,82	1.01	2 (3%)
3	SWF	B	502	-	25,25,25	2.84	16 (64%)	34,35,35	2.07	8 (23%)
3	SWF	A	502	-	25,25,25	2.78	17 (68%)	34,35,35	2.34	10 (29%)
2	HEC	A	501	1	46,50,50	1.76	7 (15%)	58,82,82	1.19	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	B	501	1	-	8/14/54/54	-
3	SWF	B	502	-	-	4/12/12/12	0/3/3/3
3	SWF	A	502	-	-	2/12/12/12	0/3/3/3
2	HEC	A	501	1	-	5/14/54/54	-

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	SWF	C11-C6	5.72	1.48	1.39
3	B	502	SWF	C11-C6	5.52	1.47	1.39
3	B	502	SWF	C5-C12	5.26	1.58	1.52
2	B	501	HEC	CAC-C3C	5.14	1.51	1.35
2	A	501	HEC	CAC-C3C	5.08	1.51	1.35
2	B	501	HEC	CBB-CAB	-4.86	1.31	1.49
3	B	502	SWF	C15-C20	4.63	1.49	1.40
2	A	501	HEC	CBB-CAB	-4.62	1.32	1.49
3	A	502	SWF	C15-C20	4.57	1.49	1.40
2	A	501	HEC	CAB-C3B	4.41	1.49	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	SWF	C5-C12	4.28	1.57	1.52
2	B	501	HEC	CAB-C3B	4.23	1.48	1.35
3	B	502	SWF	C7-C6	4.16	1.45	1.39
2	A	501	HEC	CBC-CAC	-4.15	1.34	1.49
2	B	501	HEC	CBC-CAC	-4.10	1.34	1.49
3	A	502	SWF	C7-C6	4.04	1.45	1.39
3	B	502	SWF	C13-C12	3.81	1.42	1.36
3	A	502	SWF	C8-C7	3.58	1.45	1.38
2	B	501	HEC	C1C-C2C	3.43	1.51	1.43
3	B	502	SWF	C9-C8	3.21	1.45	1.38
3	B	502	SWF	C18-C17	3.19	1.45	1.38
3	A	502	SWF	C9-C8	3.18	1.45	1.38
3	B	502	SWF	C8-C7	3.07	1.44	1.38
3	A	502	SWF	C13-C12	3.02	1.41	1.36
3	A	502	SWF	C18-C17	2.94	1.44	1.38
3	A	502	SWF	C10-C11	2.88	1.43	1.38
3	A	502	SWF	C4-C2	2.78	1.55	1.51
2	A	501	HEC	C1C-C2C	2.76	1.49	1.43
3	B	502	SWF	C6-C5	2.67	1.56	1.52
2	A	501	HEC	CHC-C4B	2.65	1.43	1.38
3	B	502	SWF	C15-C13	2.63	1.49	1.45
3	B	502	SWF	C10-C11	2.59	1.43	1.38
2	B	501	HEC	C1A-C2A	2.59	1.49	1.45
3	A	502	SWF	C4-C5	2.57	1.60	1.53
2	A	501	HEC	C4A-C3A	2.56	1.50	1.45
3	A	502	SWF	C10-C9	2.53	1.43	1.38
3	A	502	SWF	C6-C5	2.48	1.56	1.52
2	B	501	HEC	CHC-C4B	2.42	1.43	1.38
3	B	502	SWF	C4-C5	2.41	1.59	1.53
3	B	502	SWF	C10-C9	2.36	1.43	1.38
2	B	501	HEC	CBD-CGD	2.35	1.56	1.50
3	A	502	SWF	O14-C13	2.35	1.39	1.33
3	B	502	SWF	C16-C15	2.31	1.43	1.39
3	B	502	SWF	O14-C13	2.28	1.39	1.33
3	A	502	SWF	C15-C13	2.26	1.49	1.45
3	A	502	SWF	C19-C20	2.26	1.44	1.39
3	B	502	SWF	C18-C19	2.22	1.42	1.38
2	B	501	HEC	C3C-C4C	2.18	1.49	1.46
2	B	501	HEC	C1B-C2B	2.06	1.48	1.43
3	A	502	SWF	C18-C19	2.06	1.42	1.38

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	SWF	C6-C5-C12	-6.61	99.90	111.94
3	B	502	SWF	C6-C5-C12	-5.75	101.47	111.94
3	A	502	SWF	C1-C2-C4	4.91	123.36	116.53
3	A	502	SWF	C5-C12-C22	4.89	124.42	117.76
3	A	502	SWF	O23-C22-C12	-4.31	119.73	125.56
3	B	502	SWF	C5-C12-C22	4.26	123.56	117.76
3	B	502	SWF	O23-C22-C12	-4.26	119.80	125.56
3	A	502	SWF	O21-C20-C19	4.00	121.57	116.25
3	B	502	SWF	O21-C22-C12	3.78	122.97	118.38
3	B	502	SWF	O21-C20-C19	3.78	121.28	116.25
2	A	501	HEC	CAA-C2A-C3A	3.62	134.64	127.87
3	A	502	SWF	O21-C22-C12	3.49	122.62	118.38
3	B	502	SWF	C1-C2-C4	3.38	121.23	116.53
2	A	501	HEC	CAA-C2A-C1A	-3.14	118.47	124.85
2	B	501	HEC	CAA-C2A-C1A	3.13	131.22	124.85
3	A	502	SWF	O21-C20-C15	-2.77	119.06	121.57
2	B	501	HEC	CAA-C2A-C3A	-2.62	122.96	127.87
3	B	502	SWF	O21-C20-C15	-2.58	119.22	121.57
3	A	502	SWF	O14-C13-C15	2.53	120.72	115.69
3	A	502	SWF	C4-C5-C12	2.40	117.21	113.25
3	B	502	SWF	O14-C13-C15	2.35	120.35	115.69
3	A	502	SWF	O3-C2-C4	-2.09	118.47	121.74

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	HEC	C3A-C2A-CAA-CBA
2	A	501	HEC	C2C-C3C-CAC-CBC
2	A	501	HEC	C4C-C3C-CAC-CBC
2	B	501	HEC	C2B-C3B-CAB-CBB
2	B	501	HEC	C2C-C3C-CAC-CBC
2	B	501	HEC	C4C-C3C-CAC-CBC
3	A	502	SWF	C1-C2-C4-C5
3	A	502	SWF	O3-C2-C4-C5
2	A	501	HEC	C1A-C2A-CAA-CBA
3	B	502	SWF	C1-C2-C4-C5
2	B	501	HEC	C1A-C2A-CAA-CBA
2	B	501	HEC	C3A-C2A-CAA-CBA
3	B	502	SWF	O3-C2-C4-C5
2	A	501	HEC	C2B-C3B-CAB-CBB
2	B	501	HEC	CAA-CBA-CGA-O1A
2	B	501	HEC	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	502	SWF	C4-C5-C6-C11
2	B	501	HEC	C4B-C3B-CAB-CBB
3	B	502	SWF	C4-C5-C6-C7


There are no ring outliers.

4 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	HEC	3	0
3	B	502	SWF	5	0
3	A	502	SWF	3	0
2	A	501	HEC	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEC B 501




Bond lengths




Bond angles





Torsions



Rings







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.