



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:02 AM UTC

PDB ID : 3OGV / pdb_00003ogv
Title : Complex structure of beta-galactosidase from *Trichoderma reesei* with PETG
Authors : Maksimainen, M.; Rouvinen, J.
Deposited on : 2010-08-17
Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2563 (1.40-1.40)
Clashscore	190562	2660 (1.40-1.40)
Ramachandran outliers	187476	2611 (1.40-1.40)
Sidechain outliers	187428	2610 (1.40-1.40)
RSRZ outliers	180081	2561 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1003	3% 83% 14% ..
2	B	7	71% 29%
3	C	8	100%
4	D	2	50% 50%

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 9065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	986	7674	4937	1292	1437	8	0	10	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	7	83	46	2	35	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-glucopyranose-(1-3)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	8	94	52	2	40	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is 2-phenylethyl 1-thio-beta-D-galactopyranoside (CCD ID: PTQ) (formula: $C_{14}H_{20}O_5S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			20	14	5	1		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1138	Total	O	0	0
			1138	1138		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-galactosidase



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: alpha-D-glucopyranose-(1-3)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  100%

MAG1
MAG2
BGA3
MAN4
MAN5
MAN6
GLC7
MAN8

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50%  50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	67.60Å 68.70Å 81.70Å 108.50° 97.70° 114.50°	Depositor
Resolution (Å)	42.76 – 1.40 42.76 – 1.40	Depositor EDS
% Data completeness (in resolution range)	95.0 (42.76-1.40) 92.8 (42.76-1.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 1.35Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.132 , 0.166 0.145 , 0.152	Depositor DCC
R_{free} test set	12248 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	10.9	Xtriage
Anisotropy	0.483	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.015 for k,h,-h-k-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9065	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, GLC, BMA, NAG, PTQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.76	66/7915 (0.8%)	1.44	35/10787 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	GLY	N-CA	7.36	1.54	1.46
1	A	769	ILE	CA-CB	7.11	1.62	1.55
1	A	53	LEU	C-O	6.89	1.32	1.23
1	A	436	SER	CA-CB	6.75	1.65	1.53
1	A	65	GLY	CA-C	6.61	1.57	1.52
1	A	930	ASN	CA-C	-6.59	1.45	1.53
1	A	313	GLU	CD-OE1	6.56	1.37	1.25
1	A	789	ARG	CZ-NH2	6.42	1.41	1.33
1	A	634	ILE	CG1-CD1	-6.42	1.26	1.51
1	A	504	VAL	C-O	6.41	1.31	1.24
1	A	44	ASN	CB-CG	-6.34	1.36	1.52
1	A	554	SER	N-CA	6.28	1.53	1.46
1	A	337	THR	C-N	6.25	1.41	1.33
1	A	325	ARG	CG-CD	6.22	1.71	1.52
1	A	598	ASN	N-CA	6.18	1.51	1.46
1	A	821	PRO	CA-C	6.14	1.59	1.52
1	A	681	LYS	CA-C	6.14	1.60	1.52
1	A	157	GLY	CA-C	6.02	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	197	PRO	N-CA	5.98	1.53	1.47
1	A	808	ASP	CA-C	5.87	1.61	1.53
1	A	186	ILE	N-CA	5.80	1.53	1.46
1	A	995	LEU	CB-CG	-5.78	1.41	1.53
1	A	943	VAL	CA-C	-5.77	1.45	1.52
1	A	1011	VAL	CA-CB	-5.74	1.47	1.54
1	A	348	THR	N-CA	5.70	1.53	1.46
1	A	167	LEU	CA-C	-5.67	1.45	1.52
1	A	797	ILE	CA-CB	-5.62	1.47	1.54
1	A	325	ARG	CB-CG	-5.61	1.35	1.52
1	A	533	GLU	C-O	5.60	1.30	1.23
1	A	759	ALA	N-CA	5.57	1.53	1.45
1	A	219	VAL	N-CA	5.55	1.53	1.46
1	A	162	ASP	CB-CG	-5.53	1.38	1.52
1	A	235	ASN	CA-CB	5.53	1.57	1.53
1	A	110	ARG	CZ-NH1	5.52	1.40	1.32
1	A	500	LYS	CA-C	5.52	1.59	1.52
1	A	795	ARG	N-CA	5.50	1.53	1.46
1	A	422	LYS	C-O	5.49	1.30	1.24
1	A	288	ILE	CA-C	-5.47	1.46	1.52
1	A	665	PRO	C-O	-5.46	1.17	1.23
1	A	631	PRO	C-O	5.45	1.30	1.23
1	A	767	ARG	N-CA	-5.45	1.39	1.46
1	A	405	GLN	N-CA	-5.44	1.40	1.46
1	A	266	CYS	CA-CB	5.43	1.60	1.53
1	A	58	GLU	CA-CB	5.42	1.61	1.53
1	A	998	LYS	N-CA	5.40	1.52	1.45
1	A	932	THR	CA-CB	5.35	1.62	1.53
1	A	681	LYS	N-CA	5.34	1.53	1.46
1	A	122	GLU	C-O	5.33	1.30	1.24
1	A	198	GLU	CA-CB	5.32	1.62	1.53
1	A	265	ASP	CG-OD1	-5.31	1.15	1.25
1	A	1002	LEU	CA-CB	5.28	1.60	1.53
1	A	309	GLY	N-CA	5.25	1.51	1.45
1	A	215	TYR	CA-C	5.23	1.59	1.52
1	A	457	PRO	N-CA	5.23	1.56	1.47
1	A	341	ILE	N-CA	5.19	1.52	1.46
1	A	794	ARG	NE-CZ	5.18	1.38	1.33
1	A	256	GLY	C-O	5.17	1.30	1.23
1	A	519	ASN	C-N	5.14	1.37	1.33
1	A	551	TRP	CB-CG	5.13	1.66	1.50
1	A	425	GLY	C-O	5.10	1.29	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	483	THR	C-O	5.09	1.29	1.23
1	A	595	SER	C-O	5.05	1.29	1.23
1	A	375	ASP	C-O	5.03	1.30	1.24
1	A	537	VAL	CA-CB	5.03	1.59	1.54
1	A	374	ILE	C-O	5.01	1.30	1.24
1	A	625	ASP	CA-C	-5.01	1.46	1.52

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	64	SER	CA-C-N	-8.93	115.81	122.33
1	A	64	SER	C-N-CA	-8.93	115.81	122.33
1	A	156	LYS	N-CA-C	7.48	119.43	111.28
1	A	93	VAL	O-C-N	6.78	130.35	123.10
1	A	572	ARG	NE-CZ-NH2	-6.54	113.31	119.20
1	A	903	GLY	CA-C-O	-6.51	115.04	121.48
1	A	938	ARG	NE-CZ-NH2	-6.38	113.45	119.20
1	A	313	GLU	CG-CD-OE1	6.17	132.59	118.40
1	A	988	ALA	CA-C-O	6.17	127.88	121.10
1	A	161	THR	CA-C-O	6.06	128.52	121.49
1	A	336	VAL	O-C-N	-5.93	116.62	122.67
1	A	987	GLY	O-C-N	5.92	128.78	122.86
1	A	387	GLN	CA-C-O	-5.74	114.33	120.42
1	A	597	MET	CA-C-N	-5.69	117.64	123.10
1	A	597	MET	C-N-CA	-5.69	117.64	123.10
1	A	674	VAL	N-CA-CB	5.59	115.69	111.83
1	A	637	ILE	CB-CA-C	-5.57	104.87	110.89
1	A	156	LYS	O-C-N	5.56	128.01	122.12
1	A	342	TYR	CA-C-N	5.56	131.70	121.70
1	A	342	TYR	C-N-CA	5.56	131.70	121.70
1	A	476	ASP	CA-CB-CG	-5.55	107.05	112.60
1	A	866	PHE	CA-C-N	-5.38	112.53	120.28
1	A	866	PHE	C-N-CA	-5.38	112.53	120.28
1	A	995	LEU	CD1-CG-CD2	5.36	122.59	110.80
1	A	967	ILE	N-CA-C	-5.35	105.63	110.82
1	A	148	PHE	O-C-N	5.28	126.56	121.28
1	A	624	ALA	CA-C-O	-5.24	115.67	121.33
1	A	313	GLU	CG-CD-OE2	-5.11	106.64	118.40
1	A	679	LYS	N-CA-C	5.10	119.49	113.16
1	A	899	ILE	CA-C-O	5.10	127.20	121.28
1	A	636	GLY	O-C-N	-5.08	116.10	122.70
1	A	176	HIS	CA-C-O	-5.07	115.12	120.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	153	GLN	CA-C-O	-5.04	113.18	119.38
1	A	292	THR	CA-C-N	-5.02	114.74	119.76
1	A	292	THR	C-N-CA	-5.02	114.74	119.76

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	736	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7674	0	7490	86	2
2	B	83	0	70	2	0
3	C	94	0	79	0	0
4	D	28	0	25	1	0
5	A	20	0	20	1	0
6	A	28	0	26	0	0
7	A	1138	0	0	45	3
All	All	9065	0	7710	87	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ARG:HD2	7:A:2107:HOH:O	1.34	1.22
1:A:1012:LYS:HE3	7:A:1986:HOH:O	1.42	1.19
1:A:1020:HIS:CD2	7:A:2077:HOH:O	2.04	1.11
1:A:69:PRO:HG2	7:A:1597:HOH:O	1.50	1.10
1:A:1006:GLU:HG3	7:A:1815:HOH:O	1.51	1.07
1:A:412:GLN:HG3	7:A:2209:HOH:O	1.60	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:ASN:HB2	7:A:1524:HOH:O	1.64	0.96
1:A:1020:HIS:HD2	7:A:2077:HOH:O	1.47	0.92
1:A:38:ALA:HB3	7:A:1875:HOH:O	1.70	0.92
1:A:262:LEU:HD11	1:A:327:PHE:CZ	2.06	0.90
1:A:934:ALA:HB1	7:A:1813:HOH:O	1.72	0.89
1:A:188:ASN:CB	7:A:1524:HOH:O	2.22	0.85
1:A:518:LYS:NZ	7:A:2093:HOH:O	1.97	0.82
1:A:38:ALA:N	7:A:1928:HOH:O	2.15	0.79
1:A:412:GLN:CG	7:A:2209:HOH:O	2.24	0.77
1:A:1006:GLU:CG	7:A:1815:HOH:O	2.15	0.77
1:A:1006:GLU:HG3	7:A:1857:HOH:O	1.86	0.76
1:A:1020:HIS:HD2	7:A:1518:HOH:O	1.68	0.76
1:A:122:GLU:HG2	7:A:2207:HOH:O	1.86	0.75
1:A:459:LEU:CD1	7:A:1670:HOH:O	2.34	0.75
1:A:60[A]:VAL:HG21	1:A:596[A]:LEU:HD13	1.67	0.74
1:A:422:LYS:HG2	1:A:423:GLU:HG3	1.70	0.73
1:A:1006:GLU:CD	7:A:1815:HOH:O	2.30	0.73
1:A:183:LYS:HE2	7:A:1588:HOH:O	1.89	0.71
1:A:108:ARG:NH1	7:A:2107:HOH:O	1.87	0.71
1:A:767:ARG:HD3	7:A:1982:HOH:O	1.92	0.70
1:A:716:LYS:NZ	7:A:1840:HOH:O	2.26	0.68
1:A:651:LEU:HD23	1:A:651:LEU:N	2.13	0.64
1:A:262:LEU:CD1	1:A:327:PHE:CZ	2.81	0.63
1:A:1020:HIS:CD2	7:A:1518:HOH:O	2.48	0.63
1:A:742:ARG:CG	7:A:1564:HOH:O	2.46	0.63
1:A:887:SER:O	1:A:888:SER:OG	2.16	0.62
1:A:1023:TYR:HB2	7:A:2206:HOH:O	1.99	0.62
1:A:918:GLN:HG3	1:A:1007:ARG:HE	1.64	0.61
1:A:60[A]:VAL:HG21	1:A:596[A]:LEU:CD1	2.32	0.60
1:A:1012:LYS:CE	7:A:1986:HOH:O	2.22	0.60
1:A:38:ALA:CB	7:A:1875:HOH:O	2.38	0.59
1:A:668:GLU:CG	7:A:1891:HOH:O	2.50	0.58
1:A:651:LEU:HD23	1:A:651:LEU:H	1.69	0.58
1:A:412:GLN:CD	7:A:2209:HOH:O	2.47	0.57
1:A:873:HIS:H	1:A:873:HIS:CD2	2.23	0.57
1:A:668:GLU:HG2	7:A:1891:HOH:O	2.04	0.56
1:A:742:ARG:HG2	7:A:1564:HOH:O	2.06	0.55
1:A:512:LEU:HD11	1:A:550:GLN:HG2	1.89	0.54
1:A:262:LEU:HD13	1:A:323:PHE:HE1	1.72	0.54
1:A:692:ARG:HD2	7:A:1422:HOH:O	2.08	0.54
1:A:262:LEU:HD11	1:A:327:PHE:HZ	1.65	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:GLU:HG3	7:A:1791:HOH:O	2.10	0.51
1:A:108:ARG:CD	7:A:2107:HOH:O	2.15	0.51
7:A:1934:HOH:O	2:B:4:MAN:H62	2.10	0.51
1:A:672:VAL:HG23	1:A:1000:PRO:HG3	1.93	0.51
1:A:126:LYS:HE2	7:A:1815:HOH:O	2.11	0.50
1:A:742:ARG:NH2	1:A:836:ASN:O	2.45	0.50
1:A:401:GLU:HB2	1:A:418:PRO:HG2	1.95	0.49
1:A:536:ASN:ND2	1:A:552:THR:H	2.11	0.49
1:A:651:LEU:N	1:A:651:LEU:CD2	2.76	0.49
1:A:668:GLU:HG3	7:A:1891:HOH:O	2.11	0.48
1:A:156:LYS:HE3	1:A:709:ASN:OD1	2.14	0.47
1:A:213:LYS:NZ	7:A:2147:HOH:O	2.46	0.47
1:A:792:ARG:NH1	7:A:2212:HOH:O	2.43	0.47
1:A:313:GLU:OE2	7:A:2052:HOH:O	2.20	0.47
1:A:518:LYS:O	1:A:519:ASN:C	2.58	0.47
1:A:45[B]:ILE:HD12	1:A:187:THR:HA	1.96	0.47
1:A:321:HIS:HD2	7:A:1209:HOH:O	1.98	0.46
1:A:672:VAL:CG2	1:A:1000:PRO:HG3	2.47	0.45
1:A:639:LYS:HE2	1:A:640:GLY:N	2.32	0.44
1:A:136:GLY:HA3	1:A:137:PRO:C	2.43	0.44
1:A:521:PHE:CD1	1:A:527:ALA:HB1	2.52	0.44
1:A:52:SER:HB3	1:A:396:ILE:HG23	2.00	0.44
1:A:64:SER:HA	1:A:92:THR:O	2.17	0.43
1:A:682:TRP:O	1:A:884:HIS:HD2	2.01	0.43
1:A:887:SER:C	1:A:888:SER:OG	2.62	0.43
1:A:92:THR:HA	1:A:130:TYR:O	2.20	0.42
1:A:618:ASN:C	1:A:618:ASN:HD22	2.28	0.42
1:A:639:LYS:HE2	1:A:640:GLY:H	1.85	0.42
1:A:321:HIS:HE1	2:B:5:MAN:O4	2.03	0.42
1:A:183:LYS:HG3	7:A:1531:HOH:O	2.20	0.41
1:A:78:TYR:O	1:A:81[A]:VAL:CG2	2.68	0.41
1:A:918:GLN:NE2	1:A:919:GLU:OE2	2.44	0.41
1:A:298:GLU:OE1	5:A:1024:PTQ:H1	2.20	0.41
1:A:742:ARG:HH11	1:A:742:ARG:HD2	1.64	0.41
1:A:436:SER:OG	4:D:1:NAG:H5	2.21	0.41
1:A:274:ASP:O	1:A:275:ASN:HB2	2.20	0.41
1:A:78:TYR:O	1:A:81[A]:VAL:HG22	2.21	0.40
1:A:262:LEU:HD13	1:A:323:PHE:CE1	2.55	0.40
1:A:536:ASN:HD21	1:A:552:THR:H	1.69	0.40
1:A:459:LEU:HD13	7:A:1670:HOH:O	2.13	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1305:HOH:O	7:A:2204:HOH:O[1_556]	1.72	0.48
1:A:540:HIS:CE1	1:A:1020:HIS:CE1[1_544]	1.88	0.32
7:A:1300:HOH:O	7:A:2160:HOH:O[1_455]	2.10	0.10
1:A:540:HIS:CE1	1:A:1020:HIS:NE2[1_544]	2.12	0.08
7:A:1873:HOH:O	7:A:1988:HOH:O[1_655]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	994/1003 (99%)	965 (97%)	28 (3%)	1 (0%)	48 21

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	519	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	815/819 (100%)	804 (99%)	11 (1%)	61 30

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	412	GLN
1	A	526	THR
1	A	536	ASN
1	A	618	ASN
1	A	639	LYS
1	A	742	ARG
1	A	890	SER
1	A	932	THR
1	A	947	GLN
1	A	995	LEU
1	A	1007	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	ASN
1	A	225	ASN
1	A	321	HIS
1	A	412	GLN
1	A	413	ASN
1	A	536	ASN
1	A	540	HIS
1	A	573	ASN
1	A	589	GLN
1	A	618	ASN
1	A	673	GLN
1	A	846	ASN
1	A	873	HIS
1	A	884	HIS
1	A	1015	HIS
1	A	1020	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

17 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	1,2	14,14,15	0.52	0	17,19,21	1.76	4 (23%)
2	NAG	B	2	2	14,14,15	0.75	0	17,19,21	1.47	4 (23%)
2	BMA	B	3	2	11,11,12	1.18	1 (9%)	15,15,17	0.94	1 (6%)
2	MAN	B	4	2	11,11,12	0.88	1 (9%)	15,15,17	1.06	1 (6%)
2	MAN	B	5	2	11,11,12	0.95	0	15,15,17	1.57	1 (6%)
2	MAN	B	6	2	11,11,12	1.30	2 (18%)	15,15,17	1.40	2 (13%)
2	MAN	B	7	2	11,11,12	1.10	0	15,15,17	2.25	6 (40%)
3	NAG	C	1	1,3	14,14,15	1.92	4 (28%)	17,19,21	1.67	3 (17%)
3	NAG	C	2	3	14,14,15	0.80	0	17,19,21	1.29	2 (11%)
3	BMA	C	3	3	11,11,12	1.01	1 (9%)	15,15,17	1.18	2 (13%)
3	MAN	C	4	3	11,11,12	0.99	1 (9%)	15,15,17	1.71	5 (33%)
3	MAN	C	5	3	11,11,12	1.06	1 (9%)	15,15,17	1.63	2 (13%)
3	MAN	C	6	3	11,11,12	0.78	0	15,15,17	1.17	3 (20%)
3	GLC	C	7	3	11,11,12	0.84	1 (9%)	15,15,17	2.00	3 (20%)
3	MAN	C	8	3	11,11,12	1.12	1 (9%)	15,15,17	2.03	3 (20%)
4	NAG	D	1	1,4	14,14,15	1.05	1 (7%)	17,19,21	2.11	7 (41%)
4	NAG	D	2	4	14,14,15	0.58	0	17,19,21	1.65	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
2	BMA	B	3	2	-	0/2/19/22	0/1/1/1
2	MAN	B	4	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	B	5	2	-	0/2/19/22	0/1/1/1
2	MAN	B	6	2	-	0/2/19/22	0/1/1/1
2	MAN	B	7	2	-	0/2/19/22	0/1/1/1
3	NAG	C	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1
3	MAN	C	4	3	-	0/2/19/22	0/1/1/1
3	MAN	C	5	3	-	0/2/19/22	0/1/1/1
3	MAN	C	6	3	-	0/2/19/22	0/1/1/1
3	GLC	C	7	3	-	0/2/19/22	0/1/1/1
3	MAN	C	8	3	-	0/2/19/22	0/1/1/1
4	NAG	D	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	0/6/23/26	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1	NAG	O5-C1	-3.78	1.37	1.43
3	C	1	NAG	C1-C2	3.62	1.57	1.52
3	C	1	NAG	C4-C5	2.95	1.59	1.53
4	D	1	NAG	C1-C2	-2.76	1.48	1.52
3	C	8	MAN	O5-C1	-2.73	1.39	1.43
3	C	1	NAG	C2-N2	-2.45	1.42	1.46
2	B	3	BMA	O5-C1	2.42	1.47	1.43
3	C	4	MAN	C6-C5	2.41	1.59	1.51
3	C	3	BMA	C4-C5	2.40	1.58	1.53
2	B	6	MAN	O2-C2	-2.38	1.38	1.43
3	C	7	GLC	O5-C5	-2.19	1.39	1.43
3	C	5	MAN	O5-C5	2.17	1.47	1.43
2	B	6	MAN	O5-C1	-2.14	1.40	1.43
2	B	4	MAN	C6-C5	2.02	1.58	1.51

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	7	GLC	C1-O5-C5	5.83	120.01	112.19
2	B	7	MAN	C6-C5-C4	-5.46	99.62	113.02
3	C	8	MAN	C1-O5-C5	4.59	118.34	112.19
4	D	2	NAG	C3-C4-C5	-3.92	103.12	110.23
2	B	5	MAN	C1-O5-C5	3.87	117.37	112.19
4	D	1	NAG	C8-C7-N2	3.80	122.41	116.12
4	D	1	NAG	C4-C3-C2	3.67	116.40	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	4	MAN	C3-C4-C5	3.58	116.72	110.23
3	C	2	NAG	O4-C4-C3	-3.54	102.03	110.38
3	C	8	MAN	O4-C4-C3	3.51	118.65	110.38
2	B	1	NAG	C2-N2-C7	-3.50	118.21	122.90
2	B	7	MAN	O6-C6-C5	-3.49	99.46	111.33
2	B	1	NAG	O7-C7-C8	-3.46	115.90	122.05
3	C	1	NAG	C1-O5-C5	3.40	116.75	112.19
3	C	5	MAN	O5-C5-C6	-3.39	101.07	107.66
3	C	8	MAN	C1-C2-C3	3.17	114.26	109.64
2	B	6	MAN	O2-C2-C3	-3.03	103.87	110.15
3	C	5	MAN	C1-C2-C3	-3.00	105.27	109.64
2	B	6	MAN	O3-C3-C2	-2.96	104.02	110.05
3	C	4	MAN	O5-C5-C6	-2.93	101.97	107.66
2	B	7	MAN	C1-O5-C5	2.92	116.10	112.19
4	D	1	NAG	C2-N2-C7	2.82	126.67	122.90
4	D	2	NAG	C2-N2-C7	2.77	126.61	122.90
2	B	7	MAN	O4-C4-C5	-2.63	102.85	109.32
3	C	4	MAN	C1-O5-C5	2.62	115.69	112.19
4	D	1	NAG	O5-C5-C6	2.58	112.69	107.66
3	C	1	NAG	O5-C5-C6	2.54	112.61	107.66
2	B	1	NAG	C1-O5-C5	-2.52	108.81	112.19
3	C	3	BMA	O3-C3-C2	2.48	115.11	110.05
2	B	7	MAN	O5-C5-C6	-2.47	102.86	107.66
2	B	2	NAG	C1-C2-N2	-2.35	106.72	110.43
4	D	1	NAG	C1-O5-C5	2.32	115.29	112.19
2	B	2	NAG	O5-C1-C2	-2.30	107.74	111.29
3	C	7	GLC	O5-C1-C2	-2.26	105.40	110.79
3	C	6	MAN	O3-C3-C4	-2.25	105.07	110.38
4	D	1	NAG	O7-C7-C8	-2.23	118.08	122.05
2	B	3	BMA	C1-O5-C5	-2.23	109.20	112.19
3	C	6	MAN	C1-O5-C5	2.22	115.17	112.19
2	B	2	NAG	O4-C4-C3	-2.20	105.19	110.38
2	B	4	MAN	O3-C3-C2	-2.18	105.59	110.05
3	C	4	MAN	O3-C3-C4	2.16	115.47	110.38
2	B	1	NAG	O5-C1-C2	-2.16	107.94	111.29
4	D	2	NAG	C1-O5-C5	2.16	115.08	112.19
3	C	7	GLC	C2-C3-C4	-2.14	107.09	110.86
4	D	1	NAG	C1-C2-N2	-2.13	107.07	110.43
3	C	1	NAG	O7-C7-N2	-2.13	118.22	121.98
3	C	4	MAN	O2-C2-C3	-2.11	105.79	110.15
2	B	2	NAG	C4-C3-C2	-2.10	107.94	111.02
3	C	2	NAG	O5-C1-C2	-2.08	108.07	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	7	MAN	C1-C2-C3	-2.07	106.62	109.64
3	C	6	MAN	C1-C2-C3	2.07	112.66	109.64
4	D	2	NAG	O5-C5-C4	-2.06	105.82	110.83
3	C	3	BMA	C2-C3-C4	2.02	114.42	110.86

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	4	MAN	1	0
4	D	1	NAG	1	0
2	B	5	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	1040	1	14,14,15	1.31	1 (7%)	17,19,21	1.78	3 (17%)
6	NAG	A	1041	1	14,14,15	0.87	0	17,19,21	2.05	5 (29%)
5	PTQ	A	1024	-	21,21,21	1.52	4 (19%)	27,28,28	1.44	5 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1040	1	-	1/6/23/26	0/1/1/1
6	NAG	A	1041	1	-	0/6/23/26	0/1/1/1
5	PTQ	A	1024	-	-	1/8/28/28	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1040	NAG	O7-C7	4.11	1.32	1.23
5	A	1024	PTQ	O1-C5	2.94	1.51	1.44
5	A	1024	PTQ	C13-C14	-2.82	1.34	1.38
5	A	1024	PTQ	C1-S1	2.32	1.84	1.80
5	A	1024	PTQ	C1-C2	-2.15	1.49	1.53

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1041	NAG	O7-C7-C8	-4.56	113.93	122.05
6	A	1040	NAG	C8-C7-N2	-3.66	110.05	116.12
5	A	1024	PTQ	C6-C5-C4	3.50	121.62	113.02
6	A	1041	NAG	O4-C4-C5	-3.24	101.36	109.32
6	A	1040	NAG	O6-C6-C5	-3.20	100.43	111.33
6	A	1041	NAG	C4-C3-C2	3.04	115.48	111.02
6	A	1041	NAG	C8-C7-N2	2.98	121.06	116.12
5	A	1024	PTQ	O1-C1-C2	2.75	114.11	110.32
5	A	1024	PTQ	O1-C5-C6	-2.71	99.72	106.44
6	A	1040	NAG	O5-C5-C6	-2.65	102.52	107.66
6	A	1041	NAG	C2-N2-C7	-2.52	119.52	122.90
5	A	1024	PTQ	C3-C4-C5	2.38	114.56	110.23
5	A	1024	PTQ	O4-C4-C3	-2.08	105.47	110.38

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	1024	PTQ	O1-C5-C6-O5
6	A	1040	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1024	PTQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	986/1003 (98%)	-0.08	31 (3%) 51 54	4, 12, 26, 61	10 (1%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	933	ALA	7.3
1	A	526	THR	6.4
1	A	932	THR	4.9
1	A	266	CYS	4.5
1	A	527	ALA	4.4
1	A	543	SER	4.2
1	A	523	SER	4.0
1	A	931	ALA	4.0
1	A	1020	HIS	3.6
1	A	522	GLY	3.5
1	A	934	ALA	3.5
1	A	39	LYS	3.4
1	A	525	LYS	2.9
1	A	544	ASN	2.9
1	A	524	SER	2.9
1	A	38	ALA	2.8
1	A	542	THR	2.7
1	A	499	GLU	2.6
1	A	528	LYS	2.5
1	A	671	HIS	2.5
1	A	914	HIS	2.4
1	A	672	VAL	2.4
1	A	676	GLU	2.4
1	A	545	LEU	2.4
1	A	206	GLU	2.1
1	A	880	SER	2.1
1	A	498	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	673	GLN	2.0
1	A	886	PRO	2.0
1	A	811	TRP	2.0
1	A	275	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	D	2	14/15	0.72	0.18	35,40,51,51	0
3	MAN	C	8	11/12	0.80	0.16	27,31,37,40	0
4	NAG	D	1	14/15	0.87	0.14	22,30,38,41	0
2	MAN	B	6	11/12	0.89	0.14	21,25,36,37	0
3	MAN	C	4	11/12	0.93	0.10	14,18,23,31	0
3	GLC	C	7	11/12	0.94	0.09	13,15,19,21	0
2	MAN	B	7	11/12	0.95	0.08	15,16,22,25	0
3	NAG	C	2	14/15	0.96	0.08	10,14,32,34	0
3	NAG	C	1	14/15	0.96	0.07	11,13,22,28	0
3	MAN	C	6	11/12	0.97	0.06	13,13,15,16	0
2	MAN	B	4	11/12	0.97	0.07	9,11,16,22	0
3	BMA	C	3	11/12	0.97	0.06	12,13,17,18	0
2	NAG	B	1	14/15	0.97	0.06	8,11,18,21	0
3	MAN	C	5	11/12	0.97	0.06	12,13,16,16	0
2	BMA	B	3	11/12	0.98	0.05	9,11,14,15	0
2	NAG	B	2	14/15	0.98	0.05	8,10,15,16	0
2	MAN	B	5	11/12	0.98	0.06	10,12,19,29	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain B:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	A	1040	14/15	0.79	0.15	28,36,45,48	0
6	NAG	A	1041	14/15	0.91	0.09	24,28,35,41	0
5	PTQ	A	1024	20/20	0.98	0.05	6,8,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.