



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:03 PM UTC

PDB ID : 7OGN / pdb_00007ogn
Title : Crystal structure of T2R-TTL -mebendazole complex
Authors : Oliva, M.A.; Bonato, F.; Diaz, J.F.
Deposited on : 2021-05-07
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	5% 93% • •
1	C	451	4% 92% 6% •
2	B	445	6% 90% • 5%
2	D	445	12% 92% • 5%
3	E	189	10% 62% • 37%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	20% 83% 14%

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 34985 atoms, of which 17129 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	439	Total	C	H	N	O	S	0	7	0
			6858	2196	3390	587	661	24			
1	C	440	Total	C	H	N	O	S	0	15	0
			6928	2216	3426	592	669	25			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	421	Total	C	H	N	O	S	0	6	0
			6580	2103	3235	571	642	29			
2	D	422	Total	C	H	N	O	S	0	9	0
			6600	2108	3242	570	653	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	120	Total	C	H	N	O	S	0	0	0
			2007	614	1013	180	195	5			

- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	329	Total	C	H	N	O	S	0	4	0
			5426	1750	2707	464	490	15			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	0	0
			41	10	9	5	14	3		
5	C	1	Total	C	H	N	O	P	0	0
			41	10	9	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Mg	0	0
			2	2		
6	B	2	Total	Mg	0	0
			2	2		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		
6	F	1	Total	Mg	0	0
			1	1		


- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0
7	E	1	Total Ca 1 1	0	0

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Cl 1 1	0	0
8	C	1	Total Cl 1 1	0	0

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C H O 14 3 8 3	0	0

- Molecule 10 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
10	B	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0
10	D	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0

- Molecule 11 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
11	B	1	Total	C	H	N	O	S	0	0
			25	6	13	1	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	D	1	Total	C	H	N	O	0	0
			25	6	13	1	4		

- Molecule 12 is methyl N-(6-benzoyl-1H-benzimidazol-2-yl)carbamate (CCD ID: V95) (formula: $C_{16}H_{13}N_3O_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	B	1	Total	C	H	N	O	0	0
			35	16	13	3	3		
12	D	1	Total	C	H	N	O	0	0
			35	16	13	3	3		

- Molecule 13 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	C	1	Total	C	H	N	0	0
			10	3	5	2		

- Molecule 14 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	46	Total 46	O 46	0	0
15	B	49	Total 49	O 49	0	0
15	C	114	Total 114	O 114	0	0
15	D	14	Total 14	O 14	0	0
15	E	1	Total 1	O 1	0	0
15	F	3	Total 3	O 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain



- Molecule 1: Tubulin alpha-1B chain



- Molecule 2: Tubulin beta-2B chain



- Molecule 2: Tubulin beta-2B chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.90Å 158.01Å 179.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.35 – 2.20 50.35 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.5 (50.35-2.20) 99.5 (50.35-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.93 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.209 , 0.234 0.209 , 0.236	Depositor DCC
R_{free} test set	7566 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	48.5	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	34985	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MES, V95, IMD, CA, MG, GOL, ACP, GDP, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.09	0/3563	0.25	0/4835
1	C	0.10	0/3630	0.28	0/4929
2	B	0.09	0/3437	0.26	0/4651
2	D	0.08	0/3450	0.24	0/4673
3	E	0.09	0/1002	0.21	0/1329
4	F	0.08	0/2789	0.23	0/3761
All	All	0.09	0/17871	0.25	0/24178

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3468	3390	3389	12	0
1	C	3502	3426	3387	17	0
2	B	3345	3235	3211	12	0
2	D	3358	3242	3224	7	0
3	E	994	1013	1013	2	0
4	F	2719	2707	2701	8	0
5	A	32	9	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	9	12	0	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	A	1	0	0	0	0
8	C	1	0	0	0	0
9	A	6	8	8	0	0
10	B	28	10	12	0	0
10	D	28	10	12	0	0
11	B	12	13	13	0	0
11	D	12	13	13	0	0
12	B	22	13	0	0	0
12	D	22	13	0	0	0
13	C	5	5	5	0	0
14	F	31	13	13	0	0
15	A	46	0	0	0	0
15	B	49	0	0	0	0
15	C	114	0	0	0	0
15	D	14	0	0	0	0
15	E	1	0	0	0	0
15	F	3	0	0	0	0
All	All	17856	17129	17025	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ILE:HG21	1:C:302[B]:MET:SD	2.11	0.91
1:C:204:VAL:HG22	1:C:302[B]:MET:CE	2.19	0.72
1:A:234:ILE:HD13	1:A:302:MET:SD	2.32	0.70
3:E:136:ASN:OD1	3:E:140:MET:HE2	1.96	0.64
4:F:192:LEU:HD13	4:F:262:MET:HE1	1.79	0.64
2:B:147[A]:SER:HG	2:B:190:SER:HG	1.47	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:VAL:HG13	1:A:368:LEU:HD21	1.82	0.60
1:C:249:ASN:OD1	1:C:356[A]:ASN:ND2	2.36	0.58
2:D:167[A]:ASN:ND2	2:D:252:LEU:HD22	2.19	0.57
2:B:141:LEU:HD12	2:B:172:MET:SD	2.47	0.54
2:D:203:CYS:SG	2:D:384[B]:ILE:HD11	2.49	0.52
1:A:265:ILE:HG23	1:A:432:TYR:CZ	2.46	0.50
4:F:145:ASN:OD1	4:F:147:TRP:NE1	2.44	0.49
1:A:71:GLU:OE1	1:A:73:THR:OG1	2.24	0.48
2:B:205:ASP:OD2	2:B:390:ARG:NH1	2.42	0.48
1:C:187:SER:HB3	1:C:391:LEU:HD21	1.95	0.48
1:C:162:GLY:HA2	3:E:138:ILE:HD11	1.96	0.47
2:B:119:LEU:HD11	2:B:156:LYS:HB3	1.96	0.47
4:F:192:LEU:HD13	4:F:262:MET:CE	2.44	0.47
1:C:270:ALA:HB3	1:C:302[B]:MET:SD	2.55	0.47
4:F:126:ASP:OD1	4:F:128:ARG:N	2.48	0.47
1:C:36:MET:HE1	1:C:49:PHE:CE2	2.50	0.46
2:D:177[B]:VAL:HG12	2:D:177[B]:VAL:O	2.14	0.46
2:B:414:ASP:OD1	2:B:415:GLU:N	2.48	0.46
1:A:187:SER:CB	1:A:391:LEU:HD21	2.46	0.46
4:F:151:SER:O	4:F:151:SER:OG	2.22	0.45
2:D:191:VAL:O	2:D:195:VAL:HG23	2.16	0.45
2:D:387:LEU:C	2:D:387:LEU:HD23	2.42	0.45
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.99	0.45
2:B:358:ILE:HD12	2:B:358:ILE:N	2.31	0.45
2:B:402:LYS:HB3	2:B:405:LEU:HD12	1.99	0.44
1:C:361:THR:HG22	1:C:362:VAL:N	2.32	0.44
1:A:265:ILE:HG23	1:A:432:TYR:CE1	2.52	0.44
1:C:271:THR:HG21	1:C:295:CYS:O	2.16	0.44
1:A:187:SER:HB3	1:A:391:LEU:HD21	1.99	0.44
2:D:67:LEU:N	2:D:67:LEU:HD12	2.33	0.44
1:C:187:SER:CB	1:C:391:LEU:HD21	2.47	0.43
4:F:217:ARG:NH2	4:F:345:GLU:OE2	2.51	0.43
1:C:346:TRP:CZ3	1:C:347[B]:CYS:SG	3.12	0.43
1:A:343:PHE:CD1	1:A:349:THR:HG23	2.53	0.43
1:A:335:ILE:HG23	1:A:339:ARG:HG3	2.00	0.43
2:B:136:GLN:HA	2:B:167:ASN:O	2.19	0.42
1:C:344:VAL:HG21	1:C:346:TRP:CE2	2.54	0.42
1:A:2:ARG:O	1:A:51[B]:THR:HG23	2.19	0.42
1:C:7:ILE:HG21	1:C:153:LEU:HD21	2.02	0.42
2:B:67:LEU:HD12	2:B:67:LEU:N	2.35	0.42
2:B:69:ASP:O	2:B:94:PHE:HA	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:348:GLN:NE2	4:F:352:ASP:OD1	2.53	0.41
2:B:143:GLY:O	2:B:147[B]:SER:OG	2.37	0.41
2:B:96:GLN:HB3	1:C:1:MET:HE2	2.02	0.41
2:D:171:VAL:HA	2:D:204:ILE:O	2.21	0.41
4:F:126:ASP:OD1	4:F:127:GLU:N	2.53	0.40
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.56	0.40
1:C:9:VAL:HG22	1:C:68[B]:VAL:CG2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	442/451 (98%)	431 (98%)	11 (2%)	0	100	100
1	C	453/451 (100%)	445 (98%)	8 (2%)	0	100	100
2	B	421/445 (95%)	413 (98%)	8 (2%)	0	100	100
2	D	425/445 (96%)	416 (98%)	9 (2%)	0	100	100
3	E	116/189 (61%)	116 (100%)	0	0	100	100
4	F	317/384 (83%)	309 (98%)	8 (2%)	0	100	100
All	All	2174/2365 (92%)	2130 (98%)	44 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/379 (100%)	377 (100%)	0	100	100
1	C	385/379 (102%)	385 (100%)	0	100	100
2	B	370/383 (97%)	370 (100%)	0	100	100
2	D	374/383 (98%)	374 (100%)	0	100	100
3	E	108/171 (63%)	108 (100%)	0	100	100
4	F	301/342 (88%)	301 (100%)	0	100	100
All	All	1915/2037 (94%)	1915 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	301	GLN
1	A	393	HIS
2	B	85	GLN
2	B	167	ASN
2	B	192	HIS
2	B	193	GLN
2	B	331	GLN
1	C	85	GLN
1	C	133	GLN
1	C	256	GLN
1	C	393	HIS
2	D	15	GLN
2	D	107	HIS
2	D	331	GLN
2	D	385	GLN
3	E	152	ASN
3	E	180	ASN
4	F	269	GLN
4	F	379	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 13 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	V95	B	505	-	24,24,24	1.91	8 (33%)	33,33,33	2.03	6 (18%)
9	GOL	A	505	-	5,5,5	0.94	0	5,5,5	1.09	0
11	MES	D	502	-	12,12,12	2.15	1 (8%)	15,16,16	1.40	3 (20%)
12	V95	D	503	-	24,24,24	1.95	8 (33%)	33,33,33	2.23	6 (18%)
10	GDP	B	501	6	29,30,30	1.21	4 (13%)	45,47,47	1.58	5 (11%)
14	ACP	F	500	6	31,33,33	3.42	13 (41%)	47,52,52	1.90	12 (25%)
10	GDP	D	500	6	29,30,30	1.18	3 (10%)	45,47,47	1.66	5 (11%)
5	GTP	A	501	6	33,34,34	0.89	0	50,54,54	1.59	10 (20%)
13	IMD	C	501	-	5,5,5	0.67	0	5,5,5	0.42	0
5	GTP	C	502	6	33,34,34	0.98	3 (9%)	50,54,54	1.53	9 (18%)
11	MES	B	504	-	12,12,12	2.08	1 (8%)	15,16,16	1.42	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	V95	B	505	-	-	2/14/14/14	0/3/3/3
9	GOL	A	505	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	MES	D	502	-	-	1/6/14/14	0/1/1/1
12	V95	D	503	-	-	2/14/14/14	0/3/3/3
10	GDP	B	501	6	-	3/16/32/32	0/3/3/3
14	ACP	F	500	6	-	1/19/38/38	0/3/3/3
10	GDP	D	500	6	-	3/16/32/32	0/3/3/3
5	GTP	A	501	6	-	7/22/38/38	0/3/3/3
13	IMD	C	501	-	-	-	0/1/1/1
5	GTP	C	502	6	-	6/22/38/38	0/3/3/3
11	MES	B	504	-	-	0/6/14/14	0/1/1/1

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	F	500	ACP	PA-O3A	9.20	1.69	1.59
14	F	500	ACP	O4'-C1'	8.95	1.62	1.42
11	D	502	MES	C8-S	-7.16	1.67	1.77
11	B	504	MES	C8-S	-6.92	1.67	1.77
14	F	500	ACP	C2'-C1'	-6.25	1.33	1.53
14	F	500	ACP	C6-N6	6.24	1.50	1.34
14	F	500	ACP	O4'-C4'	-5.65	1.32	1.45
12	D	503	V95	C03-N05	4.41	1.45	1.37
14	F	500	ACP	PB-O2B	-4.15	1.46	1.56
12	B	505	V95	C03-N05	4.10	1.44	1.37
12	D	503	V95	O02-C03	3.57	1.40	1.34
12	D	503	V95	C06-N05	3.54	1.45	1.37
12	B	505	V95	O02-C03	3.44	1.40	1.34
14	F	500	ACP	O3'-C3'	-3.44	1.34	1.43
12	B	505	V95	C06-N05	3.40	1.44	1.37
10	D	500	GDP	C5-C4	3.11	1.47	1.38
14	F	500	ACP	PB-O3A	3.03	1.61	1.58
14	F	500	ACP	PA-O5'	3.01	1.71	1.59
10	B	501	GDP	C5-C4	2.96	1.46	1.38
10	B	501	GDP	C6-N1	-2.91	1.33	1.38
10	D	500	GDP	C6-N1	-2.64	1.33	1.38
12	B	505	V95	C17-C15	2.55	1.53	1.49
12	D	503	V95	C17-C15	2.54	1.53	1.49
12	B	505	V95	C12-C15	2.52	1.53	1.49
12	D	503	V95	C09-C08	-2.51	1.36	1.40
12	B	505	V95	C09-C08	-2.48	1.36	1.40
12	B	505	V95	O02-C01	-2.40	1.39	1.45
14	F	500	ACP	C8-N7	2.40	1.36	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	D	503	V95	O02-C01	-2.38	1.40	1.45
12	D	503	V95	C12-C15	2.35	1.53	1.49
14	F	500	ACP	PG-O2G	-2.35	1.49	1.55
12	B	505	V95	O16-C15	-2.31	1.18	1.22
12	D	503	V95	O16-C15	-2.29	1.18	1.22
5	C	502	GTP	PB-O3B	2.28	1.62	1.59
10	B	501	GDP	C4-N9	-2.23	1.32	1.38
14	F	500	ACP	C5-C4	-2.20	1.35	1.39
10	B	501	GDP	C5-N7	-2.18	1.34	1.39
5	C	502	GTP	C2-N3	2.15	1.38	1.33
10	D	500	GDP	C5-N7	-2.10	1.34	1.39
14	F	500	ACP	C5-N7	-2.02	1.35	1.39
5	C	502	GTP	PA-O3A	2.00	1.61	1.59

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	503	V95	O02-C03-N05	9.37	119.93	109.15
12	B	505	V95	O02-C03-N05	8.31	118.71	109.15
14	F	500	ACP	N3-C2-N1	-5.84	119.75	128.58
10	D	500	GDP	C5-C4-N3	-5.74	119.26	128.39
10	B	501	GDP	C5-C4-N3	-5.11	120.26	128.39
14	F	500	ACP	C5-C4-N3	-4.85	120.05	126.72
5	A	501	GTP	C5-C4-N3	-4.79	120.76	128.39
5	C	502	GTP	C5-C4-N3	-4.77	120.80	128.39
5	A	501	GTP	C2-N3-C4	4.76	120.50	112.30
10	D	500	GDP	C2-N3-C4	4.69	120.39	112.30
14	F	500	ACP	N9-C8-N7	-4.34	107.77	113.94
5	C	502	GTP	C2-N3-C4	4.33	119.76	112.30
10	B	501	GDP	C2-N3-C4	4.32	119.75	112.30
10	D	500	GDP	N9-C4-N3	4.31	134.57	125.95
12	D	503	V95	O04-C03-N05	-4.27	119.57	125.47
10	B	501	GDP	N9-C4-N3	3.93	133.82	125.95
12	B	505	V95	O04-C03-N05	-3.83	120.18	125.47
12	D	503	V95	N10-C06-N07	-3.56	108.57	113.73
10	B	501	GDP	C6-C5-N7	3.53	136.72	130.29
14	F	500	ACP	C2-N3-C4	3.49	120.36	111.83
12	D	503	V95	C08-N07-C06	3.48	108.30	104.21
12	B	505	V95	N10-C06-N07	-3.43	108.74	113.73
12	B	505	V95	C08-N07-C06	3.43	108.25	104.21
10	D	500	GDP	C6-C5-N7	3.37	136.42	130.29
14	F	500	ACP	N6-C6-N1	-3.34	110.94	118.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	502	GTP	N9-C4-N3	3.18	132.32	125.95
11	B	504	MES	O1S-S-C8	3.04	111.32	106.73
14	F	500	ACP	C5-N7-C8	2.98	108.14	103.45
5	C	502	GTP	C2-N1-C6	-2.89	119.87	125.11
5	A	501	GTP	C2-N1-C6	-2.86	119.92	125.11
5	A	501	GTP	N9-C8-N7	-2.84	108.14	113.40
12	D	503	V95	O02-C03-O04	-2.83	120.49	124.62
5	C	502	GTP	N9-C8-N7	-2.81	108.19	113.40
5	A	501	GTP	N9-C4-N3	2.79	131.53	125.95
14	F	500	ACP	N3-C4-N9	2.66	131.69	127.17
5	A	501	GTP	C8-N7-C5	2.65	108.98	104.26
11	D	502	MES	C5-N4-C3	2.62	114.49	108.84
12	D	503	V95	C06-N05-C03	-2.60	119.47	125.29
11	B	504	MES	C5-N4-C3	2.55	114.34	108.84
10	D	500	GDP	C4-C5-N7	-2.53	106.66	110.67
5	C	502	GTP	O6-C6-C5	-2.50	119.92	126.53
14	F	500	ACP	C4-C5-N7	-2.49	107.74	110.58
5	C	502	GTP	C5-C6-N1	2.48	119.56	113.25
5	C	502	GTP	C8-N7-C5	2.47	108.67	104.26
5	A	501	GTP	C5-C6-N1	2.45	119.50	113.25
12	B	505	V95	O02-C03-O04	-2.42	121.10	124.62
5	A	501	GTP	O2B-PB-O3B	2.40	113.77	107.27
10	B	501	GDP	C4-C5-N7	-2.39	106.89	110.67
14	F	500	ACP	C5-C6-N6	2.34	129.09	123.29
11	D	502	MES	O1S-S-C8	2.34	110.26	106.73
5	A	501	GTP	O6-C6-C5	-2.31	120.45	126.53
5	C	502	GTP	O2B-PB-O3B	2.29	113.46	107.27
14	F	500	ACP	PB-O3A-PA	-2.27	124.96	132.37
14	F	500	ACP	C5-C4-N9	2.25	108.27	105.81
14	F	500	ACP	C4-N9-C8	2.23	108.08	105.74
11	D	502	MES	O3S-S-C8	2.17	110.25	106.00
12	B	505	V95	C06-N05-C03	-2.17	120.45	125.29
5	A	501	GTP	C4-C5-N7	-2.01	107.48	110.67
11	B	504	MES	O3S-S-C8	2.01	109.94	106.00

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	502	GTP	PB-O3B-PG-O2G
5	C	502	GTP	C5'-O5'-PA-O3A
5	C	502	GTP	C5'-O5'-PA-O1A
5	C	502	GTP	C5'-O5'-PA-O2A
10	B	501	GDP	C5'-O5'-PA-O3A
10	B	501	GDP	C5'-O5'-PA-O1A
10	B	501	GDP	C5'-O5'-PA-O2A
10	D	500	GDP	C5'-O5'-PA-O3A
10	D	500	GDP	C5'-O5'-PA-O1A
10	D	500	GDP	C5'-O5'-PA-O2A
12	B	505	V95	N05-C03-O02-C01
12	D	503	V95	N05-C03-O02-C01
12	B	505	V95	O04-C03-O02-C01
12	D	503	V95	O04-C03-O02-C01
14	F	500	ACP	C5'-O5'-PA-O1A
5	A	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3B-PG-O1G
11	D	502	MES	C8-C7-N4-C3
5	A	501	GTP	PB-O3B-PG-O2G
5	C	502	GTP	PB-O3B-PG-O3G
5	C	502	GTP	PB-O3A-PA-O2A

There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand V95 B 505




Ligand V95 D 503









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	439/451 (97%)	0.60	24 (5%)	30	27	28, 58, 92, 162	7 (1%)
1	C	440/451 (97%)	0.37	20 (4%)	38	35	22, 45, 76, 115	11 (2%)
2	B	421/445 (94%)	0.54	25 (5%)	28	25	22, 53, 88, 121	5 (1%)
2	D	422/445 (94%)	1.01	52 (12%)	8	6	26, 66, 100, 145	11 (2%)
3	E	120/189 (63%)	1.06	18 (15%)	5	4	44, 71, 115, 127	0
4	F	329/384 (85%)	1.34	76 (23%)	2	1	27, 82, 138, 187	3 (0%)
All	All	2171/2365 (91%)	0.76	215 (9%)	13	10	22, 60, 108, 187	37 (1%)

All (215) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	179[A]	ASP	6.6
4	F	159	GLY	6.5
4	F	179	VAL	6.4
4	F	362	ALA	6.2
4	F	231	ALA	5.8
4	F	170	LEU	5.8
1	C	179	THR	5.7
2	B	285	ALA	5.6
2	B	438	ALA	5.6
2	B	1	MET	5.5
3	E	71	PRO	5.3
1	A	437	VAL	5.3
1	C	282	TYR	5.2
2	D	280	SER	5.2
4	F	240	LEU	5.0
2	D	250	ALA	5.0
2	B	56	ALA	5.0
1	C	440	VAL	4.9
2	B	58	GLY	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	102	PRO	4.7
4	F	248	GLU	4.7
2	D	407	TRP	4.7
1	C	283	HIS	4.7
1	C	284[A]	GLU	4.7
1	A	282	TYR	4.5
3	E	88	ASP	4.5
2	D	82	PRO	4.4
4	F	237	THR	4.4
2	B	276	THR	4.4
2	B	283	TYR	4.4
2	D	1	MET	4.3
1	C	340	SER	4.2
2	D	245	PRO	4.2
2	D	279	GLY	4.2
2	B	220	THR	4.1
4	F	172	PHE	4.1
4	F	373	SER	4.1
1	C	163	LYS	4.0
2	D	276	THR	4.0
1	C	162	GLY	3.9
4	F	174	ASP	3.9
4	F	139	ARG	3.9
1	A	86	LEU	3.9
4	F	133	ALA	3.8
4	F	27	TRP	3.7
2	D	255	LEU	3.7
2	B	88[A]	ARG	3.7
4	F	136	ASN	3.7
1	A	346	TRP	3.7
1	C	1	MET	3.6
2	D	286	LEU	3.6
1	C	357	TYR	3.6
1	C	285[A]	GLN	3.5
4	F	241	THR	3.5
4	F	132	LEU	3.5
3	E	52	VAL	3.4
1	A	281	ALA	3.4
2	D	278	ARG	3.4
2	B	337	ASN	3.4
1	A	262	TYR	3.3
4	F	186	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	173	ILE	3.2
2	B	284	ARG	3.2
4	F	166	ALA	3.2
2	B	369	ARG	3.1
3	E	68	LEU	3.1
4	F	169	LEU	3.1
4	F	341	LYS	3.1
2	D	57	THR	3.1
4	F	161	LEU	3.1
4	F	14	TYR	3.0
4	F	126	ASP	3.0
4	F	131	PHE	3.0
2	B	325	MET	3.0
4	F	245	ILE	3.0
1	A	283	HIS	3.0
4	F	101	TYR	3.0
2	D	128	SER	3.0
2	B	286	LEU	2.9
1	A	365	GLY	2.9
3	E	134	ASN	2.9
3	E	69	LYS	2.9
4	F	194	PRO	2.9
2	D	275	LEU	2.9
2	D	404	PHE	2.9
4	F	223	THR	2.9
4	F	171	ASP	2.9
1	C	365	GLY	2.8
4	F	224	SER	2.8
2	D	325	MET	2.8
1	A	347	CYS	2.8
4	F	164	SER	2.8
2	B	275	LEU	2.8
1	A	450	GLU	2.8
4	F	247	LYS	2.8
4	F	130	VAL	2.8
4	F	142	ARG	2.8
1	C	341	ILE	2.8
2	D	441	ASP	2.8
4	F	234	GLN	2.8
4	F	253	TYR	2.8
2	B	370	GLY	2.7
2	D	292	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	50	MET	2.7
4	F	243	HIS	2.7
4	F	379	HIS	2.7
2	D	229	HIS	2.6
3	E	67	ILE	2.6
4	F	225	SER	2.6
2	D	323	MET	2.6
4	F	1	MET	2.6
1	C	286	LEU	2.6
1	A	337	THR	2.6
4	F	31	ARG	2.6
1	A	349	THR	2.6
3	E	70	PRO	2.6
1	A	370	LYS	2.6
4	F	70	LYS	2.6
3	E	183	LEU	2.6
2	D	322	ARG	2.6
2	D	59	ASN	2.6
4	F	17	VAL	2.6
1	A	316[A]	CYS	2.5
2	D	251	ASP	2.5
2	B	86	ILE	2.5
2	D	37	HIS	2.5
2	D	212	ILE	2.5
1	A	342	GLN	2.5
1	A	368	LEU	2.5
2	B	323	MET	2.5
2	B	82	PRO	2.5
2	D	84	GLY	2.5
4	F	32	LYS	2.5
1	C	358[A]	GLN	2.5
1	C	120[A]	ASP	2.5
3	E	89	PRO	2.5
4	F	244	CYS	2.5
2	D	355	VAL	2.5
3	E	185	GLU	2.5
2	B	248	LEU	2.5
2	B	291	LEU	2.5
2	D	217	LEU	2.5
4	F	361	LEU	2.5
2	D	127	GLU	2.4
4	F	165	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	358	ILE	2.4
2	D	291	LEU	2.4
2	D	372	LYS	2.4
4	F	75	ALA	2.4
1	A	335	ILE	2.4
2	D	181[A]	VAL	2.4
4	F	137	ARG	2.4
2	D	414	ASP	2.3
2	D	177[A]	VAL	2.3
2	D	192	HIS	2.3
1	C	248	LEU	2.3
2	D	336	GLN	2.3
1	C	218	ASP	2.3
2	D	277	SER	2.3
2	D	42	LEU	2.3
2	D	219	LEU	2.3
2	B	322	ARG	2.3
2	D	340	SER	2.3
4	F	380	HIS	2.3
4	F	143	GLU	2.3
4	F	263	PHE	2.3
1	A	338	LYS	2.3
4	F	252	ASN	2.3
4	F	134	ALA	2.3
4	F	138	ARG	2.3
4	F	167	SER	2.3
2	D	85	GLN	2.3
2	D	422	GLU	2.3
1	C	280	LYS	2.3
1	A	92	LEU	2.2
1	A	329	ASN	2.2
2	D	416	MET	2.2
1	A	372[A]	GLN	2.2
2	B	221	THR	2.2
3	E	159	HIS	2.2
2	D	333	LEU	2.2
4	F	10	ASN	2.2
3	E	163	MET	2.2
4	F	36	ARG	2.2
3	E	96	LYS	2.2
4	F	230	SER	2.2
4	F	182	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	20	LEU	2.2
2	B	83	PHE	2.2
4	F	21	LEU	2.2
4	F	160	ILE	2.2
4	F	259	GLY	2.2
4	F	306	HIS	2.2
2	D	403	ALA	2.2
4	F	151	SER	2.2
2	D	130	ASP	2.1
4	F	242	ASN	2.1
3	E	51	GLU	2.1
3	E	106	LYS	2.1
4	F	236	LYS	2.1
2	D	56	ALA	2.1
2	D	81	GLY	2.1
2	B	132	LEU	2.1
4	F	135	TYR	2.1
4	F	150	LYS	2.1
1	C	335	ILE	2.1
4	F	181	VAL	2.1
2	D	353	THR	2.0
1	A	195	LEU	2.0
4	F	229	ASN	2.0
2	D	214	PHE	2.0
1	A	113	GLU	2.0
1	A	449	GLU	2.0
3	E	120	ARG	2.0
4	F	336	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	F	501	1/1	0.50	0.21	113,113,113,113	0
6	MG	B	506	1/1	0.66	0.12	79,79,79,79	0
6	MG	A	506	1/1	0.66	0.22	71,71,71,71	0
9	GOL	A	505	6/6	0.82	0.21	64,70,82,82	14
13	IMD	C	501	5/5	0.82	0.20	49,53,56,56	10
14	ACP	F	500	31/31	0.85	0.15	89,96,105,108	0
7	CA	B	503	1/1	0.86	0.10	76,76,76,76	0
8	CL	C	505	1/1	0.87	0.16	69,69,69,69	0
12	V95	D	503	22/22	0.88	0.17	53,56,60,62	35
11	MES	D	502	12/12	0.90	0.18	49,59,65,65	25
8	CL	A	504	1/1	0.90	0.11	73,73,73,73	0
10	GDP	D	500	28/28	0.92	0.12	55,62,66,75	0
6	MG	D	501	1/1	0.93	0.07	72,72,72,72	0
11	MES	B	504	12/12	0.93	0.10	36,42,50,53	0
12	V95	B	505	22/22	0.96	0.08	39,42,48,48	0
7	CA	E	201	1/1	0.96	0.06	83,83,83,83	0
7	CA	A	503	1/1	0.96	0.06	68,68,68,68	0
10	GDP	B	501	28/28	0.96	0.08	34,40,44,45	0
5	GTP	A	501	32/32	0.97	0.07	34,40,43,43	0
5	GTP	C	502	32/32	0.98	0.06	32,36,42,44	0
6	MG	A	502	1/1	0.98	0.04	39,39,39,39	0
6	MG	B	502	1/1	0.99	0.06	30,30,30,30	0
6	MG	C	503	1/1	0.99	0.05	37,37,37,37	0
7	CA	C	504	1/1	0.99	0.03	56,56,56,56	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACP F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around V95 D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP D 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V95 B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.