



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:11 PM UTC

PDB ID : 2OHX / pdb_00002ohx
Title : REFINED CRYSTAL STRUCTURE OF LIVER ALCOHOL
DEHYDROGENASE-NADH COMPLEX AT 1.8 ANGSTROMS RESO-
LUTION
Authors : Al-Karadaghi, S.; Cedergren-Zeppezauer, E.S.
Deposited on : 1993-08-24
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	374	
1	B	374	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ALCOHOL DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	65	0	0
			2785	1769	472	521	23			
1	B	374	Total	C	N	O	S	73	0	0
			2785	1769	472	521	23			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	241	Total	O	0	0
			241	241		
5	B	218	Total	O	0	0
			218	218		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: ALCOHOL DEHYDROGENASE

Chain A:  87% 11%



• Molecule 1: ALCOHOL DEHYDROGENASE

Chain B:  81% 16%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.76Å 44.54Å 94.61Å 104.80° 102.30° 70.60°	Depositor
Resolution (Å)	10.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.173 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6129	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, NAD, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.02	4/2837 (0.1%)	1.64	37/3834 (1.0%)
1	B	0.99	6/2837 (0.2%)	1.65	45/3834 (1.2%)
All	All	1.00	10/5674 (0.2%)	1.64	82/7668 (1.1%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	348	HIS	CD2-NE2	-6.00	1.31	1.37
1	A	105	HIS	CD2-NE2	-5.98	1.31	1.37
1	B	105	HIS	CD2-NE2	-5.96	1.31	1.37
1	B	34	HIS	CD2-NE2	-5.83	1.31	1.37
1	B	348	HIS	CD2-NE2	-5.72	1.31	1.37
1	B	67	HIS	CD2-NE2	-5.68	1.31	1.37
1	A	138	HIS	CD2-NE2	-5.62	1.31	1.37
1	A	34	HIS	CD2-NE2	-5.47	1.31	1.37
1	B	138	HIS	CD2-NE2	-5.38	1.31	1.37
1	B	139	HIS	CD2-NE2	-5.25	1.32	1.37

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	304	ASN	OD1-CG-ND2	-12.24	110.36	122.60
1	B	101	ARG	NE-CZ-NH1	10.81	132.31	121.50
1	A	304	ASN	CB-CG-ND2	10.01	131.41	116.40
1	B	300	ASN	OD1-CG-ND2	-9.98	112.62	122.60
1	B	304	ASN	OD1-CG-ND2	-8.84	113.76	122.60
1	B	2	THR	N-CA-C	8.79	123.27	112.54
1	B	124	GLN	OE1-CD-NE2	-8.39	114.21	122.60
1	A	300	ASN	OD1-CG-ND2	-7.99	114.61	122.60
1	B	161	ASP	CA-CB-CG	7.83	120.43	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	348	HIS	CB-CG-CD2	-7.70	121.19	131.20
1	B	348	HIS	CB-CG-CD2	-7.63	121.28	131.20
1	A	105	HIS	CB-CG-CD2	-7.60	121.32	131.20
1	A	259	ASN	OD1-CG-ND2	-7.45	115.15	122.60
1	B	326	ASP	CA-CB-CG	7.40	120.00	112.60
1	A	283	GLN	OE1-CD-NE2	-7.28	115.32	122.60
1	B	348	HIS	CB-CG-ND1	7.25	133.58	122.70
1	B	93	PHE	CA-CB-CG	7.11	120.91	113.80
1	A	59	THR	O-C-N	-6.88	117.03	121.85
1	B	225	ASN	OD1-CG-ND2	-6.74	115.86	122.60
1	B	328	VAL	N-CA-CB	-6.51	106.40	110.50
1	B	304	ASN	CB-CG-ND2	6.49	126.14	116.40
1	B	34	HIS	CB-CG-CD2	-6.49	122.77	131.20
1	B	353	GLU	CA-CB-CG	-6.44	101.22	114.10
1	A	41	VAL	N-CA-C	-6.42	106.54	111.62
1	B	101	ARG	NH1-CZ-NH2	-6.39	111.00	119.30
1	B	194	THR	CA-CB-OG1	-6.34	100.09	109.60
1	B	324	SER	N-CA-C	6.23	117.73	111.07
1	A	327	SER	N-CA-C	6.23	119.35	111.69
1	B	368	ILE	N-CA-C	-6.23	96.39	109.34
1	B	109	ASN	OD1-CG-ND2	-6.21	116.39	122.60
1	B	259	ASN	OD1-CG-ND2	-6.18	116.42	122.60
1	B	105	HIS	CB-CG-CD2	-6.16	123.19	131.20
1	B	273	ASP	CA-CB-CG	6.16	118.76	112.60
1	B	283	GLN	OE1-CD-NE2	-6.02	116.58	122.60
1	A	34	HIS	CB-CG-CD2	-5.99	123.41	131.20
1	A	90	ILE	CA-C-N	5.99	125.93	119.76
1	A	90	ILE	C-N-CA	5.99	125.93	119.76
1	B	15	TRP	CG-CD2-CE3	5.95	139.85	133.90
1	A	24	GLU	N-CA-C	5.89	116.87	108.74
1	A	323	LYS	N-CA-C	-5.84	101.00	109.59
1	A	324	SER	N-CA-C	5.84	117.31	111.07
1	A	125	ASP	CA-CB-CG	5.79	118.39	112.60
1	B	242	ASN	CA-C-N	5.74	126.13	119.47
1	B	242	ASN	C-N-CA	5.74	126.13	119.47
1	B	300	ASN	CB-CG-ND2	5.73	125.00	116.40
1	B	125	ASP	CA-CB-CG	5.66	118.26	112.60
1	A	348	HIS	CB-CG-ND1	5.65	131.18	122.70
1	A	259	ASN	CB-CG-ND2	5.63	124.84	116.40
1	A	105	HIS	CB-CG-ND1	5.57	131.06	122.70
1	B	242	ASN	OD1-CG-ND2	-5.46	117.14	122.60
1	B	139	HIS	CB-CG-CD2	-5.46	124.10	131.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	135	LYS	CA-C-N	5.44	125.20	119.76
1	B	135	LYS	C-N-CA	5.44	125.20	119.76
1	B	101	ARG	NE-CZ-NH2	-5.42	114.32	119.20
1	B	340	PHE	CA-CB-CG	5.38	119.19	113.80
1	A	124	GLN	OE1-CD-NE2	-5.32	117.28	122.60
1	A	139	HIS	CB-CG-ND1	5.32	130.67	122.70
1	A	343	ASP	N-CA-C	5.29	120.81	113.45
1	A	21	PHE	N-CA-C	-5.29	102.65	110.48
1	B	56	THR	CA-CB-OG1	-5.23	101.75	109.60
1	B	99	LYS	O-C-N	-5.22	116.60	122.34
1	A	154	GLU	N-CA-C	5.22	116.97	111.28
1	A	61	LEU	CA-C-O	-5.20	115.51	120.97
1	B	153	ASP	N-CA-C	-5.20	103.53	110.55
1	A	139	HIS	CB-CG-CD2	-5.20	124.45	131.20
1	A	135	LYS	CA-C-N	5.19	125.10	119.76
1	A	135	LYS	C-N-CA	5.19	125.10	119.76
1	A	356	ASN	OD1-CG-ND2	-5.15	117.45	122.60
1	B	114	ASN	OD1-CG-ND2	-5.14	117.46	122.60
1	B	129	ARG	N-CA-C	-5.11	106.45	113.30
1	A	138	HIS	CB-CG-CD2	-5.10	124.57	131.20
1	B	124	GLN	CG-CD-NE2	5.09	124.03	116.40
1	B	294	VAL	CA-C-O	-5.09	116.15	119.15
1	B	336	MET	CG-SD-CE	5.07	112.06	100.90
1	A	94	THR	CA-C-N	5.07	125.08	120.21
1	A	94	THR	C-N-CA	5.07	125.08	120.21
1	A	328	VAL	CA-C-O	-5.07	115.30	118.69
1	A	139	HIS	CA-CB-CG	5.06	118.86	113.80
1	A	242	ASN	CA-C-N	5.03	125.30	119.47
1	A	242	ASN	C-N-CA	5.03	125.30	119.47
1	B	357	GLU	N-CA-C	-5.03	105.88	111.36
1	B	315	LYS	CB-CG-CD	-5.00	99.79	111.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2848	14	0
1	B	2785	0	2848	21	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	44	0	26	1	0
3	B	44	0	26	1	0
4	A	4	0	6	0	0
4	B	4	0	6	0	0
5	A	241	0	0	2	0
5	B	218	0	0	1	0
All	All	6129	0	5760	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (33) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:MET:HA	1:A:336:MET:HE2	1.71	0.73
5:A:500:HOH:O	1:B:101:ARG:HD3	1.91	0.69
1:B:242:ASN:OD1	1:B:244:GLN:HG2	1.95	0.67
1:B:283:GLN:NE2	1:B:285:ALA:H	1.96	0.63
1:B:283:GLN:HE22	1:B:285:ALA:H	1.52	0.56
1:A:283:GLN:NE2	1:A:285:ALA:H	2.05	0.55
1:A:101:ARG:HE	1:B:283:GLN:HG3	1.72	0.55
1:B:101:ARG:NH2	5:B:407:HOH:O	2.40	0.54
1:B:283:GLN:HE22	1:B:285:ALA:HB3	1.73	0.53
1:B:31:PRO:HD3	1:B:37:ARG:HB2	1.90	0.53
1:A:260:GLY:HA3	5:A:500:HOH:O	2.13	0.48
1:A:283:GLN:HE22	1:A:285:ALA:H	1.62	0.47
1:B:83:VAL:HG12	1:B:159:LYS:HB2	1.95	0.47
1:B:304:ASN:ND2	1:B:306:MET:H	2.13	0.46
1:A:283:GLN:HG3	1:B:101:ARG:NH2	2.31	0.46
1:B:199:GLY:O	1:B:204:GLY:HA3	2.16	0.45
1:A:70:ALA:HB1	1:A:166:LEU:HD22	1.98	0.45
1:B:10:LYS:HA	1:B:24:GLU:O	2.17	0.44
1:A:275:MET:HE1	1:A:295:PRO:HB3	2.00	0.43
1:B:187:ALA:HB2	1:B:290:VAL:HG21	1.99	0.43
1:A:23:ILE:HD11	1:A:355:ILE:CG2	2.49	0.43
1:B:332:VAL:O	1:B:336:MET:HG2	2.19	0.43
1:B:292:VAL:O	3:B:403:NAD:H2N	2.20	0.42
1:A:231:LYS:HE3	1:A:344:PRO:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:348:HIS:O	1:B:370:THR:HA	2.20	0.41
1:B:70:ALA:HB1	1:B:166:LEU:HD22	2.01	0.41
1:B:168:LYS:HE3	1:B:343:ASP:OD1	2.20	0.41
1:A:174:CYS:SG	3:A:403:NAD:H5N	2.60	0.41
1:B:95:PRO:HB2	1:B:155:ILE:HD12	2.03	0.41
1:A:271:ARG:HB2	1:A:274:THR:OG1	2.20	0.40
1:A:306:MET:SD	1:A:309:LEU:HD12	2.60	0.40
1:B:2:THR:HB	1:B:7:ILE:HD11	2.03	0.40
1:A:304:ASN:ND2	1:A:306:MET:H	2.18	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/374 (100%)	358 (96%)	14 (4%)	0	100	100
1	B	372/374 (100%)	361 (97%)	9 (2%)	2 (0%)	24	14
All	All	744/748 (100%)	719 (97%)	23 (3%)	2 (0%)	36	25

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	174	CYS
1	B	368	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/308 (100%)	302 (98%)	6 (2%)	50	41
1	B	308/308 (100%)	294 (96%)	14 (4%)	24	12
All	All	616/616 (100%)	596 (97%)	20 (3%)	34	22

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	LEU
1	A	117	SER
1	A	239	GLU
1	A	304	ASN
1	A	309	LEU
1	A	338	LYS
1	B	61	LEU
1	B	117	SER
1	B	159	LYS
1	B	191	GLN
1	B	231	LYS
1	B	239	GLU
1	B	244	GLN
1	B	304	ASN
1	B	309	LEU
1	B	315	LYS
1	B	330	LYS
1	B	336	MET
1	B	353	GLU
1	B	354	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	283	GLN
1	A	300	ASN
1	A	304	ASN
1	B	124	GLN
1	B	283	GLN
1	B	299	GLN
1	B	304	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	DMS	B	404	2	3,3,3	0.43	0	3,3,3	1.86	2 (66%)
3	NAD	B	403	-	46,48,48	1.16	4 (8%)	64,73,73	1.82	13 (20%)
4	DMS	A	404	2	3,3,3	0.32	0	3,3,3	0.90	0
3	NAD	A	403	-	46,48,48	1.26	4 (8%)	64,73,73	1.82	12 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	B	403	-	-	5/30/62/62	0/5/5/5
3	NAD	A	403	-	-	5/30/62/62	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	403	NAD	C2N-N1N	4.69	1.40	1.35
3	A	403	NAD	C5A-N7A	-4.06	1.31	1.39
3	A	403	NAD	C2N-N1N	3.81	1.39	1.35
3	B	403	NAD	C5A-N7A	-3.15	1.33	1.39
3	B	403	NAD	C3N-C7N	2.23	1.53	1.50
3	A	403	NAD	C6N-N1N	2.07	1.40	1.35
3	B	403	NAD	C6N-N1N	2.07	1.40	1.35
3	A	403	NAD	C8A-N9A	-2.02	1.34	1.37

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	403	NAD	N3A-C4A-N9A	6.41	138.07	127.17
3	A	403	NAD	N3A-C4A-N9A	6.31	137.90	127.17
3	B	403	NAD	C5A-C4A-N3A	-5.96	118.52	126.72
3	A	403	NAD	C5A-C4A-N3A	-5.91	118.57	126.72
3	A	403	NAD	C6A-C5A-N7A	-4.77	122.89	132.09
3	A	403	NAD	C6A-C5A-C4A	4.52	123.35	117.18
3	B	403	NAD	N3A-C2A-N1A	-4.28	122.10	128.58
3	B	403	NAD	C6A-C5A-N7A	-3.73	124.90	132.09
3	B	403	NAD	C6A-C5A-C4A	3.62	122.12	117.18
3	B	403	NAD	C4A-N9A-C8A	3.34	109.25	105.74
3	A	403	NAD	N3A-C2A-N1A	-3.31	123.57	128.58
3	B	403	NAD	C2A-N3A-C4A	3.14	119.49	111.83
3	B	403	NAD	C6N-N1N-C2N	-2.89	119.42	121.88
3	A	403	NAD	C4A-C5A-N7A	2.77	113.75	110.58
3	B	403	NAD	N9A-C8A-N7A	-2.64	110.19	113.94
3	A	403	NAD	C2A-N3A-C4A	2.50	117.95	111.83
3	A	403	NAD	N6A-C6A-N1A	2.48	123.90	118.38
3	A	403	NAD	O7N-C7N-C3N	-2.30	116.79	119.60
3	A	403	NAD	C4A-N9A-C8A	2.28	108.13	105.74
4	B	404	DMS	C2-S-C1	-2.28	86.76	98.42
4	B	404	DMS	O-S-C2	2.24	117.70	106.49
3	B	403	NAD	C5A-C4A-N9A	-2.21	103.41	105.81
3	A	403	NAD	O5B-C5B-C4B	-2.20	101.50	108.99
3	A	403	NAD	C5A-C4A-N9A	-2.12	103.50	105.81
3	B	403	NAD	C4A-C5A-N7A	2.09	112.98	110.58
3	B	403	NAD	C2A-N1A-C6A	2.09	122.16	118.73
3	B	403	NAD	O4B-C1B-N9A	2.08	112.08	108.09

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	403	NAD	O4D-C1D-N1N-C2N
3	A	403	NAD	O4D-C1D-N1N-C6N
3	A	403	NAD	C2D-C1D-N1N-C2N
3	A	403	NAD	C2D-C1D-N1N-C6N
3	B	403	NAD	O4D-C1D-N1N-C2N
3	B	403	NAD	O4D-C1D-N1N-C6N
3	B	403	NAD	C2D-C1D-N1N-C2N
3	B	403	NAD	C2D-C1D-N1N-C6N
3	A	403	NAD	C2B-C1B-N9A-C8A
3	B	403	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	NAD	1	0
3	A	403	NAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.