



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 11:49 AM EDT

PDB ID : 4OHL / pdb_00004ohl
Title : LEOPARD Syndrome-Associated SHP2/T468M mutant
Authors : Yu, Z.H.; Zhang, R.Y.; Walls, C.D.; Chen, L.; Zhang, S.; Wu, L.; Wang, L.;
Liu, S.; Zhang, Z.Y.
Deposited on : 2014-01-17
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	536	 68% 21% 10%
1	B	536	 69% 21% 10%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 8154 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	484	3912	2465	698	730	19	0	0	0
1	B	485	3912	2464	699	730	19	0	0	1

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLN	deletion	UNP Q06124
A	?	-	ALA	deletion	UNP Q06124
A	?	-	LEU	deletion	UNP Q06124
A	?	-	LEU	deletion	UNP Q06124
A	468	MET	THR	engineered mutation	UNP Q06124
A	529	LEU	-	expression tag	UNP Q06124
A	530	GLU	-	expression tag	UNP Q06124
A	531	HIS	-	expression tag	UNP Q06124
A	532	HIS	-	expression tag	UNP Q06124
A	533	HIS	-	expression tag	UNP Q06124
A	534	HIS	-	expression tag	UNP Q06124
A	535	HIS	-	expression tag	UNP Q06124
A	536	HIS	-	expression tag	UNP Q06124
B	?	-	GLN	deletion	UNP Q06124
B	?	-	ALA	deletion	UNP Q06124
B	?	-	LEU	deletion	UNP Q06124
B	?	-	LEU	deletion	UNP Q06124
B	468	MET	THR	engineered mutation	UNP Q06124
B	529	LEU	-	expression tag	UNP Q06124
B	530	GLU	-	expression tag	UNP Q06124
B	531	HIS	-	expression tag	UNP Q06124
B	532	HIS	-	expression tag	UNP Q06124
B	533	HIS	-	expression tag	UNP Q06124
B	534	HIS	-	expression tag	UNP Q06124
B	535	HIS	-	expression tag	UNP Q06124

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	536	HIS	-	expression tag	UNP Q06124


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	183	Total O 183 183	0	0
2	B	147	Total O 147 147	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 11



- Molecule 1: Tyrosine-protein phosphatase non-receptor type 11



Y497	R498	R501	M504	V505	Q506	Y511	Y521	I522	E523	T524	L525	Q526	ARG	ARG	LEU	GLU	HIS	HIS	HIS	HIS	HIS	HIS	HIS
------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.34Å 209.26Å 56.08Å 90.00° 95.89° 90.00°	Depositor
Resolution (Å)	33.01 – 2.40 33.01 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.5 (33.01-2.40) 94.5 (33.01-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.36Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.191 , 0.259 0.191 , 0.260	Depositor DCC
R_{free} test set	1889 reflections (4.54%)	wwPDB-VP
Wilson B-factor (Å ²)	34.8	Xtrriage
Anisotropy	0.491	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 61.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8154	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/3993	0.87	5/5385 (0.1%)
1	B	0.51	0/3993	0.85	4/5385 (0.1%)
All	All	0.52	0/7986	0.86	9/10770 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	37	ASN	CA-C-N	5.89	127.21	119.84
1	A	37	ASN	C-N-CA	5.89	127.21	119.84
1	B	60	GLY	N-CA-C	-5.64	107.77	114.48
1	B	304	TYR	N-CA-C	5.61	118.63	109.59
1	A	371	TRP	CA-C-N	5.45	125.75	119.92
1	A	371	TRP	C-N-CA	5.45	125.75	119.92
1	A	502	SER	N-CA-C	5.45	118.08	109.96
1	B	423	TRP	CA-C-N	5.24	125.23	119.89
1	B	423	TRP	C-N-CA	5.24	125.23	119.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3912	0	3847	64	0
1	B	3912	0	3846	67	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	183	0	0	12	0
2	B	147	0	0	11	0
All	All	8154	0	7693	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:VAL:HG23	1:A:383:MET:HE2	1.64	0.80
1:B:205:THR:HG23	1:B:206:LEU:HD22	1.70	0.73
1:B:94:ASP:OD1	1:B:94:ASP:N	2.25	0.68
1:B:196:HIS:HA	1:B:199:LYS:HE2	1.74	0.68
1:B:390:GLU:HG2	1:B:399:ARG:HG2	1.77	0.66
1:A:399:ARG:NE	2:A:685:HOH:O	2.29	0.65
1:A:3:SER:N	1:A:259:CYS:HG	1.95	0.65
1:B:477:ASP:HA	1:B:480:ARG:HG2	1.81	0.63
1:B:4:ARG:HG2	1:B:259:CYS:SG	2.39	0.62
1:A:65:LEU:HD12	1:A:68:GLY:HA3	1.80	0.61
1:B:58:ASN:ND2	1:B:506:GLN:OE1	2.26	0.60
1:A:312:PRO:HB3	1:A:474:ILE:HD13	1.84	0.59
1:B:278:ARG:NH1	1:B:332:GLY:O	2.35	0.59
1:A:90:GLU:N	1:A:94:ASP:O	2.29	0.59
1:B:270:ARG:NH1	2:B:630:HOH:O	2.28	0.59
1:B:377:LEU:HD13	1:B:386:ARG:HB3	1.83	0.59
1:A:256:GLN:NE2	2:A:689:HOH:O	2.37	0.57
1:A:111:ARG:NH1	2:A:758:HOH:O	2.33	0.57
1:B:62:TYR:OH	1:B:364:LYS:NZ	2.37	0.57
1:A:520:HIS:O	1:A:524:THR:HG23	2.04	0.56
1:A:390:GLU:HG2	1:A:399:ARG:HG2	1.87	0.56
2:A:768:HOH:O	1:B:173:ARG:NH1	2.38	0.56
1:B:209:VAL:HG12	1:B:211:GLN:HG3	1.87	0.56
1:B:421:ARG:NH2	2:B:619:HOH:O	2.38	0.56
1:B:3:SER:OG	2:B:729:HOH:O	2.18	0.56
1:A:399:ARG:NH2	2:A:685:HOH:O	2.40	0.55
1:B:218:THR:O	1:B:229:ARG:NH2	2.27	0.55
1:A:246:GLY:N	2:A:704:HOH:O	2.40	0.55
1:B:12:THR:HG22	1:B:14:VAL:H	1.73	0.54
1:A:134:SER:HA	1:A:214:GLN:O	2.07	0.54
1:B:64:ASP:OD1	2:B:637:HOH:O	2.18	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3:SER:HB3	1:B:256:GLN:HG3	1.88	0.54
1:B:189:SER:OG	1:B:192:ASP:OD2	2.19	0.54
1:A:264:SER:HB2	1:A:266:LYS:CD	2.38	0.53
1:A:114:HIS:CE1	1:A:218:THR:HG21	2.43	0.53
1:B:349:ASN:ND2	1:B:451:ASP:O	2.40	0.53
1:A:379:GLU:HG2	1:A:384:ARG:HG3	1.90	0.52
1:B:480:ARG:NH2	2:B:737:HOH:O	2.43	0.52
1:B:115:GLY:HA2	1:B:139:GLU:HG3	1.92	0.52
1:B:4:ARG:HD3	1:B:258:GLU:HG2	1.92	0.51
1:B:110:GLU:OE1	1:B:112:TRP:NE1	2.43	0.51
1:A:385:VAL:HA	1:A:402:LYS:O	2.10	0.51
1:B:327:TYR:OH	1:B:473:ASP:OD2	2.21	0.51
1:A:205:THR:O	1:A:206:LEU:HB2	2.09	0.51
1:A:346:PHE:CE2	1:A:405:LYS:HE3	2.46	0.50
1:A:361:GLU:OE1	1:A:465:ARG:NH2	2.36	0.50
1:A:97:GLU:HG2	2:A:756:HOH:O	2.10	0.50
1:B:118:SER:HB3	1:B:121:GLU:HG3	1.94	0.50
1:B:489:ASP:OD1	1:B:491:PRO:HD2	2.12	0.50
1:B:6:TRP:HB3	1:B:101:PRO:HB3	1.93	0.50
1:B:479:ILE:HD13	1:B:522:ILE:HD11	1.93	0.50
1:A:56:ILE:HG12	1:A:65:LEU:HD23	1.93	0.49
1:A:135:PHE:HB3	1:A:151:VAL:HG13	1.92	0.49
1:A:264:SER:HB2	1:A:266:LYS:HD3	1.94	0.49
1:B:366:LYS:HD2	1:B:460:SER:HB3	1.94	0.49
1:A:356:THR:OG1	1:A:459:CYS:HB3	2.12	0.49
1:B:26:ASP:HA	1:B:46:ARG:HG2	1.93	0.49
1:B:62:TYR:CE1	1:B:70:LYS:HD3	2.48	0.49
1:A:205:THR:O	1:A:205:THR:OG1	2.29	0.48
1:B:249:GLU:N	1:B:249:GLU:OE1	2.46	0.48
1:A:467:GLY:HA2	1:A:504:MET:HE3	1.97	0.47
1:A:494:ILE:O	1:A:498:ARG:HG3	2.15	0.47
1:B:364:LYS:HE2	1:B:364:LYS:HB3	1.64	0.47
1:B:386:ARG:HG2	1:B:402:LYS:HB2	1.96	0.47
1:A:470:ILE:O	1:A:474:ILE:HG13	2.14	0.47
1:A:4:ARG:HG2	1:A:259:CYS:SG	2.55	0.47
1:A:25:VAL:H	1:A:28:SER:HG	1.61	0.47
1:B:523:GLU:C	1:B:525:LEU:H	2.23	0.47
1:B:467:GLY:HA2	1:B:504:MET:HE3	1.98	0.46
1:B:191:THR:OG1	2:B:641:HOH:O	2.20	0.46
1:A:468:MET:HE2	1:A:468:MET:HB3	1.75	0.46
1:B:217:ASN:ND2	1:B:492:LYS:HE3	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:468:MET:HB3	1:B:468:MET:HE2	1.82	0.46
1:A:90:GLU:HB3	1:A:91:LYS:H	1.57	0.46
1:B:491:PRO:HG3	1:B:511:TYR:OH	2.15	0.45
1:A:358:LYS:NZ	2:A:767:HOH:O	2.25	0.45
1:A:399:ARG:CZ	2:A:685:HOH:O	2.64	0.45
1:B:204:GLU:HB2	1:B:208:THR:HB	1.98	0.45
1:A:152:ARG:HG2	1:A:153:THR:N	2.31	0.45
1:A:491:PRO:HG3	1:A:511:TYR:OH	2.16	0.45
1:B:473:ASP:OD1	2:B:737:HOH:O	2.21	0.45
1:A:99:LYS:NZ	2:A:768:HOH:O	2.37	0.45
1:A:111:ARG:NH1	1:A:492:LYS:HZ2	2.15	0.45
1:A:198:LYS:HG2	1:A:212:LEU:HB2	1.99	0.45
1:B:134:SER:HA	1:B:214:GLN:O	2.16	0.45
1:A:479:ILE:HD13	1:A:522:ILE:HD11	1.99	0.45
1:B:134:SER:OG	1:B:214:GLN:NE2	2.49	0.45
1:B:496:MET:HE3	1:B:496:MET:HB3	1.72	0.45
1:A:27:GLY:HA3	1:A:99:LYS:HD2	1.97	0.44
1:B:357:THR:HG22	2:B:720:HOH:O	2.16	0.44
1:A:106:ASP:OD1	1:A:108:THR:HG23	2.17	0.44
1:B:423:TRP:CZ3	1:B:468:MET:HE1	2.52	0.44
1:A:42:THR:HG21	1:A:53:HIS:HB3	1.99	0.43
1:A:69:GLU:HG2	1:A:281:ASN:OD1	2.17	0.43
1:A:270:ARG:O	1:A:274:LYS:HG3	2.17	0.43
1:B:28:SER:HA	1:B:100:TYR:O	2.18	0.43
1:B:211:GLN:NE2	1:B:213:LYS:HE2	2.33	0.43
1:A:263:TYR:HB2	1:A:285:PHE:CD1	2.53	0.43
1:A:70:LYS:NZ	2:A:627:HOH:O	2.51	0.43
1:A:445:LYS:NZ	2:A:695:HOH:O	2.51	0.43
1:B:418:TYR:HB3	1:B:438:PHE:CE1	2.54	0.43
1:B:40:ASP:HB3	1:B:55:LYS:HE2	2.01	0.43
1:B:462:GLY:O	1:B:501:ARG:HD3	2.18	0.43
1:B:481:GLU:HG3	1:B:482:LYS:N	2.34	0.43
1:B:43:LEU:HD21	1:B:98:LEU:HD11	2.01	0.43
1:B:423:TRP:CH2	1:B:468:MET:HE1	2.54	0.43
1:A:29:PHE:HB3	1:A:45:VAL:HG13	1.99	0.42
1:A:115:GLY:O	1:A:116:HIS:CG	2.73	0.42
1:A:73:THR:OG1	1:A:76:GLU:HG3	2.20	0.42
1:A:343:ARG:HG2	1:A:383:MET:HE3	2.01	0.42
1:A:104:CYS:SG	1:A:106:ASP:HB3	2.59	0.42
1:B:377:LEU:HD11	1:B:384:ARG:HG2	2.01	0.42
1:A:286:ASP:O	1:A:289:ARG:HG2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:11:ILE:HG12	1:B:15:GLU:HB2	2.02	0.42
1:B:276:LYS:NZ	2:B:660:HOH:O	2.38	0.42
1:A:4:ARG:O	1:A:256:GLN:NE2	2.53	0.41
1:A:390:GLU:CD	1:A:399:ARG:HH11	2.27	0.41
1:A:465:ARG:O	1:A:469:PHE:HD2	2.04	0.41
1:B:74:LEU:HD23	1:B:74:LEU:HA	1.85	0.41
1:B:255:GLN:OE1	1:B:498:ARG:NH1	2.49	0.41
1:B:416:TRP:NE1	2:B:629:HOH:O	2.41	0.41
1:B:490:VAL:O	1:B:494:ILE:HG13	2.20	0.41
1:A:81:TYR:CD1	1:A:88:LEU:HB2	2.55	0.41
1:B:521:TYR:O	1:B:525:LEU:HD13	2.20	0.41
1:B:91:LYS:HD3	2:B:723:HOH:O	2.20	0.41
1:A:226:ILE:HG21	1:A:519:GLN:HA	2.03	0.41
1:A:221:ILE:HG22	1:A:229:ARG:HH11	1.86	0.40
1:A:349:ASN:ND2	1:A:451:ASP:O	2.54	0.40
1:A:468:MET:HG3	1:A:510:GLN:HB3	2.04	0.40
1:B:358:LYS:HE3	1:B:421:ARG:O	2.21	0.40
1:A:435:VAL:O	1:A:438:PHE:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	474/536 (88%)	445 (94%)	21 (4%)	8 (2%)	7 10
1	B	475/536 (89%)	447 (94%)	25 (5%)	3 (1%)	21 32
All	All	949/1072 (88%)	892 (94%)	46 (5%)	11 (1%)	10 16

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	206	LEU
1	B	92	ASN
1	A	116	HIS
1	A	36	SER
1	A	38	PRO
1	A	205	THR
1	A	37	ASN
1	A	93	GLY
1	A	505	VAL
1	B	505	VAL
1	B	524	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	428/478 (90%)	405 (95%)	23 (5%)	20	35
1	B	428/478 (90%)	411 (96%)	17 (4%)	28	47
All	All	856/956 (90%)	816 (95%)	40 (5%)	23	41

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ILE
1	A	14	VAL
1	A	36	SER
1	A	47	ARG
1	A	52	THR
1	A	95	VAL
1	A	96	ILE
1	A	116	HIS
1	A	117	LEU
1	A	124	LYS
1	A	151	VAL
1	A	165	SER
1	A	175	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	176	GLU
1	A	206	LEU
1	A	234	SER
1	A	266	LYS
1	A	305	ILE
1	A	362	ARG
1	A	391	SER
1	A	480	ARG
1	A	508	GLU
1	A	525	LEU
1	B	47	ARG
1	B	52	THR
1	B	69	GLU
1	B	92	ASN
1	B	94	ASP
1	B	95	VAL
1	B	102	LEU
1	B	111	ARG
1	B	165	SER
1	B	302	SER
1	B	309	ILE
1	B	335	GLN
1	B	360	VAL
1	B	412	GLU
1	B	450	MET
1	B	477	ASP
1	B	480	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	114	HIS
1	A	143	HIS
1	A	175	GLN
1	A	196	HIS
1	A	200	ASN
1	A	256	GLN
1	B	37	ASN
1	B	175	GLN
1	B	211	GLN
1	B	281	ASN
1	B	287	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	394	HIS
1	B	520	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	484/536 (90%)	-0.07	4 (0%) 82 80	20, 39, 61, 82	0
1	B	485/536 (90%)	0.04	6 (1%) 76 73	19, 43, 64, 87	0
All	All	969/1072 (90%)	-0.01	10 (1%) 79 76	19, 40, 63, 87	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	409	GLY	3.9
1	A	92	ASN	2.8
1	A	93	GLY	2.7
1	B	365	SER	2.5
1	B	410	ASN	2.4
1	B	38	PRO	2.4
1	A	116	HIS	2.3
1	B	116	HIS	2.3
1	A	207	GLY	2.2
1	B	36	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.