



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 10:10 AM UTC

PDB ID : 5OHG / pdb_00005ohg
Title : enolase in complex with RNase E
Authors : Du, D.; Luisi, B.F.
Deposited on : 2017-07-16
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	92% 8%
1	B	432	91% 9%
1	H	432	92% 7%
1	I	432	90% 9%
2	C	36	25% 61% 25% 8% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	35	74% 49% 46% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PO4	B	503	-	X	-	-
6	PO4	H	503	-	X	-	-
6	PO4	I	504	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	0	0	0
			3198	2005	546	633	14			
1	B	432	Total	C	N	O	S	0	0	0
			3203	2008	547	634	14			
1	H	431	Total	C	N	O	S	0	0	0
			3198	2005	546	633	14			
1	I	431	Total	C	N	O	S	0	0	0
			3198	2005	546	633	14			

- Molecule 2 is a protein called Ribonuclease E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	36	Total	C	N	O	S	0	1	0
			284	181	53	48	2			

- Molecule 3 is a protein called Ribonuclease E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	J	35	Total	C	N	O	S	2	1	0
			267	168	47	50	2			


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	H	1	Total	Mg	0	0
			1	1		
4	I	1	Total	Mg	0	0
			1	1		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		
5	B	1	Total	Na	0	0
			1	1		
5	H	1	Total	Na	0	0
			1	1		
5	I	2	Total	Na	0	0
			2	2		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		
6	H	1	Total	O	P	0	0
			5	4	1		
6	I	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	421	Total	O	0	0
			421	421		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	359	Total 359	O 359	0	0
7	C	32	Total 32	O 32	0	0
7	H	443	Total 443	O 443	0	0
7	I	387	Total 387	O 387	0	0
7	J	34	Total 34	O 34	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enolase




- Molecule 1: Enolase




- Molecule 1: Enolase




- Molecule 1: Enolase






• Molecule 2: Ribonuclease E



• Molecule 3: Ribonuclease E



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.68Å 116.92Å 107.78Å 90.00° 105.43° 90.00°	Depositor
Resolution (Å)	39.24 – 2.00 39.24 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.5 (39.24-2.00) 98.6 (39.24-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 2.00Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.161 , 0.197 0.165 , 0.198	Depositor DCC
R_{free} test set	5979 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	26.0	Xtriage
Anisotropy	0.065	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15053	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NA, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	1/3240 (0.0%)	0.57	1/4362 (0.0%)
1	B	0.46	2/3245 (0.1%)	0.55	0/4369
1	H	0.56	5/3240 (0.2%)	0.56	0/4362
1	I	0.57	7/3240 (0.2%)	0.61	3/4362 (0.1%)
2	C	0.77	0/292	1.08	1/399 (0.3%)
3	J	0.74	0/277	0.83	0/379
All	All	0.54	15/13534 (0.1%)	0.60	5/18233 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	3
3	J	0	1
All	All	0	4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	39	SER	C-O	-8.42	1.14	1.23
1	H	39	SER	C-O	-7.58	1.15	1.23
1	H	167	GLN	C-O	-6.80	1.16	1.24
1	I	167	GLN	C-O	-6.50	1.16	1.24
1	B	372	SER	C-O	-6.36	1.16	1.24
1	I	5	VAL	C-O	-6.34	1.18	1.24
1	A	167	GLN	C-O	-5.38	1.17	1.24
1	H	371	ARG	C-O	-5.33	1.17	1.23
1	I	58	ARG	C-O	-5.30	1.18	1.24
1	I	400	SER	C-O	-5.26	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	371	ARG	C-O	-5.23	1.17	1.23
1	H	16	ARG	CD-NE	-5.21	1.39	1.46
1	I	403	VAL	C-O	-5.19	1.17	1.24
1	H	16	ARG	CZ-NH2	-5.14	1.26	1.33
1	B	167	GLN	C-O	-5.03	1.18	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	399	ARG	N-CA-CB	6.19	120.94	110.49
2	C	822	THR	N-CA-C	6.05	117.68	111.14
1	A	30	GLY	N-CA-C	5.31	122.64	115.32
1	I	239	LYS	CG-CD-CE	5.23	123.33	111.30
1	I	403	VAL	N-CA-C	5.04	117.35	111.05

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	817	ASP	Peptide
2	C	818	GLU	Peptide
2	C	819	ARG	Peptide
3	J	848	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3198	0	3225	19	0
1	B	3203	0	3230	24	0
1	H	3198	0	3225	31	0
1	I	3198	0	3225	22	2
2	C	284	0	279	19	2
3	J	267	0	255	33	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	H	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	I	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	H	1	0	0	0	0
5	I	2	0	0	0	0
6	A	5	0	0	0	0
6	B	5	0	0	0	0
6	H	5	0	0	0	0
6	I	5	0	0	0	0
7	A	421	0	0	10	1
7	B	359	0	0	4	2
7	C	32	0	0	1	0
7	H	443	0	0	7	1
7	I	387	0	0	6	0
7	J	34	0	0	9	0
All	All	15053	0	13439	133	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:1:MET:HG2	3:J:819:ARG:HE	1.31	0.95
1:H:1:MET:O	1:H:85:LYS:NZ	2.01	0.93
3:J:825:PRO:HG2	3:J:844:ILE:HD11	1.50	0.93
1:I:6:LYS:HE3	7:I:759:HOH:O	1.70	0.91
3:J:844:ILE:HD12	7:J:933:HOH:O	1.76	0.84
1:I:1:MET:N	1:I:28:GLU:OE1	2.12	0.82
1:B:139:GLY:HA2	2:C:814:ARG:HG3	1.62	0.81
1:H:1:MET:HG2	3:J:819:ARG:NE	1.94	0.81
1:H:1:MET:HG3	3:J:819:ARG:HH21	1.46	0.81
7:A:892:HOH:O	2:C:848:ILE:CD1	2.32	0.78
7:A:892:HOH:O	2:C:848:ILE:HG13	1.84	0.76
1:I:418:GLU:HG3	7:I:734:HOH:O	1.87	0.75
1:A:271:GLU:OE2	7:A:601:HOH:O	2.06	0.73
1:H:203:ASN:OD1	7:H:601:HOH:O	2.07	0.72
1:H:334:GLY:HA2	7:H:619:HOH:O	1.90	0.71
3:J:820:TYR:OH	7:J:902:HOH:O	2.09	0.71
1:I:1:MET:HB3	7:I:897:HOH:O	1.90	0.71
3:J:816:ARG:NH1	3:J:821:PRO:HD3	2.05	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HB2	1:A:85:LYS:HZ1	1.56	0.70
2:C:822:THR:HG23	2:C:823[A]:GLN:HG2	1.73	0.69
1:B:228:GLU:OE2	7:B:601:HOH:O	2.11	0.68
1:A:173:PRO:HG2	1:A:182:ALA:HB1	1.77	0.66
2:C:826:MET:HE2	2:C:837:LEU:HD22	1.78	0.65
3:J:836[A]:GLU:OE1	7:J:903:HOH:O	2.14	0.64
2:C:822:THR:HG23	2:C:823[A]:GLN:OE1	1.98	0.64
1:H:105:LYS:NZ	7:H:602:HOH:O	2.31	0.63
1:B:238:GLY:O	1:B:425:ARG:NH2	2.32	0.62
2:C:816:ARG:HA	2:C:819:ARG:NH1	2.14	0.62
1:B:32:VAL:HG11	2:C:828:LEU:HD12	1.81	0.62
1:B:125:ALA:O	2:C:821:PRO:HD2	2.01	0.61
1:H:127:GLY:HA3	3:J:816:ARG:NH1	2.15	0.61
3:J:825:PRO:HG2	3:J:844:ILE:CD1	2.29	0.59
1:H:173:PRO:HG2	1:H:182:ALA:HB1	1.85	0.59
1:H:1:MET:SD	1:H:1:MET:N	2.63	0.59
1:H:1:MET:HG3	3:J:819:ARG:NH2	2.17	0.58
1:H:1:MET:CG	3:J:819:ARG:HH21	2.15	0.58
1:H:76:ALA:O	1:H:80:ILE:HG12	2.03	0.57
3:J:840:GLY:HA3	7:J:932:HOH:O	2.04	0.57
1:B:139:GLY:HA2	2:C:814:ARG:CG	2.33	0.57
1:I:6:LYS:CE	7:I:759:HOH:O	2.39	0.56
1:I:173:PRO:HG2	1:I:182:ALA:HB1	1.87	0.56
1:H:1:MET:CG	3:J:819:ARG:NH2	2.68	0.56
1:A:283:GLN:OE1	7:A:602:HOH:O	2.18	0.55
2:C:814:ARG:HB3	2:C:814:ARG:CZ	2.34	0.55
1:H:152:ASN:ND2	1:H:168:GLU:HG2	2.21	0.55
3:J:825:PRO:CG	3:J:844:ILE:HD11	2.29	0.55
3:J:826:MET:HE2	3:J:837:LEU:HD22	1.88	0.55
1:H:1:MET:HB2	3:J:819:ARG:CZ	2.38	0.54
1:A:76:ALA:O	1:A:80:ILE:HG12	2.07	0.54
7:A:892:HOH:O	2:C:848:ILE:CG1	2.44	0.54
3:J:846:TYR:N	3:J:847:PRO:CD	2.72	0.53
1:I:275:HIS:NE2	1:I:303:TYR:OH	2.32	0.53
1:B:237:LEU:HG	1:B:285:PRO:HG3	1.91	0.53
1:A:181:GLU:OE2	7:A:603:HOH:O	2.19	0.53
3:J:816:ARG:HD3	3:J:820:TYR:HB2	1.91	0.53
1:B:1:MET:N	1:B:28:GLU:OE2	2.35	0.52
3:J:840:GLY:N	7:J:901:HOH:O	2.42	0.52
1:I:425:ARG:NH1	1:I:431:GLN:OE1	2.35	0.52
1:H:231:LYS:HE3	7:H:959:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:401:ASP:OD2	1:B:402:ARG:NE	2.37	0.51
3:J:819:ARG:HD2	7:J:904:HOH:O	2.11	0.50
2:C:822:THR:HG23	2:C:823[A]:GLN:CG	2.42	0.50
1:I:238:GLY:O	1:I:425:ARG:NH2	2.45	0.49
1:A:152:ASN:O	1:A:396:SER:HB2	2.11	0.49
1:B:301:PHE:HB3	1:B:335:ILE:HG23	1.94	0.49
3:J:844:ILE:N	7:J:910:HOH:O	2.44	0.49
1:A:200:LYS:NZ	7:A:608:HOH:O	2.28	0.49
1:H:152:ASN:O	1:H:396:SER:HB2	2.13	0.49
1:A:360:LYS:HG3	7:A:837:HOH:O	2.13	0.48
1:B:173:PRO:HA	1:B:241:ILE:HD13	1.95	0.48
1:H:1:MET:HA	1:H:2:SER:HA	1.50	0.48
1:H:2:SER:HB3	1:H:27:LEU:HB3	1.94	0.48
1:B:252:PHE:HA	1:B:254:LYS:HE2	1.96	0.48
2:C:822:THR:CG2	2:C:823[A]:GLN:HG2	2.42	0.48
3:J:816:ARG:HH11	3:J:821:PRO:HD3	1.79	0.48
1:B:173:PRO:HG2	1:B:182:ALA:HB1	1.95	0.47
1:H:1:MET:CG	3:J:819:ARG:NE	2.72	0.47
1:A:306:LYS:HE2	7:A:935:HOH:O	2.14	0.47
1:B:1:MET:HA	1:B:28:GLU:HG3	1.96	0.47
3:J:828:LEU:CD2	3:J:833:ALA:HB3	2.44	0.47
1:A:47:GLU:CD	1:A:345:GLN:HG2	2.40	0.47
1:B:291:ASP:OD2	1:B:317:ASP:HB3	2.15	0.47
1:I:76:ALA:O	1:I:80:ILE:HG12	2.15	0.47
1:B:85:LYS:NZ	7:B:602:HOH:O	2.25	0.46
1:H:291:ASP:OD2	1:H:317:ASP:HB3	2.15	0.46
1:I:291:ASP:OD2	1:I:317:ASP:HB3	2.15	0.46
1:H:301:PHE:HB3	1:H:335:ILE:HG23	1.98	0.46
1:I:198:LYS:HB2	1:I:198:LYS:HE2	1.51	0.46
7:A:892:HOH:O	2:C:848:ILE:HD12	2.09	0.46
1:I:47:GLU:CD	1:I:345:GLN:HG2	2.41	0.46
1:A:173:PRO:HA	1:A:241:ILE:HD13	1.98	0.45
1:I:152:ASN:O	1:I:396:SER:HB2	2.16	0.45
1:H:125:ALA:O	3:J:821:PRO:HD2	2.16	0.45
1:H:161:ASP:OD2	1:I:198:LYS:HD3	2.17	0.45
1:A:151:MET:O	1:A:170:MET:HA	2.17	0.45
1:A:149:PRO:HG2	1:A:151:MET:HE3	1.98	0.44
1:B:152:ASN:O	1:B:396:SER:HB2	2.17	0.44
1:B:161:ASP:O	1:B:161:ASP:OD1	2.34	0.44
1:H:146:MET:HE2	1:H:413:GLU:HB2	2.00	0.44
1:A:194:ALA:HB2	1:A:212:TYR:OH	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:334:GLY:HA2	7:B:754:HOH:O	2.18	0.44
3:J:828:LEU:HD21	3:J:830:VAL:O	2.18	0.43
1:A:19:PRO:HG2	1:A:63:GLY:HA2	2.01	0.43
1:H:6:LYS:HD2	7:H:840:HOH:O	2.17	0.43
3:J:828:LEU:C	3:J:828:LEU:HD13	2.42	0.43
1:B:76:ALA:O	1:B:80:ILE:HG12	2.18	0.43
2:C:843:TRP:HA	7:C:924:HOH:O	2.19	0.43
1:I:237:LEU:HG	1:I:285:PRO:HG3	2.01	0.43
1:A:376:GLU:H	1:A:376:GLU:CD	2.27	0.43
2:C:819:ARG:HB3	2:C:820:TYR:CG	2.54	0.43
1:B:56:LYS:HA	1:B:56:LYS:HD2	1.74	0.43
1:H:173:PRO:HA	1:H:241:ILE:HD13	2.00	0.43
1:I:149:PRO:HG2	1:I:151:MET:HE3	2.01	0.42
1:H:103:LYS:NZ	7:H:607:HOH:O	2.41	0.42
1:I:3:LYS:HD3	7:I:672:HOH:O	2.19	0.42
1:B:92:LYS:NZ	1:B:96:ASP:OD2	2.41	0.42
1:H:47:GLU:CD	1:H:345:GLN:HG2	2.45	0.42
3:J:836[B]:GLU:HB2	3:J:842:VAL:HG12	2.02	0.42
1:B:185:MET:HE2	1:B:241:ILE:HD11	2.01	0.41
1:I:167:GLN:HG2	1:I:168:GLU:HG3	2.01	0.41
3:J:828:LEU:HD11	3:J:831:ALA:N	2.34	0.41
1:A:188:GLU:OE1	1:A:235:TYR:OH	2.30	0.41
1:B:228:GLU:CD	7:B:608:HOH:O	2.64	0.41
1:H:16:ARG:HD2	7:H:675:HOH:O	2.20	0.41
2:C:819:ARG:HD3	2:C:820:TYR:CE2	2.56	0.41
1:I:191:HIS:HD2	7:I:919:HOH:O	2.03	0.41
3:J:836[A]:GLU:HB3	3:J:842:VAL:HG12	2.03	0.41
1:I:306:LYS:HE2	1:I:306:LYS:HB3	1.74	0.41
1:I:129:PRO:HB3	3:J:833:ALA:HA	2.03	0.41
1:A:360:LYS:NZ	1:A:366:ALA:H	2.19	0.40
3:J:840:GLY:HA3	7:J:912:HOH:O	2.21	0.40
2:C:819:ARG:HB3	2:C:820:TYR:CD1	2.56	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:818:GLU:CB	1:I:255:ASP:OD1[2_646]	1.27	0.93
2:C:818:GLU:CB	1:I:255:ASP:CG[2_646]	1.93	0.27
7:B:767:HOH:O	7:H:959:HOH:O[2_546]	1.96	0.24
7:A:757:HOH:O	7:B:772:HOH:O[1_655]	2.06	0.14

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/432 (99%)	417 (97%)	11 (3%)	1 (0%)	43	42
1	B	430/432 (100%)	418 (97%)	11 (3%)	1 (0%)	43	42
1	H	429/432 (99%)	418 (97%)	10 (2%)	1 (0%)	43	42
1	I	429/432 (99%)	415 (97%)	13 (3%)	1 (0%)	43	42
2	C	35/36 (97%)	34 (97%)	1 (3%)	0	100	100
3	J	34/35 (97%)	27 (79%)	6 (18%)	1 (3%)	3	1
All	All	1786/1799 (99%)	1729 (97%)	52 (3%)	5 (0%)	36	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	J	820	TYR
1	A	399	ARG
1	B	399	ARG
1	H	399	ARG
1	I	399	ARG

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	326/326 (100%)	323 (99%)	3 (1%)	70	78
1	B	326/326 (100%)	324 (99%)	2 (1%)	78	85
1	H	326/326 (100%)	323 (99%)	3 (1%)	70	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	326/326 (100%)	324 (99%)	2 (1%)	78	85
2	C	29/32 (91%)	25 (86%)	4 (14%)	3	2
3	J	28/31 (90%)	27 (96%)	1 (4%)	31	31
All	All	1361/1367 (100%)	1346 (99%)	15 (1%)	65	73

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	311	LYS
1	A	343	PHE
1	A	401	ASP
1	B	198	LYS
1	B	343	PHE
2	C	814	ARG
2	C	819	ARG
2	C	822	THR
2	C	848	ILE
1	H	1	MET
1	H	2	SER
1	H	343	PHE
1	I	343	PHE
1	I	401	ASP
3	J	828	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	152	ASN
1	A	155	ASN
1	A	304	GLN
1	B	18	ASN
1	B	152	ASN
1	B	155	ASN
1	B	167	GLN
1	B	191	HIS
1	B	423	ASN
1	H	152	ASN
1	H	155	ASN
1	H	167	GLN
1	H	191	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	304	GLN
1	I	152	ASN
1	I	155	ASN
1	I	191	HIS
1	I	304	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 9 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PO4	B	503	-	4,4,4	3.37	4 (100%)	6,6,6	0.99	0
6	PO4	H	503	-	4,4,4	4.20	4 (100%)	6,6,6	0.70	0
6	PO4	I	504	-	4,4,4	4.24	4 (100%)	6,6,6	0.71	0
6	PO4	A	503	-	4,4,4	3.49	3 (75%)	6,6,6	0.94	0

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	I	504	PO4	P-O2	-5.23	1.39	1.54
6	H	503	PO4	P-O4	-4.98	1.40	1.54
6	I	504	PO4	P-O3	-4.28	1.42	1.54
6	I	504	PO4	P-O4	-4.19	1.42	1.54
6	H	503	PO4	P-O3	-4.19	1.42	1.54
6	A	503	PO4	P-O2	-4.17	1.42	1.54
6	A	503	PO4	P-O3	-3.97	1.43	1.54
6	H	503	PO4	P-O2	-3.90	1.43	1.54
6	B	503	PO4	P-O3	-3.69	1.43	1.54
6	H	503	PO4	P-O1	-3.61	1.42	1.50
6	B	503	PO4	P-O2	-3.56	1.44	1.54
6	A	503	PO4	P-O4	-3.56	1.44	1.54
6	B	503	PO4	P-O1	-3.25	1.43	1.50
6	I	504	PO4	P-O1	-2.96	1.43	1.50
6	B	503	PO4	P-O4	-2.91	1.46	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/432 (99%)	-0.20	1 (0%) 91 90	20, 26, 38, 53	0
1	B	432/432 (100%)	-0.11	2 (0%) 87 87	18, 27, 41, 53	0
1	H	431/432 (99%)	-0.31	2 (0%) 87 87	17, 24, 36, 58	0
1	I	431/432 (99%)	-0.15	3 (0%) 84 84	18, 25, 41, 61	0
2	C	36/36 (100%)	1.60	9 (25%) 2 1	27, 39, 83, 101	1 (2%)
3	J	35/35 (100%)	2.72	26 (74%) 0 0	17, 26, 61, 69	31 (88%)
All	All	1796/1799 (99%)	-0.10	43 (2%) 59 59	17, 26, 40, 101	32 (1%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	J	846	TYR	5.0
2	C	815	TYR	4.9
3	J	827	PRO	4.8
3	J	816	ARG	4.7
3	J	847	PRO	4.4
3	J	848	ILE	4.2
2	C	848	ILE	4.0
1	H	1	MET	3.9
3	J	818	GLU	3.8
3	J	850	ARG	3.7
3	J	819	ARG	3.6
3	J	830	VAL	3.5
3	J	842	VAL	3.5
3	J	843	TRP	3.3
3	J	838	ALA	3.2
3	J	825	PRO	3.1
3	J	820	TYR	3.1
3	J	849	VAL	3.1
3	J	817	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	J	833	ALA	2.8
1	I	1	MET	2.8
2	C	838	ALA	2.8
3	J	828	LEU	2.8
3	J	837	LEU	2.7
2	C	823[A]	GLN	2.7
2	C	818	GLU	2.7
2	C	822	THR	2.6
2	C	820	TYR	2.6
3	J	844	ILE	2.6
3	J	831	ALA	2.6
2	C	814	ARG	2.5
1	B	1	MET	2.5
3	J	821	PRO	2.5
1	I	256	GLY	2.5
1	A	1	MET	2.5
1	B	161	ASP	2.3
1	I	255	ASP	2.3
2	C	821	PRO	2.2
3	J	835	PRO	2.2
3	J	829	THR	2.2
3	J	834	SER	2.2
1	H	2	SER	2.1
3	J	845	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MG	B	501	1/1	0.86	0.10	25,25,25,25	0
4	MG	A	501	1/1	0.88	0.07	22,22,22,22	0
4	MG	I	501	1/1	0.89	0.07	20,20,20,20	0
6	PO4	A	503	5/5	0.90	0.11	30,30,30,30	0
6	PO4	I	504	5/5	0.94	0.10	30,30,30,30	0
6	PO4	B	503	5/5	0.95	0.09	30,30,30,30	0
4	MG	H	501	1/1	0.95	0.04	18,18,18,18	0
6	PO4	H	503	5/5	0.96	0.09	30,30,30,30	0
5	NA	B	502	1/1	0.98	0.10	18,18,18,18	0
5	NA	I	502	1/1	0.98	0.06	27,27,27,27	0
5	NA	H	502	1/1	0.99	0.11	14,14,14,14	0
5	NA	I	503	1/1	0.99	0.14	17,17,17,17	0
5	NA	A	502	1/1	1.00	0.11	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.