



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:53 PM UTC

PDB ID : 5OJL / pdb_00005ojl
Title : Imine Reductase from *Aspergillus terreus* in complex with NADPH4 and dibenz[c,e]azepine
Authors : Sharma, M.; Grogan, G.
Deposited on : 2017-07-21
Resolution : 1.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2145 (1.56-1.56)
Clashscore	190562	2189 (1.56-1.56)
Ramachandran outliers	187476	2153 (1.56-1.56)
Sidechain outliers	187428	2150 (1.56-1.56)
RSRZ outliers	180081	2146 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	298	22% 72% 21% • 5%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 2178 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Imine reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	284	2010	1278	337	384	11	0	2	0

- Molecule 2 is 5-methyl-7 {H}-benzo[d][2]benzazepine (CCD ID: 9X5) (formula: C₁₅H₁₃N).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
2	A	1	16	15	1	0	0

- Molecule 3 is 1,4,5,6-TETRAHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE (CCD ID: TXP) (formula: C₂₁H₃₂N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	104	Total O 104 104	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Imine reductase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	53.33Å 61.13Å 167.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.95 – 1.56 41.95 – 1.56	Depositor EDS
% Data completeness (in resolution range)	100.0 (41.95-1.56) 100.0 (41.95-1.56)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 1.56Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.235 , 0.278 0.245 , 0.289	Depositor DCC
R_{free} test set	2043 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	27.9	Xtriage
Anisotropy	0.547	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2178	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TXP, 9X5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.62	17/2048 (0.8%)	1.37	12/2787 (0.4%)

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	64	SER	CA-C	7.79	1.60	1.52
1	A	53	LEU	N-CA	-6.38	1.38	1.46
1	A	267	LEU	C-O	-5.96	1.19	1.24
1	A	173	LEU	C-O	5.84	1.30	1.24
1	A	187	ALA	N-CA	5.77	1.53	1.46
1	A	195	LEU	N-CA	5.70	1.53	1.46
1	A	269	LEU	CA-C	5.45	1.59	1.52
1	A	270	LYS	N-CA	5.44	1.53	1.46
1	A	118	TYR	C-O	5.43	1.30	1.24
1	A	221	GLY	CA-C	-5.35	1.46	1.52
1	A	253	CYS	N-CA	5.33	1.52	1.46
1	A	85	PRO	CA-C	5.30	1.55	1.52
1	A	184	GLY	N-CA	5.29	1.52	1.45
1	A	191	HIS	N-CA	5.29	1.52	1.46
1	A	103	GLN	C-O	5.28	1.30	1.24
1	A	223	LEU	CA-C	5.21	1.59	1.52
1	A	66	LEU	CA-C	5.04	1.58	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	166	ASP	N-CA-C	9.52	124.89	113.28
1	A	272	LEU	N-CA-C	9.34	122.45	111.71
1	A	64	SER	O-C-N	7.43	127.08	121.65
1	A	55	ALA	N-CA-C	5.98	118.76	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	ALA	N-CA-C	5.89	118.65	111.82
1	A	270	LYS	N-CA-C	-5.63	104.52	111.33
1	A	288	SER	N-CA-C	5.54	119.54	112.34
1	A	271	GLY	N-CA-C	5.38	119.15	112.64
1	A	57	ILE	CA-C-N	-5.33	113.24	119.32
1	A	57	ILE	C-N-CA	-5.33	113.24	119.32
1	A	267	LEU	CA-C-N	-5.05	113.44	119.05
1	A	267	LEU	C-N-CA	-5.05	113.44	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2010	0	1976	35	1
2	A	16	0	0	0	0
3	A	48	0	28	6	0
4	A	104	0	0	3	0
All	All	2178	0	2004	35	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:MET:HE1	1:A:70[B]:CYS:SG	1.49	1.52
1:A:22:MET:CE	1:A:70[B]:CYS:SG	2.11	1.36
1:A:98:ASN:HD21	3:A:302:TXP:H6N2	1.35	0.91
1:A:22:MET:HE2	1:A:70[B]:CYS:SG	2.17	0.84
1:A:22:MET:HE1	1:A:70[B]:CYS:HG	1.55	0.70
1:A:200:GLY:O	1:A:202:GLY:N	2.31	0.63
1:A:257:ARG:CB	4:A:479:HOH:O	2.49	0.61
1:A:118:TYR:OH	1:A:120:HIS:HD2	1.85	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ASN:ND2	3:A:302:TXP:H6N2	2.14	0.59
1:A:126:THR:OG1	1:A:129:MET:HE3	2.04	0.58
1:A:225:LEU:CB	4:A:453:HOH:O	2.52	0.58
1:A:275:ARG:NH1	4:A:401:HOH:O	2.04	0.58
1:A:98:ASN:ND2	3:A:302:TXP:H1'A	2.19	0.58
1:A:18:MET:CE	3:A:302:TXP:H3N	2.38	0.54
1:A:18:MET:HE2	3:A:302:TXP:H3N	1.91	0.53
1:A:126:THR:H	1:A:129:MET:HE3	1.76	0.50
1:A:167:ASP:O	1:A:169:GLY:N	2.44	0.50
1:A:281:ARG:O	1:A:284:HIS:N	2.44	0.49
1:A:74:ASN:ND2	1:A:103:GLN:HB3	2.28	0.48
1:A:272:LEU:HD22	1:A:292:TYR:CB	2.44	0.48
1:A:98:ASN:ND2	3:A:302:TXP:O2'A	2.34	0.47
1:A:262:SER:OG	1:A:264:GLU:HG3	2.15	0.47
1:A:22:MET:CE	1:A:70[B]:CYS:HG	2.16	0.45
1:A:167:ASP:C	1:A:169:GLY:H	2.24	0.45
1:A:97:THR:O	1:A:120:HIS:HE1	2.00	0.45
1:A:196:VAL:O	1:A:203:VAL:HG11	2.17	0.44
1:A:94:LEU:HD21	1:A:155:LEU:HD21	1.99	0.44
1:A:222:TYR:OH	1:A:285:ASP:OD1	2.34	0.44
1:A:26:PHE:CZ	1:A:154:VAL:HG23	2.53	0.43
1:A:167:ASP:C	1:A:169:GLY:N	2.76	0.43
1:A:26:PHE:CE1	1:A:154:VAL:HG23	2.54	0.42
1:A:22:MET:HE3	1:A:70[B]:CYS:SG	2.41	0.41
1:A:151:VAL:HA	1:A:154:VAL:HG12	2.02	0.40
1:A:74:ASN:HD22	1:A:103:GLN:HB3	1.86	0.40
1:A:276:ALA:O	1:A:281:ARG:N	2.45	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:TYR:OH	1:A:245:GLN:NE2[3_554]	2.04	0.16

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	277/298 (93%)	269 (97%)	6 (2%)	2 (1%)	18 5

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	168	ALA
1	A	282	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	193/216 (89%)	178 (92%)	15 (8%)	11 1

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	10	LEU
1	A	42	LYS
1	A	48	GLU
1	A	147	THR
1	A	160	SER
1	A	211	LEU
1	A	230	ILE
1	A	240	SER
1	A	245	GLN
1	A	246	LEU
1	A	264	GLU
1	A	267	LEU
1	A	278	ARG
1	A	285	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	98	ASN
1	A	120	HIS
1	A	191	HIS
1	A	259	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	9X5	A	301	-	14,18,18	0.47	0	19,25,25	1.14	1 (5%)
3	TXP	A	302	-	51,52,52	3.16	18 (35%)	73,80,80	2.37	21 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9X5	A	301	-	-	-	0/2/3/3
3	TXP	A	302	-	-	9/35/77/77	0/5/5/5

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	TXP	PN-O3	12.04	1.72	1.59
3	A	302	TXP	P2-O2'	10.10	1.77	1.59
3	A	302	TXP	C4N-C5N	9.11	1.54	1.32
3	A	302	TXP	C2A-N3A	4.50	1.41	1.33
3	A	302	TXP	PA-O3	4.48	1.64	1.59
3	A	302	TXP	C2A-N1A	4.15	1.41	1.33
3	A	302	TXP	C2N-C3N	3.59	1.57	1.53
3	A	302	TXP	C6N-C5N	3.41	1.57	1.49
3	A	302	TXP	O4'-C1'	2.92	1.48	1.42
3	A	302	TXP	O4'-C4'	-2.84	1.38	1.45
3	A	302	TXP	P2-OP2	-2.84	1.44	1.54
3	A	302	TXP	O4'A-C4'A	2.60	1.50	1.45
3	A	302	TXP	PA-O5'	2.47	1.69	1.59
3	A	302	TXP	O3'A-C3'A	2.43	1.49	1.43
3	A	302	TXP	C5A-C4A	-2.39	1.34	1.39
3	A	302	TXP	C1'-N9A	2.39	1.52	1.46
3	A	302	TXP	C5A-N7A	-2.23	1.35	1.39
3	A	302	TXP	P2-OP3	-2.23	1.46	1.54

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	TXP	C3N-C4N-C5N	-9.55	107.09	123.33
3	A	302	TXP	N1A-C2A-N3A	-5.89	119.67	128.58
3	A	302	TXP	C5A-C4A-N3A	-5.29	119.43	126.72
3	A	302	TXP	C5A-N7A-C8A	5.06	111.41	103.45
3	A	302	TXP	C4A-C5A-N7A	-4.85	105.03	110.58
3	A	302	TXP	N9A-C8A-N7A	-4.85	107.06	113.94
2	A	301	9X5	C3-N1-C2	4.60	122.71	117.41
3	A	302	TXP	O4'A-C1'A-N1N	-4.33	103.23	109.47
3	A	302	TXP	C6N-C5N-C4N	-4.06	114.91	123.06
3	A	302	TXP	C2A-N3A-C4A	3.55	120.50	111.83
3	A	302	TXP	C5A-C4A-N9A	3.45	109.57	105.81
3	A	302	TXP	O2N-PN-O3	3.31	116.21	107.27
3	A	302	TXP	C6A-C5A-C4A	2.98	121.25	117.18
3	A	302	TXP	O4'-C1'-N9A	2.89	113.64	108.09
3	A	302	TXP	O4'-C1'-C2'	-2.66	102.01	106.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	TXP	C5N-C6N-N1N	2.54	117.03	110.94
3	A	302	TXP	OP2-P2-OP1	2.49	120.53	110.83
3	A	302	TXP	C3'-C2'-C1'	-2.40	98.22	102.81
3	A	302	TXP	N3A-C4A-N9A	2.25	131.00	127.17
3	A	302	TXP	O2A-PA-O1A	2.18	122.58	112.44
3	A	302	TXP	OP2-P2-OP3	2.12	115.74	107.80
3	A	302	TXP	C5A-C6A-N1A	2.08	122.78	117.51

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	302	TXP	C2'A-C1'A-N1N-C2N
3	A	302	TXP	O4'A-C1'A-N1N-C6N
3	A	302	TXP	O4'A-C1'A-N1N-C2N
3	A	302	TXP	C5'-O5'-PA-O1A
3	A	302	TXP	C2N-C3N-C7N-O7N
3	A	302	TXP	C2'-O2'-P2-OP3
3	A	302	TXP	C2N-C3N-C7N-N7N
3	A	302	TXP	O4'A-C4'A-C5'A-O5'A
3	A	302	TXP	C2'A-C1'A-N1N-C6N

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	TXP	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	284/298 (95%)	1.29	67 (23%) 2 2	16, 33, 56, 68	2 (0%)

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	200	GLY	5.5
1	A	277	VAL	5.2
1	A	5	THR	4.3
1	A	292	TYR	4.3
1	A	290	ILE	4.1
1	A	221	GLY	4.0
1	A	143	GLY	3.9
1	A	236	THR	3.9
1	A	293	PHE	3.7
1	A	260	GLY	3.6
1	A	278	ARG	3.3
1	A	235	TYR	3.3
1	A	267	LEU	3.2
1	A	148	TYR	3.2
1	A	167	ASP	3.1
1	A	234	VAL	3.0
1	A	282	GLY	3.0
1	A	109	THR	3.0
1	A	254	ALA	2.9
1	A	247	VAL	2.9
1	A	230	ILE	2.8
1	A	222	TYR	2.8
1	A	261	VAL	2.7
1	A	286	ILE	2.7
1	A	198	SER	2.7
1	A	194	ALA	2.7
1	A	197	ARG	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	239	THR	2.6
1	A	203	VAL	2.6
1	A	265	VAL	2.6
1	A	269	LEU	2.6
1	A	259	GLN	2.6
1	A	291	ASP	2.6
1	A	276	ALA	2.5
1	A	251	ASN	2.5
1	A	272	LEU	2.5
1	A	252	ALA	2.5
1	A	238	GLN	2.4
1	A	128	ASP	2.4
1	A	157	VAL	2.4
1	A	246	LEU	2.4
1	A	163	TYR	2.4
1	A	149	ALA	2.4
1	A	220	THR	2.4
1	A	242	LEU	2.4
1	A	262	SER	2.3
1	A	147	THR	2.3
1	A	273	VAL	2.3
1	A	281	ARG	2.3
1	A	255	ALA	2.3
1	A	264	GLU	2.3
1	A	142	GLY	2.3
1	A	227	ALA	2.2
1	A	253	CYS	2.2
1	A	280	GLY	2.2
1	A	225	LEU	2.2
1	A	156	ALA	2.2
1	A	284	HIS	2.2
1	A	133	PRO	2.2
1	A	256	SER	2.2
1	A	105	ARG	2.2
1	A	196	VAL	2.2
1	A	202	GLY	2.1
1	A	41	ALA	2.1
1	A	263	ALA	2.1
1	A	74	ASN	2.1
1	A	26	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	9X5	A	301	16/16	0.76	0.16	54,58,62,63	0
3	TXP	A	302	48/48	0.88	0.12	30,46,58,60	3

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.