



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 01:14 PM UTC

PDB ID : 7OJP / pdb_00007ojp
Title : Crystal structure of Pseudomonas aeruginosa LpxA in complex with compound 1
Authors : Ryan, M.D.; Parkes, A.L.; Southey, M.; Andersen, O.A.; Zahn, M.; Barker, J.; DeJonge, B.L.M.
Deposited on : 2021-05-17
Resolution : 2.84 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	1520 (2.86-2.82)
Clashscore	190562	1559 (2.86-2.82)
Ramachandran outliers	187476	1517 (2.86-2.82)
Sidechain outliers	187428	1518 (2.86-2.82)
RSRZ outliers	180081	1521 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	261	3% 84% 9% • • •
1	B	261	3% 85% 9% • • •
1	C	261	2% 84% 9% 5% • • •
1	D	261	3% 81% 13% • • •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	261	3% 83% 12% ..
1	F	261	2% 82% 11% ...
1	G	261	5% 84% 10% ...
1	H	261	5% 84% 11% ...
1	I	261	4% 85% 10% ...
1	J	261	2% 84% 10% ...
1	K	261	4% 82% 11% ...
1	L	261	3% 82% 10% 5% ..
1	M	261	4% 83% 10% ...
1	N	261	3% 84% 11% ...
1	O	261	3% 84% 11% ...
1	P	261	5% 82% 11% ...
1	Q	261	5% 83% 11% ...
1	R	261	3% 84% 9% ...
1	S	261	2% 83% 12% ...
1	T	261	2% 84% 10% ...
1	U	261	4% 84% 11% ...
1	V	261	3% 84% 10% ...
1	W	261	3% 83% 12% ...
1	X	261	4% 82% 11% 6% .
1	Y	261	4% 85% 11% ...
1	Z	261	2% 83% 13% ...
1	a	261	3% 82% 13% ...
1	b	261	3% 84% 10% 5% .
1	c	261	2% 82% 11% ...

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	d	261	3% 84% 11%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 60728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	B	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	C	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	D	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	E	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	F	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	G	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	H	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	I	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	J	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	K	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	L	258	Total	C	N	O	S	0	1	0
			1982	1240	367	368	7			
1	M	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	N	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	O	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			
1	P	257	Total	C	N	O	S	0	1	0
			1974	1235	366	367	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	257	Total 1974	C 1235	N 366	O 367	S 6	0	1	0
1	R	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	S	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	T	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	U	259	Total 1992	C 1246	N 370	O 369	S 7	0	1	0
1	V	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	W	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	X	259	Total 2003	C 1252	N 374	O 370	S 7	0	2	0
1	Y	258	Total 1982	C 1240	N 367	O 368	S 7	0	1	0
1	Z	261	Total 2002	C 1251	N 372	O 372	S 7	0	1	0
1	a	257	Total 1974	C 1235	N 366	O 367	S 6	0	1	0
1	b	257	Total 1974	C 1235	N 366	O 367	S 6	0	1	0
1	c	257	Total 1974	C 1235	N 366	O 367	S 6	0	1	0
1	d	261	Total 2002	C 1251	N 372	O 372	S 7	0	1	0

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A6V1E4
A	-1	SER	-	expression tag	UNP A6V1E4
A	0	HIS	-	expression tag	UNP A6V1E4
B	-2	GLY	-	expression tag	UNP A6V1E4
B	-1	SER	-	expression tag	UNP A6V1E4
B	0	HIS	-	expression tag	UNP A6V1E4
C	-2	GLY	-	expression tag	UNP A6V1E4
C	-1	SER	-	expression tag	UNP A6V1E4
C	0	HIS	-	expression tag	UNP A6V1E4
D	-2	GLY	-	expression tag	UNP A6V1E4
D	-1	SER	-	expression tag	UNP A6V1E4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	0	HIS	-	expression tag	UNP A6V1E4
E	-2	GLY	-	expression tag	UNP A6V1E4
E	-1	SER	-	expression tag	UNP A6V1E4
E	0	HIS	-	expression tag	UNP A6V1E4
F	-2	GLY	-	expression tag	UNP A6V1E4
F	-1	SER	-	expression tag	UNP A6V1E4
F	0	HIS	-	expression tag	UNP A6V1E4
G	-2	GLY	-	expression tag	UNP A6V1E4
G	-1	SER	-	expression tag	UNP A6V1E4
G	0	HIS	-	expression tag	UNP A6V1E4
H	-2	GLY	-	expression tag	UNP A6V1E4
H	-1	SER	-	expression tag	UNP A6V1E4
H	0	HIS	-	expression tag	UNP A6V1E4
I	-2	GLY	-	expression tag	UNP A6V1E4
I	-1	SER	-	expression tag	UNP A6V1E4
I	0	HIS	-	expression tag	UNP A6V1E4
J	-2	GLY	-	expression tag	UNP A6V1E4
J	-1	SER	-	expression tag	UNP A6V1E4
J	0	HIS	-	expression tag	UNP A6V1E4
K	-2	GLY	-	expression tag	UNP A6V1E4
K	-1	SER	-	expression tag	UNP A6V1E4
K	0	HIS	-	expression tag	UNP A6V1E4
L	-2	GLY	-	expression tag	UNP A6V1E4
L	-1	SER	-	expression tag	UNP A6V1E4
L	0	HIS	-	expression tag	UNP A6V1E4
M	-2	GLY	-	expression tag	UNP A6V1E4
M	-1	SER	-	expression tag	UNP A6V1E4
M	0	HIS	-	expression tag	UNP A6V1E4
N	-2	GLY	-	expression tag	UNP A6V1E4
N	-1	SER	-	expression tag	UNP A6V1E4
N	0	HIS	-	expression tag	UNP A6V1E4
O	-2	GLY	-	expression tag	UNP A6V1E4
O	-1	SER	-	expression tag	UNP A6V1E4
O	0	HIS	-	expression tag	UNP A6V1E4
P	-2	GLY	-	expression tag	UNP A6V1E4
P	-1	SER	-	expression tag	UNP A6V1E4
P	0	HIS	-	expression tag	UNP A6V1E4
Q	-2	GLY	-	expression tag	UNP A6V1E4
Q	-1	SER	-	expression tag	UNP A6V1E4
Q	0	HIS	-	expression tag	UNP A6V1E4
R	-2	GLY	-	expression tag	UNP A6V1E4
R	-1	SER	-	expression tag	UNP A6V1E4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	0	HIS	-	expression tag	UNP A6V1E4
S	-2	GLY	-	expression tag	UNP A6V1E4
S	-1	SER	-	expression tag	UNP A6V1E4
S	0	HIS	-	expression tag	UNP A6V1E4
T	-2	GLY	-	expression tag	UNP A6V1E4
T	-1	SER	-	expression tag	UNP A6V1E4
T	0	HIS	-	expression tag	UNP A6V1E4
U	-2	GLY	-	expression tag	UNP A6V1E4
U	-1	SER	-	expression tag	UNP A6V1E4
U	0	HIS	-	expression tag	UNP A6V1E4
V	-2	GLY	-	expression tag	UNP A6V1E4
V	-1	SER	-	expression tag	UNP A6V1E4
V	0	HIS	-	expression tag	UNP A6V1E4
W	-2	GLY	-	expression tag	UNP A6V1E4
W	-1	SER	-	expression tag	UNP A6V1E4
W	0	HIS	-	expression tag	UNP A6V1E4
X	-2	GLY	-	expression tag	UNP A6V1E4
X	-1	SER	-	expression tag	UNP A6V1E4
X	0	HIS	-	expression tag	UNP A6V1E4
Y	-2	GLY	-	expression tag	UNP A6V1E4
Y	-1	SER	-	expression tag	UNP A6V1E4
Y	0	HIS	-	expression tag	UNP A6V1E4
Z	-2	GLY	-	expression tag	UNP A6V1E4
Z	-1	SER	-	expression tag	UNP A6V1E4
Z	0	HIS	-	expression tag	UNP A6V1E4
a	-2	GLY	-	expression tag	UNP A6V1E4
a	-1	SER	-	expression tag	UNP A6V1E4
a	0	HIS	-	expression tag	UNP A6V1E4
b	-2	GLY	-	expression tag	UNP A6V1E4
b	-1	SER	-	expression tag	UNP A6V1E4
b	0	HIS	-	expression tag	UNP A6V1E4
c	-2	GLY	-	expression tag	UNP A6V1E4
c	-1	SER	-	expression tag	UNP A6V1E4
c	0	HIS	-	expression tag	UNP A6V1E4
d	-2	GLY	-	expression tag	UNP A6V1E4
d	-1	SER	-	expression tag	UNP A6V1E4
d	0	HIS	-	expression tag	UNP A6V1E4

- Molecule 2 is 2-[2-(2-chlorophenyl)sulfanylethanoyl-[[4-(1,2,4-triazol-1-yl)phenyl]methyl]amino]-N-methyl-ethanamide (CCD ID: VFE) (formula: C₂₀H₂₀ClN₅O₂S) (labeled as "Ligand of Interest" by depositor).



Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	O	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	P	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	Q	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	R	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	S	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	T	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	U	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	V	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	W	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	X	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	Y	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	Z	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	a	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	b	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	c	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0
2	d	1	Total 29	C 20	Cl 1	N 5	O 2	S 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	13	Total O 13 13	0	0
4	B	19	Total O 19 19	0	0
4	C	21	Total O 21 21	0	0
4	D	23	Total O 23 23	0	0
4	E	16	Total O 16 16	0	0
4	F	12	Total O 12 12	0	0
4	G	2	Total O 2 2	0	0
4	H	7	Total O 7 7	0	0
4	I	9	Total O 9 9	0	0
4	J	6	Total O 6 6	0	0
4	K	9	Total O 9 9	0	0
4	L	8	Total O 8 8	0	0
4	M	14	Total O 14 14	0	0
4	N	8	Total O 8 8	0	0
4	O	15	Total O 15 15	0	0
4	P	5	Total O 5 5	0	0
4	Q	11	Total O 11 11	0	0
4	R	10	Total O 10 10	0	0
4	S	15	Total O 15 15	0	0
4	T	17	Total O 17 17	0	0
4	U	19	Total O 19 19	0	0
4	V	13	Total O 13 13	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	W	12	Total 12	O 12	0	0
4	X	19	Total 19	O 19	0	0
4	Y	24	Total 24	O 24	0	0
4	Z	23	Total 23	O 23	0	0
4	a	26	Total 26	O 26	0	0
4	b	14	Total 14	O 14	0	0
4	c	9	Total 9	O 9	0	0
4	d	23	Total 23	O 23	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain A: 




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain B: 



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase


Chain C: 





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain D: 









- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain I: 




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain J: 




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain K: 




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain L: 





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase


Chain M: 





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain R:  3% 84% 9% . . .




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain S:  2% 83% 12% . . .




- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain T:  2% 84% 10% . . .



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase


Chain U:  4% 84% 11% . . .





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase

Chain V:  3% 84% 10% . . .








- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase





- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



- Molecule 1: Acyl-[acyl-carrier-protein]-UDP-N-acetylglucosamine O-acyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	245.63Å 367.55Å 370.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	105.72 – 2.84 105.72 – 2.84	Depositor EDS
% Data completeness (in resolution range)	99.5 (105.72-2.84) 99.4 (105.72-2.84)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.203 , 0.216 0.206 , 0.219	Depositor DCC
R_{free} test set	19383 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.393	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	60728	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, VFE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	2/2027 (0.1%)	1.10	11/2748 (0.4%)
1	B	1.15	2/2027 (0.1%)	1.17	9/2748 (0.3%)
1	C	1.16	4/2019 (0.2%)	1.12	7/2738 (0.3%)
1	D	1.11	5/2019 (0.2%)	1.13	10/2738 (0.4%)
1	E	1.09	2/2027 (0.1%)	1.10	6/2748 (0.2%)
1	F	1.10	4/2019 (0.2%)	1.09	8/2738 (0.3%)
1	G	1.04	1/2027 (0.0%)	1.08	7/2748 (0.3%)
1	H	1.02	1/2027 (0.0%)	1.13	10/2748 (0.4%)
1	I	1.09	2/2027 (0.1%)	1.15	12/2748 (0.4%)
1	J	1.06	4/2019 (0.2%)	1.11	10/2738 (0.4%)
1	K	1.02	3/2027 (0.1%)	1.09	8/2748 (0.3%)
1	L	1.07	5/2027 (0.2%)	1.11	10/2748 (0.4%)
1	M	1.08	3/2019 (0.1%)	1.14	13/2738 (0.5%)
1	N	1.02	1/2019 (0.0%)	1.06	7/2738 (0.3%)
1	O	1.04	3/2019 (0.1%)	1.09	9/2738 (0.3%)
1	P	1.04	4/2019 (0.2%)	1.09	7/2738 (0.3%)
1	Q	1.03	3/2019 (0.1%)	1.09	11/2738 (0.4%)
1	R	1.04	2/2027 (0.1%)	1.08	7/2748 (0.3%)
1	S	1.05	1/2027 (0.0%)	1.10	7/2748 (0.3%)
1	T	1.08	3/2027 (0.1%)	1.08	8/2748 (0.3%)
1	U	1.26	6/2038 (0.3%)	1.22	16/2763 (0.6%)
1	V	1.06	2/2027 (0.1%)	1.10	11/2748 (0.4%)
1	W	1.11	4/2027 (0.2%)	1.13	13/2748 (0.5%)
1	X	1.27	10/2049 (0.5%)	1.24	17/2777 (0.6%)
1	Y	1.09	2/2027 (0.1%)	1.16	16/2748 (0.6%)
1	Z	1.19	4/2048 (0.2%)	1.13	8/2776 (0.3%)
1	a	1.15	7/2019 (0.3%)	1.12	8/2738 (0.3%)
1	b	1.14	2/2019 (0.1%)	1.13	10/2738 (0.4%)
1	c	1.05	2/2019 (0.1%)	1.14	13/2738 (0.5%)
1	d	1.18	7/2048 (0.3%)	1.14	10/2776 (0.4%)
All	All	1.10	101/60789 (0.2%)	1.12	299/82420 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	12
1	B	0	11
1	C	0	10
1	D	0	12
1	E	0	9
1	F	0	10
1	G	0	10
1	H	0	11
1	I	0	7
1	J	0	12
1	K	0	13
1	L	0	11
1	M	0	11
1	N	0	10
1	O	0	10
1	P	0	10
1	Q	0	10
1	R	0	9
1	S	0	12
1	T	0	10
1	U	0	11
1	V	0	10
1	W	0	10
1	X	0	9
1	Y	0	6
1	Z	0	11
1	a	0	12
1	b	0	11
1	c	0	10
1	d	0	10
All	All	0	310

The worst 5 of 101 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	19	ASP	N-CA	12.28	1.64	1.46
1	U	19	ASP	N-CA	10.38	1.59	1.46
1	X	18	ALA	C-O	9.68	1.36	1.24
1	U	18	ALA	C-O	8.93	1.34	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	a	33	GLU	CD-OE2	8.68	1.41	1.25

The worst 5 of 299 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	246	ARG	CG-CD-NE	-17.20	74.15	112.00
1	H	199	ARG	CG-CD-NE	-16.49	75.72	112.00
1	I	246	ARG	CG-CD-NE	-12.98	83.45	112.00
1	X	18	ALA	CA-C-N	12.34	140.51	122.74
1	X	18	ALA	C-N-CA	12.34	140.51	122.74

There are no chirality outliers.

5 of 310 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	ARG	Sidechain
1	A	15	ARG	Sidechain
1	A	57[A]	ARG	Sidechain
1	A	57[B]	ARG	Sidechain
1	A	96	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1982	0	1960	20	0
1	B	1982	0	1960	14	0
1	C	1974	0	1948	24	0
1	D	1974	0	1948	30	0
1	E	1982	0	1960	24	0
1	F	1974	0	1948	27	0
1	G	1982	0	1960	21	0
1	H	1982	0	1960	22	0
1	I	1982	0	1960	13	0
1	J	1974	0	1948	21	0
1	K	1982	0	1960	23	0
1	L	1982	0	1960	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	1974	0	1948	23	0
1	N	1974	0	1948	20	0
1	O	1974	0	1948	19	0
1	P	1974	0	1948	22	0
1	Q	1974	0	1948	27	0
1	R	1982	0	1960	30	0
1	S	1982	0	1960	20	0
1	T	1982	0	1960	16	0
1	U	1992	0	1967	18	0
1	V	1982	0	1960	21	0
1	W	1982	0	1960	19	0
1	X	2003	0	1979	20	0
1	Y	1982	0	1960	16	0
1	Z	2002	0	1975	28	0
1	a	1974	0	1948	25	0
1	b	1974	0	1948	17	0
1	c	1974	0	1948	27	0
1	d	2002	0	1975	25	0
2	A	29	0	0	0	0
2	B	29	0	0	0	0
2	C	29	0	0	1	0
2	D	29	0	0	0	0
2	E	29	0	0	0	0
2	F	29	0	0	1	0
2	G	29	0	0	0	0
2	H	29	0	0	0	0
2	I	29	0	0	0	0
2	J	29	0	0	0	0
2	K	29	0	0	0	0
2	L	29	0	0	0	0
2	M	29	0	0	1	0
2	N	29	0	0	0	0
2	O	29	0	0	0	0
2	P	29	0	0	0	0
2	Q	29	0	0	0	0
2	R	29	0	0	0	0
2	S	29	0	0	0	0
2	T	29	0	0	0	0
2	U	29	0	0	1	0
2	V	29	0	0	0	0
2	W	29	0	0	0	0
2	X	29	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	Y	29	0	0	1	0
2	Z	29	0	0	0	0
2	a	29	0	0	0	0
2	b	29	0	0	0	0
2	c	29	0	0	0	0
2	d	29	0	0	1	0
3	D	1	0	0	0	0
4	A	13	0	0	0	0
4	B	19	0	0	1	0
4	C	21	0	0	2	0
4	D	23	0	0	1	0
4	E	16	0	0	0	0
4	F	12	0	0	0	0
4	G	2	0	0	0	0
4	H	7	0	0	2	0
4	I	9	0	0	0	0
4	J	6	0	0	3	0
4	K	9	0	0	0	0
4	L	8	0	0	1	0
4	M	14	0	0	2	0
4	N	8	0	0	0	0
4	O	15	0	0	2	0
4	P	5	0	0	3	0
4	Q	11	0	0	0	0
4	R	10	0	0	3	0
4	S	15	0	0	2	0
4	T	17	0	0	0	0
4	U	19	0	0	1	0
4	V	13	0	0	1	0
4	W	12	0	0	0	0
4	X	19	0	0	3	0
4	Y	24	0	0	0	0
4	Z	23	0	0	5	0
4	a	26	0	0	0	0
4	b	14	0	0	0	0
4	c	9	0	0	0	0
4	d	23	0	0	2	0
All	All	60728	0	58712	503	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 503 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:246:ARG:HG2	1:X:246:ARG:HH11	1.30	0.97
1:G:246:ARG:HG2	1:G:246:ARG:HH11	1.30	0.96
1:K:246:ARG:HH11	1:K:246:ARG:HG2	1.30	0.96
1:a:246:ARG:HH11	1:a:246:ARG:HG2	1.28	0.96
1:L:246:ARG:HG2	1:L:246:ARG:HH11	1.30	0.96

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/261 (98%)	246 (96%)	11 (4%)	0	100	100
1	B	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	C	256/261 (98%)	246 (96%)	10 (4%)	0	100	100
1	D	256/261 (98%)	246 (96%)	10 (4%)	0	100	100
1	E	257/261 (98%)	246 (96%)	11 (4%)	0	100	100
1	F	256/261 (98%)	246 (96%)	10 (4%)	0	100	100
1	G	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	H	257/261 (98%)	246 (96%)	11 (4%)	0	100	100
1	I	257/261 (98%)	245 (95%)	12 (5%)	0	100	100
1	J	256/261 (98%)	245 (96%)	11 (4%)	0	100	100
1	K	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	L	257/261 (98%)	246 (96%)	11 (4%)	0	100	100
1	M	256/261 (98%)	245 (96%)	11 (4%)	0	100	100
1	N	256/261 (98%)	245 (96%)	11 (4%)	0	100	100
1	O	256/261 (98%)	245 (96%)	11 (4%)	0	100	100
1	P	256/261 (98%)	245 (96%)	11 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Q	256/261 (98%)	246 (96%)	10 (4%)	0	100	100
1	R	257/261 (98%)	246 (96%)	11 (4%)	0	100	100
1	S	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	T	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	U	258/261 (99%)	245 (95%)	13 (5%)	0	100	100
1	V	257/261 (98%)	248 (96%)	9 (4%)	0	100	100
1	W	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	X	259/261 (99%)	246 (95%)	13 (5%)	0	100	100
1	Y	257/261 (98%)	247 (96%)	10 (4%)	0	100	100
1	Z	260/261 (100%)	251 (96%)	9 (4%)	0	100	100
1	a	256/261 (98%)	246 (96%)	10 (4%)	0	100	100
1	b	256/261 (98%)	244 (95%)	12 (5%)	0	100	100
1	c	256/261 (98%)	245 (96%)	11 (4%)	0	100	100
1	d	260/261 (100%)	249 (96%)	11 (4%)	0	100	100
All	All	7707/7830 (98%)	7387 (96%)	320 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/208 (100%)	191 (92%)	16 (8%)	12	26
1	B	207/208 (100%)	188 (91%)	19 (9%)	8	19
1	C	206/208 (99%)	188 (91%)	18 (9%)	9	21
1	D	206/208 (99%)	185 (90%)	21 (10%)	7	15
1	E	207/208 (100%)	191 (92%)	16 (8%)	12	26
1	F	206/208 (99%)	191 (93%)	15 (7%)	13	28
1	G	207/208 (100%)	187 (90%)	20 (10%)	8	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	207/208 (100%)	192 (93%)	15 (7%)	13	28
1	I	207/208 (100%)	193 (93%)	14 (7%)	14	31
1	J	206/208 (99%)	189 (92%)	17 (8%)	10	23
1	K	207/208 (100%)	187 (90%)	20 (10%)	8	17
1	L	207/208 (100%)	186 (90%)	21 (10%)	7	15
1	M	206/208 (99%)	189 (92%)	17 (8%)	10	23
1	N	206/208 (99%)	189 (92%)	17 (8%)	10	23
1	O	206/208 (99%)	192 (93%)	14 (7%)	14	31
1	P	206/208 (99%)	186 (90%)	20 (10%)	8	17
1	Q	206/208 (99%)	189 (92%)	17 (8%)	10	23
1	R	207/208 (100%)	184 (89%)	23 (11%)	6	12
1	S	207/208 (100%)	188 (91%)	19 (9%)	8	19
1	T	207/208 (100%)	188 (91%)	19 (9%)	8	19
1	U	208/208 (100%)	194 (93%)	14 (7%)	15	31
1	V	207/208 (100%)	187 (90%)	20 (10%)	8	17
1	W	207/208 (100%)	190 (92%)	17 (8%)	10	23
1	X	209/208 (100%)	190 (91%)	19 (9%)	9	20
1	Y	207/208 (100%)	188 (91%)	19 (9%)	8	19
1	Z	209/208 (100%)	191 (91%)	18 (9%)	10	21
1	a	206/208 (99%)	189 (92%)	17 (8%)	10	23
1	b	206/208 (99%)	185 (90%)	21 (10%)	7	15
1	c	206/208 (99%)	187 (91%)	19 (9%)	8	19
1	d	209/208 (100%)	188 (90%)	21 (10%)	7	16
All	All	6205/6240 (99%)	5662 (91%)	543 (9%)	10	21

5 of 543 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Z	246	ARG
1	a	175	LYS
1	Z	220	ARG
1	c	212	ARG
1	L	57[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 120 such sidechains are listed below:

Mol	Chain	Res	Type
1	N	156	HIS
1	b	134	ASN
1	Q	164	HIS
1	b	128	HIS
1	d	221	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 31 ligands modelled in this entry, 1 is monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	VFE	A	1001	-	31,31,31	1.73	6 (19%)	39,41,41	2.06	13 (33%)
2	VFE	E	1001	-	31,31,31	1.58	4 (12%)	39,41,41	2.30	11 (28%)
2	VFE	c	1001	-	31,31,31	1.16	3 (9%)	39,41,41	1.50	7 (17%)
2	VFE	F	1001	-	31,31,31	1.30	3 (9%)	39,41,41	1.47	7 (17%)
2	VFE	C	1001	-	31,31,31	1.65	4 (12%)	39,41,41	2.17	8 (20%)
2	VFE	Z	1001	-	31,31,31	1.67	5 (16%)	39,41,41	2.04	10 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	VFE	Y	1001	-	31,31,31	1.36	5 (16%)	39,41,41	1.45	6 (15%)
2	VFE	U	1001	-	31,31,31	1.96	6 (19%)	39,41,41	2.00	10 (25%)
2	VFE	G	1001	-	31,31,31	1.23	2 (6%)	39,41,41	1.65	9 (23%)
2	VFE	d	1001	-	31,31,31	1.33	4 (12%)	39,41,41	1.94	12 (30%)
2	VFE	S	1001	-	31,31,31	1.32	5 (16%)	39,41,41	1.56	9 (23%)
2	VFE	V	1001	-	31,31,31	1.49	4 (12%)	39,41,41	1.73	8 (20%)
2	VFE	W	1001	-	31,31,31	1.35	5 (16%)	39,41,41	1.75	10 (25%)
2	VFE	D	1001	-	31,31,31	1.98	5 (16%)	39,41,41	2.14	10 (25%)
2	VFE	J	1001	-	31,31,31	1.35	2 (6%)	39,41,41	1.65	8 (20%)
2	VFE	P	1001	-	31,31,31	1.56	6 (19%)	39,41,41	1.26	5 (12%)
2	VFE	O	1001	-	31,31,31	1.49	6 (19%)	39,41,41	1.35	5 (12%)
2	VFE	Q	1001	-	31,31,31	1.10	3 (9%)	39,41,41	1.85	7 (17%)
2	VFE	R	1001	-	31,31,31	1.40	2 (6%)	39,41,41	1.96	15 (38%)
2	VFE	X	1001	-	31,31,31	1.88	7 (22%)	39,41,41	1.57	8 (20%)
2	VFE	N	1001	-	31,31,31	1.22	2 (6%)	39,41,41	1.39	6 (15%)
2	VFE	H	1001	-	31,31,31	1.13	3 (9%)	39,41,41	1.80	8 (20%)
2	VFE	T	1001	-	31,31,31	1.48	7 (22%)	39,41,41	2.05	13 (33%)
2	VFE	b	1001	-	31,31,31	1.24	3 (9%)	39,41,41	1.18	4 (10%)
2	VFE	M	1001	-	31,31,31	1.71	5 (16%)	39,41,41	2.39	13 (33%)
2	VFE	B	1001	-	31,31,31	1.28	4 (12%)	39,41,41	1.31	4 (10%)
2	VFE	K	1001	-	31,31,31	1.50	3 (9%)	39,41,41	1.60	8 (20%)
2	VFE	a	1001	-	31,31,31	1.42	5 (16%)	39,41,41	1.88	13 (33%)
2	VFE	L	1001	-	31,31,31	1.52	5 (16%)	39,41,41	2.12	15 (38%)
2	VFE	I	1001	-	31,31,31	1.51	5 (16%)	39,41,41	2.06	14 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VFE	A	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	E	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	c	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	F	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	C	1001	-	-	4/23/23/23	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VFE	Z	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	Y	1001	-	-	3/23/23/23	0/3/3/3
2	VFE	U	1001	-	-	3/23/23/23	0/3/3/3
2	VFE	G	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	d	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	S	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	V	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	W	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	D	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	J	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	P	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	O	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	Q	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	R	1001	-	-	3/23/23/23	0/3/3/3
2	VFE	X	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	N	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	H	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	T	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	b	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	M	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	B	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	K	1001	-	-	4/23/23/23	0/3/3/3
2	VFE	a	1001	-	-	2/23/23/23	0/3/3/3
2	VFE	L	1001	-	-	3/23/23/23	0/3/3/3
2	VFE	I	1001	-	-	5/23/23/23	0/3/3/3

The worst 5 of 129 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	VFE	C23-S22	6.03	1.86	1.77
2	K	1001	VFE	C23-S22	5.83	1.86	1.77
2	E	1001	VFE	C23-S22	5.79	1.86	1.77
2	D	1001	VFE	C25-C24	5.79	1.48	1.38
2	D	1001	VFE	C27-C28	5.73	1.50	1.38

The worst 5 of 276 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	1001	VFE	C21-S22-C23	8.32	116.51	102.27
2	Z	1001	VFE	C3-C5-N6	-6.82	95.77	113.22
2	E	1001	VFE	C21-S22-C23	6.28	113.02	102.27
2	D	1001	VFE	C24-C23-C28	-6.22	109.43	117.55
2	V	1001	VFE	C24-C23-C28	-5.98	109.74	117.55

There are no chirality outliers.

5 of 83 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	I	1001	VFE	C5-C3-N2-C1
2	I	1001	VFE	C3-C5-N6-C19
2	K	1001	VFE	C5-C3-N2-C1
2	L	1001	VFE	C5-C3-N2-C1
2	O	1001	VFE	C5-C3-N2-C1



There are no ring outliers.



7 monomers are involved in 7 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1001	VFE	1	0
2	C	1001	VFE	1	0
2	Y	1001	VFE	1	0
2	U	1001	VFE	1	0
2	d	1001	VFE	1	0
2	X	1001	VFE	1	0
2	M	1001	VFE	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















Ligand VFE W 1001




Ligand VFE D 1001










Ligand VFE O 1001





Ligand VFE Q 1001














Ligand VFE M 1001



Ligand VFE B 1001







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/261 (98%)	0.06	7 (2%) 56 47	23, 44, 73, 124	1 (0%)
1	B	258/261 (98%)	0.04	7 (2%) 56 47	24, 43, 71, 105	1 (0%)
1	C	257/261 (98%)	-0.01	6 (2%) 61 52	21, 42, 69, 84	1 (0%)
1	D	257/261 (98%)	0.04	9 (3%) 47 37	22, 42, 69, 84	1 (0%)
1	E	258/261 (98%)	-0.01	7 (2%) 56 47	23, 42, 69, 125	1 (0%)
1	F	257/261 (98%)	-0.05	5 (1%) 66 59	23, 43, 70, 89	1 (0%)
1	G	258/261 (98%)	0.38	13 (5%) 34 27	37, 56, 93, 136	1 (0%)
1	H	258/261 (98%)	0.37	12 (4%) 36 29	35, 55, 93, 127	1 (0%)
1	I	258/261 (98%)	0.27	11 (4%) 40 31	35, 54, 89, 117	1 (0%)
1	J	257/261 (98%)	0.21	6 (2%) 61 52	34, 53, 87, 96	1 (0%)
1	K	258/261 (98%)	0.29	11 (4%) 40 31	34, 53, 88, 140	1 (0%)
1	L	258/261 (98%)	0.27	9 (3%) 47 37	37, 55, 90, 134	1 (0%)
1	M	257/261 (98%)	0.12	11 (4%) 40 31	32, 51, 82, 103	1 (0%)
1	N	257/261 (98%)	0.18	9 (3%) 47 37	33, 54, 88, 103	1 (0%)
1	O	257/261 (98%)	0.15	7 (2%) 56 47	32, 52, 86, 98	1 (0%)
1	P	257/261 (98%)	0.40	14 (5%) 31 24	34, 55, 91, 104	1 (0%)
1	Q	257/261 (98%)	0.29	12 (4%) 36 29	35, 55, 91, 102	1 (0%)
1	R	258/261 (98%)	0.24	9 (3%) 47 37	33, 52, 90, 122	1 (0%)
1	S	258/261 (98%)	0.00	5 (1%) 66 59	25, 45, 70, 123	1 (0%)
1	T	258/261 (98%)	0.08	6 (2%) 61 52	26, 46, 74, 110	1 (0%)
1	U	259/261 (99%)	0.07	11 (4%) 40 32	24, 43, 73, 117	1 (0%)
1	V	258/261 (98%)	0.07	7 (2%) 56 47	25, 46, 73, 121	1 (0%)
1	W	258/261 (98%)	0.08	8 (3%) 51 42	25, 45, 72, 107	1 (0%)
1	X	259/261 (99%)	0.08	11 (4%) 40 32	25, 43, 69, 121	2 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	Y	258/261 (98%)	0.11	11 (4%) 40 31	24, 44, 76, 124	1 (0%)
1	Z	261/261 (100%)	-0.01	6 (2%) 61 52	23, 42, 69, 81	1 (0%)
1	a	257/261 (98%)	0.03	7 (2%) 56 47	25, 44, 71, 91	1 (0%)
1	b	257/261 (98%)	0.03	9 (3%) 47 37	22, 42, 69, 94	1 (0%)
1	c	257/261 (98%)	-0.02	6 (2%) 61 52	23, 43, 70, 87	1 (0%)
1	d	261/261 (100%)	0.01	9 (3%) 48 38	21, 40, 67, 81	1 (0%)
All	All	7736/7830 (98%)	0.13	261 (3%) 48 38	21, 47, 81, 140	31 (0%)

The worst 5 of 261 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Y	1	MET	6.6
1	W	1	MET	6.5
1	U	1	MET	5.9
1	I	1	MET	5.6
1	E	1	MET	5.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	VFE	I	1001	29/29	0.91	0.16	58,63,70,80	0
2	VFE	U	1001	29/29	0.91	0.16	53,58,66,71	0
2	VFE	d	1001	29/29	0.91	0.16	44,57,66,70	0
2	VFE	J	1001	29/29	0.92	0.14	55,59,69,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	VFE	M	1001	29/29	0.92	0.15	53,62,70,82	0
2	VFE	H	1001	29/29	0.92	0.15	61,69,73,82	0
2	VFE	X	1001	29/29	0.92	0.14	51,57,67,72	0
2	VFE	C	1001	29/29	0.92	0.14	49,56,62,81	0
2	VFE	P	1001	29/29	0.93	0.13	56,60,66,77	0
2	VFE	R	1001	29/29	0.93	0.14	52,58,80,80	0
2	VFE	T	1001	29/29	0.93	0.14	47,57,69,72	0
2	VFE	K	1001	29/29	0.93	0.13	61,67,77,82	0
2	VFE	L	1001	29/29	0.93	0.14	59,63,73,81	0
2	VFE	Z	1001	29/29	0.93	0.13	51,58,72,76	0
2	VFE	a	1001	29/29	0.93	0.13	51,56,67,73	0
2	VFE	c	1001	29/29	0.93	0.15	47,54,65,78	0
2	VFE	D	1001	29/29	0.93	0.13	47,52,65,68	0
2	VFE	B	1001	29/29	0.94	0.13	46,50,61,63	0
2	VFE	V	1001	29/29	0.94	0.12	49,55,60,73	0
2	VFE	O	1001	29/29	0.94	0.13	56,63,76,78	0
2	VFE	Y	1001	29/29	0.94	0.13	50,58,71,73	0
2	VFE	E	1001	29/29	0.94	0.12	49,55,64,72	0
2	VFE	Q	1001	29/29	0.94	0.13	57,65,72,78	0
2	VFE	b	1001	29/29	0.94	0.13	54,59,73,82	0
2	VFE	G	1001	29/29	0.94	0.12	56,65,69,74	0
2	VFE	A	1001	29/29	0.94	0.12	46,53,62,69	0
2	VFE	W	1001	29/29	0.95	0.12	52,55,67,72	0
2	VFE	F	1001	29/29	0.95	0.12	46,52,65,76	0
2	VFE	N	1001	29/29	0.95	0.10	50,57,64,73	0
2	VFE	S	1001	29/29	0.95	0.11	45,54,59,71	0
3	MG	D	1002	1/1	0.95	0.10	58,58,58,58	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around VFE I 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE U 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE d 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE J 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE M 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE H 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE X 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE P 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE R 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE T 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE K 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE L 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE Z 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE a 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE c 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE D 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE V 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE O 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE Y 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE E 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE Q 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE b 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE G 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VFE A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VFE W 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around VFE F 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around VFE N 1001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.