



Full wwPDB EM Validation Report ⓘ

Mar 10, 2026 – 03:05 PM UTC

PDB ID : 8OJ6 / pdb_00008oj6
EMDB ID : EMD-16906
Title : HSV-1 DNA polymerase-processivity factor complex in pre-translocation state
Authors : Gustavsson, E.; Grunewald, K.; Elias, P.; Hallberg, B.M.
Deposited on : 2023-03-24
Resolution : 2.41 Å(reported)
Based on initial model : 7LUF

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY



The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Q-score	-	25397	5662 (1.92 - 2.91)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1235	
2	B	488	
3	C	22	
4	D	48	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase catalytic subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1085	Total	C	N	O	S	0	0
			8550	5472	1502	1536	40		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	330	ARG	ALA	variant	UNP P04293

- Molecule 2 is a protein called DNA polymerase processivity factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	266	Total	C	N	O	S	0	0
			2049	1304	361	377	7		

- Molecule 3 is a DNA chain called DNA (22-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	22	Total	C	N	O	P	0	0
			455	215	88	130	22		

- Molecule 4 is a DNA chain called DNA (48-MER).


Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	29	Total	C	N	O	P	0	0
			590	280	104	177	29		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	2	Total	Mg	0
			2	2	

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		AltConf
6	A	4	Total	O	0
			4	4	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	58332	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	58	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	165000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.922	Depositor
Minimum map value	-1.009	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.047	Depositor
Recommended contour level	0.3	Depositor
Map size ($\text{\AA}$)	303.0, 303.0, 303.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.01, 1.01, 1.01	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/8751	0.94	4/11866 (0.0%)
2	B	0.51	0/2087	0.88	0/2839
3	C	0.45	0/511	0.90	1/787 (0.1%)
4	D	0.44	0/659	0.92	1/1014 (0.1%)
All	All	0.60	0/12008	0.92	6/16506 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
2	B	0	2
All	All	0	5

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	920	PRO	N-CA-C	10.55	123.58	110.70
4	D	35	DC	O3'-P-O5'	-6.52	94.22	104.00
1	A	170	ARG	CB-CA-C	-6.07	100.37	110.68
1	A	177	PRO	CB-CA-C	5.93	121.35	111.56
1	A	177	PRO	N-CA-C	-5.05	102.06	112.47
3	C	21	DG	C4'-C3'-O3'	5.02	117.53	110.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	ARG	Sidechain
1	A	330	ARG	Sidechain
1	A	611	ARG	Sidechain
2	B	113	ARG	Peptide
2	B	272	CYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8550	0	8545	76	0
2	B	2049	0	2098	17	0
3	C	455	0	247	13	0
4	D	590	0	327	18	0
5	A	2	0	0	0	0
6	A	4	0	0	2	0
All	All	11650	0	11217	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:VAL:HB	1:A:386:HIS:CD2	1.88	1.09
1:A:611:ARG:HG2	1:A:615:ASP:OD2	1.58	1.04
1:A:1076:ILE:HD13	1:A:1139:VAL:HG13	1.43	1.01
1:A:370:GLU:OE2	1:A:560:ILE:CD1	2.14	0.96
1:A:383:VAL:HB	1:A:386:HIS:HD2	1.20	0.95
1:A:529:ILE:CG2	1:A:533:ILE:HD11	2.03	0.89
1:A:383:VAL:CB	1:A:386:HIS:CD2	2.59	0.86
2:B:50:LEU:HD13	2:B:54:LEU:HD12	1.57	0.84
1:A:154:GLU:OE1	1:A:299:ALA:HB3	1.79	0.82
1:A:529:ILE:HG23	1:A:533:ILE:HD11	1.61	0.81
1:A:1076:ILE:CD1	1:A:1139:VAL:HG13	2.10	0.81
3:C:17:DG:H1	4:D:32:DC:H42	1.29	0.80
1:A:1137:LEU:HB2	1:A:1142:LEU:HD11	1.65	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:ILE:HG23	1:A:533:ILE:CD1	2.15	0.76
1:A:383:VAL:CB	1:A:386:HIS:HD2	1.95	0.75
1:A:370:GLU:OE2	1:A:560:ILE:HD12	1.85	0.75
3:C:17:DG:N2	4:D:32:DC:N3	2.34	0.72
1:A:872:MET:HE1	1:A:905:VAL:HG11	1.70	0.72
2:B:38:ALA:HA	2:B:41:ASN:HB2	1.72	0.71
3:C:17:DG:H1	4:D:32:DC:N4	1.89	0.71
2:B:290:PHE:CD2	2:B:299:LEU:HD13	2.27	0.70
1:A:888:ASP:OD2	3:C:22:DA:H5''	1.94	0.67
1:A:1076:ILE:CD1	1:A:1139:VAL:CG1	2.75	0.64
2:B:47:PHE:CD2	2:B:50:LEU:HD12	2.33	0.64
1:A:369:ILE:HG22	1:A:394:ILE:HG12	1.81	0.63
4:D:23:DG:H21	4:D:24:DC:H1'	1.63	0.63
1:A:1137:LEU:HB3	1:A:1141:GLU:OE1	2.00	0.61
4:D:23:DG:H2''	4:D:24:DC:H5''	1.82	0.61
1:A:1138:LEU:HD13	4:D:36:DA:H3'	1.84	0.60
1:A:1018:HIS:O	1:A:1021:ILE:HG22	2.02	0.59
1:A:721:LEU:HD22	1:A:888:ASP:HB3	1.83	0.59
1:A:1137:LEU:HB2	1:A:1142:LEU:CD1	2.32	0.58
1:A:888:ASP:OD2	6:A:1401:HOH:O	2.17	0.58
2:B:62:GLY:HA2	2:B:91:TRP:NE1	2.19	0.58
2:B:62:GLY:HA2	2:B:91:TRP:CE2	2.38	0.57
4:D:22:DG:H1'	4:D:23:DG:H5''	1.87	0.57
4:D:41:DC:H2''	4:D:42:DG:C8	2.40	0.57
2:B:289:LYS:NZ	2:B:302:THR:OG1	2.35	0.56
1:A:1087:VAL:O	1:A:1090:LEU:HB2	2.07	0.55
1:A:1076:ILE:HD11	1:A:1139:VAL:CG1	2.36	0.55
1:A:902:LEU:HA	1:A:905:VAL:HG12	1.89	0.53
2:B:276:ALA:O	2:B:280:ARG:HG2	2.09	0.53
1:A:383:VAL:CG2	1:A:386:HIS:CD2	2.91	0.53
4:D:33:DT:H2''	4:D:34:DA:C8	2.43	0.53
1:A:176:THR:HB	1:A:177:PRO:CD	2.39	0.53
2:B:38:ALA:O	2:B:42:GLY:N	2.37	0.52
1:A:722:TYR:CD2	3:C:22:DA:H2''	2.43	0.52
3:C:14:DG:C8	3:C:15:DT:H72	2.45	0.52
1:A:404:THR:HG23	1:A:590:PHE:CG	2.45	0.52
1:A:176:THR:HB	1:A:177:PRO:HD3	1.92	0.51
1:A:907:ASP:OD1	1:A:908:LYS:N	2.44	0.51
1:A:1081:ARG:O	1:A:1085:GLU:HG3	2.11	0.51
1:A:880:MET:SD	1:A:909:MET:HE1	2.51	0.51
1:A:529:ILE:O	1:A:533:ILE:HG12	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:904:ALA:O	1:A:908:LYS:HG3	2.11	0.51
2:B:52:THR:HG22	2:B:113:ARG:HD2	1.93	0.51
1:A:611:ARG:CG	1:A:615:ASP:OD2	2.46	0.51
1:A:721:LEU:HD22	1:A:888:ASP:CB	2.41	0.50
2:B:73:PHE:CE2	2:B:280:ARG:HD3	2.45	0.50
4:D:33:DT:H2''	4:D:34:DA:H8	1.77	0.50
1:A:370:GLU:CD	1:A:560:ILE:CD1	2.85	0.50
1:A:534:LYS:HG3	1:A:960:LYS:HE3	1.94	0.50
1:A:1082:GLU:HA	1:A:1085:GLU:OE1	2.11	0.50
1:A:1086:THR:HA	1:A:1089:ARG:HB2	1.94	0.49
1:A:1142:LEU:HD23	1:A:1157:ASN:HD22	1.77	0.49
1:A:400:ASP:HB2	1:A:407:GLU:OE1	2.13	0.49
3:C:13:DT:H2''	3:C:14:DG:C8	2.48	0.49
1:A:641:GLY:O	1:A:642:ARG:C	2.56	0.48
1:A:1028:ILE:HG21	1:A:1150:ILE:HG12	1.95	0.47
2:B:48:ALA:N	2:B:49:PRO:HD2	2.30	0.47
2:B:51:ARG:HH12	4:D:44:DG:P	2.37	0.47
2:B:47:PHE:CE2	2:B:50:LEU:HD12	2.51	0.46
1:A:1053:THR:HG21	1:A:1140:SER:O	2.16	0.45
1:A:370:GLU:CG	1:A:560:ILE:HD13	2.47	0.45
4:D:22:DG:C2	4:D:23:DG:C8	3.05	0.45
1:A:888:ASP:CG	3:C:22:DA:H5''	2.41	0.45
1:A:404:THR:O	1:A:404:THR:HG22	2.17	0.44
1:A:1081:ARG:HA	1:A:1084:GLU:CD	2.42	0.44
1:A:81:VAL:HG21	1:A:565:ALA:CB	2.47	0.44
1:A:260:TYR:HB3	1:A:262:GLU:OE1	2.17	0.44
4:D:41:DC:C2'	4:D:42:DG:C8	3.01	0.44
1:A:260:TYR:HA	1:A:736:LEU:O	2.18	0.44
1:A:902:LEU:O	1:A:903:THR:C	2.61	0.44
1:A:849:ARG:HA	1:A:882:ILE:CD1	2.49	0.43
1:A:370:GLU:OE2	1:A:560:ILE:HD13	2.11	0.43
3:C:13:DT:C2'	3:C:14:DG:C8	3.02	0.43
1:A:827:LEU:H	1:A:827:LEU:HD12	1.84	0.42
1:A:1138:LEU:HB3	4:D:36:DA:OP1	2.19	0.42
1:A:1231:PHE:CZ	2:B:67:LEU:HB2	2.54	0.42
1:A:176:THR:CB	1:A:177:PRO:CD	2.97	0.42
1:A:148:HIS:O	1:A:186:GLY:HA3	2.20	0.42
1:A:1086:THR:O	1:A:1090:LEU:HG	2.20	0.42
1:A:907:ASP:OD1	1:A:907:ASP:C	2.63	0.42
3:C:7:DC:H2''	3:C:8:DG:C8	2.55	0.42
4:D:42:DG:C8	4:D:43:DT:H72	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:290:PHE:CG	2:B:299:LEU:HD13	2.54	0.42
4:D:22:DG:H1'	4:D:23:DG:OP1	2.20	0.42
1:A:1082:GLU:O	1:A:1085:GLU:HB2	2.20	0.42
3:C:4:DT:H2''	3:C:5:DC:C5	2.55	0.41
1:A:1142:LEU:HD23	1:A:1157:ASN:ND2	2.35	0.41
3:C:21:DG:H2'	3:C:22:DA:H8	1.84	0.41
1:A:383:VAL:HG21	1:A:386:HIS:CD2	2.55	0.41
1:A:529:ILE:CG2	1:A:533:ILE:CD1	2.81	0.41
1:A:1021:ILE:HD11	1:A:1161:TYR:CB	2.51	0.41
1:A:1079:GLN:HB2	1:A:1142:LEU:HD21	2.02	0.41
1:A:1082:GLU:HA	1:A:1085:GLU:CD	2.45	0.41
3:C:12:DT:C6	3:C:13:DT:H72	2.56	0.41
4:D:23:DG:N2	4:D:24:DC:H1'	2.34	0.41
1:A:370:GLU:OE2	1:A:560:ILE:HD11	2.13	0.40
1:A:383:VAL:CG2	1:A:386:HIS:HD2	2.30	0.40
1:A:383:VAL:HG21	1:A:386:HIS:NE2	2.36	0.40
4:D:22:DG:H2''	4:D:23:DG:C5'	2.52	0.40
2:B:52:THR:HA	2:B:55:LEU:HG	2.02	0.40
1:A:719:ALA:HA	6:A:1403:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16906. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 150



Y Index: 150



Z Index: 150

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 145



Y Index: 152




Z Index: 138


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_16906_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 79 nm^3 ; this corresponds to an approximate mass of 72 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.415 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16906 and PDB model 8OJ6. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8210	0.5550
A	0.9190	0.6210
B	0.5080	0.3410
C	0.6970	0.4660
D	0.6240	0.4140

