



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:24 PM UTC

PDB ID : 3OKS / pdb_00003oks
Title : Crystal structure of 4-aminobutyrate transaminase from mycobacterium smegmatis
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2010-08-25
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	 94% . .
1	B	451	 96% . .
1	C	451	 94% 5% .
1	D	451	 93% 6% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	LLP	A	292[B]	-	X	-	-
1	LLP	B	292[B]	-	X	-	-
1	LLP	C	292[B]	-	X	-	-
1	LLP	D	292[B]	-	X	-	-

ENTRY-COMPOSITION INFOmissingINFO

2 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 4-aminobutyrate transaminase

Chain A:  94%




- Molecule 1: 4-aminobutyrate transaminase

Chain B:  96%





- Molecule 1: 4-aminobutyrate transaminase

Chain C:  94% 5%



- Molecule 1: 4-aminobutyrate transaminase

Chain D:  93% 6%



3 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	128.01Å 128.01Å 104.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.20 – 1.80 48.20 – 1.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (48.20-1.80) 99.9 (48.20-1.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.87 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.126 , 0.159 (Not available) , 0.154	Depositor DCC
R_{free} test set	7782 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	12.1	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	14977	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, MG, LLP, FMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.78	0/3416	0.83	0/4638
1	B	0.79	0/3415	0.83	0/4642
1	C	0.82	0/3370	0.85	2/4581 (0.0%)
1	D	0.85	0/3390	0.86	4/4605 (0.1%)
All	All	0.81	0/13591	0.84	6/18466 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	423	LEU	CA-C-N	-5.64	115.60	119.66
1	C	423	LEU	C-N-CA	-5.64	115.60	119.66
1	D	4	HIS	CA-C-N	-5.63	114.46	120.03
1	D	4	HIS	C-N-CA	-5.63	114.46	120.03
1	D	423	LEU	CA-C-N	-5.12	115.93	119.66
1	D	423	LEU	C-N-CA	-5.12	115.93	119.66

There are no chirality outliers.

There are no planarity outliers.

4.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3351	0	3352	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3348	0	3340	11	0
1	C	3321	0	3300	15	0
1	D	3339	0	3327	17	0
2	A	8	0	12	0	0
2	B	8	0	12	0	0
2	C	8	0	12	0	0
2	D	12	0	18	2	0
3	A	9	0	3	0	0
3	B	12	0	4	0	0
3	C	6	0	2	0	0
3	D	9	0	3	0	0
4	C	1	0	0	0	0
5	A	375	0	0	3	1
5	B	399	0	0	2	0
5	C	368	0	0	0	1
5	D	403	0	0	3	0
All	All	14977	0	13385	62	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280[B]:HIS:NE2	1:A:375[B]:ARG:NH1	1.82	1.27
1:A:280[B]:HIS:CE1	1:A:375[B]:ARG:NH1	2.28	1.01
1:A:280[B]:HIS:CD2	1:A:375[B]:ARG:NH1	2.37	0.92
1:A:280[B]:HIS:CD2	1:A:375[B]:ARG:CZ	2.53	0.91
1:C:362:LEU:HD11	1:C:441:GLU:HG2	1.61	0.81
1:B:337[B]:GLU:OE1	5:B:1534:HOH:O	2.01	0.78
1:A:280[B]:HIS:CE1	1:A:375[B]:ARG:HH12	1.95	0.76
1:A:169[A]:MET:HE3	1:A:170:PRO:HA	1.68	0.73
1:D:210:ARG:NH1	5:D:529:HOH:O	2.21	0.73
1:B:148:VAL:CG1	1:B:227:VAL:HG22	2.23	0.68
1:A:280[B]:HIS:NE2	1:A:375[B]:ARG:CZ	2.57	0.66
1:A:45[A]:ARG:NH1	5:A:1046:HOH:O	2.30	0.65
1:D:441:GLU:OE2	5:D:1373:HOH:O	2.16	0.61
1:A:169[A]:MET:HE3	1:A:169[A]:MET:HA	1.83	0.60
1:A:441:GLU:OE2	5:A:615:HOH:O	2.17	0.57
1:C:362:LEU:CD1	1:C:441:GLU:HG2	2.31	0.56
1:A:115:VAL:HB	1:A:119:LYS:HD3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:280[B]:HIS:CD2	1:A:375[B]:ARG:NH2	2.75	0.54
1:B:115:VAL:HB	1:B:119:LYS:HD3	1.89	0.54
1:D:38:THR:HG23	2:D:485:EDO:H11	1.90	0.53
1:B:200:LEU:HD11	1:B:210:ARG:NH1	2.23	0.53
1:A:173:ASP:HB3	1:B:314[B]:HIS:CE1	2.45	0.51
1:B:16:PRO:HB3	1:B:40:PRO:O	2.10	0.51
1:C:16:PRO:HB3	1:C:40:PRO:O	2.11	0.50
1:C:266:GLN:HA	1:C:292[B]:LLP:HD3	1.94	0.50
1:C:314[B]:HIS:CE1	1:D:173:ASP:HB3	2.47	0.49
1:B:200:LEU:HD11	1:B:210:ARG:HH12	1.78	0.48
1:D:44:VAL:CG1	1:D:54:VAL:HG12	2.44	0.48
1:D:266:GLN:HA	1:D:292[B]:LLP:HD3	1.95	0.48
1:A:314[B]:HIS:CD2	5:A:1508:HOH:O	2.67	0.48
1:C:148:VAL:CG1	1:C:227:VAL:HG22	2.45	0.47
1:D:292[A]:LLP:NZ	1:D:292[A]:LLP:O3	2.47	0.47
1:A:16:PRO:HB3	1:A:40:PRO:O	2.15	0.47
1:C:292[A]:LLP:O3	1:C:292[A]:LLP:NZ	2.47	0.47
1:B:266:GLN:HA	1:B:292[B]:LLP:HD3	1.95	0.47
1:D:265:VAL:HG13	1:D:291:ALA:HB3	1.98	0.46
1:B:292[A]:LLP:O3	1:B:292[A]:LLP:NZ	2.46	0.46
1:C:199:GLU:O	1:C:203:ASP:HB3	2.16	0.46
1:B:148:VAL:HG11	1:B:227:VAL:HG22	1.97	0.45
1:D:385:LYS:HD2	1:D:390:GLU:CD	2.42	0.45
1:C:0:SER:O	1:C:1:MET:HE2	2.17	0.44
1:C:115:VAL:HB	1:C:119:LYS:HD3	2.00	0.44
1:C:180:PRO:HG2	1:D:177:PRO:HB2	1.99	0.43
1:C:189:TYR:CE2	1:C:192:ARG:HD2	2.53	0.43
1:C:355:MET:HE3	1:C:379:ILE:CG1	2.49	0.43
1:D:16:PRO:HB3	1:D:40:PRO:O	2.18	0.43
1:A:292[A]:LLP:O3	1:A:292[A]:LLP:NZ	2.46	0.43
1:C:159:ASN:HA	1:C:162:MET:HE3	2.02	0.42
1:D:6:GLU:HG2	5:D:1376:HOH:O	2.19	0.42
1:A:265:VAL:HG13	1:A:291:ALA:HB3	2.02	0.42
1:D:163:ALA:HB2	1:D:178:PHE:HB3	2.02	0.42
1:D:273:GLY:HA2	1:D:348:ALA:HB3	2.02	0.42
1:A:44:VAL:CG1	1:A:54:VAL:HG12	2.50	0.41
1:A:148:VAL:CG1	1:A:227:VAL:HG22	2.50	0.41
1:B:388:THR:HB	5:B:473:HOH:O	2.19	0.41
1:A:280[B]:HIS:CE1	1:A:375[B]:ARG:HH11	2.27	0.41
1:C:0:SER:C	1:C:1:MET:HE2	2.46	0.41
1:D:308:GLU:H	1:D:308:GLU:CD	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210[A]:ARG:HB3	1:A:210[A]:ARG:CZ	2.51	0.40
1:D:148:VAL:CG1	1:D:227:VAL:HG22	2.51	0.40
1:A:266:GLN:HA	1:A:292[B]:LLP:HD3	2.04	0.40
1:D:412:SER:OG	2:D:485:EDO:H22	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1479:HOH:O	5:C:1478:HOH:O[4_565]	2.02	0.18

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/341 (101%)	341 (99%)	2 (1%)	78	77
1	B	345/341 (101%)	345 (100%)	0	100	100
1	C	338/341 (99%)	337 (100%)	1 (0%)	86	86
1	D	341/341 (100%)	341 (100%)	0	100	100
All	All	1367/1364 (100%)	1364 (100%)	3 (0%)	87	87

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	169[A]	MET
1	A	169[B]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	73	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	125	ASN
1	A	233	GLN
1	A	266	GLN
1	B	125	ASN
1	B	233	GLN
1	B	266	GLN
1	C	125	ASN
1	C	233	GLN
1	C	266	GLN
1	D	125	ASN
1	D	143	HIS
1	D	223	ASN
1	D	233	GLN
1	D	266	GLN
1	D	349	GLN

4.3.3 RNA ⓘ

There are no RNA molecules in this entry.

4.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	LLP	C	292[B]	-	23,8,25	12.29	5 (21%)	25,8,34	3.68	5 (20%)
1	LLP	A	292[A]	-	23,24,25	1.94	7 (30%)	25,32,34	1.90	5 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	LLP	B	292[B]	-	23,8,25	12.62	5 (21%)	25,8,34	3.75	8 (32%)
1	LLP	D	292[B]	-	23,8,25	13.00	5 (21%)	25,8,34	3.68	5 (20%)
1	LLP	C	292[A]	-	23,24,25	2.10	7 (30%)	25,32,34	1.76	4 (16%)
1	LLP	B	292[A]	-	23,24,25	2.11	7 (30%)	25,32,34	1.93	7 (28%)
1	LLP	D	292[A]	-	23,24,25	2.01	7 (30%)	25,32,34	1.82	4 (16%)
1	LLP	A	292[B]	-	23,8,25	12.90	5 (21%)	25,8,34	4.14	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	C	292[B]	-	-	3/16/7/19	0/1/0/1
1	LLP	A	292[A]	-	-	3/16/17/19	0/1/1/1
1	LLP	B	292[B]	-	-	4/16/7/19	0/1/0/1
1	LLP	D	292[B]	-	-	4/16/7/19	0/1/0/1
1	LLP	C	292[A]	-	-	3/16/17/19	0/1/1/1
1	LLP	B	292[A]	-	-	3/16/17/19	0/1/1/1
1	LLP	D	292[A]	-	-	3/16/17/19	0/1/1/1
1	LLP	A	292[B]	-	-	5/16/7/19	0/1/0/1

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	292[B]	LLP	C4'-NZ	61.88	3.34	1.27
1	A	292[B]	LLP	C4'-NZ	61.39	3.32	1.27
1	B	292[B]	LLP	C4'-NZ	59.98	3.28	1.27
1	C	292[B]	LLP	C4'-NZ	58.43	3.22	1.27
1	D	292[A]	LLP	O3-C3	-5.66	1.24	1.36
1	D	292[B]	LLP	O3-C3	-5.66	1.24	1.36
1	B	292[A]	LLP	O3-C3	-5.23	1.24	1.36
1	B	292[B]	LLP	O3-C3	-5.23	1.24	1.36
1	A	292[A]	LLP	O3-C3	-4.89	1.25	1.36
1	A	292[B]	LLP	O3-C3	-4.89	1.25	1.36
1	C	292[A]	LLP	O3-C3	-4.88	1.25	1.36
1	C	292[B]	LLP	O3-C3	-4.88	1.25	1.36
1	B	292[A]	LLP	CE-NZ	4.32	1.56	1.46
1	C	292[A]	LLP	CE-NZ	4.23	1.56	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	292[A]	LLP	CE-NZ	3.66	1.55	1.46
1	A	292[A]	LLP	CE-NZ	3.66	1.55	1.46
1	C	292[A]	LLP	C4'-NZ	3.59	1.39	1.27
1	C	292[A]	LLP	C6-N1	3.59	1.41	1.34
1	C	292[B]	LLP	C6-N1	3.59	1.41	1.34
1	A	292[A]	LLP	C6-N1	3.49	1.41	1.34
1	A	292[B]	LLP	C6-N1	3.49	1.41	1.34
1	B	292[A]	LLP	C4'-NZ	3.42	1.38	1.27
1	B	292[A]	LLP	C6-N1	3.35	1.41	1.34
1	B	292[B]	LLP	C6-N1	3.35	1.41	1.34
1	D	292[A]	LLP	C4'-NZ	3.30	1.38	1.27
1	B	292[A]	LLP	C2-N1	3.02	1.39	1.33
1	B	292[B]	LLP	C2-N1	3.02	1.39	1.33
1	C	292[A]	LLP	C2-N1	2.92	1.39	1.33
1	C	292[B]	LLP	C2-N1	2.92	1.39	1.33
1	D	292[A]	LLP	C6-N1	2.90	1.40	1.34
1	D	292[B]	LLP	C6-N1	2.90	1.40	1.34
1	A	292[A]	LLP	C4'-NZ	2.84	1.36	1.27
1	A	292[A]	LLP	C2-N1	2.82	1.38	1.33
1	A	292[B]	LLP	C2-N1	2.82	1.38	1.33
1	B	292[A]	LLP	C4-C4'	2.70	1.52	1.46
1	B	292[B]	LLP	C4-C4'	2.70	1.52	1.46
1	C	292[A]	LLP	CD-CE	2.68	1.60	1.51
1	D	292[A]	LLP	C4-C4'	2.66	1.52	1.46
1	D	292[B]	LLP	C4-C4'	2.66	1.52	1.46
1	D	292[A]	LLP	C2-N1	2.58	1.38	1.33
1	D	292[B]	LLP	C2-N1	2.58	1.38	1.33
1	A	292[A]	LLP	C4-C4'	2.53	1.52	1.46
1	A	292[B]	LLP	C4-C4'	2.53	1.52	1.46
1	C	292[A]	LLP	C4-C4'	2.48	1.51	1.46
1	C	292[B]	LLP	C4-C4'	2.48	1.51	1.46
1	A	292[A]	LLP	CD-CE	2.48	1.60	1.51
1	D	292[A]	LLP	CD-CE	2.21	1.59	1.51
1	B	292[A]	LLP	CD-CE	2.12	1.58	1.51

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292[B]	LLP	CE-NZ-C4'	-18.28	60.16	118.72
1	C	292[B]	LLP	CE-NZ-C4'	-16.18	66.89	118.72
1	B	292[B]	LLP	CE-NZ-C4'	-16.13	67.06	118.72
1	D	292[B]	LLP	CE-NZ-C4'	-15.94	67.68	118.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292[A]	LLP	OP4-C5'-C5	6.48	121.50	109.36
1	A	292[B]	LLP	OP4-C5'-C5	6.48	121.50	109.36
1	D	292[A]	LLP	OP4-C5'-C5	5.89	120.40	109.36
1	D	292[B]	LLP	OP4-C5'-C5	5.89	120.40	109.36
1	C	292[A]	LLP	OP4-C5'-C5	5.72	120.08	109.36
1	C	292[B]	LLP	OP4-C5'-C5	5.72	120.08	109.36
1	B	292[A]	LLP	OP4-C5'-C5	5.29	119.27	109.36
1	B	292[B]	LLP	OP4-C5'-C5	5.29	119.27	109.36
1	A	292[B]	LLP	C4-C4'-NZ	4.28	143.77	124.04
1	D	292[B]	LLP	C4-C4'-NZ	4.14	143.15	124.04
1	B	292[B]	LLP	C4-C4'-NZ	3.96	142.32	124.04
1	D	292[A]	LLP	C4-C4'-NZ	-3.91	106.00	124.04
1	C	292[B]	LLP	C4-C4'-NZ	3.90	142.02	124.04
1	A	292[A]	LLP	C4-C4'-NZ	-3.79	106.56	124.04
1	B	292[A]	LLP	C4-C4'-NZ	-3.76	106.68	124.04
1	C	292[A]	LLP	C4-C4'-NZ	-3.70	106.95	124.04
1	B	292[A]	LLP	OP3-P-OP2	3.26	120.04	107.80
1	B	292[B]	LLP	OP3-P-OP2	3.26	120.04	107.80
1	B	292[A]	LLP	C5-C6-N1	-3.14	118.72	123.83
1	B	292[B]	LLP	C5-C6-N1	-3.14	118.72	123.83
1	C	292[A]	LLP	OP3-P-OP2	2.80	118.29	107.80
1	C	292[B]	LLP	OP3-P-OP2	2.80	118.29	107.80
1	D	292[A]	LLP	OP3-P-OP2	2.61	117.57	107.80
1	D	292[B]	LLP	OP3-P-OP2	2.61	117.57	107.80
1	D	292[A]	LLP	OP2-P-OP4	-2.46	100.27	106.67
1	D	292[B]	LLP	OP2-P-OP4	-2.46	100.27	106.67
1	A	292[A]	LLP	OP2-P-OP4	-2.37	100.48	106.67
1	A	292[B]	LLP	OP2-P-OP4	-2.37	100.48	106.67
1	A	292[A]	LLP	OP3-P-OP2	2.37	116.69	107.80
1	A	292[B]	LLP	OP3-P-OP2	2.37	116.69	107.80
1	B	292[A]	LLP	O3-C3-C2	2.35	122.45	117.58
1	B	292[B]	LLP	O3-C3-C2	2.35	122.45	117.58
1	B	292[A]	LLP	OP2-P-OP4	-2.34	100.56	106.67
1	B	292[B]	LLP	OP2-P-OP4	-2.34	100.56	106.67
1	A	292[A]	LLP	O3-C3-C2	2.27	122.29	117.58
1	A	292[B]	LLP	O3-C3-C2	2.27	122.29	117.58
1	C	292[A]	LLP	OP2-P-OP4	-2.15	101.07	106.67
1	C	292[B]	LLP	OP2-P-OP4	-2.15	101.07	106.67
1	B	292[A]	LLP	C6-C5-C4	2.01	121.67	118.21
1	B	292[B]	LLP	C6-C5-C4	2.01	121.67	118.21

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	292[A]	LLP	CG-CD-CE-NZ
1	A	292[B]	LLP	C4-C4'-NZ-CE
1	A	292[B]	LLP	O-C-CA-CB
1	B	292[A]	LLP	CG-CD-CE-NZ
1	B	292[B]	LLP	C4-C4'-NZ-CE
1	C	292[A]	LLP	CG-CD-CE-NZ
1	C	292[B]	LLP	C4-C4'-NZ-CE
1	D	292[A]	LLP	CG-CD-CE-NZ
1	D	292[B]	LLP	C4-C4'-NZ-CE
1	B	292[A]	LLP	C4-C4'-NZ-CE
1	C	292[A]	LLP	C4-C4'-NZ-CE
1	A	292[A]	LLP	C4-C4'-NZ-CE
1	D	292[A]	LLP	C4-C4'-NZ-CE
1	A	292[B]	LLP	C3-C4-C4'-NZ
1	D	292[B]	LLP	C3-C4-C4'-NZ
1	B	292[B]	LLP	C3-C4-C4'-NZ
1	D	292[B]	LLP	C5-C4-C4'-NZ
1	C	292[A]	LLP	C3-C4-C4'-NZ
1	B	292[B]	LLP	C5-C4-C4'-NZ
1	A	292[A]	LLP	C3-C4-C4'-NZ
1	B	292[A]	LLP	C3-C4-C4'-NZ
1	C	292[B]	LLP	C3-C4-C4'-NZ
1	D	292[A]	LLP	C3-C4-C4'-NZ
1	A	292[B]	LLP	C5-C4-C4'-NZ
1	C	292[B]	LLP	C5-C4-C4'-NZ
1	A	292[B]	LLP	C-CA-CB-CG
1	B	292[B]	LLP	C-CA-CB-CG
1	D	292[B]	LLP	C-CA-CB-CG

There are no ring outliers.

8 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	292[B]	LLP	1	0
1	A	292[A]	LLP	1	0
1	B	292[B]	LLP	1	0
1	D	292[B]	LLP	1	0
1	C	292[A]	LLP	1	0
1	B	292[A]	LLP	1	0
1	D	292[A]	LLP	1	0
1	A	292[B]	LLP	1	0

4.5 Carbohydrates

There are no oligosaccharides in this entry.

4.6 Ligand geometry

Of 22 ligands modelled in this entry, 1 is monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FMT	C	460	-	2,2,2	0.53	0	1,1,1	0.37	0
2	EDO	D	455	-	3,3,3	0.50	0	2,2,2	0.33	0
2	EDO	A	480	-	3,3,3	0.48	0	2,2,2	0.11	0
2	EDO	C	455	-	3,3,3	0.50	0	2,2,2	0.15	0
2	EDO	D	480	-	3,3,3	0.43	0	2,2,2	0.28	0
3	FMT	D	470	-	2,2,2	0.74	0	1,1,1	0.06	0
3	FMT	A	470	-	2,2,2	0.73	0	1,1,1	0.16	0
2	EDO	D	485	-	3,3,3	0.68	0	2,2,2	1.08	0
2	EDO	C	480	-	3,3,3	0.51	0	2,2,2	0.30	0
3	FMT	B	465	-	2,2,2	0.71	0	1,1,1	0.35	0
3	FMT	D	465	-	2,2,2	0.58	0	1,1,1	0.37	0
3	FMT	A	460	-	2,2,2	0.71	0	1,1,1	0.39	0
2	EDO	B	455	-	3,3,3	0.35	0	2,2,2	0.44	0
3	FMT	B	470	-	2,2,2	0.94	0	1,1,1	0.01	0
2	EDO	A	455	-	3,3,3	0.40	0	2,2,2	0.17	0
3	FMT	A	465	-	2,2,2	0.73	0	1,1,1	0.45	0
3	FMT	B	460	-	2,2,2	0.57	0	1,1,1	0.32	0
3	FMT	C	465	-	2,2,2	0.55	0	1,1,1	0.38	0
3	FMT	D	460	-	2,2,2	0.84	0	1,1,1	0.43	0
2	EDO	B	480	-	3,3,3	0.49	0	2,2,2	0.30	0
3	FMT	B	475	-	2,2,2	0.74	0	1,1,1	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	455	-	-	0/1/1/1	-
2	EDO	B	480	-	-	0/1/1/1	-
2	EDO	C	480	-	-	0/1/1/1	-
2	EDO	D	455	-	-	0/1/1/1	-
2	EDO	A	480	-	-	0/1/1/1	-
2	EDO	C	455	-	-	1/1/1/1	-
2	EDO	D	480	-	-	1/1/1/1	-
2	EDO	B	455	-	-	1/1/1/1	-
2	EDO	D	485	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	455	EDO	O1-C1-C2-O2
2	D	485	EDO	O1-C1-C2-O2
2	D	480	EDO	O1-C1-C2-O2
2	B	455	EDO	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	485	EDO	2	0

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	443/451 (98%)	-0.69	2 (0%) 87 88	5, 11, 25, 43	12 (2%)
1	B	444/451 (98%)	-0.74	0 100 100	4, 10, 23, 39	13 (2%)
1	C	446/451 (98%)	-0.72	1 (0%) 91 91	5, 10, 26, 40	7 (1%)
1	D	446/451 (98%)	-0.82	3 (0%) 84 85	4, 8, 19, 34	8 (1%)
All	All	1779/1804 (98%)	-0.74	6 (0%) 90 90	4, 10, 24, 43	40 (2%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	446	GLY	3.2
1	A	200	LEU	3.0
1	D	364	ALA	2.4
1	C	446	GLY	2.4
1	A	446	GLY	2.2
1	D	196	PHE	2.1

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	LLP	C	292[A]	24/25	0.95	0.07	4,8,12,15	21
1	LLP	C	292[B]	9/25	0.95	0.07	3,7,8,9	6
1	LLP	D	292[A]	24/25	0.95	0.07	3,7,13,15	21
1	LLP	D	292[B]	9/25	0.95	0.07	3,5,6,7	6
1	LLP	A	292[A]	24/25	0.96	0.07	3,9,13,16	21
1	LLP	A	292[B]	9/25	0.96	0.07	4,7,9,9	6

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	LLP	B	292[A]	24/25	0.96	0.07	4,9,12,16	21
1	LLP	B	292[B]	9/25	0.96	0.07	7,8,9,9	6

5.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	FMT	A	470	3/3	0.73	0.17	32,32,34,34	0
3	FMT	B	470	3/3	0.81	0.14	25,25,27,27	0
3	FMT	D	470	3/3	0.82	0.14	29,29,30,31	0
3	FMT	D	465	3/3	0.85	0.14	36,36,37,38	0
3	FMT	C	465	3/3	0.85	0.12	32,32,33,33	0
3	FMT	A	465	3/3	0.88	0.13	39,39,39,39	0
2	EDO	D	485	4/4	0.88	0.12	18,24,25,29	0
3	FMT	C	460	3/3	0.89	0.08	24,24,24,25	0
3	FMT	B	475	3/3	0.89	0.10	32,32,32,34	0
2	EDO	C	480	4/4	0.90	0.12	30,32,33,34	0
2	EDO	B	480	4/4	0.90	0.11	34,36,37,37	0
3	FMT	B	460	3/3	0.92	0.09	26,26,26,27	0
3	FMT	A	460	3/3	0.93	0.08	22,22,24,24	0
2	EDO	A	480	4/4	0.93	0.08	26,26,27,27	0
2	EDO	D	480	4/4	0.94	0.08	25,27,28,29	0
3	FMT	B	465	3/3	0.94	0.07	34,34,35,35	0
3	FMT	D	460	3/3	0.95	0.07	20,20,20,20	0
2	EDO	A	455	4/4	0.97	0.06	14,14,15,15	0
2	EDO	D	455	4/4	0.97	0.06	12,15,15,15	0
2	EDO	B	455	4/4	0.98	0.03	11,13,13,13	0
2	EDO	C	455	4/4	0.98	0.06	13,15,15,15	0
4	MG	C	448	1/1	0.99	0.07	30,30,30,30	0

5.5 Other polymers [i](#)

There are no such residues in this entry.