



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:04 AM UTC

PDB ID : 5OKT / pdb_00005okt
Title : Crystal structure of human Casein Kinase I delta in complex with IWP-2
Authors : Pichlo, C.; Brunstein, E.; Baumann, U.
Deposited on : 2017-07-25
Resolution : 2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	7% 87% 9%
1	B	314	11% 87% 10%
2	C	314	14% 86% 9%
2	D	314	16% 85% 5% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	307	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 18845 atoms, of which 9090 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Casein kinase I isoform delta.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	286	Total	C	H	N	O	P	S	1	2	0
			4603	1489	2284	396	417	1	16			
1	B	282	Total	C	H	N	O	P	S	0	0	0
			4491	1454	2226	386	410	1	14			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P48730
A	-18	GLY	-	expression tag	UNP P48730
A	-17	SER	-	expression tag	UNP P48730
A	-16	SER	-	expression tag	UNP P48730
A	-15	HIS	-	expression tag	UNP P48730
A	-14	HIS	-	expression tag	UNP P48730
A	-13	HIS	-	expression tag	UNP P48730
A	-12	HIS	-	expression tag	UNP P48730
A	-11	HIS	-	expression tag	UNP P48730
A	-10	HIS	-	expression tag	UNP P48730
A	-9	SER	-	expression tag	UNP P48730
A	-8	SER	-	expression tag	UNP P48730
A	-7	GLY	-	expression tag	UNP P48730
A	-6	LEU	-	expression tag	UNP P48730
A	-5	VAL	-	expression tag	UNP P48730
A	-4	PRO	-	expression tag	UNP P48730
A	-3	ARG	-	expression tag	UNP P48730
A	-2	GLY	-	expression tag	UNP P48730
A	-1	SER	-	expression tag	UNP P48730
A	0	HIS	-	expression tag	UNP P48730
B	-19	MET	-	initiating methionine	UNP P48730
B	-18	GLY	-	expression tag	UNP P48730
B	-17	SER	-	expression tag	UNP P48730
B	-16	SER	-	expression tag	UNP P48730
B	-15	HIS	-	expression tag	UNP P48730

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP P48730
B	-13	HIS	-	expression tag	UNP P48730
B	-12	HIS	-	expression tag	UNP P48730
B	-11	HIS	-	expression tag	UNP P48730
B	-10	HIS	-	expression tag	UNP P48730
B	-9	SER	-	expression tag	UNP P48730
B	-8	SER	-	expression tag	UNP P48730
B	-7	GLY	-	expression tag	UNP P48730
B	-6	LEU	-	expression tag	UNP P48730
B	-5	VAL	-	expression tag	UNP P48730
B	-4	PRO	-	expression tag	UNP P48730
B	-3	ARG	-	expression tag	UNP P48730
B	-2	GLY	-	expression tag	UNP P48730
B	-1	SER	-	expression tag	UNP P48730
B	0	HIS	-	expression tag	UNP P48730

- Molecule 2 is a protein called Casein kinase I isoform delta.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	285	Total	C	H	N	O	S	4	0	0
			4547	1474	2253	395	411	14			
2	D	282	Total	C	H	N	O	S	4	0	0
			4480	1450	2217	391	408	14			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	MET	-	initiating methionine	UNP P48730
C	-18	GLY	-	expression tag	UNP P48730
C	-17	SER	-	expression tag	UNP P48730
C	-16	SER	-	expression tag	UNP P48730
C	-15	HIS	-	expression tag	UNP P48730
C	-14	HIS	-	expression tag	UNP P48730
C	-13	HIS	-	expression tag	UNP P48730
C	-12	HIS	-	expression tag	UNP P48730
C	-11	HIS	-	expression tag	UNP P48730
C	-10	HIS	-	expression tag	UNP P48730
C	-9	SER	-	expression tag	UNP P48730
C	-8	SER	-	expression tag	UNP P48730
C	-7	GLY	-	expression tag	UNP P48730
C	-6	LEU	-	expression tag	UNP P48730
C	-5	VAL	-	expression tag	UNP P48730

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	expression tag	UNP P48730
C	-3	ARG	-	expression tag	UNP P48730
C	-2	GLY	-	expression tag	UNP P48730
C	-1	SER	-	expression tag	UNP P48730
C	0	HIS	-	expression tag	UNP P48730
D	-19	MET	-	initiating methionine	UNP P48730
D	-18	GLY	-	expression tag	UNP P48730
D	-17	SER	-	expression tag	UNP P48730
D	-16	SER	-	expression tag	UNP P48730
D	-15	HIS	-	expression tag	UNP P48730
D	-14	HIS	-	expression tag	UNP P48730
D	-13	HIS	-	expression tag	UNP P48730
D	-12	HIS	-	expression tag	UNP P48730
D	-11	HIS	-	expression tag	UNP P48730
D	-10	HIS	-	expression tag	UNP P48730
D	-9	SER	-	expression tag	UNP P48730
D	-8	SER	-	expression tag	UNP P48730
D	-7	GLY	-	expression tag	UNP P48730
D	-6	LEU	-	expression tag	UNP P48730
D	-5	VAL	-	expression tag	UNP P48730
D	-4	PRO	-	expression tag	UNP P48730
D	-3	ARG	-	expression tag	UNP P48730
D	-2	GLY	-	expression tag	UNP P48730
D	-1	SER	-	expression tag	UNP P48730
D	0	HIS	-	expression tag	UNP P48730

- Molecule 3 is {N}-(6-methyl-1,3-benzothiazol-2-yl)-2-[(4-oxidanylidene-3-phenyl-6,7-dihydrothieno[3,2-d]pyrimidin-2-yl)sulfanyl]ethanamide (CCD ID: 9XK) (formula: C₂₂H₁₈N₄O₂S₃).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	S	0	0
			49	22	18	4	2	3		
3	B	1	Total	C	H	N	O	S	0	0
			49	22	18	4	2	3		
3	C	1	Total	C	H	N	O	S	0	0
			49	22	18	4	2	3		
3	D	1	Total	C	H	N	O	S	0	0
			49	22	18	4	2	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			7	2	3	2		
5	A	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	H	O	0	0
			14	3	8	3		
6	C	1	Total	C	H	O	0	0
			14	3	8	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	H	O	0	0
			14	3	8	3		
6	D	1	Total	C	H	O	0	0
			14	3	8	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	101	Total	O	0	0
			101	101		
7	B	90	Total	O	0	0
			90	90		
7	C	91	Total	O	0	0
			91	91		
7	D	81	Total	O	0	0
			81	81		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Casein kinase I isoform delta




- Molecule 1: Casein kinase I isoform delta




- Molecule 2: Casein kinase I isoform delta



- Molecule 2: Casein kinase I isoform delta





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	49.11Å 82.73Å 89.64Å 89.73° 74.14° 86.57°	Depositor
Resolution (Å)	47.16 – 2.13 47.16 – 2.13	Depositor EDS
% Data completeness (in resolution range)	97.9 (47.16-2.13) 94.7 (47.16-2.13)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 2.14Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.193 , 0.221 0.195 , 0.224	Depositor DCC
R_{free} test set	2012 reflections (2.66%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtriage
Anisotropy	0.907	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.44 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,-h+l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	18845	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, 9XK, SO4, GOL, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/2360	0.37	0/3173
1	B	0.15	0/2304	0.36	0/3098
2	C	0.16	0/2346	0.36	0/3156
2	D	0.15	0/2313	0.35	0/3115
All	All	0.15	0/9323	0.36	0/12542

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2319	2284	2282	11	0
1	B	2265	2226	2222	3	0
2	C	2294	2253	2255	9	0
2	D	2263	2217	2211	11	0
3	A	31	18	0	0	0
3	B	31	18	0	0	0
3	C	31	18	0	2	0
3	D	31	18	0	5	0
4	A	25	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	15	0	0	0	0
4	C	30	0	0	1	0
4	D	25	0	0	0	0
5	A	8	6	6	2	0
6	B	6	8	8	0	0
6	C	12	16	16	0	0
6	D	6	8	8	0	0
7	A	101	0	0	1	0
7	B	90	0	0	0	0
7	C	91	0	0	2	0
7	D	81	0	0	2	0
All	All	9755	9090	9008	39	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:135:LEU:HD21	3:D:301:9XK:O12	1.45	1.14
2:D:135:LEU:CD2	3:D:301:9XK:O12	2.17	0.93
5:A:307:ACT:OXT	7:A:401:HOH:O	2.03	0.76
1:A:220:TPO:O3P	1:A:222:ARG:N	2.26	0.69
2:D:14:LYS:O	7:D:402:HOH:O	2.11	0.69
2:D:238:GLU:OE2	7:D:401:HOH:O	2.10	0.68
2:C:40:GLU:OE1	7:C:401:HOH:O	2.14	0.64
1:A:68:ILE:HD11	1:A:71[B]:CYS:SG	2.43	0.59
2:D:68:ILE:HD11	2:D:71:CYS:SG	2.44	0.58
3:D:301:9XK:S14	3:D:301:9XK:C30	2.93	0.57
2:C:68:ILE:HD11	2:C:71:CYS:SG	2.45	0.57
3:C:301:9XK:C13	3:C:301:9XK:C25	2.85	0.54
1:A:223:GLN:O	1:A:227:ARG:HG2	2.10	0.51
2:D:217:LYS:O	2:D:227:ARG:NH1	2.44	0.50
1:B:19:SER:OG	1:B:149:ASP:OD1	2.24	0.49
1:B:12:GLY:N	1:B:25:LEU:O	2.45	0.49
2:C:57:LYS:HA	2:C:60:GLN:HG2	1.95	0.48
1:A:220:TPO:O3P	1:A:220:TPO:O	2.31	0.48
1:A:220:TPO:O3P	1:A:222:ARG:CB	2.62	0.47
2:D:84:LEU:HD21	3:D:301:9XK:C27	2.45	0.47
2:C:270:ARG:NE	4:C:306:SO4:O1	2.44	0.47
2:C:220:THR:HG23	2:C:223:GLN:H	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:LYS:HD3	1:A:146:TYR:OH	2.17	0.45
2:C:5:VAL:HG21	2:C:11:LEU:HD23	1.98	0.45
2:C:19:SER:OG	2:C:149:ASP:OD2	2.31	0.45
2:D:216:LEU:O	2:D:224:LYS:NZ	2.40	0.44
1:B:14:LYS:NZ	1:B:22:ASP:OD2	2.46	0.43
2:C:238:GLU:OE1	7:C:402:HOH:O	2.21	0.43
2:D:180:ALA:O	2:D:232:LYS:NZ	2.40	0.43
1:A:204:MET:CE	1:A:248:PHE:CB	2.97	0.42
1:A:204:MET:HE3	1:A:248:PHE:CB	2.49	0.42
1:A:220:TPO:O3P	1:A:220:TPO:C	2.67	0.42
2:C:5:VAL:CG1	2:C:79:VAL:HG11	2.49	0.42
1:A:237:ILE:N	5:A:307:ACT:OXT	2.49	0.42
2:D:55:ILE:O	2:D:59:MET:HG2	2.20	0.42
2:D:274:ARG:HG2	2:D:284:TYR:OH	2.20	0.42
3:D:301:9XK:O12	3:D:301:9XK:S31	2.78	0.40
3:C:301:9XK:O12	3:C:301:9XK:S31	2.79	0.40
1:A:53:SER:O	1:A:57:LYS:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/314 (90%)	274 (97%)	9 (3%)	0	100	100
1	B	275/314 (88%)	268 (98%)	7 (2%)	0	100	100
2	C	279/314 (89%)	268 (96%)	11 (4%)	0	100	100
2	D	276/314 (88%)	269 (98%)	7 (2%)	0	100	100
All	All	1113/1256 (89%)	1079 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/274 (89%)	244 (100%)	0	100	100
1	B	238/274 (87%)	237 (100%)	1 (0%)	84	88
2	C	241/275 (88%)	240 (100%)	1 (0%)	84	88
2	D	237/275 (86%)	237 (100%)	0	100	100
All	All	960/1098 (87%)	958 (100%)	2 (0%)	87	91

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	169	GLU
2	C	11	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	46	HIS
1	B	183	ASN
1	B	223	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	B	220	1	8,10,11	1.64	1 (12%)	10,14,16	1.63	2 (20%)
1	TPO	A	220	1	8,10,11	1.60	1 (12%)	10,14,16	1.98	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	B	220	1	-	7/9/11/13	-
1	TPO	A	220	1	-	1/9/11/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	220	TPO	P-O1P	3.53	1.61	1.50
1	B	220	TPO	P-O1P	3.52	1.61	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	TPO	P-OG1-CB	-5.49	108.40	123.33
1	B	220	TPO	P-OG1-CB	-3.96	112.57	123.33
1	B	220	TPO	CG2-CB-CA	-2.30	108.78	113.26

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	220	TPO	N-CA-CB-CG2
1	B	220	TPO	N-CA-CB-OG1
1	B	220	TPO	C-CA-CB-CG2
1	B	220	TPO	CB-OG1-P-O2P
1	B	220	TPO	CB-OG1-P-O1P
1	B	220	TPO	CB-OG1-P-O3P
1	A	220	TPO	O-C-CA-CB
1	B	220	TPO	CG2-CB-OG1-P

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	220	TPO	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	D	306	-	4,4,4	0.24	0	6,6,6	0.07	0
6	GOL	C	309	-	5,5,5	0.37	0	5,5,5	0.23	0
3	9XK	C	301	-	34,35,35	3.91	14 (41%)	44,50,50	2.57	12 (27%)
4	SO4	C	307	-	4,4,4	0.23	0	6,6,6	0.07	0
4	SO4	D	305	-	4,4,4	0.24	0	6,6,6	0.08	0
3	9XK	A	301	-	34,35,35	3.65	16 (47%)	44,50,50	3.07	17 (38%)
4	SO4	C	306	-	4,4,4	0.23	0	6,6,6	0.09	0
4	SO4	D	302	-	4,4,4	0.22	0	6,6,6	0.08	0
4	SO4	C	303	-	4,4,4	0.23	0	6,6,6	0.09	0
3	9XK	B	301	-	34,35,35	3.68	16 (47%)	44,50,50	3.62	21 (47%)
4	SO4	A	303	-	4,4,4	0.23	0	6,6,6	0.07	0
4	SO4	C	305	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	C	302	-	4,4,4	0.24	0	6,6,6	0.07	0
5	ACT	A	307	-	3,3,3	0.81	0	3,3,3	1.39	0
4	SO4	B	304	-	4,4,4	0.24	0	6,6,6	0.07	0
4	SO4	A	305	-	4,4,4	0.24	0	6,6,6	0.09	0
4	SO4	D	304	-	4,4,4	0.24	0	6,6,6	0.08	0
4	SO4	A	302	-	4,4,4	0.24	0	6,6,6	0.10	0
6	GOL	D	307	-	5,5,5	0.37	0	5,5,5	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	B	303	-	4,4,4	0.24	0	6,6,6	0.10	0
4	SO4	D	303	-	4,4,4	0.23	0	6,6,6	0.08	0
4	SO4	C	304	-	4,4,4	0.23	0	6,6,6	0.07	0
6	GOL	B	305	-	5,5,5	0.38	0	5,5,5	0.25	0
5	ACT	A	308	-	3,3,3	0.79	0	3,3,3	1.37	0
4	SO4	B	302	-	4,4,4	0.23	0	6,6,6	0.09	0
4	SO4	A	304	-	4,4,4	0.23	0	6,6,6	0.09	0
6	GOL	C	308	-	5,5,5	0.39	0	5,5,5	0.32	0
4	SO4	A	306	-	4,4,4	0.24	0	6,6,6	0.07	0
3	9XK	D	301	-	34,35,35	3.92	15 (44%)	44,50,50	3.79	17 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	9XK	B	301	-	-	2/13/19/19	0/5/5/5
6	GOL	C	309	-	-	0/4/4/4	-
3	9XK	C	301	-	-	6/13/19/19	0/5/5/5
6	GOL	C	308	-	-	0/4/4/4	-
6	GOL	D	307	-	-	4/4/4/4	-
3	9XK	A	301	-	-	0/13/19/19	0/5/5/5
6	GOL	B	305	-	-	0/4/4/4	-
3	9XK	D	301	-	-	5/13/19/19	0/5/5/5

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	9XK	C21-C17	10.81	1.67	1.50
3	D	301	9XK	C21-C17	10.74	1.67	1.50
3	C	301	9XK	C21-C17	10.39	1.66	1.50
3	D	301	9XK	C09-S31	-10.16	1.63	1.75
3	B	301	9XK	C21-C17	10.05	1.66	1.50
3	C	301	9XK	C09-S31	-9.64	1.63	1.75
3	C	301	9XK	C15-N24	8.27	1.51	1.39
3	C	301	9XK	C18-C17	8.05	1.55	1.38
3	A	301	9XK	C15-N24	7.96	1.51	1.39
3	A	301	9XK	C18-C17	7.76	1.54	1.38
3	D	301	9XK	C18-C17	7.72	1.54	1.38
3	B	301	9XK	C09-S31	-7.38	1.66	1.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	9XK	C18-C17	7.03	1.53	1.38
3	C	301	9XK	C15-N16	6.51	1.50	1.33
3	D	301	9XK	C04-S31	-6.36	1.61	1.74
3	B	301	9XK	C09-N10	6.35	1.47	1.38
3	D	301	9XK	C15-N16	6.19	1.49	1.33
3	D	301	9XK	C11-N10	6.13	1.48	1.37
3	A	301	9XK	C15-N16	6.10	1.49	1.33
3	B	301	9XK	C15-N24	6.04	1.48	1.39
3	D	301	9XK	C15-N24	5.88	1.48	1.39
3	B	301	9XK	C04-S31	-5.51	1.63	1.74
3	A	301	9XK	C09-S31	-5.47	1.68	1.75
3	C	301	9XK	C15-S14	5.42	1.83	1.74
3	B	301	9XK	C15-N16	5.39	1.47	1.33
3	A	301	9XK	C09-N10	5.31	1.46	1.38
3	C	301	9XK	C04-S31	-5.13	1.64	1.74
3	B	301	9XK	C20-S19	-4.95	1.65	1.80
3	A	301	9XK	C11-N10	4.72	1.45	1.37
3	C	301	9XK	C11-N10	4.46	1.45	1.37
3	D	301	9XK	C20-S19	-4.26	1.67	1.80
3	B	301	9XK	C13-C11	4.24	1.56	1.51
3	A	301	9XK	C15-S14	4.24	1.81	1.74
3	D	301	9XK	C15-S14	3.96	1.81	1.74
3	B	301	9XK	C11-N10	3.95	1.44	1.37
3	A	301	9XK	C20-S19	-3.94	1.68	1.80
3	C	301	9XK	C20-S19	-3.94	1.68	1.80
3	D	301	9XK	C09-N10	3.68	1.43	1.38
3	A	301	9XK	C04-S31	-3.60	1.67	1.74
3	A	301	9XK	C09-N08	3.42	1.37	1.30
3	B	301	9XK	C05-C04	-3.40	1.35	1.40
3	D	301	9XK	O23-C22	-3.32	1.16	1.23
3	B	301	9XK	O12-C11	-3.04	1.17	1.23
3	B	301	9XK	O23-C22	-3.04	1.16	1.23
3	C	301	9XK	O23-C22	-2.94	1.17	1.23
3	C	301	9XK	O12-C11	-2.89	1.17	1.23
3	C	301	9XK	C09-N10	2.75	1.42	1.38
3	D	301	9XK	C09-N08	2.66	1.36	1.30
3	D	301	9XK	C17-N16	2.55	1.45	1.38
3	B	301	9XK	C15-S14	2.54	1.78	1.74
3	A	301	9XK	C22-N24	2.41	1.46	1.42
3	D	301	9XK	C05-C04	-2.39	1.36	1.40
3	C	301	9XK	C17-N16	2.34	1.44	1.38
3	A	301	9XK	C05-N08	2.30	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	9XK	C05-C04	-2.27	1.36	1.40
3	A	301	9XK	C17-N16	2.21	1.44	1.38
3	B	301	9XK	C07-C06	-2.15	1.35	1.38
3	A	301	9XK	O12-C11	-2.13	1.19	1.23
3	B	301	9XK	C09-N08	2.13	1.35	1.30
3	D	301	9XK	C05-N08	2.06	1.44	1.39
3	A	301	9XK	O23-C22	-2.04	1.18	1.23

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	301	9XK	C04-S31-C09	11.96	99.40	88.33
3	D	301	9XK	C04-S31-C09	11.70	99.16	88.33
3	A	301	9XK	C04-S31-C09	11.03	98.54	88.33
3	D	301	9XK	C13-S14-C15	10.86	121.16	99.04
3	B	301	9XK	S31-C09-N08	-9.82	105.26	117.06
3	C	301	9XK	C04-S31-C09	9.79	97.39	88.33
3	D	301	9XK	N10-C09-N08	7.65	133.94	120.87
3	D	301	9XK	S14-C15-N16	7.07	128.94	120.16
3	A	301	9XK	S31-C09-N08	-6.97	108.68	117.06
3	A	301	9XK	C18-C22-N24	6.94	119.88	112.38
3	D	301	9XK	C18-C22-N24	6.85	119.79	112.38
3	B	301	9XK	C18-C22-N24	6.63	119.55	112.38
3	B	301	9XK	C03-C04-C05	-5.97	117.56	121.99
3	C	301	9XK	C18-C22-N24	5.96	118.82	112.38
3	D	301	9XK	C25-N24-C22	5.77	125.23	116.57
3	B	301	9XK	S31-C09-N10	5.74	131.92	121.87
3	B	301	9XK	C17-C18-S19	-5.54	106.56	109.59
3	C	301	9XK	C18-C17-N16	-5.54	119.09	123.72
3	D	301	9XK	C11-N10-C09	-5.47	114.33	123.69
3	D	301	9XK	C18-C17-N16	-5.45	119.17	123.72
3	A	301	9XK	C18-C17-N16	-5.41	119.19	123.72
3	B	301	9XK	C18-C17-N16	-5.16	119.40	123.72
3	D	301	9XK	S31-C09-N08	-5.10	110.93	117.06
3	B	301	9XK	O12-C11-N10	-4.84	113.28	122.44
3	C	301	9XK	S31-C09-N08	-4.81	111.28	117.06
3	B	301	9XK	C13-C11-N10	4.67	121.40	114.53
3	B	301	9XK	C25-N24-C22	4.38	123.16	116.57
3	C	301	9XK	N24-C15-N16	-4.23	120.30	124.53
3	A	301	9XK	C17-C18-S19	-4.17	107.31	109.59
3	A	301	9XK	S31-C09-N10	4.11	129.07	121.87
3	B	301	9XK	C15-N24-C22	-3.97	119.06	121.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	9XK	C03-C04-C05	-3.95	119.05	121.99
3	D	301	9XK	C13-C11-N10	3.94	120.33	114.53
3	A	301	9XK	N24-C15-N16	-3.93	120.60	124.53
3	B	301	9XK	C03-C04-S31	3.91	135.83	126.07
3	D	301	9XK	S31-C09-N10	-3.87	115.09	121.87
3	C	301	9XK	C13-C11-N10	3.72	120.01	114.53
3	A	301	9XK	C03-C04-S31	3.69	135.28	126.07
3	A	301	9XK	C15-N16-C17	3.44	120.65	115.87
3	A	301	9XK	C13-C11-N10	3.41	119.56	114.53
3	C	301	9XK	C13-S14-C15	3.23	105.61	99.04
3	A	301	9XK	C15-N24-C22	-3.19	119.54	121.48
3	D	301	9XK	N24-C15-N16	-3.11	121.42	124.53
3	C	301	9XK	N10-C09-N08	3.08	126.13	120.87
3	D	301	9XK	C05-C04-S31	-3.08	105.20	109.75
3	C	301	9XK	C03-C04-S31	3.06	133.70	126.07
3	A	301	9XK	C13-S14-C15	2.93	104.99	99.04
3	B	301	9XK	S14-C15-N16	-2.79	116.69	120.16
3	A	301	9XK	C05-C04-S31	-2.76	105.66	109.75
3	B	301	9XK	O23-C22-C18	-2.73	118.99	125.33
3	D	301	9XK	C11-C13-S14	-2.62	101.59	111.55
3	B	301	9XK	C05-N08-C09	2.54	114.67	108.66
3	A	301	9XK	C25-N24-C22	2.50	120.33	116.57
3	B	301	9XK	C15-N16-C17	2.49	119.33	115.87
3	C	301	9XK	C05-C04-S31	-2.45	106.12	109.75
3	C	301	9XK	C03-C04-C05	-2.44	120.18	121.99
3	D	301	9XK	C17-C18-S19	-2.43	108.26	109.59
3	B	301	9XK	N24-C15-N16	-2.35	122.18	124.53
3	D	301	9XK	C25-N24-C15	-2.33	113.71	119.21
3	A	301	9XK	S14-C15-N16	-2.31	117.28	120.16
3	B	301	9XK	O12-C11-C13	2.26	125.27	121.44
3	A	301	9XK	O23-C22-C18	-2.23	120.15	125.33
3	C	301	9XK	C11-N10-C09	-2.22	119.89	123.69
3	D	301	9XK	C03-C04-S31	2.20	131.55	126.07
3	B	301	9XK	C06-C05-C04	2.13	122.64	119.59
3	B	301	9XK	C05-C04-S31	-2.12	106.61	109.75
3	B	301	9XK	C06-C07-C02	-2.03	119.03	121.37

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	301	9XK	C11-C13-S14-C15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	301	9XK	N16-C15-S14-C13
3	C	301	9XK	N24-C15-S14-C13
3	D	301	9XK	N08-C09-N10-C11
3	D	301	9XK	S31-C09-N10-C11
3	D	301	9XK	C11-C13-S14-C15
6	D	307	GOL	O1-C1-C2-C3
6	D	307	GOL	C1-C2-C3-O3
3	C	301	9XK	S31-C09-N10-C11
6	D	307	GOL	O2-C2-C3-O3
3	C	301	9XK	N08-C09-N10-C11
6	D	307	GOL	O1-C1-C2-O2
3	B	301	9XK	O12-C11-C13-S14
3	D	301	9XK	O12-C11-C13-S14
3	D	301	9XK	N10-C11-C13-S14
3	C	301	9XK	C30-C25-N24-C15
3	B	301	9XK	N10-C11-C13-S14


There are no ring outliers.

4 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	9XK	2	0
4	C	306	SO4	1	0
5	A	307	ACT	2	0
3	D	301	9XK	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 9XK C 301




Bond lengths



Bond angles




Torsions




Rings


Ligand 9XK A 301




Bond lengths



Bond angles




Torsions




Rings


Ligand 9XK B 301




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/314 (90%)	0.43	22 (7%) 19 22	24, 43, 86, 125	2 (0%)
1	B	281/314 (89%)	0.60	36 (12%) 7 9	32, 49, 89, 136	0
2	C	285/314 (90%)	0.81	43 (15%) 5 6	32, 52, 110, 133	1 (0%)
2	D	282/314 (89%)	0.88	51 (18%) 3 4	33, 52, 109, 157	1 (0%)
All	All	1133/1256 (90%)	0.68	152 (13%) 7 8	24, 49, 104, 157	4 (0%)

All (152) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	VAL	7.8
2	D	41	CYS	6.1
2	D	216	LEU	5.4
2	C	41	CYS	5.3
2	D	3	LEU	5.3
2	C	77	TYR	4.9
1	A	221	LYS	4.9
2	C	221	LYS	4.7
2	C	15	ILE	4.7
2	C	18	GLY	4.6
2	C	76	ASP	4.6
2	C	47	PRO	4.6
2	D	39	LEU	4.5
2	D	220	THR	4.5
1	A	219	ALA	4.4
2	D	77	TYR	4.4
2	D	225	TYR	4.4
1	B	219	ALA	4.4
2	C	223	GLN	4.3
2	D	21	GLY	4.2
1	B	15	ILE	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	165	ILE	4.1
2	D	40	GLU	4.1
2	C	23	ILE	3.9
2	D	14	LYS	3.9
1	B	6	GLY	3.8
2	D	221	LYS	3.7
2	D	5	VAL	3.7
2	D	46	HIS	3.7
2	D	223	GLN	3.7
1	A	173	LEU	3.6
2	C	294	LYS	3.6
1	B	221	LYS	3.6
2	C	216	LEU	3.6
1	A	169	GLU	3.5
1	A	222	ARG	3.5
1	B	174	THR	3.5
1	B	222	ARG	3.4
2	C	222	ARG	3.4
2	C	24	TYR	3.4
2	D	4	ARG	3.3
2	C	16	GLY	3.3
1	A	171	LYS	3.3
2	C	49	LEU	3.3
1	B	157	ARG	3.2
2	C	72	GLY	3.2
2	D	219	ALA	3.2
1	A	167	TYR	3.2
1	A	225	TYR	3.2
1	A	163	GLN	3.2
2	C	159	ALA	3.1
1	A	168	ARG	3.1
2	C	220	THR	3.1
1	B	223	GLN	3.1
1	B	164	HIS	3.1
1	B	43	LYS	3.1
2	D	171	LYS	3.0
2	D	58	MET	3.0
1	B	42	VAL	2.9
2	C	19	SER	2.9
2	D	47	PRO	2.9
1	B	170	ASN	2.9
2	C	219	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	11	LEU	2.8
2	D	218	ALA	2.8
1	A	165	ILE	2.8
1	A	20	PHE	2.8
2	D	222	ARG	2.7
1	B	45	LYS	2.7
2	D	217	LYS	2.7
2	C	68	ILE	2.7
2	C	218	ALA	2.7
1	A	174	THR	2.7
2	C	21	GLY	2.7
2	D	159	ALA	2.6
2	C	58	MET	2.6
2	C	82	MET	2.6
1	B	4	ARG	2.6
1	B	167	TYR	2.6
1	B	12	GLY	2.6
2	D	6	GLY	2.6
1	A	292[A]	MET	2.6
1	A	170	ASN	2.6
2	C	4	ARG	2.6
1	A	5	VAL	2.6
1	B	225	TYR	2.6
2	C	5	VAL	2.6
1	B	13	ARG	2.6
1	B	218	ALA	2.6
2	C	174	THR	2.6
2	D	22	ASP	2.6
1	B	20	PHE	2.5
1	B	25	LEU	2.5
2	D	292	MET	2.5
2	C	161	THR	2.5
1	A	43	LYS	2.5
2	D	23	ILE	2.5
2	C	160	ARG	2.5
2	C	22	ASP	2.4
2	D	24	TYR	2.4
1	B	16	GLY	2.4
2	C	51	ILE	2.4
2	D	70	TRP	2.4
1	B	19	SER	2.4
2	C	6	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	150	PHE	2.4
2	D	25	LEU	2.4
2	D	49	LEU	2.4
1	B	168	ARG	2.4
1	B	217	LYS	2.4
1	B	227	ARG	2.4
2	C	54	LYS	2.4
2	D	160	ARG	2.4
2	D	48	GLN	2.3
1	B	176	THR	2.3
2	D	161	THR	2.3
2	C	172	ASN	2.3
2	D	229	SER	2.3
2	C	7	ASN	2.3
2	D	73	ALA	2.3
1	B	61	GLY	2.3
2	D	173	LEU	2.3
2	C	20	PHE	2.2
2	D	55	ILE	2.2
1	B	216	LEU	2.2
2	C	225	TYR	2.2
2	D	163	GLN	2.2
1	B	53	SER	2.2
2	C	70	TRP	2.2
1	A	217	LYS	2.2
1	B	294	LYS	2.2
2	D	99	LYS	2.2
2	D	95	PHE	2.2
1	A	218	ALA	2.2
2	D	11	LEU	2.2
1	A	15	ILE	2.1
2	D	68	ILE	2.1
2	D	50	HIS	2.1
2	D	82	MET	2.1
2	D	228	ILE	2.1
2	D	119	ILE	2.1
2	C	53	SER	2.1
2	C	10	ARG	2.0
1	B	278	HIS	2.0
1	B	99	LYS	2.0
2	D	75	GLY	2.0
2	C	78	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	11	LEU	2.0
2	C	25	LEU	2.0
1	A	166	PRO	2.0
2	D	151	GLY	2.0
2	D	167	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	220	11/12	0.71	0.15	98,114,138,138	0
1	TPO	B	220	11/12	0.85	0.13	97,102,123,123	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	D	306	5/5	0.58	0.18	122,122,122,123	0
5	ACT	A	307	4/4	0.60	0.25	70,71,84,84	0
4	SO4	C	305	5/5	0.69	0.16	105,106,106,107	0
4	SO4	B	304	5/5	0.73	0.12	94,95,95,95	0
4	SO4	A	304	5/5	0.73	0.14	94,94,94,95	0
6	GOL	B	305	6/6	0.75	0.16	66,79,83,83	0
4	SO4	A	305	5/5	0.76	0.17	109,109,109,109	0
6	GOL	D	307	6/6	0.76	0.24	77,92,94,94	0
6	GOL	C	309	6/6	0.78	0.25	82,98,99,100	0
4	SO4	C	306	5/5	0.79	0.14	99,99,99,99	0
3	9XK	D	301	31/31	0.79	0.27	104,119,147,148	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	C	304	5/5	0.81	0.10	122,122,122,122	0
4	SO4	C	307	5/5	0.82	0.18	118,118,118,118	0
3	9XK	C	301	31/31	0.84	0.22	88,117,143,144	0
6	GOL	C	308	6/6	0.84	0.23	76,92,94,94	0
4	SO4	D	303	5/5	0.85	0.14	76,77,79,80	0
5	ACT	A	308	4/4	0.85	0.16	49,54,62,62	0
4	SO4	D	304	5/5	0.86	0.10	88,88,88,89	0
4	SO4	D	305	5/5	0.89	0.14	103,103,103,104	0
4	SO4	A	306	5/5	0.89	0.12	100,100,101,101	0
4	SO4	C	302	5/5	0.90	0.14	71,71,71,72	0
4	SO4	C	303	5/5	0.90	0.09	69,70,71,71	0
4	SO4	B	303	5/5	0.92	0.13	71,71,72,72	0
4	SO4	B	302	5/5	0.92	0.09	55,56,56,57	0
3	9XK	A	301	31/31	0.93	0.11	35,68,83,84	0
3	9XK	B	301	31/31	0.93	0.12	41,76,93,93	0
4	SO4	A	303	5/5	0.94	0.10	57,57,58,59	0
4	SO4	D	302	5/5	0.95	0.08	58,59,60,60	0
4	SO4	A	302	5/5	0.96	0.07	49,50,51,52	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 9XK D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 9XK C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 9XK A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 9XK B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.