



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:42 PM UTC

PDB ID : 3OM5 / pdb_00003om5
Title : Crystal structure of B. megaterium levansucrase mutant N252A
Authors : Strube, C.P.; Homann, A.; Gamer, M.; Jahn, D.; Seibel, J.; Heinz, D.W.
Deposited on : 2010-08-26
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	6% 85% 12% ..
1	B	456	8% 86% 11% ..
1	C	456	4% 88% 9% ..
1	D	456	6% 89% 9% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 15439 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Levansucrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	448	Total	C	N	O	S	0	2	0
			3556	2232	594	723	7			
1	B	448	Total	C	N	O	S	0	0	0
			3539	2223	591	718	7			
1	C	448	Total	C	N	O	S	0	0	0
			3539	2223	591	718	7			
1	D	448	Total	C	N	O	S	0	1	0
			3548	2229	593	719	7			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	252	ALA	ASN	engineered mutation	UNP D5DC07
B	252	ALA	ASN	engineered mutation	UNP D5DC07
C	252	ALA	ASN	engineered mutation	UNP D5DC07
D	252	ALA	ASN	engineered mutation	UNP D5DC07

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		

- Molecule 3 is HEXAETHYLENE GLYCOL (CCD ID: P6G) (formula: C₁₂H₂₆O₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			19	12	7		
3	B	1	Total	C	O	0	0
			19	12	7		

- Molecule 4 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			10	6	4		
4	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		
6	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	286	Total	O	0	0
			286	286		
7	B	295	Total	O	0	0
			295	295		
7	C	312	Total	O	0	0
			312	312		
7	D	263	Total	O	0	0
			263	263		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Levansucrase





• Molecule 1: Levansucrase



• Molecule 1: Levansucrase



● Molecule 1: Levansucrase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	93.37Å 100.19Å 95.19Å 90.00° 90.68° 90.00°	Depositor
Resolution (Å)	50.01 – 1.95 50.01 – 1.96	Depositor EDS
% Data completeness (in resolution range)	93.1 (50.01-1.95) 94.8 (50.01-1.96)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 1.95Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.181 , 0.208 0.205 , 0.235	Depositor DCC
R_{free} test set	6062 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.9	Xtriage
Anisotropy	0.107	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for l,k,-h 0.015 for h,-k,-l 0.012 for l,-k,h	Xtriage
Reported twinning fraction	0.714 for H, K, L 0.106 for h,-k,-l 0.088 for L, -K, H 0.091 for -L, K, H	Depositor
Outliers	0 of 120420 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15439	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: P6G, PEG, CA, SO4, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3633	0.74	0/4917
1	B	0.45	0/3616	0.76	4/4894 (0.1%)
1	C	0.44	0/3616	0.74	0/4894
1	D	0.46	0/3625	0.76	2/4905 (0.0%)
All	All	0.45	0/14490	0.75	6/19610 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	124	ASP	N-CA-C	-6.39	102.75	111.56
1	B	121	ASP	CA-C-N	6.17	127.55	119.84
1	B	121	ASP	C-N-CA	6.17	127.55	119.84
1	D	256	ARG	N-CA-C	5.82	116.77	108.74
1	B	256	ARG	N-CA-C	5.22	115.43	108.38
1	B	449	ASN	N-CA-C	5.05	118.64	112.03

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	124	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3556	0	3387	46	0
1	B	3539	0	3377	33	0
1	C	3539	0	3377	35	0
1	D	3548	0	3389	26	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	19	0	26	0	0
3	B	19	0	26	0	0
4	C	20	0	28	1	0
5	C	7	0	10	0	0
5	D	7	0	10	0	0
6	C	10	0	0	0	0
6	D	15	0	0	1	0
7	A	286	0	0	3	0
7	B	295	0	0	4	0
7	C	312	0	0	4	0
7	D	263	0	0	3	0
All	All	15439	0	13630	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:ASP:C	1:A:264[B]:ASN:HD22	1.62	1.05
1:C:472:ARG:HG2	1:C:472:ARG:HH11	1.32	0.93
1:B:82:LYS:HA	1:B:87:ASN:O	1.68	0.92
1:A:263:ASP:O	1:A:264[B]:ASN:ND2	2.05	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:GLY:O	1:B:87:ASN:HB2	1.76	0.85
1:D:83:ASN:HD21	1:D:87:ASN:H	1.28	0.82
1:D:121:ASP:OD2	1:D:123:LYS:HB2	1.86	0.75
1:D:83:ASN:ND2	1:D:87:ASN:H	1.88	0.72
1:B:417:LYS:NZ	1:B:448:ASP:O	2.26	0.69
1:A:443:ARG:HH11	1:A:443:ARG:HB2	1.62	0.64
1:A:470:LYS:HE3	1:A:471:ASP:OD2	1.98	0.63
1:D:124:ASP:N	1:D:124:ASP:OD1	2.31	0.63
1:A:447:GLU:HB2	1:A:448:ASP:HA	1.82	0.61
1:A:388:GLY:HA3	1:A:401:LEU:HD12	1.82	0.61
1:A:447:GLU:HB3	7:A:1096:HOH:O	2.01	0.60
1:B:172:TRP:HB2	1:B:189:THR:HB	1.83	0.60
1:B:447:GLU:HB3	1:B:448:ASP:HA	1.83	0.60
1:A:124:ASP:HB3	1:A:127:ASP:HB3	1.83	0.60
1:B:83:ASN:HB3	1:B:89:ILE:HG12	1.83	0.60
1:C:285:ASP:HB3	7:C:594:HOH:O	2.02	0.60
1:D:472:ARG:NH2	6:D:3:SO4:O1	2.34	0.60
1:A:470:LYS:CE	1:A:471:ASP:OD2	2.51	0.59
1:A:203:THR:HB	1:A:227:ILE:HD11	1.85	0.58
1:A:306:LYS:HB2	1:A:306:LYS:NZ	2.18	0.58
1:B:141:SER:HA	1:B:475:GLU:HG2	1.86	0.58
1:C:166:LYS:HG3	7:C:527:HOH:O	2.04	0.57
1:A:70:GLU:HG2	1:A:417:LYS:HD3	1.87	0.57
1:A:415:ASN:HA	1:A:443:ARG:HH12	1.70	0.57
1:C:172:TRP:HB2	1:C:189:THR:HB	1.86	0.57
1:B:296:ASN:HB2	1:B:298:PRO:HD2	1.87	0.57
1:A:172:TRP:HB2	1:A:189:THR:HB	1.88	0.56
1:C:472:ARG:HG2	1:C:472:ARG:NH1	2.10	0.56
1:D:472:ARG:NH1	7:D:1097:HOH:O	2.39	0.56
1:D:172:TRP:HB2	1:D:189:THR:HB	1.88	0.55
1:B:290:ARG:HD2	7:B:602:HOH:O	2.06	0.55
1:C:83:ASN:HD22	1:C:83:ASN:N	2.05	0.53
1:A:233:LYS:NZ	1:C:465:LYS:HE3	2.23	0.53
1:A:263:ASP:C	1:A:264[B]:ASN:ND2	2.47	0.53
1:D:203:THR:HB	1:D:227:ILE:HD11	1.90	0.53
1:B:81:GLY:O	1:B:88:THR:HA	2.09	0.53
1:B:442:ASN:O	1:B:449:ASN:HA	2.09	0.52
1:A:124:ASP:CB	1:A:127:ASP:HB3	2.39	0.52
1:C:472:ARG:HH11	1:C:472:ARG:CG	2.14	0.52
1:C:83:ASN:ND2	1:C:87:ASN:OD1	2.31	0.52
1:A:449:ASN:ND2	7:A:1096:HOH:O	2.42	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:370:ARG:HD3	1:C:421:TYR:OH	2.10	0.51
1:D:470:LYS:HD2	7:D:571:HOH:O	2.10	0.51
1:C:410:MET:HE1	1:C:419:PHE:CE1	2.46	0.51
1:A:323:LEU:HG	1:A:351:ILE:HD12	1.93	0.51
1:B:127:ASP:HB3	7:B:613:HOH:O	2.10	0.51
1:C:241:PHE:O	1:C:244:GLU:HG2	2.11	0.51
1:B:86:GLY:O	1:B:87:ASN:CB	2.52	0.50
1:D:323:LEU:HG	1:D:351:ILE:HD12	1.92	0.50
1:C:85:SER:HA	1:D:155:SER:HB2	1.93	0.50
1:D:135:LYS:HE3	1:D:145:TRP:CZ2	2.46	0.50
1:C:370:ARG:HH12	4:C:485:PGE:H4	1.77	0.49
1:A:323:LEU:HD11	1:A:367:THR:HB	1.93	0.49
1:B:119:ALA:HB3	1:B:131:TYR:CD2	2.47	0.49
1:A:352[A]:GLU:HG3	1:A:368:ASP:HB2	1.94	0.49
1:D:140:LYS:HG2	7:D:813:HOH:O	2.12	0.49
1:C:161:ASN:HB2	7:C:595:HOH:O	2.12	0.48
1:C:323:LEU:HG	1:C:351:ILE:HD12	1.95	0.48
1:A:244:GLU:HG2	7:A:1046:HOH:O	2.13	0.48
1:C:323:LEU:HD11	1:C:367:THR:HB	1.95	0.48
1:C:239:GLN:HA	1:C:242:ILE:HD12	1.96	0.47
1:B:121:ASP:HA	1:B:122:PRO:HD2	1.78	0.47
1:D:84:ALA:HB2	1:D:124:ASP:OD2	2.14	0.47
1:D:124:ASP:HB2	1:D:127:ASP:HB3	1.95	0.47
1:A:169:THR:HG22	1:A:194:LYS:HE3	1.97	0.46
1:D:83:ASN:ND2	1:D:85:SER:OG	2.49	0.46
1:A:97:TRP:CD1	1:A:175:SER:HA	2.51	0.45
1:C:472:ARG:NH1	1:C:472:ARG:CG	2.77	0.45
1:B:234:ILE:O	1:B:279:ASP:OD2	2.35	0.44
1:C:326:ILE:HG22	1:C:337:VAL:HA	1.98	0.44
1:D:290:ARG:HH11	1:D:300:PHE:HB2	1.82	0.44
1:A:194:LYS:HD3	1:B:126:ASN:ND2	2.33	0.44
1:A:447:GLU:HA	1:A:448:ASP:C	2.42	0.44
1:B:210:GLN:HG2	1:B:216:LEU:HD23	1.99	0.44
1:A:119:ALA:HB3	1:A:131:TYR:CD2	2.52	0.44
1:B:387:LEU:HA	1:B:405:GLY:O	2.18	0.44
1:C:190:ASP:C	1:C:190:ASP:OD1	2.61	0.44
1:B:430:LYS:HE2	1:B:430:LYS:HB3	1.74	0.44
1:C:269:LEU:HG	1:C:328:LEU:HD11	1.99	0.44
1:A:326:ILE:HG22	1:A:337:VAL:HA	2.00	0.43
1:D:190:ASP:OD1	1:D:190:ASP:C	2.61	0.43
1:A:458:LEU:HD21	1:A:481:VAL:HG11	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:323:LEU:HD11	1:D:367:THR:HB	1.99	0.43
1:A:239:GLN:HA	1:A:242:ILE:HD12	2.00	0.43
1:A:470:LYS:HE2	1:A:471:ASP:OD2	2.19	0.43
1:D:141:SER:HA	1:D:475:GLU:OE1	2.17	0.43
1:D:389:TYR:CD1	1:D:400:PRO:HA	2.53	0.43
1:D:113:GLN:HG3	1:D:137:ALA:HA	2.00	0.43
1:C:97:TRP:CD1	1:C:175:SER:HA	2.54	0.43
1:D:124:ASP:O	1:D:126:ASN:N	2.52	0.43
1:B:290:ARG:HD3	1:B:300:PHE:CG	2.53	0.43
1:B:353:ARG:NH1	1:B:422:SER:OG	2.44	0.43
1:C:83:ASN:C	1:C:85:SER:H	2.27	0.43
1:B:83:ASN:OD1	1:B:87:ASN:N	2.49	0.43
1:A:46:ILE:HG12	1:A:389:TYR:OH	2.19	0.42
1:A:382:ASP:O	1:A:411:ASP:HA	2.18	0.42
1:B:97:TRP:CD1	1:B:175:SER:HA	2.54	0.42
1:A:190:ASP:OD1	1:A:190:ASP:C	2.62	0.42
1:C:296:ASN:ND2	7:C:1102:HOH:O	2.51	0.42
1:A:37:PHE:CZ	1:A:289:ASN:HB2	2.54	0.42
1:A:414:PRO:O	1:A:443:ARG:NH1	2.53	0.42
1:A:233:LYS:HZ3	1:C:465:LYS:HE3	1.84	0.42
1:B:325:ILE:HG23	1:B:338:MET:HB2	2.01	0.42
1:B:311:SER:HB2	1:C:472:ARG:HH12	1.84	0.42
1:B:388:GLY:HA3	1:B:401:LEU:HD12	2.02	0.42
1:A:306:LYS:HB2	1:A:306:LYS:HZ2	1.83	0.42
1:A:121:ASP:HA	1:A:122:PRO:HD2	1.89	0.41
1:B:34:SER:HB2	7:B:527:HOH:O	2.19	0.41
1:B:304:LYS:HG2	1:B:308:LEU:HD12	2.02	0.41
1:B:447:GLU:HG2	7:B:1130:HOH:O	2.21	0.41
1:D:121:ASP:C	1:D:123:LYS:H	2.28	0.41
1:C:323:LEU:HB2	1:C:342:ILE:HG22	2.01	0.41
1:D:356:ILE:HA	1:D:364:TYR:O	2.21	0.41
1:A:233:LYS:HZ1	1:C:465:LYS:CE	2.32	0.41
1:A:292:TYR:CD1	1:A:345:ASN:HB2	2.55	0.41
1:A:389:TYR:HB3	1:A:398:TYR:HB3	2.02	0.41
1:D:165:LEU:HD21	1:D:202:THR:HG21	2.03	0.41
1:B:51:MET:HB3	1:B:376:ILE:HG13	2.02	0.41
1:A:233:LYS:NZ	1:C:465:LYS:CE	2.84	0.41
1:B:455:PRO:HA	1:B:476:GLN:HA	2.01	0.41
1:C:46:ILE:HG12	1:C:389:TYR:CZ	2.55	0.41
1:C:84:ALA:H	1:C:124:ASP:CG	2.28	0.41
1:A:351:ILE:HB	1:A:367:THR:OG1	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:PRO:HA	1:A:476:GLN:HA	2.02	0.40
1:C:124:ASP:O	1:C:125:SER:HB3	2.20	0.40
1:B:327:GLU:CD	1:B:335:LYS:HE3	2.46	0.40
1:C:46:ILE:HG12	1:C:389:TYR:OH	2.20	0.40
1:C:270:VAL:HG12	1:C:354:ALA:HB1	2.02	0.40
1:A:264[B]:ASN:HD22	1:A:264[B]:ASN:N	2.08	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/456 (98%)	431 (96%)	17 (4%)	0	100	100
1	B	446/456 (98%)	429 (96%)	16 (4%)	1 (0%)	43	36
1	C	446/456 (98%)	428 (96%)	17 (4%)	1 (0%)	43	36
1	D	447/456 (98%)	432 (97%)	13 (3%)	2 (0%)	30	21
All	All	1787/1824 (98%)	1720 (96%)	63 (4%)	4 (0%)	43	36

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	87	ASN
1	D	125	SER
1	C	125	SER
1	D	403	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	391/395 (99%)	381 (97%)	10 (3%)	40	33
1	B	389/395 (98%)	380 (98%)	9 (2%)	44	38
1	C	389/395 (98%)	377 (97%)	12 (3%)	35	26
1	D	390/395 (99%)	381 (98%)	9 (2%)	44	38
All	All	1559/1580 (99%)	1519 (97%)	40 (3%)	40	33

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	LYS
1	A	89	ILE
1	A	95	ASP
1	A	127	ASP
1	A	255	LEU
1	A	306	LYS
1	A	307	LEU
1	A	351	ILE
1	A	443	ARG
1	A	470	LYS
1	B	89	ILE
1	B	127	ASP
1	B	244	GLU
1	B	248	ASP
1	B	255	LEU
1	B	261	ILE
1	B	351	ILE
1	B	475	GLU
1	B	481	VAL
1	C	82	LYS
1	C	83	ASN
1	C	87	ASN
1	C	89	ILE
1	C	92	ASP
1	C	141	SER
1	C	166	LYS
1	C	181	ASP
1	C	255	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	335	LYS
1	C	472	ARG
1	C	481	VAL
1	D	83	ASN
1	D	124	ASP
1	D	127	ASP
1	D	166	LYS
1	D	255	LEU
1	D	307	LEU
1	D	370	ARG
1	D	471	ASP
1	D	481	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	56	GLN
1	A	164	HIS
1	A	168	GLN
1	A	345	ASN
1	A	392	ASN
1	A	449	ASN
1	B	101	ASN
1	B	168	GLN
1	B	236	GLN
1	B	266	HIS
1	B	345	ASN
1	C	101	ASN
1	C	205	GLN
1	C	214	ASN
1	C	301	GLN
1	C	345	ASN
1	C	460	ASN
1	D	83	ASN
1	D	87	ASN
1	D	101	ASN
1	D	205	GLN
1	D	207	ASN
1	D	345	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 4 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PEG	D	485	-	6,6,6	0.44	0	5,5,5	0.26	0
6	SO4	D	3	-	4,4,4	0.21	0	6,6,6	0.15	0
4	PGE	C	485	-	9,9,9	0.60	0	8,8,8	0.36	0
6	SO4	C	488	-	4,4,4	0.26	0	6,6,6	0.06	0
3	P6G	B	485	-	18,18,18	0.50	0	17,17,17	0.22	0
5	PEG	C	487	-	6,6,6	0.48	0	5,5,5	0.27	0
6	SO4	D	2	-	4,4,4	0.26	0	6,6,6	0.10	0
6	SO4	D	4	-	4,4,4	0.24	0	6,6,6	0.16	0
3	P6G	A	485	-	18,18,18	0.62	0	17,17,17	0.32	0
6	SO4	C	5	-	4,4,4	0.24	0	6,6,6	0.13	0
4	PGE	C	486	-	9,9,9	0.45	0	8,8,8	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	D	485	-	-	2/4/4/4	-
4	PGE	C	485	-	-	4/7/7/7	-
3	P6G	B	485	-	-	10/16/16/16	-
5	PEG	C	487	-	-	3/4/4/4	-
3	P6G	A	485	-	-	9/16/16/16	-
4	PGE	C	486	-	-	4/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	485	P6G	O4-C5-C6-O7
4	C	486	PGE	O3-C5-C6-O4
3	A	485	P6G	O7-C8-C9-O10
4	C	485	PGE	O1-C1-C2-O2
5	C	487	PEG	O1-C1-C2-O2
3	B	485	P6G	O1-C2-C3-O4
3	B	485	P6G	O16-C17-C18-O19
5	C	487	PEG	O2-C3-C4-O4
3	B	485	P6G	O7-C8-C9-O10
3	A	485	P6G	O10-C11-C12-O13
5	D	485	PEG	O2-C3-C4-O4
3	A	485	P6G	C15-C14-O13-C12
3	B	485	P6G	C8-C9-O10-C11
4	C	486	PGE	C6-C5-O3-C4
4	C	486	PGE	C1-C2-O2-C3
3	B	485	P6G	C11-C12-O13-C14
3	B	485	P6G	C5-C6-O7-C8
5	D	485	PEG	O1-C1-C2-O2
3	B	485	P6G	C2-C3-O4-C5
3	A	485	P6G	C14-C15-O16-C17
3	A	485	P6G	O1-C2-C3-O4
3	A	485	P6G	C8-C9-O10-C11
3	A	485	P6G	C6-C5-O4-C3
4	C	485	PGE	C3-C4-O3-C5
3	A	485	P6G	C5-C6-O7-C8
3	B	485	P6G	C14-C15-O16-C17
4	C	485	PGE	C4-C3-O2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	C	487	PEG	C1-C2-O2-C3
3	A	485	P6G	C18-C17-O16-C15
4	C	486	PGE	O2-C3-C4-O3
4	C	485	PGE	C1-C2-O2-C3
3	B	485	P6G	C9-C8-O7-C6

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	3	SO4	1	0
4	C	485	PGE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	448/456 (98%)	0.63	26 (5%)	29	33	11, 24, 35, 40	7 (1%)
1	B	448/456 (98%)	0.63	37 (8%)	17	20	15, 24, 36, 42	7 (1%)
1	C	448/456 (98%)	0.54	20 (4%)	38	44	14, 23, 33, 43	7 (1%)
1	D	448/456 (98%)	0.63	26 (5%)	29	33	11, 25, 35, 44	8 (1%)
All	All	1792/1824 (98%)	0.61	109 (6%)	27	31	11, 24, 36, 44	29 (1%)

All (109) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	124	ASP	6.7
1	C	125	SER	6.4
1	A	247	TYR	5.7
1	B	122	PRO	4.8
1	A	125	SER	4.6
1	B	125	SER	4.3
1	B	446	TYR	4.3
1	B	124	ASP	4.2
1	C	127	ASP	4.2
1	C	86	GLY	4.2
1	C	34	SER	4.1
1	D	125	SER	3.8
1	A	127	ASP	3.7
1	D	87	ASN	3.7
1	B	84	ALA	3.6
1	C	122	PRO	3.6
1	C	467	SER	3.6
1	B	247	TYR	3.6
1	D	122	PRO	3.6
1	B	81	GLY	3.5
1	C	128	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	126	ASN	3.3
1	D	88	THR	3.3
1	B	123	LYS	3.2
1	B	448	ASP	3.2
1	A	84	ALA	3.2
1	D	34	SER	3.1
1	D	84	ALA	3.1
1	C	126	ASN	3.0
1	B	445	PHE	3.0
1	D	247	TYR	3.0
1	B	83	ASN	3.0
1	B	127	ASP	2.9
1	D	127	ASP	2.9
1	B	154	ASP	2.9
1	A	446	TYR	2.9
1	B	196	TYR	2.9
1	B	447	GLU	2.9
1	B	82	LYS	2.8
1	B	88	THR	2.8
1	B	34	SER	2.8
1	C	84	ALA	2.7
1	C	382	ASP	2.7
1	D	61	ASP	2.7
1	D	86	GLY	2.7
1	D	42	GLY	2.7
1	C	88	THR	2.7
1	D	126	ASN	2.7
1	B	193	GLY	2.6
1	C	123	LYS	2.6
1	C	351	ILE	2.6
1	C	159	VAL	2.6
1	B	128	THR	2.6
1	D	308	LEU	2.5
1	C	247	TYR	2.5
1	D	138	GLY	2.5
1	B	249	THR	2.5
1	A	307	LEU	2.5
1	A	194	LYS	2.5
1	A	447	GLU	2.4
1	A	86	GLY	2.4
1	A	34	SER	2.4
1	B	307	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	85	SER	2.4
1	A	158	PHE	2.4
1	A	382	ASP	2.4
1	D	249	THR	2.4
1	C	82	LYS	2.4
1	D	154	ASP	2.4
1	B	246	GLY	2.4
1	D	123	LYS	2.4
1	D	124	ASP	2.3
1	A	211	PRO	2.3
1	A	123	LYS	2.3
1	A	412	LEU	2.3
1	A	196	TYR	2.3
1	B	481	VAL	2.3
1	C	124	ASP	2.3
1	A	102	ALA	2.3
1	A	473	VAL	2.3
1	B	159	VAL	2.3
1	A	265	GLY	2.2
1	B	158	PHE	2.2
1	B	467	SER	2.2
1	A	248	ASP	2.2
1	B	121	ASP	2.2
1	D	89	ILE	2.2
1	A	128	THR	2.2
1	B	310	GLY	2.2
1	B	261	ILE	2.2
1	D	386	MET	2.2
1	A	126	ASN	2.2
1	B	166	LYS	2.2
1	D	481	VAL	2.2
1	B	412	LEU	2.2
1	D	91	LEU	2.2
1	D	83	ASN	2.1
1	A	443	ARG	2.1
1	B	86	GLY	2.1
1	C	81	GLY	2.1
1	A	154	ASP	2.1
1	C	181	ASP	2.1
1	D	244	GLU	2.0
1	B	87	ASN	2.0
1	B	165	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	141	SER	2.0
1	B	250	GLY	2.0
1	D	264	ASN	2.0
1	A	122	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	P6G	A	485	19/19	0.75	0.17	40,42,45,45	0
3	P6G	B	485	19/19	0.79	0.14	42,42,43,43	0
4	PGE	C	485	10/10	0.80	0.15	43,44,44,44	0
5	PEG	C	487	7/7	0.81	0.14	43,43,43,44	0
5	PEG	D	485	7/7	0.82	0.13	33,34,35,35	0
4	PGE	C	486	10/10	0.87	0.13	37,38,39,40	0
6	SO4	D	3	5/5	0.87	0.16	42,42,43,43	0
6	SO4	C	5	5/5	0.88	0.12	37,37,37,37	5
6	SO4	D	4	5/5	0.89	0.17	43,43,43,44	0
6	SO4	D	2	5/5	0.92	0.10	39,39,40,40	0
6	SO4	C	488	5/5	0.96	0.11	37,37,37,37	0
2	CA	D	1	1/1	0.98	0.04	23,23,23,23	0
2	CA	A	1	1/1	0.98	0.07	23,23,23,23	0
2	CA	C	1	1/1	0.98	0.03	20,20,20,20	0
2	CA	B	1	1/1	0.99	0.04	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around P6G A 485:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around P6G B 485:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.