



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 03:19 AM UTC

PDB ID : 3OMA / pdb_00003oma
Title : Catalytic core subunits (I and II) of cytochrome C oxidase from Rhodobacter sphaeroides with K362M mutation
Authors : Liu, J.; Qin, L.; Ferguson-Miller, S.
Deposited on : 2010-08-26
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	535	6% 88% 11% .
1	C	535	15% 85% 14% ..
2	B	256	5% 95% .
2	D	256	9% 92% 7% .

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 13395 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase, aa3 type, subunit I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	535	Total	C	N	O	S	0	0	0
			4159	2784	654	689	32			
1	C	531	Total	C	N	O	S	0	0	0
			4121	2761	646	683	31			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	362	MET	LYS	engineered mutation	UNP Q3J5A7
C	362	MET	LYS	engineered mutation	UNP Q3J5A7


- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			2018	1316	333	363	6			
2	D	256	Total	C	N	O	S	0	0	0
			1999	1305	326	362	6			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	282	HIS	-	expression tag	UNP Q3J5G0
B	283	HIS	-	expression tag	UNP Q3J5G0
B	284	HIS	-	expression tag	UNP Q3J5G0
B	285	HIS	-	expression tag	UNP Q3J5G0
D	282	HIS	-	expression tag	UNP Q3J5G0
D	283	HIS	-	expression tag	UNP Q3J5G0
D	284	HIS	-	expression tag	UNP Q3J5G0
D	285	HIS	-	expression tag	UNP Q3J5G0

- Molecule 3 is HYDROXIDE ION (CCD ID: OH) (formula: HO).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O 1 1	0	0
3	C	1	Total O 1 1	0	0

- Molecule 4 is DECYL-BETA-D-MALTOPYRANOSIDE (CCD ID: DMU) (formula: C₂₂H₄₂O₁₁).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 22 16 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	16	6		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			23	12	11		
4	C	1	Total	C	O	0	0
			33	22	11		
4	C	1	Total	C	O	0	0
			23	12	11		
4	C	1	Total	C	O	0	0
			23	12	11		
4	D	1	Total	C	O	0	0
			23	12	11		
4	D	1	Total	C	O	0	0
			23	12	11		

- Molecule 5 is TRIDECANE (CCD ID: TRD) (formula: $C_{13}H_{28}$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C	0	0
			7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C 7 7	0	0
5	A	1	Total C 7 7	0	0
5	A	1	Total C 13 13	0	0
5	A	1	Total C 13 13	0	0
5	B	1	Total C 9 9	0	0
5	C	1	Total C 13 13	0	0
5	D	1	Total C 13 13	0	0
5	D	1	Total C 7 7	0	0

- Molecule 6 is HEME-A (CCD ID: HEA) (formula: C₄₉H₅₆FeN₄O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C Fe N O 60 49 1 4 6	0	0
6	A	1	Total C Fe N O 60 49 1 4 6	0	0
6	C	1	Total C Fe N O 60 49 1 4 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	C	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		

- Molecule 7 is COPPER (II) ION (CCD ID: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cu	0	0
			1	1		
7	B	1	Total	Cu	0	0
			1	1		
7	C	1	Total	Cu	0	0
			1	1		
7	D	1	Total	Cu	0	0
			1	1		


- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Mg	0	0
			1	1		
8	C	1	Total	Mg	0	0
			1	1		

- Molecule 9 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Ca	0	0
			1	1		
9	C	1	Total	Ca	0	0
			1	1		

- Molecule 10 is (2S,3R)-heptane-1,2,3-triol (CCD ID: HTH) (formula: C₇H₁₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			10	7	3		

- Molecule 11 is COPPER (I) ION (CCD ID: CU1) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	1	Total	Cu	0	0
			1	1		
11	D	1	Total	Cu	0	0
			1	1		

- Molecule 12 is CADMIUM ION (CCD ID: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	2	Total	Cd	0	0
			2	2		
12	D	2	Total	Cd	0	0
			2	2		

- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	132	Total	O	0	0
			132	132		
13	B	134	Total	O	0	0
			134	134		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	C	82	Total 82	O 82	0	0
13	D	104	Total 104	O 104	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome c oxidase, aa3 type, subunit I




- Molecule 1: Cytochrome c oxidase, aa3 type, subunit I




- Molecule 2: Cytochrome c oxidase subunit 2





• Molecule 2: Cytochrome c oxidase subunit 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	125.02Å 131.58Å 176.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 50.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.6 (50.00-2.30) 97.6 (50.00-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 2.29Å)	Xtriage
Refinement program	REFMAC, CNS	Depositor
R, R_{free}	0.191 , 0.219 0.192 , 0.219	Depositor DCC
R_{free} test set	3771 reflections (2.98%)	wwPDB-VP
Wilson B-factor (Å ²)	41.9	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13395	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMU, CA, HTH, TRD, CU1, MG, CU, OH, HEA, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	2/4311 (0.0%)	0.91	2/5888 (0.0%)
1	C	0.65	3/4272 (0.1%)	0.91	3/5837 (0.1%)
2	B	0.78	1/2080 (0.0%)	0.80	0/2848
2	D	0.63	0/2060	0.82	0/2824
All	All	0.70	6/12723 (0.0%)	0.88	5/17397 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	292	LEU	C-O	-5.52	1.19	1.24
1	C	284	HIS	CE1-NE2	5.31	1.37	1.32
1	C	534	HIS	ND1-CE1	5.27	1.37	1.32
1	C	292	LEU	C-O	-5.20	1.19	1.24
1	A	284	HIS	CE1-NE2	5.13	1.37	1.32
2	B	200	VAL	C-O	-5.02	1.20	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	284	HIS	N-CA-CB	7.75	117.75	110.39
1	C	284	HIS	N-CA-CB	7.43	117.45	110.39
1	C	534	HIS	CB-CG-CD2	-6.62	122.60	131.20
1	C	534	HIS	CB-CG-ND1	5.66	131.19	122.70
1	A	111	VAL	N-CA-C	5.16	117.54	111.09

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4159	0	4051	49	0
1	C	4121	0	4015	51	0
2	B	2018	0	1969	7	0
2	D	1999	0	1936	18	0
3	A	1	0	0	1	0
3	C	1	0	0	1	0
4	A	44	0	62	1	0
4	B	122	0	147	0	0
4	C	79	0	84	1	0
4	D	46	0	42	3	0
5	A	47	0	92	1	0
5	B	9	0	17	1	0
5	C	13	0	28	0	0
5	D	20	0	41	1	0
6	A	120	0	108	6	0
6	C	120	0	108	1	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	1	0	0	0	0
8	C	1	0	0	0	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	B	10	0	16	1	0
11	B	1	0	0	0	0
11	D	1	0	0	0	0
12	B	2	0	0	0	0
12	D	2	0	0	0	0
13	A	132	0	0	5	0
13	B	134	0	0	1	0
13	C	82	0	0	4	0
13	D	104	0	0	1	0
All	All	13395	0	12716	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:89:LYS:NZ	2:D:89:LYS:HB3	1.43	1.06
2:D:89:LYS:HB3	2:D:89:LYS:HZ2	0.85	0.99
1:C:534:HIS:HD2	13:C:623:HOH:O	1.44	0.98
1:A:350:MET:HA	1:A:353:MET:HE3	1.53	0.89
2:D:89:LYS:NZ	2:D:89:LYS:CB	2.30	0.89
1:A:460:MET:HE3	13:A:743:HOH:O	1.75	0.87
2:D:89:LYS:HZ2	2:D:89:LYS:CB	1.81	0.86
10:B:286:HTH:O2	13:B:496:HOH:O	1.98	0.82
1:A:216:ARG:NH2	1:A:222:MET:HE1	2.00	0.75
3:A:706:OH:O	13:A:727:HOH:O	2.05	0.75
3:C:706:OH:O	13:C:556:HOH:O	2.09	0.70
1:A:350:MET:HA	1:A:353:MET:CE	2.21	0.70
1:A:543:THR:HG22	1:A:547:PRO:HD3	1.75	0.69
1:A:287:VAL:HB	6:A:2:HEA:CAC	2.22	0.68
1:C:128:ILE:HB	1:C:216:ARG:HG2	1.74	0.68
1:A:460:MET:HE1	6:A:1:HEA:H262	1.76	0.67
1:A:252:MET:HE1	1:A:278:ILE:HD13	1.76	0.67
1:A:21:PHE:HB3	1:A:144:TRP:HZ2	1.60	0.66
2:D:66:ALA:O	2:D:70:ILE:HG12	1.96	0.65
1:C:534:HIS:HE1	13:C:720:HOH:O	1.79	0.64
1:C:350:MET:HA	1:C:353:MET:HE3	1.81	0.63
1:A:307:LYS:HE2	1:A:374:SER:HB3	1.81	0.62
1:C:182:GLU:O	1:C:257:ARG:NH1	2.34	0.61
1:A:204:GLY:O	1:A:208:MET:HG2	2.00	0.61
1:A:216:ARG:CZ	1:A:222:MET:CE	2.80	0.60
1:A:550:THR:OG1	13:A:814:HOH:O	2.15	0.60
2:D:202:VAL:HG13	2:D:269:VAL:HG12	1.84	0.59
4:D:4:DMU:H35	4:D:4:DMU:H29	1.84	0.59
1:C:367:ILE:HA	1:C:370:MET:HE2	1.85	0.58
1:A:550:THR:OG1	13:A:803:HOH:O	2.17	0.58
1:A:543:THR:CG2	1:A:547:PRO:HD3	2.33	0.58
1:C:204:GLY:O	1:C:208:MET:HG2	2.03	0.58
1:C:319:ALA:O	1:C:323:ILE:HG12	2.03	0.58
1:C:533:GLU:H	1:C:533:GLU:CD	2.11	0.58
1:C:350:MET:HA	1:C:353:MET:CE	2.34	0.57
2:B:65:ILE:O	2:B:69:THR:HG23	2.03	0.57
1:C:287:VAL:HB	6:C:2:HEA:CAC	2.35	0.57
1:A:287:VAL:HB	6:A:2:HEA:HAC	1.87	0.56
1:C:332:ALA:HB1	1:C:340:LEU:HD11	1.88	0.56
1:A:408:ARG:O	2:B:227:LYS:HE2	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:543:THR:HG23	1:C:545:PRO:O	2.07	0.55
6:A:1:HEA:HBC1	6:A:1:HEA:HMC3	1.87	0.54
1:C:321:VAL:O	1:C:325:VAL:HG23	2.08	0.53
2:D:121:PRO:HB3	4:D:4:DMU:H40	1.91	0.52
1:A:543:THR:HG23	1:A:545:PRO:O	2.10	0.52
2:B:177:GLU:O	2:B:181:ILE:HG12	2.08	0.52
1:C:202:ILE:O	1:C:206:ILE:HG12	2.09	0.52
1:C:534:HIS:CE1	13:C:720:HOH:O	2.60	0.52
1:C:349:MET:O	1:C:353:MET:HG3	2.10	0.52
2:B:104:TRP:C	2:B:104:TRP:CD1	2.86	0.52
1:A:249:ALA:HA	1:A:252:MET:HE3	1.91	0.51
1:A:425:SER:C	1:A:426:LEU:HD12	2.36	0.50
1:C:253:LEU:O	1:C:257:ARG:HG3	2.11	0.50
1:A:332:ALA:HB1	1:A:340:LEU:HD11	1.93	0.50
1:C:538:LEU:O	1:C:541:THR:HB	2.12	0.50
2:D:60:PHE:O	2:D:64:ILE:HG12	2.12	0.49
1:A:287:VAL:HB	6:A:2:HEA:C3C	2.43	0.49
1:C:308:LYS:HG3	1:C:309:PRO:HD2	1.94	0.48
1:A:538:LEU:O	1:A:541:THR:HB	2.12	0.48
2:D:104:TRP:CD1	2:D:104:TRP:C	2.91	0.48
2:B:113:VAL:HA	5:B:4:TRD:H61	1.95	0.48
1:C:249:ALA:HA	1:C:252:MET:HE3	1.96	0.48
1:C:444:SER:HA	4:C:9:DMU:H5	1.95	0.48
2:D:55:HIS:HE1	13:D:330:HOH:O	1.96	0.48
1:A:216:ARG:CZ	1:A:222:MET:HE3	2.44	0.48
1:C:279:LEU:O	1:C:279:LEU:HG	2.09	0.47
1:C:284:HIS:CD2	1:C:284:HIS:C	2.91	0.47
1:C:349:MET:HG2	1:C:353:MET:HE2	1.96	0.47
1:A:390:LEU:HD13	1:A:426:LEU:HB3	1.96	0.47
1:A:56:MET:HE1	4:A:1005:DMU:H6	1.97	0.47
1:A:216:ARG:CZ	1:A:222:MET:HE1	2.40	0.47
2:D:124:PHE:HB3	4:D:4:DMU:H33	1.97	0.47
1:A:284:HIS:C	1:A:284:HIS:CD2	2.93	0.47
1:C:48:THR:CG2	1:C:102:HIS:CE1	2.99	0.46
1:C:252:MET:HE1	1:C:278:ILE:HD13	1.97	0.46
1:C:547:PRO:HD2	1:C:550:THR:HG22	1.97	0.46
1:A:349:MET:HG2	1:A:353:MET:HE2	1.98	0.46
1:A:442:LYS:O	1:A:545:PRO:HA	2.16	0.45
1:C:543:THR:HG22	1:C:547:PRO:HD3	1.98	0.45
2:B:104:TRP:C	2:B:104:TRP:HD1	2.25	0.45
1:C:356:ALA:HB3	2:D:112:LEU:HD11	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:138:VAL:HG11	2:D:219:TRP:CD1	2.52	0.45
1:A:495:PHE:CE2	1:A:499:LEU:HD11	2.52	0.44
1:C:212:PHE:CE2	1:C:225:VAL:HG11	2.52	0.44
1:C:284:HIS:O	1:C:287:VAL:HG22	2.15	0.44
1:A:128:ILE:HB	1:A:216:ARG:HG2	1.99	0.44
1:A:94:LEU:O	1:A:98:MET:HG2	2.17	0.44
1:C:126:LEU:O	1:C:538:LEU:HB2	2.18	0.44
1:A:508:PHE:HB2	6:A:1:HEA:H261	1.99	0.44
1:C:119:PHE:HZ	1:C:436:ILE:HG13	1.83	0.43
1:A:117:GLY:O	1:A:121:ASN:HB2	2.18	0.43
1:C:127:HIS:HB3	1:C:226:PRO:HG2	2.00	0.43
1:A:426:LEU:HD12	1:A:426:LEU:N	2.34	0.43
1:A:469:PHE:N	1:A:470:PRO:CD	2.82	0.43
1:C:441:GLY:HA2	1:C:446:ARG:O	2.18	0.43
1:A:349:MET:HE3	1:A:403:GLN:OE1	2.19	0.42
1:C:486:TYR:CD2	1:C:490:PHE:HB2	2.54	0.42
2:B:138:VAL:HG11	2:B:219:TRP:CD1	2.54	0.42
1:C:143:TYR:O	1:C:147:VAL:HG23	2.19	0.42
1:A:476:ARG:HH21	5:A:3:TRD:H31	1.85	0.42
1:C:364:PHE:HB3	2:D:104:TRP:CE3	2.55	0.42
1:A:112:ILE:HB	1:A:113:PRO:HD3	2.00	0.42
1:A:460:MET:HE2	1:A:507:SER:OG	2.20	0.42
1:A:139:ASN:HA	13:A:824:HOH:O	2.20	0.42
1:A:455:LEU:HG	1:A:459:MET:HE2	2.02	0.42
1:C:52:ARG:HG3	1:C:501:ALA:CB	2.50	0.42
1:A:284:HIS:O	1:A:285:PRO:C	2.60	0.41
1:C:55:LEU:O	1:C:494:ASN:HB3	2.19	0.41
1:A:48:THR:CG2	1:A:102:HIS:CE1	3.04	0.41
1:C:390:LEU:HD13	1:C:426:LEU:HB3	2.02	0.41
1:C:94:LEU:O	1:C:98:MET:HG2	2.20	0.41
1:C:442:LYS:O	1:C:545:PRO:HA	2.21	0.41
1:A:216:ARG:NH2	1:A:222:MET:CE	2.74	0.41
1:A:264:PHE:CE1	1:A:275:TYR:HB2	2.56	0.41
2:D:129:ILE:HA	2:D:130:PRO:HD3	1.91	0.41
1:A:279:LEU:O	1:A:279:LEU:HG	2.17	0.40
1:C:117:GLY:O	1:C:121:ASN:HB2	2.21	0.40
1:C:292:LEU:HD23	1:C:292:LEU:HA	1.80	0.40
1:A:387:PHE:CD1	1:A:387:PHE:C	2.99	0.40
2:D:41:THR:OG1	5:D:3:TRD:H12	2.21	0.40
1:C:48:THR:HG21	1:C:102:HIS:CE1	2.56	0.40
1:C:121:ASN:OD1	1:C:133:MET:HE3	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:482:ARG:HD3	2:D:255:LEU:HB2	2.03	0.40
1:C:25:ASN:HB3	1:C:28:ASP:OD2	2.22	0.40
1:C:292:LEU:O	1:C:295:PHE:HB2	2.21	0.40
2:D:238:LEU:C	2:D:238:LEU:HD12	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	533/535 (100%)	520 (98%)	13 (2%)	0	100	100
1	C	529/535 (99%)	516 (98%)	13 (2%)	0	100	100
2	B	254/256 (99%)	248 (98%)	5 (2%)	1 (0%)	30	38
2	D	254/256 (99%)	245 (96%)	9 (4%)	0	100	100
All	All	1570/1582 (99%)	1529 (97%)	40 (2%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	97	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/435 (98%)	416 (98%)	8 (2%)	50	69
1	C	420/435 (97%)	413 (98%)	7 (2%)	53	72
2	B	213/215 (99%)	211 (99%)	2 (1%)	70	84
2	D	209/215 (97%)	204 (98%)	5 (2%)	43	62
All	All	1266/1300 (97%)	1244 (98%)	22 (2%)	53	72

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	ARG
1	A	99	ILE
1	A	137	ARG
1	A	222	MET
1	A	279	LEU
1	A	291	VAL
1	A	412	ASP
1	A	541	THR
2	B	104	TRP
2	B	106	ILE
1	C	99	ILE
1	C	111	VAL
1	C	137	ARG
1	C	174	LEU
1	C	279	LEU
1	C	291	VAL
1	C	412	ASP
2	D	89	LYS
2	D	104	TRP
2	D	131	GLU
2	D	202	VAL
2	D	214	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	ASN
1	A	465	ASN
2	B	88	ASN
2	B	96	HIS
2	B	170	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	251	GLN
1	C	91	ASN
1	C	93	HIS
1	C	163	ASN
1	C	165	GLN
1	C	276	GLN
1	C	465	ASN
2	D	170	ASN
2	D	251	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 41 ligands modelled in this entry, 2 are modelled with single atom and 14 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	TRD	D	3	-	12,12,12	0.20	0	11,11,11	0.59	0
5	TRD	A	3	-	12,12,12	0.37	0	11,11,11	0.34	0
6	HEA	C	2	13,1	67,67,67	1.57	7 (10%)	81,103,103	1.41	15 (18%)
5	TRD	C	552	-	12,12,12	0.26	0	11,11,11	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DMU	B	2	-	34,34,34	0.55	1 (2%)	45,45,45	0.93	3 (6%)
6	HEA	A	1	1	67,67,67	1.38	9 (13%)	81,103,103	1.42	11 (13%)
10	HTH	B	286	-	9,9,9	0.35	0	10,10,10	0.73	0
4	DMU	B	6	-	24,24,34	0.53	0	35,35,45	0.74	0
4	DMU	C	9	-	24,24,34	0.58	0	35,35,45	0.94	2 (5%)
4	DMU	D	4	-	24,24,34	0.53	0	35,35,45	0.63	0
6	HEA	C	1	1	67,67,67	1.47	8 (11%)	81,103,103	1.43	14 (17%)
4	DMU	A	7	-	22,22,34	0.56	0	27,27,45	0.77	1 (3%)
5	TRD	A	1009	-	6,6,12	0.31	0	5,5,11	0.37	0
4	DMU	B	3	-	34,34,34	0.57	0	45,45,45	0.60	0
5	TRD	D	14	-	6,6,12	0.26	0	5,5,11	0.39	0
4	DMU	D	8	-	24,24,34	0.54	0	35,35,45	0.68	0
5	TRD	A	552	-	12,12,12	0.27	0	11,11,11	0.47	0
4	DMU	C	5	-	24,24,34	0.52	0	35,35,45	0.65	0
4	DMU	A	1005	-	22,22,34	0.58	1 (4%)	27,27,45	0.82	1 (3%)
5	TRD	A	1013	-	6,6,12	0.32	0	5,5,11	0.38	0
5	TRD	A	1015	-	6,6,12	0.32	0	5,5,11	0.37	0
5	TRD	B	4	-	8,8,12	0.26	0	7,7,11	0.45	0
4	DMU	B	1	-	34,34,34	0.58	0	45,45,45	1.17	3 (6%)
6	HEA	A	2	13,1	67,67,67	1.51	7 (10%)	81,103,103	1.47	15 (18%)
4	DMU	C	10	-	34,34,34	0.64	1 (2%)	45,45,45	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TRD	D	3	-	-	5/10/10/10	-
5	TRD	A	3	-	-	4/10/10/10	-
6	HEA	C	2	13,1	-	8/36/76/76	-
5	TRD	C	552	-	-	2/10/10/10	-
4	DMU	B	2	-	-	10/19/59/59	0/2/2/2
6	HEA	A	1	1	-	6/36/76/76	-
10	HTH	B	286	-	-	3/10/10/10	-
4	DMU	B	6	-	-	4/8/48/59	0/2/2/2
4	DMU	C	9	-	-	4/8/48/59	0/2/2/2
4	DMU	D	4	-	-	3/8/48/59	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HEA	C	1	1	-	5/36/76/76	-
4	DMU	A	7	-	-	4/13/33/59	0/1/1/2
5	TRD	A	1009	-	-	2/4/4/10	-
4	DMU	B	3	-	-	6/19/59/59	0/2/2/2
5	TRD	D	14	-	-	1/4/4/10	-
4	DMU	D	8	-	-	0/8/48/59	0/2/2/2
5	TRD	A	552	-	-	4/10/10/10	-
4	DMU	C	5	-	-	3/8/48/59	0/2/2/2
4	DMU	A	1005	-	-	5/13/33/59	0/1/1/2
5	TRD	A	1013	-	-	0/4/4/10	-
5	TRD	A	1015	-	-	2/4/4/10	-
5	TRD	B	4	-	-	1/6/6/10	-
4	DMU	B	1	-	-	6/19/59/59	0/2/2/2
6	HEA	A	2	13,1	-	6/36/76/76	-
4	DMU	C	10	-	-	11/19/59/59	0/2/2/2

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	1	HEA	FE-NC	6.12	2.15	1.95
6	C	2	HEA	FE-NC	6.05	2.15	1.95
6	A	2	HEA	FE-NA	5.38	2.12	1.95
6	A	2	HEA	FE-NC	5.30	2.12	1.95
6	C	2	HEA	FE-NA	5.04	2.11	1.95
6	C	1	HEA	FE-NA	4.95	2.11	1.95
6	A	1	HEA	FE-NA	4.95	2.11	1.95
6	A	2	HEA	FE-NB	4.44	2.08	1.94
6	C	2	HEA	C11-C3B	4.02	1.56	1.51
6	A	2	HEA	C11-C3B	4.00	1.56	1.51
6	C	2	HEA	FE-NB	3.97	2.07	1.94
6	A	1	HEA	FE-ND	3.94	2.07	1.94
6	C	1	HEA	C11-C3B	3.72	1.55	1.51
6	C	2	HEA	FE-ND	3.59	2.06	1.94
6	A	1	HEA	FE-NC	3.54	2.06	1.95
6	A	1	HEA	CAC-C3C	3.01	1.55	1.47
6	A	1	HEA	C11-C3B	2.96	1.55	1.51
6	C	1	HEA	FE-ND	2.91	2.03	1.94
6	A	2	HEA	CMA-C3A	2.73	1.51	1.45
6	A	2	HEA	FE-ND	2.63	2.03	1.94
6	A	1	HEA	FE-NB	2.60	2.02	1.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	2	HEA	CAC-C3C	2.54	1.54	1.47
6	A	2	HEA	CAC-C3C	2.53	1.54	1.47
6	A	1	HEA	CMA-C3A	2.51	1.51	1.45
6	C	2	HEA	CMA-C3A	2.47	1.50	1.45
6	C	1	HEA	CMA-C3A	2.39	1.50	1.45
6	C	1	HEA	CAC-C3C	2.36	1.53	1.47
6	A	1	HEA	CMD-C2D	2.33	1.55	1.50
6	C	1	HEA	CMC-C2C	2.29	1.55	1.50
6	C	1	HEA	CMD-C2D	2.17	1.55	1.50
4	C	10	DMU	O16-C6	2.12	1.43	1.40
4	B	2	DMU	O16-C6	2.10	1.43	1.40
6	A	1	HEA	CMB-C2B	2.08	1.55	1.50
4	A	1005	DMU	O16-C6	2.04	1.43	1.40

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	1	HEA	C2A-C1A-NA	-3.90	106.56	110.32
6	A	2	HEA	C2A-C1A-NA	-3.69	106.77	110.32
6	A	1	HEA	C2A-C1A-NA	-3.54	106.91	110.32
6	C	2	HEA	C2A-C1A-NA	-3.31	107.13	110.32
6	A	2	HEA	C27-C19-C20	3.28	120.92	115.23
6	A	1	HEA	C1D-ND-C4D	3.14	108.92	105.21
4	B	2	DMU	O16-C6-C1	3.00	112.83	108.27
4	B	2	DMU	C10-O7-C3	-2.94	111.00	117.98
6	A	1	HEA	C13-C14-C15	-2.91	120.96	127.62
6	C	1	HEA	C27-C19-C20	2.91	120.28	115.23
6	C	2	HEA	CAD-CBD-CGD	-2.87	106.05	113.67
4	C	9	DMU	C10-O7-C3	-2.86	111.20	117.98
6	C	1	HEA	C13-C14-C15	-2.85	121.09	127.62
6	A	2	HEA	C4B-NB-C1B	2.81	108.53	105.21
6	C	2	HEA	C3C-C4C-NC	-2.79	107.45	109.80
6	C	1	HEA	C17-C18-C19	-2.79	121.23	127.62
6	C	1	HEA	C3D-C4D-ND	-2.79	107.66	110.35
6	C	2	HEA	C27-C19-C20	2.77	120.04	115.23
6	A	1	HEA	C3D-C4D-ND	-2.76	107.68	110.35
6	A	2	HEA	C1D-ND-C4D	2.73	108.44	105.21
6	A	2	HEA	CAD-CBD-CGD	-2.72	106.45	113.67
6	C	2	HEA	C1D-ND-C4D	2.71	108.42	105.21
6	C	2	HEA	C4B-NB-C1B	2.68	108.38	105.21
6	A	1	HEA	C27-C19-C20	2.61	119.76	115.23
6	C	1	HEA	C4A-NA-C1A	2.59	110.04	105.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	2	HEA	C3C-C4C-NC	-2.58	107.63	109.80
6	A	2	HEA	CMB-C2B-C3B	-2.57	125.30	130.28
6	C	2	HEA	C3D-C4D-ND	-2.56	107.87	110.35
6	A	2	HEA	C3D-C4D-ND	-2.56	107.88	110.35
4	A	7	DMU	O16-C6-C1	2.55	112.15	108.27
6	C	1	HEA	CHA-C4D-ND	2.46	127.07	124.42
4	A	1005	DMU	O16-C6-C1	2.44	111.98	108.27
6	A	1	HEA	C17-C18-C19	-2.40	122.14	127.62
4	B	1	DMU	O2-C8-C9	2.38	115.19	109.32
6	A	1	HEA	C4B-NB-C1B	2.34	107.98	105.21
6	A	2	HEA	C4A-NA-C1A	2.34	109.63	105.82
6	C	2	HEA	CHA-C4D-ND	2.33	126.93	124.42
6	C	2	HEA	OMA-CMA-C3A	-2.32	120.37	125.62
6	C	1	HEA	CHA-C1A-C2A	2.29	128.48	124.86
6	C	2	HEA	C4A-NA-C1A	2.28	109.53	105.82
6	A	1	HEA	C2D-C1D-ND	-2.28	107.22	109.84
6	C	2	HEA	C26-C15-C16	2.28	119.18	115.23
6	C	1	HEA	C4B-NB-C1B	2.26	107.89	105.21
6	C	2	HEA	C2D-C1D-ND	-2.24	107.27	109.84
6	A	2	HEA	CHA-C4D-ND	2.22	126.81	124.42
6	C	1	HEA	C1D-ND-C4D	2.20	107.81	105.21
6	A	2	HEA	C2D-C1D-ND	-2.20	107.31	109.84
6	C	1	HEA	CAD-CBD-CGD	-2.19	107.85	113.67
6	C	2	HEA	C4C-NC-C1C	2.18	109.37	105.82
6	A	2	HEA	C3B-C4B-NB	-2.17	107.34	109.84
4	B	1	DMU	O16-C6-C1	2.15	111.53	108.27
6	A	2	HEA	C13-C14-C15	-2.14	122.73	127.62
6	C	1	HEA	CHB-C1B-NB	2.14	126.72	124.42
6	A	1	HEA	C3C-C4C-NC	-2.11	108.02	109.80
6	A	2	HEA	C4C-NC-C1C	2.11	109.26	105.82
6	C	2	HEA	C13-C12-C11	-2.10	111.04	114.39
6	C	1	HEA	C4C-NC-C1C	2.10	109.24	105.82
6	A	2	HEA	C2B-C1B-NB	-2.08	107.50	109.90
4	B	2	DMU	C10-O1-C9	2.07	117.77	113.72
6	A	1	HEA	C4C-NC-C1C	2.06	109.18	105.82
4	C	9	DMU	C8-C7-C5	2.04	114.41	110.83
6	A	1	HEA	C13-C12-C11	-2.03	111.15	114.39
4	B	1	DMU	C8-C7-C5	-2.02	107.29	110.83
6	C	2	HEA	C3B-C4B-NB	-2.02	107.52	109.84
6	C	1	HEA	CHB-C4A-C3A	2.01	128.60	125.21

There are no chirality outliers.

All (105) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	2	DMU	C19-C18-O16-C6
10	B	286	HTH	C2-C3-C4-C5
10	B	286	HTH	O3-C3-C4-C5
4	C	9	DMU	O5-C4-C57-O61
4	B	6	DMU	O6-C11-C9-O1
4	D	4	DMU	O6-C11-C9-C8
4	C	10	DMU	O1-C10-O7-C3
4	B	3	DMU	O6-C11-C9-C8
4	C	9	DMU	C3-C4-C57-O61
4	B	2	DMU	O6-C11-C9-O1
4	A	7	DMU	O5-C6-O16-C18
4	B	1	DMU	O5-C6-O16-C18
4	B	2	DMU	O5-C6-O16-C18
4	C	5	DMU	O5-C4-C57-O61
4	C	9	DMU	O6-C11-C9-O1
4	D	4	DMU	O6-C11-C9-O1
4	C	9	DMU	O6-C11-C9-C8
4	B	6	DMU	O6-C11-C9-C8
4	A	7	DMU	C1-C6-O16-C18
4	B	1	DMU	C1-C6-O16-C18
4	B	2	DMU	C1-C6-O16-C18
4	B	2	DMU	O6-C11-C9-C8
4	C	5	DMU	C3-C4-C57-O61
4	B	3	DMU	O6-C11-C9-O1
4	C	10	DMU	C3-C4-C57-O61
4	B	2	DMU	C18-C19-C22-C25
5	D	3	TRD	C4-C5-C6-C7
4	B	1	DMU	C28-C31-C34-C37
4	C	10	DMU	C18-C19-C22-C25
5	A	3	TRD	C11-C10-C9-C8
4	B	3	DMU	C25-C28-C31-C34
5	D	3	TRD	C11-C10-C9-C8
5	A	3	TRD	C2-C3-C4-C5
4	B	1	DMU	C18-C19-C22-C25
4	B	3	DMU	C28-C31-C34-C37
4	B	6	DMU	C3-C4-C57-O61
6	C	1	HEA	C26-C15-C16-C17
4	A	1005	DMU	O5-C6-O16-C18
4	B	1	DMU	C25-C28-C31-C34
4	A	1005	DMU	C1-C6-O16-C18
5	D	3	TRD	C6-C7-C8-C9
4	B	2	DMU	C19-C22-C25-C28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	3	TRD	C4-C5-C6-C7
4	B	1	DMU	C22-C25-C28-C31
4	B	2	DMU	O16-C18-C19-C22
4	A	7	DMU	C25-C28-C31-C34
5	D	3	TRD	C2-C3-C4-C5
4	A	1005	DMU	C28-C31-C34-C37
6	C	1	HEA	C14-C15-C16-C17
5	A	552	TRD	C2-C3-C4-C5
4	B	3	DMU	C22-C25-C28-C31
5	C	552	TRD	C2-C3-C4-C5
6	C	2	HEA	C3B-C11-C12-C13
5	A	552	TRD	C1-C2-C3-C4
4	B	2	DMU	C34-C37-C40-C43
5	D	3	TRD	C5-C6-C7-C8
5	C	552	TRD	C3-C4-C5-C6
4	C	10	DMU	C31-C34-C37-C40
6	A	2	HEA	C4D-C3D-CAD-CBD
4	C	5	DMU	O6-C11-C9-O1
4	A	7	DMU	C34-C37-C40-C43
4	B	6	DMU	O5-C4-C57-O61
5	A	1009	TRD	C1-C2-C3-C4
5	B	4	TRD	C6-C7-C8-C9
10	B	286	HTH	O1-C1-C2-O2
5	D	14	TRD	C3-C4-C5-C6
4	C	10	DMU	O5-C4-C57-O61
4	A	1005	DMU	C19-C22-C25-C28
5	A	552	TRD	C10-C11-C12-C13
4	C	10	DMU	O6-C11-C9-C8
5	A	1009	TRD	C4-C5-C6-C7
6	A	2	HEA	C2D-C3D-CAD-CBD
4	D	4	DMU	C3-C4-C57-O61
6	C	2	HEA	CAD-CBD-CGD-O1D
6	A	2	HEA	CAD-CBD-CGD-O2D
6	C	1	HEA	CAD-CBD-CGD-O2D
6	A	2	HEA	CAD-CBD-CGD-O1D
4	B	3	DMU	C3-C4-C57-O61
5	A	1015	TRD	C6-C7-C8-C9
5	A	3	TRD	C5-C6-C7-C8
4	C	10	DMU	C2-C3-O7-C10
6	A	2	HEA	CAA-CBA-CGA-O1A
6	C	2	HEA	CAD-CBD-CGD-O2D
5	A	552	TRD	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	C	10	DMU	C34-C37-C40-C43
6	C	2	HEA	CAA-CBA-CGA-O1A
6	A	1	HEA	C26-C15-C16-C17
6	A	2	HEA	CAA-CBA-CGA-O2A
6	C	1	HEA	CAD-CBD-CGD-O1D
5	A	1015	TRD	C5-C6-C7-C8
6	C	2	HEA	CAA-CBA-CGA-O2A
6	A	1	HEA	CAD-CBD-CGD-O2D
6	A	1	HEA	C14-C15-C16-C17
4	C	10	DMU	C4-C3-O7-C10
6	C	2	HEA	C4D-C3D-CAD-CBD
6	C	2	HEA	O11-C11-C12-C13
6	A	1	HEA	CAD-CBD-CGD-O1D
4	A	1005	DMU	C31-C34-C37-C40
4	C	10	DMU	O16-C18-C19-C22
4	C	10	DMU	O5-C6-O16-C18
6	A	1	HEA	CAA-CBA-CGA-O1A
4	B	2	DMU	C25-C28-C31-C34
6	C	1	HEA	CAA-CBA-CGA-O1A
6	C	2	HEA	C2D-C3D-CAD-CBD
6	A	1	HEA	CAA-CBA-CGA-O2A


There are no ring outliers.

10 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	3	TRD	1	0
5	A	3	TRD	1	0
6	C	2	HEA	1	0
6	A	1	HEA	3	0
10	B	286	HTH	1	0
4	C	9	DMU	1	0
4	D	4	DMU	3	0
4	A	1005	DMU	1	0
5	B	4	TRD	1	0
6	A	2	HEA	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand DMU B 2




Ligand HEA A 1




Ligand DMU B 6




Ligand DMU C 9





Ligand DMU D 4




Ligand HEA C 1









Ligand DMU C 5



Ligand DMU A 1005







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	535/535 (100%)	0.29	33 (6%) 26 28	25, 38, 60, 78	0
1	C	531/535 (99%)	0.97	80 (15%) 5 6	32, 54, 78, 92	0
2	B	256/256 (100%)	0.30	14 (5%) 30 32	25, 42, 60, 66	0
2	D	256/256 (100%)	0.57	23 (8%) 15 16	32, 47, 68, 77	0
All	All	1578/1582 (99%)	0.57	150 (9%) 14 15	25, 45, 70, 92	0

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	20	TRP	6.8
1	C	20	TRP	6.1
1	A	17	PHE	5.4
1	C	217	ALA	5.1
1	C	550	THR	4.8
1	A	18	THR	4.6
1	C	139	ASN	4.4
1	C	69	GLU	4.4
1	C	223	HIS	4.4
1	C	23	SER	4.3
1	C	77	PHE	4.1
1	C	138	MET	4.1
2	D	235	LEU	4.0
1	C	74	LYS	4.0
1	A	551	PHE	4.0
1	C	218	PRO	3.9
1	A	220	MET	3.8
1	C	262	THR	3.8
1	C	222	MET	3.8
1	A	550	THR	3.7
1	C	130	ALA	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	109	ILE	3.5
2	D	86	LYS	3.5
1	C	221	THR	3.4
1	C	78	GLN	3.4
2	D	209	GLN	3.4
2	D	70	ILE	3.3
2	D	74	LEU	3.3
1	A	216	ARG	3.3
1	C	22	MET	3.3
1	C	530	TYR	3.3
1	A	81	TRP	3.3
1	C	137	ARG	3.3
1	A	217	ALA	3.2
1	C	81	TRP	3.2
1	A	19	ARG	3.2
2	D	56	TRP	3.1
1	A	22	MET	3.1
1	C	548	GLU	3.1
1	C	72	LEU	3.1
1	C	549	HIS	3.0
2	D	96	HIS	3.0
2	D	88	ASN	3.0
1	C	76	PHE	2.9
2	D	210	VAL	2.9
1	C	126	LEU	2.9
2	D	284	HIS	2.9
1	C	134	ALA	2.9
2	B	56	TRP	2.9
1	C	451	TRP	2.9
2	B	235	LEU	2.8
2	D	87	ARG	2.8
2	D	229	ASP	2.8
1	C	113	PRO	2.8
1	C	129	GLY	2.7
1	C	141	LEU	2.7
2	D	83	PHE	2.7
1	A	222	MET	2.7
1	C	525	VAL	2.7
1	C	541	THR	2.7
1	C	484	ILE	2.7
1	A	221	THR	2.6
1	A	541	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	74	LYS	2.6
1	C	215	MET	2.6
1	C	73	VAL	2.6
2	B	102	ILE	2.6
2	D	98	SER	2.6
1	A	425	SER	2.5
1	A	152	LEU	2.5
1	C	523	ALA	2.5
1	C	75	GLY	2.5
1	A	548	GLU	2.5
1	C	318	TYR	2.4
2	D	75	LEU	2.4
1	C	121	ASN	2.4
2	B	284	HIS	2.4
1	A	86	GLU	2.4
2	D	106	ILE	2.4
1	C	56	MET	2.4
1	C	99	ILE	2.4
2	D	107	VAL	2.4
2	B	104	TRP	2.4
1	C	547	PRO	2.4
1	C	543	THR	2.4
2	B	46	SER	2.4
2	B	106	ILE	2.4
1	C	196	LEU	2.4
1	A	223	HIS	2.4
1	C	531	TRP	2.4
1	C	136	PRO	2.3
1	C	268	GLY	2.3
1	C	303	ALA	2.3
1	C	538	LEU	2.3
2	B	100	LEU	2.3
1	C	33	TYR	2.3
1	C	540	TRP	2.3
1	C	524	ARG	2.3
1	C	515	ILE	2.3
1	A	69	GLU	2.3
1	C	157	LEU	2.3
1	C	527	ALA	2.3
2	D	102	ILE	2.3
1	C	519	LEU	2.3
1	C	30	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	117	GLY	2.3
1	C	448	TYR	2.3
2	D	92	ALA	2.3
1	C	145	LEU	2.2
1	A	214	ASN	2.2
1	C	219	GLY	2.2
1	C	24	THR	2.2
1	C	26	HIS	2.2
2	B	281	GLN	2.2
1	C	542	LEU	2.2
1	C	39	LEU	2.2
2	B	124	PHE	2.2
1	C	520	THR	2.2
1	A	241	LEU	2.2
1	C	68	LEU	2.2
1	C	512	LEU	2.2
1	C	259	PHE	2.2
1	C	131	PRO	2.2
2	B	273	GLU	2.2
2	D	85	GLU	2.2
1	A	351	ALA	2.2
2	D	211	THR	2.2
1	C	440	ILE	2.1
2	B	70	ILE	2.1
1	A	144	TRP	2.1
1	A	23	SER	2.1
1	A	343	THR	2.1
2	D	100	LEU	2.1
1	C	237	TRP	2.1
1	A	259	PHE	2.1
1	C	526	THR	2.1
2	B	98	SER	2.1
1	C	143	TYR	2.1
1	C	21	PHE	2.1
1	C	118	GLY	2.1
1	C	80	LEU	2.1
2	B	109	ILE	2.1
1	C	311	PHE	2.1
1	A	137	ARG	2.1
1	C	142	SER	2.0
1	A	533	GLU	2.0
1	A	218	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	73	VAL	2.0
1	C	220	MET	2.0
1	A	426	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMU	D	8	23/33	0.72	0.20	92,93,97,97	23
4	DMU	C	9	23/33	0.74	0.28	96,98,102,102	23
5	TRD	C	552	13/13	0.75	0.33	83,84,85,85	0
4	DMU	C	5	23/33	0.76	0.21	95,95,96,96	23
5	TRD	B	4	9/13	0.77	0.31	70,71,75,75	0
5	TRD	A	3	13/13	0.77	0.22	42,44,53,54	0
5	TRD	A	1013	7/13	0.78	0.27	56,56,57,57	0
5	TRD	A	1015	7/13	0.79	0.32	70,70,70,70	0
5	TRD	A	1009	7/13	0.81	0.28	64,66,67,67	0
5	TRD	A	552	13/13	0.82	0.29	72,72,75,75	0
4	DMU	D	4	23/33	0.83	0.25	81,82,83,83	23
4	DMU	B	2	33/33	0.84	0.24	67,69,78,79	25
4	DMU	A	7	22/33	0.85	0.18	46,66,74,76	0
4	DMU	C	10	33/33	0.86	0.16	81,83,85,85	0
4	DMU	B	6	23/33	0.86	0.21	76,77,77,77	23
5	TRD	D	14	7/13	0.87	0.20	56,56,59,59	0
5	TRD	D	3	13/13	0.88	0.21	54,55,59,59	0
4	DMU	B	3	33/33	0.89	0.16	83,88,92,93	0
4	DMU	A	1005	22/33	0.89	0.17	45,50,56,57	22
10	HTH	B	286	10/10	0.90	0.21	71,76,77,77	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMU	B	1	33/33	0.93	0.11	30,41,58,60	0
12	CD	D	9	1/1	0.97	0.08	64,64,64,64	1
6	HEA	C	1	60/60	0.98	0.08	31,35,51,53	0
6	HEA	C	2	60/60	0.98	0.08	31,38,48,50	0
3	OH	C	706	1/1	0.98	0.12	48,48,48,48	0
6	HEA	A	2	60/60	0.98	0.08	28,33,46,48	0
9	CA	C	7	1/1	0.99	0.04	45,45,45,45	0
6	HEA	A	1	60/60	0.99	0.06	23,26,34,35	0
12	CD	B	8	1/1	0.99	0.02	44,44,44,44	0
12	CD	B	9	1/1	0.99	0.03	53,53,53,53	1
12	CD	D	288	1/1	0.99	0.02	43,43,43,43	0
3	OH	A	706	1/1	0.99	0.07	36,36,36,36	0
9	CA	A	553	1/1	1.00	0.02	30,30,30,30	0
7	CU	A	5	1/1	1.00	0.03	35,35,35,35	0
7	CU	B	287	1/1	1.00	0.01	28,28,28,28	0
11	CU1	B	288	1/1	1.00	0.02	27,27,27,27	0
11	CU1	D	287	1/1	1.00	0.01	35,35,35,35	0
7	CU	C	553	1/1	1.00	0.02	42,42,42,42	0
7	CU	D	286	1/1	1.00	0.01	35,35,35,35	0
8	MG	A	6	1/1	1.00	0.09	20,20,20,20	0
8	MG	C	6	1/1	1.00	0.03	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DMU C 9:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU C 5:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU D 4:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU B 2:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU A 7:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU C 10:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU B 6:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU B 3:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around DMU A 1005:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around DMU B 1:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HEA C 1:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers ⓘ

There are no such residues in this entry.