



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2026 – 11:22 AM EDT

PDB ID : 9OML / pdb_00009oml
Title : WrtF fucosyltransferase - acetylated trisaccharide acceptor
Authors : Forrester, T.J.B.; Kimber, M.S.
Deposited on : 2025-05-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	
1	B	279	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DMS	A	305	-	-	X	-
4	DMS	B	301	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 8755 atoms, of which 4244 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycosyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	257	Total	C	H	N	O	S	0	0	0
			3968	1263	1982	334	383	6			
1	B	276	Total	C	H	N	O	S	0	0	0
			4228	1346	2100	365	411	6			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	expression tag	UNP A0A6P1C6J0
A	1	GLY	-	expression tag	UNP A0A6P1C6J0
A	268	ALA	-	expression tag	UNP A0A6P1C6J0
A	269	ALA	-	expression tag	UNP A0A6P1C6J0
A	270	ALA	-	expression tag	UNP A0A6P1C6J0
A	271	LEU	-	expression tag	UNP A0A6P1C6J0
A	272	GLU	-	expression tag	UNP A0A6P1C6J0
A	273	HIS	-	expression tag	UNP A0A6P1C6J0
A	274	HIS	-	expression tag	UNP A0A6P1C6J0
A	275	HIS	-	expression tag	UNP A0A6P1C6J0
A	276	HIS	-	expression tag	UNP A0A6P1C6J0
A	277	HIS	-	expression tag	UNP A0A6P1C6J0
A	278	HIS	-	expression tag	UNP A0A6P1C6J0
B	0	MET	-	expression tag	UNP A0A6P1C6J0
B	1	GLY	-	expression tag	UNP A0A6P1C6J0
B	268	ALA	-	expression tag	UNP A0A6P1C6J0
B	269	ALA	-	expression tag	UNP A0A6P1C6J0
B	270	ALA	-	expression tag	UNP A0A6P1C6J0
B	271	LEU	-	expression tag	UNP A0A6P1C6J0
B	272	GLU	-	expression tag	UNP A0A6P1C6J0
B	273	HIS	-	expression tag	UNP A0A6P1C6J0
B	274	HIS	-	expression tag	UNP A0A6P1C6J0
B	275	HIS	-	expression tag	UNP A0A6P1C6J0
B	276	HIS	-	expression tag	UNP A0A6P1C6J0
B	277	HIS	-	expression tag	UNP A0A6P1C6J0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	278	HIS	-	expression tag	UNP A0A6P1C6J0

- Molecule 2 is GUANOSINE-5'-MONOPHOSPHATE (CCD ID: 5GP) (formula: $C_{10}H_{14}N_5O_8P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	0	0
			35	10	11	5	8	1		
2	B	1	Total	C	H	N	O	P	0	0
			35	10	11	5	8	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
4	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 5 is beta-D-glucopyranose (CCD ID: BGC) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			22	6	11	5		
5	B	1	Total	C	H	O	0	0
			22	6	11	5		

- Molecule 6 is 2-O-acetyl-6-deoxy-alpha-D-talopyranose (CCD ID: A1CCW) (formula: C₈H₁₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			25	8	12	5		
6	B	1	Total	C	H	O	0	0
			25	8	12	5		

- Molecule 7 is alpha-L-fucopyranose (CCD ID: FUC) (formula: $C_6H_{12}O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			20	6	10	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	H	O	0	0
			20	6	10	4		

- Molecule 8 is OCTAN-1-OL (CCD ID: OC9) (formula: $C_8H_{18}O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	H	O	0	0
			26	8	17	1		
8	B	1	Total	C	H	O	0	0
			26	8	17	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	123	Total	O	0	0
			123	123		
9	B	112	Total	O	0	0
			112	112		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycosyltransferase



• Molecule 1: Glycosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	43.15Å 122.35Å 45.59Å 90.00° 93.52° 90.00°	Depositor
Resolution (Å)	43.07 – 1.90 43.07 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.07-1.90) 90.9 (43.07-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.05 (at 1.61Å)	Xtriage
Refinement program	PHENIX 1.20.1-4487	Depositor
R, R_{free}	0.194 , 0.233 0.194 , 0.233	Depositor DCC
R_{free} test set	2003 reflections (3.30%)	wwPDB-VP
Wilson B-factor (Å ²)	15.3	Xtriage
Anisotropy	0.157	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.43 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8755	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, A1CCW, BGC, FUC, 5GP, DMS, OC9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/2020	0.42	0/2737
1	B	0.26	0/2169	0.46	0/2942
All	All	0.26	0/4189	0.44	0/5679

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1986	1982	1982	19	2
1	B	2128	2100	2100	15	1
2	A	24	11	12	0	0
2	B	24	11	12	0	0
3	A	12	16	14	2	0
4	A	8	12	12	4	0
4	B	8	12	12	4	0
5	A	11	11	10	0	0
5	B	11	11	10	0	0
6	A	13	12	0	0	0
6	B	13	12	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	10	10	9	1	0
7	B	10	10	9	0	0
8	A	9	17	17	1	0
8	B	9	17	17	0	0
9	A	123	0	0	3	2
9	B	112	0	0	3	2
All	All	4511	4244	4216	36	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (36) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:HIS:N	9:B:401:HOH:O	2.12	0.82
1:B:278:HIS:O	9:B:401:HOH:O	2.06	0.72
1:A:235:GLY:O	9:A:401:HOH:O	2.09	0.70
1:A:24:GLU:OE2	9:A:402:HOH:O	2.11	0.69
4:B:301:DMS:H11	9:B:405:HOH:O	1.93	0.68
1:A:150:GLU:O	1:A:154:LYS:HG3	2.04	0.58
1:A:210:SER:HB2	4:B:301:DMS:H12	1.86	0.58
1:A:149:GLN:NE2	9:A:406:HOH:O	2.38	0.57
1:B:23:LEU:O	1:B:27:LEU:HD23	2.04	0.56
1:B:149:GLN:O	1:B:153:ARG:HD3	2.05	0.56
1:B:67:ARG:HA	4:B:301:DMS:H13	1.86	0.56
1:A:42:GLY:HA2	4:A:305:DMS:H23	1.88	0.55
4:A:305:DMS:H13	1:B:219:LEU:O	2.08	0.54
1:A:223:GLU:OE2	1:A:246:LYS:NZ	2.42	0.51
1:B:117:THR:HG23	1:B:189:VAL:HG13	1.93	0.51
1:A:236:GLU:OE1	1:A:238:SER:OG	2.16	0.50
1:A:152:TYR:HB3	3:A:303:GOL:H32	1.94	0.50
1:A:210:SER:CB	4:B:301:DMS:H12	2.43	0.49
1:B:3:GLU:HG3	1:B:4:PHE:N	2.28	0.49
1:A:118:LEU:HB3	1:A:190:GLU:HG3	1.94	0.48
1:B:262:PHE:O	1:B:265:VAL:HG22	2.13	0.47
1:A:163:ARG:HG3	1:A:164:ILE:HG13	1.96	0.47
1:A:65:PRO:HD3	4:A:305:DMS:H12	1.95	0.47
4:A:305:DMS:H11	1:B:220:LEU:HD23	1.97	0.46
7:A:308:FUC:H5	8:A:309:OC9:HAH1	1.98	0.46
1:B:95:LYS:HA	1:B:95:LYS:HD2	1.85	0.45
1:A:136:SER:HB2	1:A:231:VAL:HG11	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:PHE:HB3	1:B:218:PHE:CZ	2.54	0.43
1:A:149:GLN:HG3	3:A:303:GOL:O1	2.18	0.43
1:A:251:SER:O	1:A:255:VAL:HG23	2.19	0.43
1:A:118:LEU:HD23	1:A:190:GLU:HG3	2.01	0.42
1:B:12:THR:O	1:B:40:ASP:HA	2.21	0.41
1:B:3:GLU:HG3	1:B:4:PHE:H	1.84	0.41
1:B:200:ASN:HB3	1:B:203:GLU:HG3	2.03	0.41
1:A:52:GLN:HG3	1:A:61:ILE:CD1	2.51	0.41
1:A:216:PHE:HB3	1:A:218:PHE:CZ	2.56	0.41

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:508:HOH:O	9:B:459:HOH:O[2_655]	2.06	0.14
1:A:57:THR:OG1	1:A:122:GLN:NE2[1_655]	2.17	0.03
1:B:277:HIS:ND1	9:B:402:HOH:O[1_655]	2.18	0.02
1:A:57:THR:OG1	1:A:122:GLN:HE22[1_655]	1.59	0.01
9:A:401:HOH:O	9:A:409:HOH:O[1_455]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/279 (91%)	247 (98%)	6 (2%)	0	100	100
1	B	274/279 (98%)	269 (98%)	5 (2%)	0	100	100
All	All	527/558 (94%)	516 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/230 (93%)	210 (98%)	4 (2%)	50	47
1	B	228/230 (99%)	226 (99%)	2 (1%)	70	73
All	All	442/460 (96%)	436 (99%)	6 (1%)	59	59

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	27	LEU
1	A	236	GLU
1	A	266	GLU
1	B	3	GLU
1	B	30	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	GLN
1	A	128	GLN
1	B	128	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	5GP	B	302	-	26,26,26	0.94	1 (3%)	39,40,40	1.90	12 (30%)
5	BGC	B	304	6	11,11,12	1.49	2 (18%)	15,15,17	1.45	3 (20%)
4	DMS	B	301	-	3,3,3	0.61	0	3,3,3	0.56	0
8	OC9	B	307	7	8,8,8	0.32	0	7,7,7	0.44	0
3	GOL	A	303	-	5,5,5	1.23	1 (20%)	5,5,5	1.43	1 (20%)
7	FUC	A	308	8,6	10,10,11	1.53	2 (20%)	14,14,16	1.22	2 (14%)
2	5GP	A	301	-	26,26,26	0.95	1 (3%)	39,40,40	1.95	10 (25%)
6	A1CCW	A	307	7,5	13,13,14	1.73	3 (23%)	16,18,20	1.80	4 (25%)
4	DMS	A	304	-	3,3,3	0.67	0	3,3,3	0.66	0
5	BGC	A	306	6	11,11,12	1.53	2 (18%)	15,15,17	1.04	0
6	A1CCW	B	305	7,5	13,13,14	1.45	2 (15%)	16,18,20	1.57	1 (6%)
7	FUC	B	306	8,6	10,10,11	1.52	3 (30%)	14,14,16	1.02	0
3	GOL	A	302	-	5,5,5	1.16	1 (20%)	5,5,5	1.42	1 (20%)
8	OC9	A	309	7	8,8,8	0.30	0	7,7,7	0.55	0
4	DMS	A	305	-	3,3,3	0.67	0	3,3,3	0.52	0
4	DMS	B	303	-	3,3,3	0.65	0	3,3,3	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5GP	B	302	-	-	0/10/26/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BGC	B	304	6	-	0/2/19/22	0/1/1/1
8	OC9	B	307	7	-	4/6/6/6	-
3	GOL	A	303	-	-	3/4/4/4	-
7	FUC	A	308	8,6	-	-	0/1/1/1
2	5GP	A	301	-	-	5/10/26/26	0/3/3/3
6	A1CCW	A	307	7,5	-	0/4/21/24	0/1/1/1
5	BGC	A	306	6	-	0/2/19/22	0/1/1/1
6	A1CCW	B	305	7,5	-	2/4/21/24	0/1/1/1
7	FUC	B	306	8,6	-	-	0/1/1/1
3	GOL	A	302	-	-	0/4/4/4	-
8	OC9	A	309	7	-	3/6/6/6	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	307	A1CCW	O16-C14	3.72	1.50	1.43
5	A	306	BGC	O5-C5	3.36	1.50	1.43
5	B	304	BGC	O5-C5	3.11	1.49	1.43
7	B	306	FUC	O5-C5	3.10	1.49	1.43
6	B	305	A1CCW	O16-C14	2.96	1.49	1.43
7	A	308	FUC	O5-C5	2.87	1.49	1.43
6	B	305	A1CCW	O38-C39	2.61	1.41	1.35
6	A	307	A1CCW	O38-C39	2.61	1.41	1.35
5	A	306	BGC	O5-C1	2.56	1.48	1.43
2	A	301	5GP	C6-N1	-2.52	1.34	1.38
5	B	304	BGC	O5-C1	2.45	1.47	1.43
3	A	303	GOL	O2-C2	-2.43	1.36	1.43
2	B	302	5GP	C6-N1	-2.34	1.34	1.38
3	A	302	GOL	O2-C2	-2.27	1.36	1.43
7	A	308	FUC	C4-C3	-2.12	1.46	1.52
6	A	307	A1CCW	O16-C17	2.08	1.47	1.43
7	B	306	FUC	O5-C1	2.05	1.47	1.43
7	B	306	FUC	C4-C3	-2.02	1.47	1.52

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	5GP	C5-C4-N3	-6.29	118.37	128.39
2	B	302	5GP	C5-C4-N3	-5.66	119.38	128.39
6	A	307	A1CCW	O38-C39-C40	4.94	119.90	111.09
2	A	301	5GP	C2-N3-C4	4.88	120.70	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	302	5GP	C2-N3-C4	4.65	120.30	112.30
6	B	305	A1CCW	O38-C39-C40	4.29	118.74	111.09
2	A	301	5GP	N9-C4-N3	3.24	132.44	125.95
5	B	304	BGC	C1-O5-C5	3.16	116.42	112.19
2	A	301	5GP	C4-C5-N7	-3.10	105.76	110.67
2	B	302	5GP	C2-N1-C6	-2.97	119.72	125.11
2	B	302	5GP	N9-C4-N3	2.96	131.87	125.95
2	A	301	5GP	C2-N1-C6	-2.87	119.90	125.11
2	A	301	5GP	N9-C8-N7	-2.78	108.24	113.40
2	B	302	5GP	N9-C8-N7	-2.73	108.33	113.40
2	A	301	5GP	C8-N7-C5	2.69	109.06	104.26
2	B	302	5GP	C4-C5-N7	-2.69	106.40	110.67
2	B	302	5GP	C5-C6-N1	2.66	120.02	113.25
7	A	308	FUC	C3-C4-C5	2.57	113.72	109.81
3	A	303	GOL	C3-C2-C1	-2.56	102.40	111.80
6	A	307	A1CCW	C12-C11-C37	2.55	114.85	110.23
2	B	302	5GP	O6-C6-C5	-2.46	120.03	126.53
5	B	304	BGC	C3-C4-C5	2.43	114.64	110.23
2	A	301	5GP	C5-C6-N1	2.40	119.36	113.25
2	B	302	5GP	C6-C5-N7	2.38	134.63	130.29
3	A	302	GOL	C3-C2-C1	-2.38	103.06	111.80
2	B	302	5GP	N2-C2-N1	2.34	121.70	116.76
2	B	302	5GP	C8-N7-C5	2.31	108.38	104.26
2	A	301	5GP	C6-C5-N7	2.31	134.49	130.29
7	A	308	FUC	C6-C5-C4	-2.26	108.94	113.08
2	B	302	5GP	OP2-P-OP3	2.15	115.85	107.80
5	B	304	BGC	O4-C4-C5	-2.14	104.05	109.32
6	A	307	A1CCW	C15-C14-C12	-2.14	109.17	113.08
2	A	301	5GP	N2-C2-N1	2.06	121.10	116.76
6	A	307	A1CCW	O41-C39-C40	-2.01	117.66	124.77

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	5GP	C5'-O5'-P-OP1
2	A	301	5GP	C5'-O5'-P-OP3
2	A	301	5GP	C5'-O5'-P-OP2
3	A	303	GOL	C1-C2-C3-O3
6	B	305	A1CCW	C40-C39-O38-C37
6	B	305	A1CCW	O41-C39-O38-C37
2	A	301	5GP	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	5GP	C3'-C4'-C5'-O5'
3	A	303	GOL	O2-C2-C3-O3
8	B	307	OC9	CAC-CAE-CAG-CAI
8	B	307	OC9	CAE-CAG-CAI-CAH
8	A	309	OC9	CAD-CAF-CAH-CAI
8	A	309	OC9	CAA-CAC-CAE-CAG
3	A	303	GOL	O1-C1-C2-O2
8	B	307	OC9	CAA-CAC-CAE-CAG
8	B	307	OC9	CAF-CAH-CAI-CAG
8	A	309	OC9	CAE-CAG-CAI-CAH


There are no ring outliers.

5 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	301	DMS	4	0
3	A	303	GOL	2	0
7	A	308	FUC	1	0
8	A	309	OC9	1	0
4	A	305	DMS	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 5GP B 302




Ligand BGC B 304









Ligand 5GP A 301



Ligand A1CCW A 307







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/279 (92%)	0.49	16 (6%) 26 28	21, 35, 62, 94	0
1	B	276/279 (98%)	0.55	15 (5%) 31 33	21, 37, 60, 93	0
All	All	533/558 (95%)	0.52	31 (5%) 29 30	21, 36, 62, 94	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	265	VAL	3.7
1	B	196	THR	3.6
1	A	199	THR	3.5
1	A	57	THR	3.4
1	A	191	PHE	3.3
1	B	30	GLN	3.2
1	B	195	GLY	3.1
1	A	266	GLU	3.1
1	B	252	VAL	3.0
1	A	264	ALA	2.9
1	B	61	ILE	2.9
1	B	62	ILE	2.9
1	B	17	LYS	2.8
1	A	27	LEU	2.6
1	A	52	GLN	2.6
1	A	220	LEU	2.5
1	A	244	LEU	2.5
1	B	278	HIS	2.5
1	A	200	ASN	2.5
1	A	56	SER	2.5
1	A	109	GLY	2.4
1	A	55	SER	2.4
1	B	59	LEU	2.3
1	B	191	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	30	GLN	2.3
1	B	271	LEU	2.2
1	B	54	PHE	2.2
1	B	91	ASP	2.1
1	B	265	VAL	2.1
1	A	58	ASN	2.1
1	B	199	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMS	A	304	4/4	0.72	0.14	50,60,68,82	0
8	OC9	B	307	9/9	0.75	0.19	42,59,67,71	0
3	GOL	A	303	6/6	0.77	0.16	40,48,52,53	14
3	GOL	A	302	6/6	0.80	0.15	34,43,53,56	14
8	OC9	A	309	9/9	0.81	0.15	40,52,65,68	0
4	DMS	A	305	4/4	0.83	0.15	41,51,61,73	0
2	5GP	A	301	24/24	0.84	0.12	25,35,57,67	35
7	FUC	B	306	10/11	0.90	0.11	28,41,50,50	0
2	5GP	B	302	24/24	0.90	0.09	24,32,50,55	35
7	FUC	A	308	10/11	0.90	0.10	29,38,44,45	0
4	DMS	B	303	4/4	0.92	0.13	30,38,46,53	0
6	A1CCW	B	305	13/14	0.92	0.09	23,28,34,34	0
6	A1CCW	A	307	13/14	0.94	0.08	24,29,34,35	0
4	DMS	B	301	4/4	0.94	0.10	29,34,36,37	10
5	BGC	B	304	11/12	0.95	0.06	19,23,27,29	0
5	BGC	A	306	11/12	0.97	0.04	21,26,31,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OC9 B 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OC9 A 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 5GP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FUC B 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5GP B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FUC A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CCW B 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CCW A 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC B 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BGC A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.