



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:38 AM UTC

PDB ID : 4ONQ / pdb_00004onq
Title : Crystal structure of ntDRM E283S/R309S/F310S/Y590S/D591S mutant
Authors : Du, J.; Patel, D.J.
Deposited on : 2014-01-28
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	357	% 72% 16% • 8%
1	B	357	2% 59% 23% 5% • 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5301 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DNA methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total	C	N	O	S	0	0	0
			2603	1676	454	465	8			
1	B	317	Total	C	N	O	S	0	0	0
			2531	1630	441	453	7			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	252	SER	-	expression tag	UNP Q76KU6
A	253	GLU	-	expression tag	UNP Q76KU6
A	254	PHE	-	expression tag	UNP Q76KU6
A	283	SER	GLU	engineered mutation	UNP Q76KU6
A	309	SER	ARG	engineered mutation	UNP Q76KU6
A	310	SER	PHE	engineered mutation	UNP Q76KU6
A	590	SER	TYR	engineered mutation	UNP Q76KU6
A	591	SER	ASP	engineered mutation	UNP Q76KU6
B	252	SER	-	expression tag	UNP Q76KU6
B	253	GLU	-	expression tag	UNP Q76KU6
B	254	PHE	-	expression tag	UNP Q76KU6
B	283	SER	GLU	engineered mutation	UNP Q76KU6
B	309	SER	ARG	engineered mutation	UNP Q76KU6
B	310	SER	PHE	engineered mutation	UNP Q76KU6
B	590	SER	TYR	engineered mutation	UNP Q76KU6
B	591	SER	ASP	engineered mutation	UNP Q76KU6

- Molecule 2 is SINEFUNGIN (CCD ID: SFG) (formula: C₁₅H₂₃N₇O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			27	15	7	5		
2	B	1	Total	C	N	O	0	0
			27	15	7	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	74	Total	O	0	0
			74	74		
3	B	39	Total	O	0	0
			39	39		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA methyltransferase



• Molecule 1: DNA methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	131.50Å 131.50Å 88.18Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	32.88 – 2.50 32.88 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (32.88-2.50) 99.9 (32.88-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.44 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.185 , 0.230 0.191 , 0.237	Depositor DCC
R_{free} test set	1524 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	55.7	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.036 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5301	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SFG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.96	8/2673 (0.3%)	0.91	4/3632 (0.1%)
1	B	0.99	6/2597 (0.2%)	0.97	7/3525 (0.2%)
All	All	0.98	14/5270 (0.3%)	0.94	11/7157 (0.2%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	593	VAL	CA-CB	-7.89	1.44	1.54
1	B	264	ILE	CA-CB	-6.00	1.47	1.54
1	A	525	TRP	NE1-CE2	-5.90	1.30	1.37
1	B	269	PRO	N-CD	-5.86	1.39	1.47
1	A	563	GLY	C-O	-5.51	1.18	1.24
1	A	411	GLN	C-O	-5.49	1.17	1.24
1	B	456	LYS	C-O	-5.48	1.17	1.24
1	A	354	HIS	CG-ND1	-5.29	1.32	1.38
1	B	318	PHE	CA-C	-5.28	1.46	1.52
1	A	562	ILE	C-O	-5.14	1.18	1.24
1	B	393	VAL	C-O	-5.10	1.18	1.24
1	A	330	LYS	C-O	-5.09	1.18	1.24
1	A	271	GLU	N-CA	-5.02	1.42	1.46
1	A	533	ASN	C-O	-5.01	1.18	1.24

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	LEU	CA-C-N	8.23	130.13	119.84
1	B	259	LEU	C-N-CA	8.23	130.13	119.84
1	A	533	ASN	N-CA-C	6.33	119.57	109.24
1	B	303	VAL	CB-CA-C	-6.31	103.89	111.97
1	B	301	LYS	N-CA-C	-5.68	105.18	111.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	464	VAL	N-CA-C	5.45	116.18	110.62
1	B	590	SER	N-CA-C	-5.27	105.53	111.28
1	B	270	THR	N-CA-C	5.25	117.09	111.36
1	B	538	ASN	N-CA-C	5.06	116.87	111.36
1	A	357	LEU	CA-C-N	5.02	124.62	119.05
1	A	357	LEU	C-N-CA	5.02	124.62	119.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2603	0	2607	37	0
1	B	2531	0	2528	147	0
2	A	27	0	22	3	0
2	B	27	0	22	3	0
3	A	74	0	0	1	0
3	B	39	0	0	2	0
All	All	5301	0	5179	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:LEU:CD2	1:B:285:ALA:HB3	1.25	1.58
1:B:352:THR:CG2	1:B:355:GLU:HG3	1.42	1.45
1:A:261:LYS:HG2	1:A:262:PRO:CD	1.57	1.34
1:B:281:LEU:HD21	1:B:285:ALA:CB	1.56	1.34
1:B:300:PRO:O	1:B:303:VAL:HG23	1.34	1.27
1:B:281:LEU:HD23	1:B:282:PRO:CD	1.63	1.25
1:B:352:THR:HG22	1:B:355:GLU:CG	1.67	1.23
1:A:261:LYS:CG	1:A:262:PRO:HD3	1.69	1.22

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:LEU:HD23	1:B:282:PRO:N	1.56	1.21
1:B:352:THR:CG2	1:B:355:GLU:CG	2.22	1.17
1:B:258:ARG:HH21	1:B:258:ARG:CG	1.58	1.14
1:B:352:THR:HG21	1:B:355:GLU:HG3	1.23	1.11
1:B:298:LEU:HD22	1:B:298:LEU:N	1.65	1.11
1:B:352:THR:HG23	1:B:355:GLU:H	1.16	1.11
1:B:281:LEU:CD1	1:B:285:ALA:HB1	1.83	1.07
1:B:300:PRO:HD2	1:B:303:VAL:CG2	1.84	1.07
1:B:281:LEU:HD11	1:B:285:ALA:HB1	1.09	1.06
1:A:352:THR:OG1	1:A:355:GLU:HG3	1.55	1.06
1:B:281:LEU:CD2	1:B:285:ALA:CB	2.21	1.04
1:B:281:LEU:HD11	1:B:285:ALA:CB	1.87	1.03
1:A:286:VAL:HG22	1:A:287:GLY:H	1.19	1.02
1:B:300:PRO:HD2	1:B:303:VAL:HG21	1.03	1.02
1:B:298:LEU:H	1:B:298:LEU:CD2	1.74	1.00
1:B:258:ARG:NH2	1:B:258:ARG:HG2	1.41	0.98
1:B:300:PRO:CD	1:B:303:VAL:HG21	1.95	0.96
1:B:281:LEU:HD22	1:B:285:ALA:HB3	1.44	0.96
1:B:281:LEU:CD2	1:B:282:PRO:CD	2.44	0.95
1:B:281:LEU:CD1	1:B:285:ALA:CB	2.44	0.92
1:B:281:LEU:CD2	1:B:282:PRO:HD2	2.01	0.90
1:B:315:GLU:O	1:B:315:GLU:HG2	1.71	0.89
1:B:266:PHE:HD2	1:B:339:VAL:HG21	1.36	0.89
1:B:281:LEU:HD23	1:B:282:PRO:HD2	1.55	0.87
1:B:396:PHE:CE1	1:B:401:PRO:CD	2.58	0.86
1:B:268:VAL:HB	1:B:269:PRO:HD2	1.55	0.86
1:B:298:LEU:N	1:B:298:LEU:CD2	2.30	0.85
1:B:266:PHE:CD2	1:B:339:VAL:HG21	2.10	0.85
1:A:271:GLU:HB3	1:A:272:PRO:HD2	1.60	0.84
1:B:281:LEU:CG	1:B:285:ALA:HB3	2.09	0.83
1:B:540:VAL:HG13	1:B:595:ILE:HD11	1.60	0.83
1:B:281:LEU:HD23	1:B:282:PRO:CG	2.09	0.83
1:B:281:LEU:CG	1:B:282:PRO:HD2	2.10	0.82
1:B:396:PHE:CD1	1:B:401:PRO:HD3	2.15	0.82
1:B:352:THR:HG23	1:B:355:GLU:N	1.95	0.81
1:B:396:PHE:CE1	1:B:401:PRO:HD3	2.16	0.81
1:B:281:LEU:HD13	1:B:285:ALA:O	1.81	0.80
1:B:352:THR:HG22	1:B:355:GLU:CB	2.11	0.80
1:B:261:LYS:HB2	1:B:262:PRO:HD3	1.62	0.79
1:B:281:LEU:HD21	1:B:285:ALA:HB3	0.80	0.79
1:B:258:ARG:NH2	1:B:258:ARG:N	2.30	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:THR:OG1	1:A:355:GLU:CG	2.32	0.78
1:B:300:PRO:CD	1:B:303:VAL:CG2	2.58	0.78
1:B:281:LEU:HD11	1:B:314:ILE:HD11	1.64	0.78
1:B:281:LEU:HG	1:B:282:PRO:HD2	1.66	0.77
1:B:352:THR:HG22	1:B:355:GLU:CD	2.09	0.76
1:A:286:VAL:HG22	1:A:287:GLY:N	2.00	0.75
1:A:300:PRO:HG2	1:A:303:VAL:HG23	1.69	0.75
1:B:298:LEU:HD22	1:B:298:LEU:H	1.34	0.72
1:B:322:LYS:HB2	1:B:372:LYS:HE3	1.74	0.69
1:B:543:LEU:HD12	1:B:595:ILE:HD13	1.75	0.68
1:B:258:ARG:HD3	1:B:301:LYS:CD	2.22	0.68
1:B:258:ARG:HG3	1:B:259:LEU:CD1	2.24	0.68
1:B:444:THR:O	1:B:454:ARG:HD3	1.95	0.67
1:A:261:LYS:CG	1:A:262:PRO:CD	2.48	0.67
1:B:258:ARG:HH21	1:B:258:ARG:HG2	0.65	0.66
1:A:269:PRO:HA	1:B:346:PHE:HZ	1.59	0.66
1:B:268:VAL:HB	1:B:269:PRO:CD	2.24	0.65
1:B:298:LEU:H	1:B:298:LEU:HD23	1.60	0.65
1:B:281:LEU:CD2	1:B:282:PRO:HG2	2.27	0.64
1:A:283:SER:O	1:A:286:VAL:HG12	1.97	0.63
1:B:258:ARG:HH21	1:B:258:ARG:N	1.92	0.63
1:A:444:THR:O	1:A:454:ARG:HD3	1.98	0.62
1:B:281:LEU:CD1	1:B:314:ILE:HD11	2.29	0.62
1:B:266:PHE:HD2	1:B:339:VAL:CG2	2.10	0.62
1:B:281:LEU:HD23	1:B:281:LEU:C	2.23	0.62
1:B:377:GLN:OE1	1:B:377:GLN:N	2.25	0.62
1:B:281:LEU:CD2	1:B:282:PRO:CG	2.76	0.61
1:B:390:ARG:O	1:B:394:GLU:HB2	2.00	0.61
1:B:540:VAL:HG13	1:B:595:ILE:CD1	2.31	0.61
1:B:307:ILE:HD12	1:B:589:PHE:CE1	2.35	0.61
1:B:307:ILE:HD12	1:B:589:PHE:CZ	2.36	0.60
1:A:346:PHE:CG	1:A:347:PRO:HA	2.35	0.60
1:B:352:THR:HG22	1:B:355:GLU:HB2	1.83	0.60
1:B:258:ARG:HG3	1:B:259:LEU:HD12	1.84	0.60
1:A:261:LYS:HG2	1:A:262:PRO:HD3	0.73	0.60
1:B:281:LEU:CD2	1:B:282:PRO:N	2.48	0.60
1:B:552:ILE:HD12	1:B:557:GLY:HA2	1.84	0.60
1:B:263:MET:HG2	1:B:319:VAL:HA	1.84	0.59
1:B:302:GLY:O	1:B:306:THR:OG1	2.20	0.59
1:B:268:VAL:CB	1:B:269:PRO:HD2	2.29	0.59
1:B:307:ILE:CD1	1:B:589:PHE:CZ	2.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:511:VAL:HG12	2:B:700:SFG:H2	1.83	0.58
1:B:352:THR:CG2	1:B:355:GLU:CB	2.75	0.58
1:B:540:VAL:O	1:B:540:VAL:CG1	2.45	0.58
1:B:281:LEU:CG	1:B:285:ALA:CB	2.77	0.58
1:B:281:LEU:HD21	1:B:282:PRO:HG2	1.86	0.57
1:B:300:PRO:C	1:B:303:VAL:HG23	2.24	0.57
1:B:363:TRP:O	1:B:365:PRO:HD3	2.04	0.57
1:B:281:LEU:HD21	1:B:285:ALA:HB2	1.75	0.55
1:B:299:ALA:HB1	1:B:300:PRO:CD	2.36	0.55
1:A:285:ALA:HB1	1:A:314:ILE:HD11	1.89	0.55
1:B:258:ARG:HD3	1:B:301:LYS:CE	2.36	0.55
1:B:263:MET:HE3	1:B:320:ASP:HB2	1.89	0.55
1:B:258:ARG:CG	1:B:258:ARG:NH2	2.30	0.54
1:B:550:GLN:O	1:B:554:SER:OG	2.25	0.54
1:B:299:ALA:HB1	1:B:300:PRO:HD2	1.89	0.54
1:B:300:PRO:O	1:B:303:VAL:CG2	2.30	0.53
1:B:300:PRO:O	1:B:303:VAL:N	2.41	0.53
1:B:549:GLU:HB3	1:B:602:ILE:HD13	1.92	0.52
1:A:286:VAL:CG2	1:A:287:GLY:H	2.02	0.52
1:B:258:ARG:NE	1:B:301:LYS:HD3	2.25	0.52
1:A:550:GLN:HA	1:A:553:GLU:HG2	1.93	0.51
1:B:263:MET:O	1:B:319:VAL:HA	2.10	0.51
1:B:396:PHE:CE1	1:B:401:PRO:HD2	2.44	0.51
1:B:281:LEU:CD1	1:B:314:ILE:CD1	2.89	0.51
1:B:307:ILE:HG22	1:B:334:ILE:HD12	1.93	0.51
1:B:354:HIS:CE1	1:B:361:LYS:HA	2.46	0.50
1:B:284:GLN:H	1:B:284:GLN:CD	2.20	0.49
1:B:540:VAL:HG11	1:B:591:SER:HB3	1.94	0.49
1:B:258:ARG:CD	1:B:301:LYS:CD	2.89	0.49
1:B:591:SER:HA	1:B:594:ARG:HG2	1.93	0.49
1:B:539:ASP:OD1	1:B:541:GLN:OE1	2.31	0.49
1:B:488:PHE:O	2:B:700:SFG:HG1	2.13	0.48
1:B:264:ILE:HD12	1:B:323:TYR:CE2	2.48	0.48
1:A:488:PHE:HB3	2:A:700:SFG:H5'2	1.96	0.47
1:B:261:LYS:HB2	1:B:262:PRO:CD	2.39	0.47
1:B:268:VAL:CB	1:B:269:PRO:CD	2.89	0.47
1:A:539:ASP:O	1:A:542:GLN:HG2	2.13	0.47
1:B:548:LEU:O	1:B:552:ILE:HG12	2.15	0.47
2:B:700:SFG:H4'	2:B:700:SFG:HG2	1.64	0.47
1:A:378:THR:HG22	1:A:456:LYS:HA	1.97	0.47
1:A:397:ASP:OD1	1:A:397:ASP:N	2.23	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:ARG:HD3	1:B:301:LYS:HD2	1.94	0.46
1:A:490:GLY:HA3	2:A:700:SFG:HA	1.98	0.46
1:A:328:ALA:O	1:A:375:CYS:HA	2.16	0.46
1:B:539:ASP:OD1	1:B:540:VAL:N	2.48	0.46
1:B:396:PHE:CD1	1:B:401:PRO:CD	2.90	0.46
1:A:286:VAL:HG13	1:A:287:GLY:N	2.30	0.46
1:B:396:PHE:CE1	1:B:401:PRO:CG	2.98	0.46
1:B:594:ARG:O	1:B:598:LEU:HD13	2.16	0.46
1:A:346:PHE:CD2	1:A:347:PRO:HA	2.51	0.45
1:B:281:LEU:HD23	1:B:282:PRO:CA	2.41	0.45
1:B:300:PRO:CG	1:B:303:VAL:CG2	2.94	0.45
1:B:281:LEU:CD2	1:B:281:LEU:C	2.87	0.45
1:B:268:VAL:HG23	1:B:271:GLU:H	1.80	0.45
1:B:364:TRP:HA	1:B:365:PRO:HD2	1.86	0.45
1:B:264:ILE:HG13	1:B:268:VAL:HG13	1.98	0.45
1:B:307:ILE:HD13	1:B:589:PHE:CE2	2.52	0.45
1:B:307:ILE:HD13	1:B:589:PHE:CZ	2.52	0.45
1:B:315:GLU:O	1:B:315:GLU:CG	2.54	0.44
1:A:404:VAL:O	1:A:408:VAL:HG13	2.18	0.44
1:B:558:PHE:O	1:B:603:MET:HE1	2.18	0.44
1:A:271:GLU:HB3	1:A:272:PRO:CD	2.40	0.44
1:B:601:SER:OG	1:B:602:ILE:N	2.51	0.44
1:B:540:VAL:O	1:B:540:VAL:HG12	2.04	0.44
1:B:258:ARG:HE	1:B:301:LYS:HD3	1.82	0.43
1:B:281:LEU:HD12	1:B:314:ILE:CD1	2.48	0.43
1:B:505:LEU:O	3:B:809:HOH:O	2.21	0.43
1:A:277:VAL:HG12	1:A:277:VAL:O	2.17	0.43
1:B:322:LYS:NZ	3:B:812:HOH:O	2.51	0.43
1:A:451:ARG:O	1:A:454:ARG:HB2	2.18	0.43
1:B:321:SER:HB2	1:B:329:ARG:HB3	2.00	0.43
1:B:340:GLU:OE2	1:B:340:GLU:N	2.52	0.43
1:B:263:MET:HB2	1:B:263:MET:HE2	1.62	0.42
1:A:270:THR:O	1:A:270:THR:OG1	2.38	0.42
1:A:490:GLY:O	1:A:517:ASN:HB3	2.20	0.42
1:B:287:GLY:HA3	1:B:288:PRO:HD3	1.93	0.42
1:A:398:GLY:HA2	1:A:399:GLU:HA	1.67	0.42
1:A:550:GLN:HA	1:A:553:GLU:OE2	2.20	0.42
1:A:269:PRO:CA	1:B:346:PHE:HZ	2.29	0.42
1:B:307:ILE:HD12	1:B:307:ILE:HG23	1.87	0.42
1:A:489:SER:OG	1:A:510:SER:OG	2.24	0.42
1:B:346:PHE:CD1	1:B:347:PRO:HA	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:700:SFG:HG2	2:A:700:SFG:H4'	1.34	0.41
1:B:300:PRO:O	1:B:301:LYS:C	2.63	0.41
1:B:263:MET:HG2	1:B:263:MET:O	2.20	0.41
1:A:294:GLU:OE2	3:A:858:HOH:O	2.22	0.41
1:B:288:PRO:HA	1:B:289:PRO:HA	1.63	0.41
1:B:294:GLU:HG3	1:B:333:TYR:CE1	2.56	0.41
1:B:393:VAL:O	1:B:394:GLU:C	2.64	0.41
1:B:449:ILE:HD12	1:B:516:VAL:HG13	2.02	0.41
1:A:298:LEU:HA	1:A:298:LEU:HD13	1.82	0.40
1:B:552:ILE:HG23	1:B:557:GLY:HA2	2.03	0.40
1:B:258:ARG:O	1:B:259:LEU:HB2	2.19	0.40
1:B:522:ARG:CZ	1:B:534:LEU:HD23	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/357 (90%)	315 (98%)	4 (1%)	4 (1%)	10	20
1	B	311/357 (87%)	296 (95%)	12 (4%)	3 (1%)	12	24
All	All	634/714 (89%)	611 (96%)	16 (2%)	7 (1%)	11	22

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	398	GLY
1	A	262	PRO
1	B	288	PRO
1	A	565	SER
1	B	259	LEU
1	B	260	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/312 (92%)	257 (90%)	29 (10%)	7	15
1	B	277/312 (89%)	243 (88%)	34 (12%)	4	10
All	All	563/624 (90%)	500 (89%)	63 (11%)	6	12

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	258	ARG
1	A	259	LEU
1	A	261	LYS
1	A	263	MET
1	A	270	THR
1	A	280	THR
1	A	281	LEU
1	A	298	LEU
1	A	319	VAL
1	A	339	VAL
1	A	345	LEU
1	A	355	GLU
1	A	357	LEU
1	A	360	SER
1	A	377	GLN
1	A	382	SER
1	A	394	GLU
1	A	404	VAL
1	A	408	VAL
1	A	435	MET
1	A	452	THR
1	A	454	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	507	THR
1	A	516	VAL
1	A	533	ASN
1	A	544	ASN
1	A	548	LEU
1	A	551	LEU
1	A	561	VAL
1	B	258	ARG
1	B	264	ILE
1	B	270	THR
1	B	294	GLU
1	B	298	LEU
1	B	301	LYS
1	B	303	VAL
1	B	306	THR
1	B	311	LEU
1	B	313	ASP
1	B	315	GLU
1	B	319	VAL
1	B	339	VAL
1	B	345	LEU
1	B	359	LEU
1	B	389	ILE
1	B	390	ARG
1	B	402	MET
1	B	417	LEU
1	B	420	VAL
1	B	435	MET
1	B	451	ARG
1	B	482	ILE
1	B	516	VAL
1	B	536	HIS
1	B	542	GLN
1	B	547	ARG
1	B	548	LEU
1	B	551	LEU
1	B	554	SER
1	B	565	SER
1	B	590	SER
1	B	591	SER
1	B	601	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	384	GLN
1	A	411	GLN
1	A	541	GLN
1	B	335	HIS
1	B	354	HIS
1	B	544	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SFG	A	700	-	28,29,29	1.69	7 (25%)	34,42,42	4.74	16 (47%)
2	SFG	B	700	-	28,29,29	1.57	6 (21%)	34,42,42	2.18	10 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SFG	A	700	-	-	3/17/33/33	0/3/3/3
2	SFG	B	700	-	-	5/17/33/33	0/3/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	700	SFG	C2-N3	3.56	1.40	1.33
2	A	700	SFG	C2-N1	3.37	1.39	1.33
2	B	700	SFG	C4-N9	-3.23	1.31	1.37
2	B	700	SFG	OXT-C	-3.10	1.20	1.30
2	B	700	SFG	C5-C4	3.07	1.44	1.39
2	A	700	SFG	C5-C4	-2.98	1.33	1.39
2	A	700	SFG	C5-N7	-2.89	1.33	1.39
2	A	700	SFG	C8-N9	-2.85	1.32	1.37
2	B	700	SFG	C5-N7	-2.83	1.33	1.39
2	B	700	SFG	C8-N9	-2.67	1.33	1.37
2	A	700	SFG	O4'-C4'	2.55	1.50	1.45
2	A	700	SFG	C5-C6	-2.42	1.34	1.41
2	B	700	SFG	C5-C6	2.29	1.47	1.41

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	700	SFG	O4'-C4'-C5'	-16.75	80.46	109.41
2	A	700	SFG	O4'-C1'-C2'	-13.70	77.30	106.62
2	A	700	SFG	O4'-C4'-C3'	-8.33	88.61	105.15
2	A	700	SFG	N3-C2-N1	-6.93	118.10	128.58
2	A	700	SFG	C3'-C2'-C1'	-6.33	89.48	101.46
2	B	700	SFG	C5-C4-N3	-5.42	119.26	126.72
2	A	700	SFG	C5-C4-N3	-4.86	120.03	126.72
2	B	700	SFG	N3-C4-N9	4.09	134.12	127.17
2	B	700	SFG	C2-N3-C4	4.06	121.76	111.83
2	A	700	SFG	N9-C8-N7	-3.99	108.27	113.94
2	B	700	SFG	C4-C5-N7	-3.89	106.14	110.58
2	B	700	SFG	N3-C2-N1	-3.86	122.75	128.58
2	A	700	SFG	CG-CD-C5'	-3.85	100.28	111.08
2	B	700	SFG	C4-N9-C8	3.68	109.60	105.74
2	A	700	SFG	C2-N3-C4	3.50	120.39	111.83
2	A	700	SFG	C5-N7-C8	3.16	108.41	103.45
2	B	700	SFG	C6-C5-N7	3.09	138.05	132.09
2	A	700	SFG	C4-C5-N7	-2.99	107.16	110.58
2	B	700	SFG	N9-C8-N7	-2.90	109.81	113.94
2	B	700	SFG	C5-N7-C8	2.79	107.83	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	700	SFG	C5-C6-N6	-2.65	116.73	123.29
2	A	700	SFG	C6-C5-C4	2.56	120.68	117.18
2	A	700	SFG	N3-C4-N9	2.46	131.36	127.17
2	A	700	SFG	C5-C4-N9	2.38	108.41	105.81
2	A	700	SFG	C4-N9-C1'	-2.27	121.33	126.63
2	B	700	SFG	C2-N1-C6	2.07	122.13	118.73

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	700	SFG	C2'-C1'-N9-C8
2	A	700	SFG	C2'-C1'-N9-C4
2	B	700	SFG	CA-CB-CG-CD
2	B	700	SFG	C-CA-CB-CG
2	B	700	SFG	O-C-CA-CB
2	B	700	SFG	OXT-C-CA-CB
2	A	700	SFG	O4'-C4'-C5'-CD
2	B	700	SFG	C4'-C5'-CD-CG

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	700	SFG	3	0
2	B	700	SFG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/357 (91%)	-0.30	5 (1%) 72 68	27, 50, 95, 157	0
1	B	317/357 (88%)	-0.02	6 (1%) 66 62	32, 65, 114, 165	0
All	All	644/714 (90%)	-0.16	11 (1%) 69 65	27, 57, 107, 165	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	398	GLY	3.9
1	B	565	SER	3.6
1	A	276	MET	3.4
1	B	346	PHE	3.0
1	A	566	PRO	2.8
1	B	283	SER	2.7
1	B	315	GLU	2.5
1	B	287	GLY	2.4
1	A	346	PHE	2.3
1	A	287	GLY	2.1
1	B	285	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SFG	A	700	27/27	0.81	0.13	66,86,99,102	0
2	SFG	B	700	27/27	0.88	0.12	72,83,93,95	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around SFG A 700:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SFG B 700:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.