



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:41 AM UTC

PDB ID : 5ON2 / pdb_00005on2
Title : Quaternary complex of mutant T252A of E. coli leucyl-tRNA synthetase with tRNA(leu), leucyl-adenylate analogue, and post-transfer editing analogue of norvaline in the aminoacylation conformation
Authors : Palencia, A.; Cusack, S.
Deposited on : 2017-08-02
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)
RNA backbone	3983	1022 (3.32-2.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	880	96% ..
1	D	880	96% ..
2	B	87	84% 14% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	87	77% 16% 7%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leucine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	862	Total	C	N	O	S	0	0	0
			6843	4344	1161	1293	45			
1	D	860	Total	C	N	O	S	0	0	0
			6833	4338	1159	1291	45			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P07813
A	-18	GLY	-	expression tag	UNP P07813
A	-17	SER	-	expression tag	UNP P07813
A	-16	SER	-	expression tag	UNP P07813
A	-15	HIS	-	expression tag	UNP P07813
A	-14	HIS	-	expression tag	UNP P07813
A	-13	HIS	-	expression tag	UNP P07813
A	-12	HIS	-	expression tag	UNP P07813
A	-11	HIS	-	expression tag	UNP P07813
A	-10	HIS	-	expression tag	UNP P07813
A	-9	SER	-	expression tag	UNP P07813
A	-8	SER	-	expression tag	UNP P07813
A	-7	GLY	-	expression tag	UNP P07813
A	-6	LEU	-	expression tag	UNP P07813
A	-5	VAL	-	expression tag	UNP P07813
A	-4	PRO	-	expression tag	UNP P07813
A	-3	ARG	-	expression tag	UNP P07813
A	-2	GLY	-	expression tag	UNP P07813
A	-1	SER	-	expression tag	UNP P07813
A	0	HIS	-	expression tag	UNP P07813
A	252	ALA	THR	engineered mutation	UNP P07813
D	-19	MET	-	initiating methionine	UNP P07813
D	-18	GLY	-	expression tag	UNP P07813
D	-17	SER	-	expression tag	UNP P07813
D	-16	SER	-	expression tag	UNP P07813

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-15	HIS	-	expression tag	UNP P07813
D	-14	HIS	-	expression tag	UNP P07813
D	-13	HIS	-	expression tag	UNP P07813
D	-12	HIS	-	expression tag	UNP P07813
D	-11	HIS	-	expression tag	UNP P07813
D	-10	HIS	-	expression tag	UNP P07813
D	-9	SER	-	expression tag	UNP P07813
D	-8	SER	-	expression tag	UNP P07813
D	-7	GLY	-	expression tag	UNP P07813
D	-6	LEU	-	expression tag	UNP P07813
D	-5	VAL	-	expression tag	UNP P07813
D	-4	PRO	-	expression tag	UNP P07813
D	-3	ARG	-	expression tag	UNP P07813
D	-2	GLY	-	expression tag	UNP P07813
D	-1	SER	-	expression tag	UNP P07813
D	0	HIS	-	expression tag	UNP P07813
D	252	ALA	THR	engineered mutation	UNP P07813


- Molecule 2 is a RNA chain called tRNA(leu).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	85	Total	C	N	O	P	0	0	0
			1819	810	329	595	85			
2	E	81	Total	C	N	O	P	0	0	0
			1719	763	313	562	81			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 5'-O-(L-leucylsulfamoyl)adenosine (CCD ID: LSS) (formula: C₁₆H₂₅N₇O₇S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			31	16	7	7	1		
4	D	1	Total	C	N	O	S	0	0
			31	16	7	7	1		

- Molecule 5 is 2'-(L-NORVALYL)AMINO-2'-DEOXYADENOSINE (CCD ID: VRT) (formula: C₁₅H₂₃N₇O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			26	15	7	4		

Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	N	O	0	0
			26	15	7	4		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		
6	E	1	Total	Mg	0	0
			1	1		

i

- Molecule 1: Leucine-tRNA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	159.65Å 70.62Å 230.34Å 90.00° 104.52° 90.00°	Depositor
Resolution (Å)	50.00 – 3.10 50.00 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-3.10) 99.6 (50.00-3.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.01	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 3.12Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.226 , 0.263 0.228 , 0.263	Depositor DCC
R_{free} test set	2193 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	86.7	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 29.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17332	wwPDB-VP
Average B, all atoms (Å ²)	99.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VRT, MG, ZN, LSS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/7004	0.73	0/9508
1	D	0.52	0/6994	0.74	0/9494
2	B	0.35	0/2032	0.65	0/3163
2	E	0.36	0/1919	0.63	0/2986
All	All	0.49	0/17949	0.71	0/25151

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6843	0	6687	4	0
1	D	6833	0	6683	4	0
2	B	1819	0	921	1	0
2	E	1719	0	869	2	0
3	A	1	0	0	0	0
3	D	1	0	0	0	0
4	A	31	0	25	0	0
4	D	31	0	25	0	0
5	A	26	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	26	0	0	0	0
6	B	1	0	0	0	0
6	E	1	0	0	0	0
All	All	17332	0	15210	11	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (11) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:633:MET:HE3	1:A:663:VAL:HG11	1.85	0.59
1:D:633:MET:HE2	1:D:642:VAL:HG22	1.89	0.54
2:B:47(D):C:O2	2:B:47(D):C:O4'	2.30	0.50
2:E:47(D):C:O2	2:E:47(D):C:O4'	2.28	0.50
1:D:381:LEU:HD11	1:D:395:ALA:HB1	1.96	0.48
1:D:98:ALA:HB3	1:D:99:PRO:HD3	1.95	0.48
1:D:633:MET:HE3	1:D:663:VAL:HG11	1.95	0.47
1:A:1:MET:HE2	1:A:775:GLU:HG3	1.99	0.44
1:A:223:TRP:CD2	1:A:535:ILE:HG21	2.54	0.42
1:A:593:VAL:HG13	1:A:601:ILE:HG23	2.02	0.41
2:E:47(A):G:C2	2:E:47(G):G:C2	3.09	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	860/880 (98%)	826 (96%)	34 (4%)	0	100	100
1	D	858/880 (98%)	823 (96%)	35 (4%)	0	100	100
All	All	1718/1760 (98%)	1649 (96%)	69 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	723/740 (98%)	711 (98%)	12 (2%)	53	74
1	D	723/740 (98%)	712 (98%)	11 (2%)	57	75
All	All	1446/1480 (98%)	1423 (98%)	23 (2%)	55	75

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	ASN
1	A	95	THR
1	A	153	THR
1	A	176	CYS
1	A	179	CYS
1	A	295	MET
1	A	425	GLN
1	A	477	THR
1	A	536	MET
1	A	566	GLN
1	A	650	SER
1	A	761	LEU
1	D	55	ASN
1	D	179	CYS
1	D	226	ARG
1	D	269	GLN
1	D	425	GLN
1	D	475	LYS
1	D	510	GLU
1	D	516	GLU
1	D	566	GLN
1	D	646	MET
1	D	761	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	75	GLN
1	A	343	GLN
1	A	414	ASN
1	A	555	ASN
1	A	566	GLN
1	A	690	ASN
1	A	706	HIS
1	A	762	ASN
1	A	805	GLN
1	D	94	ASN
1	D	157	ASN
1	D	163	GLN
1	D	269	GLN
1	D	343	GLN
1	D	355	ASN
1	D	383	ASN
1	D	392	HIS
1	D	690	ASN
1	D	698	GLN
1	D	762	ASN
1	D	774	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	83/87 (95%)	10 (12%)	1 (1%)
2	E	77/87 (88%)	11 (14%)	0
All	All	160/174 (91%)	21 (13%)	1 (0%)

All (21) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	9	G
2	B	10	G
2	B	16	U
2	B	18	G
2	B	32	U
2	B	35	A
2	B	36	A
2	B	47(F)	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	69	G
2	B	73	A
2	E	5	G
2	E	9	G
2	E	13	G
2	E	16	U
2	E	18	G
2	E	39	U
2	E	45	G
2	E	47(E)	G
2	E	47(F)	C
2	E	49	G
2	E	64	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	17	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	LSS	A	901	-	32,33,33	1.47	7 (21%)	43,49,49	2.14	10 (23%)
5	VRT	D	902	-	28,28,28	2.51	6 (21%)	35,40,40	2.38	9 (25%)
4	LSS	D	901	-	32,33,33	1.44	6 (18%)	43,49,49	2.19	11 (25%)
5	VRT	A	902	-	28,28,28	2.52	6 (21%)	35,40,40	2.40	9 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LSS	A	901	-	-	2/22/39/39	0/3/3/3
5	VRT	D	902	-	-	4/17/33/33	0/3/3/3
4	LSS	D	901	-	-	5/22/39/39	0/3/3/3
5	VRT	A	902	-	-	1/17/33/33	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	902	VRT	C2-N1	7.95	1.48	1.33
5	D	902	VRT	C2-N1	7.90	1.48	1.33
5	D	902	VRT	C2-N3	7.85	1.47	1.33
5	A	902	VRT	C2-N3	7.78	1.47	1.33
5	A	902	VRT	C5-C4	5.00	1.48	1.39
5	D	902	VRT	C5-C4	4.89	1.47	1.39
4	D	901	LSS	S1-N2	-4.10	1.52	1.59
4	A	901	LSS	S1-N2	-3.95	1.53	1.59
4	A	901	LSS	O5-S1	-3.24	1.53	1.60
4	D	901	LSS	O5-S1	-3.02	1.53	1.60
4	A	901	LSS	C5-C6	2.89	1.49	1.41
5	A	902	VRT	C5-C6	2.87	1.49	1.41
4	D	901	LSS	C5-C6	2.80	1.48	1.41
5	D	902	VRT	C5-C6	2.71	1.48	1.41
5	D	902	VRT	C5-N7	-2.45	1.34	1.39
5	A	902	VRT	C8-N7	2.31	1.36	1.31
5	A	902	VRT	C5-N7	-2.30	1.34	1.39
4	D	901	LSS	C5-N7	-2.29	1.34	1.39
4	A	901	LSS	C5-N7	-2.25	1.35	1.39
5	D	902	VRT	C8-N7	2.17	1.35	1.31
4	D	901	LSS	C8-N7	2.13	1.35	1.31
4	A	901	LSS	C4-N9	-2.13	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	901	LSS	C4-N9	-2.12	1.33	1.37
4	A	901	LSS	C8-N7	2.07	1.35	1.31
4	A	901	LSS	O2A-S1	2.05	1.44	1.42

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	902	VRT	N3-C2-N1	-8.87	115.16	128.58
5	D	902	VRT	N3-C2-N1	-8.76	115.32	128.58
4	D	901	LSS	O2A-S1-O1A	-8.13	108.68	120.85
4	A	901	LSS	O2A-S1-O1A	-8.02	108.85	120.85
5	D	902	VRT	C5-C4-N3	-5.08	119.72	126.72
5	A	902	VRT	C5-C4-N3	-4.95	119.90	126.72
4	A	901	LSS	C5-C4-N3	-4.87	120.01	126.72
4	D	901	LSS	C5-C4-N3	-4.74	120.18	126.72
5	A	902	VRT	C2-N3-C4	4.73	123.37	111.83
4	D	901	LSS	N3-C2-N1	-4.67	121.52	128.58
5	D	902	VRT	C2-N3-C4	4.65	123.19	111.83
4	A	901	LSS	N3-C2-N1	-4.65	121.55	128.58
5	D	902	VRT	N3-C4-N9	4.15	134.23	127.17
4	A	901	LSS	C2-N3-C4	4.08	121.80	111.83
4	D	901	LSS	C2-N3-C4	3.98	121.56	111.83
5	A	902	VRT	N3-C4-N9	3.87	133.76	127.17
5	A	902	VRT	C4-C5-N7	-3.69	106.37	110.58
4	D	901	LSS	N9-C8-N7	-3.60	108.83	113.94
4	D	901	LSS	C25-O5-S1	3.45	124.22	116.97
4	A	901	LSS	N9-C8-N7	-3.37	109.15	113.94
5	D	902	VRT	C4-C5-N7	-3.35	106.76	110.58
5	A	902	VRT	C2-N1-C6	3.09	123.80	118.73
4	D	901	LSS	N3-C4-N9	3.02	132.30	127.17
5	D	902	VRT	C2-N1-C6	3.01	123.68	118.73
4	A	901	LSS	C25-O5-S1	3.01	123.30	116.97
4	A	901	LSS	N3-C4-N9	2.97	132.21	127.17
5	A	902	VRT	C5-N7-C8	2.81	107.86	103.45
5	A	902	VRT	C4-N9-C8	2.71	108.59	105.74
4	D	901	LSS	C4-N9-C8	2.71	108.58	105.74
5	D	902	VRT	C5-N7-C8	2.69	107.67	103.45
5	D	902	VRT	C4-N9-C8	2.62	108.49	105.74
4	D	901	LSS	O4-C21-N9	2.56	113.01	108.09
4	A	901	LSS	C4-C5-N7	-2.48	107.75	110.58
4	D	901	LSS	C4-C5-N7	-2.43	107.81	110.58
4	D	901	LSS	C5-N7-C8	2.42	107.26	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	901	LSS	C4-N9-C8	2.36	108.21	105.74
4	A	901	LSS	C5-N7-C8	2.33	107.11	103.45
5	A	902	VRT	N9-C8-N7	-2.19	110.83	113.94
5	D	902	VRT	N9-C8-N7	-2.05	111.03	113.94

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	901	LSS	C25-O5-S1-N2
5	D	902	VRT	C3'-C4'-C5'-O5'
5	D	902	VRT	O4'-C4'-C5'-O5'
4	A	901	LSS	C25-O5-S1-N2
4	D	901	LSS	C23-C24-C25-O5
5	D	902	VRT	N-CA-CB-CG
4	D	901	LSS	O1-C1-CA-N4
4	D	901	LSS	C25-O5-S1-O2A
5	D	902	VRT	C2'-C1'-N9-C8
4	A	901	LSS	C23-C24-C25-O5
4	D	901	LSS	N2-C1-CA-N4
5	A	902	VRT	C2'-C1'-N9-C8

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand LSS A 901




Ligand VRT D 902



Ligand LSS D 901



Ligand VRT A 902



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	862/880 (97%)	-0.08	5 (0%) 85 70	50, 86, 155, 204	0
1	D	860/880 (97%)	-0.10	1 (0%) 92 86	59, 97, 158, 209	0
2	B	85/87 (97%)	-0.42	0 100 100	57, 88, 175, 210	0
2	E	81/87 (93%)	-0.39	0 100 100	72, 112, 165, 194	0
All	All	1888/1934 (97%)	-0.12	6 (0%) 90 80	50, 92, 159, 210	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	173	ASP	3.5
1	A	293	ALA	3.2
1	A	-1	SER	2.4
1	D	565	CYS	2.2
1	A	290	VAL	2.2
1	A	283	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ZN	D	900	1/1	0.58	0.18	210,210,210,210	0
3	ZN	A	900	1/1	0.75	0.19	201,201,201,201	0
5	VRT	A	902	26/26	0.88	0.10	92,93,95,95	0
5	VRT	D	902	26/26	0.93	0.09	82,83,89,89	0
6	MG	B	101	1/1	0.94	0.11	43,43,43,43	0
6	MG	E	101	1/1	0.95	0.07	56,56,56,56	0
4	LSS	A	901	31/31	0.96	0.07	56,57,58,58	0
4	LSS	D	901	31/31	0.96	0.07	68,70,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around VRT D 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LSS A 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LSS D 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.