



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2026 – 08:53 AM UTC

PDB ID : 6OOC / pdb_00006ooc
Title : Structure of the pterocarpan synthase dirigent protein GePTS1
Authors : Smith, C.A.
Deposited on : 2019-04-23
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	 3% 62% 11% 27%
1	B	220	 2% 59% 18% 21%
1	C	220	 3% 58% 15% 25%
1	D	220	 2% 57% 17% 24%
1	E	220	 2% 60% 17% 24%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	220	3% 61% 17% 21%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7914 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dirigent protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	161	Total	C	N	O	S	0	0	0
			1248	807	195	235	11			
1	B	174	Total	C	N	O	S	0	0	0
			1344	862	217	254	11			
1	C	164	Total	C	N	O	S	0	0	0
			1268	816	202	239	11			
1	D	168	Total	C	N	O	S	0	0	0
			1296	834	206	245	11			
1	E	168	Total	C	N	O	S	0	0	0
			1298	835	206	246	11			
1	F	174	Total	C	N	O	S	0	1	0
			1359	872	218	258	11			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	189	LYS	-	expression tag	UNP A0A1V1FH01
A	190	GLY	-	expression tag	UNP A0A1V1FH01
A	191	GLU	-	expression tag	UNP A0A1V1FH01
A	192	LEU	-	expression tag	UNP A0A1V1FH01
A	193	ASN	-	expression tag	UNP A0A1V1FH01
A	194	SER	-	expression tag	UNP A0A1V1FH01
A	195	LYS	-	expression tag	UNP A0A1V1FH01
A	196	LEU	-	expression tag	UNP A0A1V1FH01
A	197	GLU	-	expression tag	UNP A0A1V1FH01
A	198	GLY	-	expression tag	UNP A0A1V1FH01
A	199	LYS	-	expression tag	UNP A0A1V1FH01
A	200	PRO	-	expression tag	UNP A0A1V1FH01
A	201	ILE	-	expression tag	UNP A0A1V1FH01
A	202	PRO	-	expression tag	UNP A0A1V1FH01
A	203	ASN	-	expression tag	UNP A0A1V1FH01
A	204	PRO	-	expression tag	UNP A0A1V1FH01
A	205	LEU	-	expression tag	UNP A0A1V1FH01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	206	LEU	-	expression tag	UNP A0A1V1FH01
A	207	GLY	-	expression tag	UNP A0A1V1FH01
A	208	LEU	-	expression tag	UNP A0A1V1FH01
A	209	ASP	-	expression tag	UNP A0A1V1FH01
A	210	SER	-	expression tag	UNP A0A1V1FH01
A	211	THR	-	expression tag	UNP A0A1V1FH01
A	212	ARG	-	expression tag	UNP A0A1V1FH01
A	213	THR	-	expression tag	UNP A0A1V1FH01
A	214	GLY	-	expression tag	UNP A0A1V1FH01
A	215	HIS	-	expression tag	UNP A0A1V1FH01
A	216	HIS	-	expression tag	UNP A0A1V1FH01
A	217	HIS	-	expression tag	UNP A0A1V1FH01
A	218	HIS	-	expression tag	UNP A0A1V1FH01
A	219	HIS	-	expression tag	UNP A0A1V1FH01
A	220	HIS	-	expression tag	UNP A0A1V1FH01
B	189	LYS	-	expression tag	UNP A0A1V1FH01
B	190	GLY	-	expression tag	UNP A0A1V1FH01
B	191	GLU	-	expression tag	UNP A0A1V1FH01
B	192	LEU	-	expression tag	UNP A0A1V1FH01
B	193	ASN	-	expression tag	UNP A0A1V1FH01
B	194	SER	-	expression tag	UNP A0A1V1FH01
B	195	LYS	-	expression tag	UNP A0A1V1FH01
B	196	LEU	-	expression tag	UNP A0A1V1FH01
B	197	GLU	-	expression tag	UNP A0A1V1FH01
B	198	GLY	-	expression tag	UNP A0A1V1FH01
B	199	LYS	-	expression tag	UNP A0A1V1FH01
B	200	PRO	-	expression tag	UNP A0A1V1FH01
B	201	ILE	-	expression tag	UNP A0A1V1FH01
B	202	PRO	-	expression tag	UNP A0A1V1FH01
B	203	ASN	-	expression tag	UNP A0A1V1FH01
B	204	PRO	-	expression tag	UNP A0A1V1FH01
B	205	LEU	-	expression tag	UNP A0A1V1FH01
B	206	LEU	-	expression tag	UNP A0A1V1FH01
B	207	GLY	-	expression tag	UNP A0A1V1FH01
B	208	LEU	-	expression tag	UNP A0A1V1FH01
B	209	ASP	-	expression tag	UNP A0A1V1FH01
B	210	SER	-	expression tag	UNP A0A1V1FH01
B	211	THR	-	expression tag	UNP A0A1V1FH01
B	212	ARG	-	expression tag	UNP A0A1V1FH01
B	213	THR	-	expression tag	UNP A0A1V1FH01
B	214	GLY	-	expression tag	UNP A0A1V1FH01
B	215	HIS	-	expression tag	UNP A0A1V1FH01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	216	HIS	-	expression tag	UNP A0A1V1FH01
B	217	HIS	-	expression tag	UNP A0A1V1FH01
B	218	HIS	-	expression tag	UNP A0A1V1FH01
B	219	HIS	-	expression tag	UNP A0A1V1FH01
B	220	HIS	-	expression tag	UNP A0A1V1FH01
C	189	LYS	-	expression tag	UNP A0A1V1FH01
C	190	GLY	-	expression tag	UNP A0A1V1FH01
C	191	GLU	-	expression tag	UNP A0A1V1FH01
C	192	LEU	-	expression tag	UNP A0A1V1FH01
C	193	ASN	-	expression tag	UNP A0A1V1FH01
C	194	SER	-	expression tag	UNP A0A1V1FH01
C	195	LYS	-	expression tag	UNP A0A1V1FH01
C	196	LEU	-	expression tag	UNP A0A1V1FH01
C	197	GLU	-	expression tag	UNP A0A1V1FH01
C	198	GLY	-	expression tag	UNP A0A1V1FH01
C	199	LYS	-	expression tag	UNP A0A1V1FH01
C	200	PRO	-	expression tag	UNP A0A1V1FH01
C	201	ILE	-	expression tag	UNP A0A1V1FH01
C	202	PRO	-	expression tag	UNP A0A1V1FH01
C	203	ASN	-	expression tag	UNP A0A1V1FH01
C	204	PRO	-	expression tag	UNP A0A1V1FH01
C	205	LEU	-	expression tag	UNP A0A1V1FH01
C	206	LEU	-	expression tag	UNP A0A1V1FH01
C	207	GLY	-	expression tag	UNP A0A1V1FH01
C	208	LEU	-	expression tag	UNP A0A1V1FH01
C	209	ASP	-	expression tag	UNP A0A1V1FH01
C	210	SER	-	expression tag	UNP A0A1V1FH01
C	211	THR	-	expression tag	UNP A0A1V1FH01
C	212	ARG	-	expression tag	UNP A0A1V1FH01
C	213	THR	-	expression tag	UNP A0A1V1FH01
C	214	GLY	-	expression tag	UNP A0A1V1FH01
C	215	HIS	-	expression tag	UNP A0A1V1FH01
C	216	HIS	-	expression tag	UNP A0A1V1FH01
C	217	HIS	-	expression tag	UNP A0A1V1FH01
C	218	HIS	-	expression tag	UNP A0A1V1FH01
C	219	HIS	-	expression tag	UNP A0A1V1FH01
C	220	HIS	-	expression tag	UNP A0A1V1FH01
D	189	LYS	-	expression tag	UNP A0A1V1FH01
D	190	GLY	-	expression tag	UNP A0A1V1FH01
D	191	GLU	-	expression tag	UNP A0A1V1FH01
D	192	LEU	-	expression tag	UNP A0A1V1FH01
D	193	ASN	-	expression tag	UNP A0A1V1FH01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	194	SER	-	expression tag	UNP A0A1V1FH01
D	195	LYS	-	expression tag	UNP A0A1V1FH01
D	196	LEU	-	expression tag	UNP A0A1V1FH01
D	197	GLU	-	expression tag	UNP A0A1V1FH01
D	198	GLY	-	expression tag	UNP A0A1V1FH01
D	199	LYS	-	expression tag	UNP A0A1V1FH01
D	200	PRO	-	expression tag	UNP A0A1V1FH01
D	201	ILE	-	expression tag	UNP A0A1V1FH01
D	202	PRO	-	expression tag	UNP A0A1V1FH01
D	203	ASN	-	expression tag	UNP A0A1V1FH01
D	204	PRO	-	expression tag	UNP A0A1V1FH01
D	205	LEU	-	expression tag	UNP A0A1V1FH01
D	206	LEU	-	expression tag	UNP A0A1V1FH01
D	207	GLY	-	expression tag	UNP A0A1V1FH01
D	208	LEU	-	expression tag	UNP A0A1V1FH01
D	209	ASP	-	expression tag	UNP A0A1V1FH01
D	210	SER	-	expression tag	UNP A0A1V1FH01
D	211	THR	-	expression tag	UNP A0A1V1FH01
D	212	ARG	-	expression tag	UNP A0A1V1FH01
D	213	THR	-	expression tag	UNP A0A1V1FH01
D	214	GLY	-	expression tag	UNP A0A1V1FH01
D	215	HIS	-	expression tag	UNP A0A1V1FH01
D	216	HIS	-	expression tag	UNP A0A1V1FH01
D	217	HIS	-	expression tag	UNP A0A1V1FH01
D	218	HIS	-	expression tag	UNP A0A1V1FH01
D	219	HIS	-	expression tag	UNP A0A1V1FH01
D	220	HIS	-	expression tag	UNP A0A1V1FH01
E	189	LYS	-	expression tag	UNP A0A1V1FH01
E	190	GLY	-	expression tag	UNP A0A1V1FH01
E	191	GLU	-	expression tag	UNP A0A1V1FH01
E	192	LEU	-	expression tag	UNP A0A1V1FH01
E	193	ASN	-	expression tag	UNP A0A1V1FH01
E	194	SER	-	expression tag	UNP A0A1V1FH01
E	195	LYS	-	expression tag	UNP A0A1V1FH01
E	196	LEU	-	expression tag	UNP A0A1V1FH01
E	197	GLU	-	expression tag	UNP A0A1V1FH01
E	198	GLY	-	expression tag	UNP A0A1V1FH01
E	199	LYS	-	expression tag	UNP A0A1V1FH01
E	200	PRO	-	expression tag	UNP A0A1V1FH01
E	201	ILE	-	expression tag	UNP A0A1V1FH01
E	202	PRO	-	expression tag	UNP A0A1V1FH01
E	203	ASN	-	expression tag	UNP A0A1V1FH01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	204	PRO	-	expression tag	UNP A0A1V1FH01
E	205	LEU	-	expression tag	UNP A0A1V1FH01
E	206	LEU	-	expression tag	UNP A0A1V1FH01
E	207	GLY	-	expression tag	UNP A0A1V1FH01
E	208	LEU	-	expression tag	UNP A0A1V1FH01
E	209	ASP	-	expression tag	UNP A0A1V1FH01
E	210	SER	-	expression tag	UNP A0A1V1FH01
E	211	THR	-	expression tag	UNP A0A1V1FH01
E	212	ARG	-	expression tag	UNP A0A1V1FH01
E	213	THR	-	expression tag	UNP A0A1V1FH01
E	214	GLY	-	expression tag	UNP A0A1V1FH01
E	215	HIS	-	expression tag	UNP A0A1V1FH01
E	216	HIS	-	expression tag	UNP A0A1V1FH01
E	217	HIS	-	expression tag	UNP A0A1V1FH01
E	218	HIS	-	expression tag	UNP A0A1V1FH01
E	219	HIS	-	expression tag	UNP A0A1V1FH01
E	220	HIS	-	expression tag	UNP A0A1V1FH01
F	189	LYS	-	expression tag	UNP A0A1V1FH01
F	190	GLY	-	expression tag	UNP A0A1V1FH01
F	191	GLU	-	expression tag	UNP A0A1V1FH01
F	192	LEU	-	expression tag	UNP A0A1V1FH01
F	193	ASN	-	expression tag	UNP A0A1V1FH01
F	194	SER	-	expression tag	UNP A0A1V1FH01
F	195	LYS	-	expression tag	UNP A0A1V1FH01
F	196	LEU	-	expression tag	UNP A0A1V1FH01
F	197	GLU	-	expression tag	UNP A0A1V1FH01
F	198	GLY	-	expression tag	UNP A0A1V1FH01
F	199	LYS	-	expression tag	UNP A0A1V1FH01
F	200	PRO	-	expression tag	UNP A0A1V1FH01
F	201	ILE	-	expression tag	UNP A0A1V1FH01
F	202	PRO	-	expression tag	UNP A0A1V1FH01
F	203	ASN	-	expression tag	UNP A0A1V1FH01
F	204	PRO	-	expression tag	UNP A0A1V1FH01
F	205	LEU	-	expression tag	UNP A0A1V1FH01
F	206	LEU	-	expression tag	UNP A0A1V1FH01
F	207	GLY	-	expression tag	UNP A0A1V1FH01
F	208	LEU	-	expression tag	UNP A0A1V1FH01
F	209	ASP	-	expression tag	UNP A0A1V1FH01
F	210	SER	-	expression tag	UNP A0A1V1FH01
F	211	THR	-	expression tag	UNP A0A1V1FH01
F	212	ARG	-	expression tag	UNP A0A1V1FH01
F	213	THR	-	expression tag	UNP A0A1V1FH01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	214	GLY	-	expression tag	UNP A0A1V1FH01
F	215	HIS	-	expression tag	UNP A0A1V1FH01
F	216	HIS	-	expression tag	UNP A0A1V1FH01
F	217	HIS	-	expression tag	UNP A0A1V1FH01
F	218	HIS	-	expression tag	UNP A0A1V1FH01
F	219	HIS	-	expression tag	UNP A0A1V1FH01
F	220	HIS	-	expression tag	UNP A0A1V1FH01


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	20	Total O 20 20	0	0
2	B	12	Total O 12 12	0	0
2	C	20	Total O 20 20	0	0
2	D	11	Total O 11 11	0	0
2	E	13	Total O 13 13	0	0
2	F	25	Total O 25 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dirigent protein




• Molecule 1: Dirigent protein




• Molecule 1: Dirigent protein




• Molecule 1: Dirigent protein



- Molecule 1: Dirigent protein



- Molecule 1: Dirigent protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.57Å 162.57Å 99.76Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.05 – 2.60 39.05 – 2.60	Depositor EDS
% Data completeness (in resolution range)	100.0 (39.05-2.60) 99.9 (39.05-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.197 , 0.238 (Not available) , 0.240	Depositor DCC
R_{free} test set	2613 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	67.9	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 44.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7914	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/1279	0.65	0/1728
1	B	0.42	0/1374	0.68	1/1852 (0.1%)
1	C	0.53	0/1299	0.66	0/1753
1	D	0.54	0/1328	0.73	2/1793 (0.1%)
1	E	0.50	0/1330	0.62	0/1795
1	F	0.46	0/1391	0.65	0/1876
All	All	0.48	0/8001	0.67	3/10797 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	106	ILE	N-CA-C	7.19	121.27	113.43
1	D	106	ILE	N-CA-CB	-6.08	105.52	112.21
1	B	82	ASP	N-CA-C	-5.67	98.72	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1248	0	1209	24	0
1	B	1344	0	1319	45	0
1	C	1268	0	1238	31	0
1	D	1296	0	1262	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1298	0	1258	28	0
1	F	1359	0	1327	34	0
2	A	20	0	0	0	0
2	B	12	0	0	0	0
2	C	20	0	0	0	0
2	D	11	0	0	0	0
2	E	13	0	0	1	0
2	F	25	0	0	1	0
All	All	7914	0	7613	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 181 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:LEU:H	1:B:111:MET:CE	1.48	1.27
1:B:73:LEU:N	1:B:111:MET:HE3	1.57	1.19
1:A:32:THR:HG21	1:A:37:GLN:HG2	1.18	1.14
1:E:111:MET:HE2	1:E:139:ILE:HD11	1.28	1.09
1:D:71:ASN:HB3	1:D:172:PHE:O	1.54	1.08

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/220 (71%)	150 (96%)	6 (4%)	1 (1%)	21	42
1	B	168/220 (76%)	148 (88%)	15 (9%)	5 (3%)	3	6
1	C	162/220 (74%)	147 (91%)	13 (8%)	2 (1%)	10	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	166/220 (76%)	153 (92%)	7 (4%)	6 (4%)	2	4
1	E	166/220 (76%)	158 (95%)	6 (4%)	2 (1%)	10	23
1	F	173/220 (79%)	162 (94%)	10 (6%)	1 (1%)	21	42
All	All	992/1320 (75%)	918 (92%)	57 (6%)	17 (2%)	7	15

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	70	LYS
1	D	70	LYS
1	D	109	GLU
1	E	70	LYS
1	F	70	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/187 (72%)	134 (100%)	0	100	100
1	B	146/187 (78%)	145 (99%)	1 (1%)	76	89
1	C	137/187 (73%)	136 (99%)	1 (1%)	76	89
1	D	139/187 (74%)	133 (96%)	6 (4%)	26	51
1	E	139/187 (74%)	138 (99%)	1 (1%)	76	89
1	F	147/187 (79%)	145 (99%)	2 (1%)	59	81
All	All	842/1122 (75%)	831 (99%)	11 (1%)	61	82

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	174	LYS
1	E	44	LEU
1	F	195	LYS
1	F	70	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	106	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	B	71	ASN
1	D	127	ASN
1	E	37	GLN
1	F	108	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	161/220 (73%)	-0.04	7 (4%) 40 34	47, 56, 82, 103	0
1	B	174/220 (79%)	0.30	4 (2%) 61 55	51, 73, 95, 102	0
1	C	164/220 (74%)	0.02	6 (3%) 45 39	47, 59, 89, 98	0
1	D	168/220 (76%)	0.44	5 (2%) 52 47	48, 69, 92, 102	0
1	E	168/220 (76%)	0.27	4 (2%) 59 54	51, 69, 91, 100	0
1	F	174/220 (79%)	0.02	6 (3%) 48 42	31, 59, 84, 103	1 (0%)
All	All	1009/1320 (76%)	0.17	32 (3%) 50 44	31, 65, 91, 103	1 (0%)

The worst 5 of 32 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	34	LEU	5.6
1	A	36	PHE	5.1
1	A	188	TYR	4.6
1	B	211	THR	4.3
1	A	72	SER	4.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.