



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:56 PM UTC

PDB ID : 8000 / pdb_00008000
Title : Glutamine synthetase from Methanothermococcus thermolithotrophicus in complex with 2-oxoglutarate and MgATP at 2.15 Å resolution
Authors : Mueller, M.-C.; Wagner, T.
Deposited on : 2023-04-05
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	448	94%5%
1	B	448	95%5%
1	C	448	95%.
1	D	448	% 93%6%
1	E	448	95%.

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	448	 95% .
1	G	448	 94% 6%
1	H	448	 94% 5%
1	I	448	 94% 5%
1	J	448	 96% .
1	K	448	 96% .
1	L	448	 94% 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PEG	K	501	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 46159 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamine synthetase from *Methanothermococcus thermolithotrophicus*.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	B	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	C	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	D	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	E	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	F	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	G	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	H	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	I	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	J	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	K	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			
1	L	447	Total	C	N	O	S	0	0	0
			3534	2264	587	667	16			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	F	1	Total	C	O	0	0
			4	2	2		
2	F	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	F	1	Total	C	O	0	0
			4	2	2		
2	F	1	Total	C	O	0	0
			4	2	2		
2	G	1	Total	C	O	0	0
			4	2	2		
2	H	1	Total	C	O	0	0
			4	2	2		
2	I	1	Total	C	O	0	0
			4	2	2		
2	I	1	Total	C	O	0	0
			4	2	2		
2	I	1	Total	C	O	0	0
			4	2	2		
2	J	1	Total	C	O	0	0
			4	2	2		
2	J	1	Total	C	O	0	0
			4	2	2		
2	L	1	Total	C	O	0	0
			4	2	2		
2	L	1	Total	C	O	0	0
			4	2	2		
2	L	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		
3	D	1	Total	C	O	0	0
			7	4	3		
3	D	1	Total	C	O	0	0
			7	4	3		
3	G	1	Total	C	O	0	0
			7	4	3		
3	G	1	Total	C	O	0	0
			6	4	2		
3	G	1	Total	C	O	0	0
			7	4	3		
3	G	1	Total	C	O	0	0
			7	4	3		
3	J	1	Total	C	O	0	0
			7	4	3		
3	K	1	Total	C	O	0	0
			7	4	3		


- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$)


(labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	E	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	F	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	G	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	H	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	I	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	J	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	K	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	L	1	Total	C	N	O	P	0	0
			31	10	5	13	3		


- Molecule 6 is 2-OXOGLUTARIC ACID (CCD ID: AKG) (formula: C₅H₆O₅) (labeled as

"Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	5	5		
6	B	1	Total	C	O	0	0
			10	5	5		
6	C	1	Total	C	O	0	0
			10	5	5		
6	D	1	Total	C	O	0	0
			10	5	5		
6	E	1	Total	C	O	0	0
			10	5	5		
6	F	1	Total	C	O	0	0
			10	5	5		
6	G	1	Total	C	O	0	0
			10	5	5		
6	H	1	Total	C	O	0	0
			10	5	5		
6	I	1	Total	C	O	0	0
			10	5	5		
6	J	1	Total	C	O	0	0
			10	5	5		
6	K	1	Total	C	O	0	0
			10	5	5		
6	L	1	Total	C	O	0	0
			10	5	5		

- Molecule 7 is METHOXY-ETHOXYL (CCD ID: MOE) (formula: C₃H₇O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			5	3	2		
7	F	1	Total	C	O	0	0
			5	3	2		

- Molecule 8 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	Mg	0	0
			1	1		
8	E	1	Total	Mg	0	0
			1	1		
8	K	1	Total	Mg	0	0
			1	1		

- Molecule 9 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			13	8	5		
9	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	249	Total	O	0	0
			249	249		
10	B	219	Total	O	0	0
			219	219		
10	C	257	Total	O	0	0
			257	257		
10	D	260	Total	O	0	0
			260	260		
10	E	242	Total	O	0	0
			242	242		
10	F	274	Total	O	0	0
			274	274		
10	G	265	Total	O	0	0
			265	265		
10	H	251	Total	O	0	0
			251	251		
10	I	250	Total	O	0	0
			250	250		
10	J	249	Total	O	0	0
			249	249		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	K	267	Total 267	O 267	0	0
10	L	258	Total 258	O 258	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain A: 




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain B: 





- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain C: 




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain D: 




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain E: 



- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain F:  95%




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain G:  94%




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain H:  94%




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain I:  94%




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain J:  96%



- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain K:  96%




- Molecule 1: Glutamine synthetase from *Methanothermococcus thermolithotrophicus*

Chain L:

94%

6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	112.34Å 131.77Å 131.51Å 60.04° 87.72° 67.34°	Depositor
Resolution (Å)	42.88 – 2.15 42.88 – 2.15	Depositor EDS
% Data completeness (in resolution range)	77.0 (42.88-2.15) 72.6 (42.88-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.14Å)	Xtriage
Refinement program	BUSTER 2.10.4 (21-NOV-2022)	Depositor
R, R_{free}	0.182 , 0.214 (Not available) , 0.177	Depositor DCC
R_{free} test set	12085 reflections (3.74%)	wwPDB-VP
Wilson B-factor (Å ²)	32.0	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.064 for -h,-k+l,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	46159	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, EDO, ATP, PG4, MOE, PEG, AKG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	0/3625	0.95	1/4910 (0.0%)
1	B	0.77	0/3625	0.96	3/4910 (0.1%)
1	C	0.76	0/3625	0.94	3/4910 (0.1%)
1	D	0.77	0/3625	0.95	2/4910 (0.0%)
1	E	0.76	0/3625	0.96	2/4910 (0.0%)
1	F	0.78	0/3625	0.97	3/4910 (0.1%)
1	G	0.77	0/3625	0.95	3/4910 (0.1%)
1	H	0.78	1/3625 (0.0%)	0.94	1/4910 (0.0%)
1	I	0.75	0/3625	0.95	3/4910 (0.1%)
1	J	0.79	0/3625	0.96	3/4910 (0.1%)
1	K	0.77	0/3625	0.97	5/4910 (0.1%)
1	L	0.79	0/3625	0.97	4/4910 (0.1%)
All	All	0.77	1/43500 (0.0%)	0.96	33/58920 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	223	ILE	CG1-CD1	-5.41	1.30	1.51

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	32	ASN	CA-CB-CG	8.13	120.73	112.60
1	F	32	ASN	CA-CB-CG	7.81	120.41	112.60
1	C	32	ASN	CA-CB-CG	7.65	120.25	112.60
1	H	32	ASN	CA-CB-CG	7.54	120.14	112.60
1	I	32	ASN	CA-CB-CG	7.52	120.12	112.60
1	G	32	ASN	CA-CB-CG	7.34	119.94	112.60
1	B	32	ASN	CA-CB-CG	7.28	119.88	112.60
1	L	32	ASN	CA-CB-CG	7.19	119.79	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	32	ASN	CA-CB-CG	6.67	119.27	112.60
1	E	32	ASN	CA-CB-CG	6.63	119.23	112.60
1	J	32	ASN	CA-CB-CG	6.19	118.79	112.60
1	A	374	GLU	CB-CG-CD	5.71	122.30	112.60
1	L	374	GLU	CB-CG-CD	5.66	122.22	112.60
1	D	374	GLU	CB-CG-CD	5.65	122.20	112.60
1	F	374	GLU	CB-CG-CD	5.60	122.11	112.60
1	C	374	GLU	CB-CG-CD	5.41	121.80	112.60
1	E	374	GLU	CB-CG-CD	5.35	121.70	112.60
1	J	374	GLU	CB-CG-CD	5.27	121.56	112.60
1	L	25	ASP	CA-CB-CG	5.22	117.82	112.60
1	K	374	GLU	CB-CG-CD	5.17	121.38	112.60
1	G	218	THR	CA-C-N	5.15	127.13	120.44
1	G	218	THR	C-N-CA	5.15	127.13	120.44
1	B	25	ASP	CA-CB-CG	5.13	117.73	112.60
1	F	303	ARG	N-CA-C	-5.12	105.88	112.68
1	J	302	LYS	N-CA-C	-5.12	107.09	113.38
1	K	303	ARG	N-CA-C	-5.10	105.89	112.68
1	L	303	ARG	N-CA-C	-5.08	105.92	112.68
1	I	302	LYS	N-CA-C	-5.08	107.25	113.50
1	B	302	LYS	N-CA-C	-5.05	107.29	113.50
1	C	302	LYS	N-CA-C	-5.03	107.31	113.50
1	K	320	ASN	CA-CB-CG	5.02	117.62	112.60
1	I	374	GLU	CB-CG-CD	5.01	121.11	112.60
1	K	195	VAL	N-CA-C	5.00	115.22	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3534	0	3458	14	0
1	B	3534	0	3458	13	0
1	C	3534	0	3458	12	0
1	D	3534	0	3458	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3534	0	3458	12	0
1	F	3534	0	3458	13	0
1	G	3534	0	3458	15	0
1	H	3534	0	3458	15	0
1	I	3534	0	3458	14	0
1	J	3534	0	3458	11	0
1	K	3534	0	3458	13	0
1	L	3534	0	3458	19	0
2	A	16	0	24	2	0
2	B	12	0	18	0	0
2	C	12	0	18	2	0
2	D	4	0	6	1	0
2	E	4	0	6	0	0
2	F	16	0	24	2	0
2	G	4	0	6	0	0
2	H	4	0	6	1	0
2	I	12	0	18	1	0
2	J	8	0	12	1	0
2	L	12	0	18	0	0
3	A	14	0	20	1	0
3	D	14	0	20	4	0
3	G	27	0	37	6	0
3	J	7	0	10	1	0
3	K	7	0	10	4	0
4	A	6	0	8	1	0
5	A	31	0	12	1	0
5	B	31	0	12	2	0
5	C	31	0	12	2	0
5	D	31	0	12	2	0
5	E	31	0	12	1	0
5	F	31	0	12	1	0
5	G	31	0	12	0	0
5	H	31	0	12	2	0
5	I	31	0	12	3	0
5	J	31	0	12	2	0
5	K	31	0	12	2	0
5	L	31	0	12	2	0
6	A	10	0	4	0	0
6	B	10	0	4	0	0
6	C	10	0	4	0	0
6	D	10	0	4	0	0
6	E	10	0	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	F	10	0	4	0	0
6	G	10	0	4	0	0
6	H	10	0	4	0	0
6	I	10	0	4	0	0
6	J	10	0	4	0	0
6	K	10	0	4	0	0
6	L	10	0	4	0	0
7	B	5	0	7	1	0
7	F	5	0	7	0	0
8	B	1	0	0	0	0
8	E	1	0	0	0	0
8	K	1	0	0	0	0
9	D	26	0	36	8	0
10	A	249	0	0	0	0
10	B	219	0	0	2	0
10	C	257	0	0	0	0
10	D	260	0	0	0	0
10	E	242	0	0	2	0
10	F	274	0	0	0	0
10	G	265	0	0	1	0
10	H	251	0	0	2	0
10	I	250	0	0	1	0
10	J	249	0	0	0	0
10	K	267	0	0	0	0
10	L	258	0	0	2	0
All	All	46159	0	41999	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2:SER:HB3	1:G:5:GLU:HB2	1.75	0.67
1:I:336:ARG:HD2	5:I:504:ATP:C5	2.34	0.63
1:D:336:ARG:HD2	5:D:506:ATP:C5	2.36	0.61
1:J:436:SER:HB2	3:J:801:PEG:H12	1.83	0.61
1:L:233:LYS:NZ	10:L:601:HOH:O	2.31	0.60
1:D:326:ARG:NH2	5:D:506:ATP:O1B	2.25	0.60
1:E:96:ARG:HD2	1:E:96:ARG:C	2.28	0.59
1:J:340:ARG:HH21	2:J:803:EDO:H12	1.67	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:137:GLU:OE2	5:F:506:ATP:O2G	2.22	0.58
3:G:603:PEG:H32	1:L:448:ILE:HG21	1.85	0.57
1:D:443:THR:HB	9:D:501:PG4:H32	1.85	0.57
1:B:337:ILE:HG13	1:B:337:ILE:O	2.04	0.57
1:D:154:ILE:HD12	3:D:504:PEG:H41	1.87	0.57
1:G:96:ARG:HD2	1:G:96:ARG:C	2.30	0.56
1:D:177:ILE:HG13	1:D:226:ILE:HG21	1.88	0.55
1:B:96:ARG:HD2	1:B:96:ARG:C	2.31	0.55
1:A:336:ARG:HD2	5:A:508:ATP:C5	2.42	0.55
2:A:501:EDO:H12	10:E:798:HOH:O	2.07	0.55
1:F:17:LYS:O	1:F:17:LYS:HD3	2.07	0.55
1:G:224:LYS:O	1:G:228:GLU:HG2	2.06	0.55
1:E:336:ARG:HD2	5:E:604:ATP:C5	2.41	0.54
1:C:337:ILE:O	1:C:337:ILE:HG13	2.06	0.54
3:G:603:PEG:H22	10:G:854:HOH:O	2.07	0.54
1:A:205:LYS:HD3	3:A:504:PEG:H32	1.90	0.54
1:G:17:LYS:O	1:G:17:LYS:HD3	2.08	0.54
1:D:443:THR:CG2	9:D:501:PG4:H32	2.38	0.53
1:H:135:GLY:HA3	5:H:603:ATP:H1'	1.89	0.53
1:E:182:GLU:HG2	10:E:791:HOH:O	2.09	0.53
1:K:212:THR:OG1	3:K:501:PEG:H41	2.08	0.53
1:D:17:LYS:O	1:D:17:LYS:HD3	2.08	0.53
1:L:21:PHE:CZ	1:L:50:VAL:HG12	2.44	0.53
1:L:17:LYS:HD3	1:L:17:LYS:O	2.09	0.52
1:K:47:LEU:HA	1:K:50:VAL:HG22	1.92	0.52
1:L:252:HIS:CE1	5:L:505:ATP:H5'1	2.44	0.51
1:J:17:LYS:O	1:J:17:LYS:HD3	2.11	0.51
1:C:17:LYS:O	1:C:17:LYS:HD3	2.10	0.51
1:K:96:ARG:HD2	1:K:96:ARG:C	2.36	0.50
1:C:336:ARG:HD2	5:C:604:ATP:C5	2.45	0.50
1:L:337:ILE:O	1:L:337:ILE:HG13	2.12	0.50
1:C:96:ARG:HD2	1:C:96:ARG:C	2.35	0.50
1:L:230:HIS:HD2	10:L:837:HOH:O	1.93	0.50
1:B:219:PHE:O	1:B:223:ILE:HD13	2.12	0.50
1:D:440:TRP:HA	9:D:501:PG4:H52	1.93	0.50
9:D:505:PG4:H11	1:J:396:ASN:HB3	1.93	0.50
1:C:206:PHE:HB3	5:C:604:ATP:H1'	1.93	0.49
1:H:96:ARG:HD2	1:H:96:ARG:C	2.38	0.49
1:L:252:HIS:HB3	1:L:336:ARG:HG3	1.94	0.49
1:A:49:ASP:OD1	1:A:53:ASN:ND2	2.46	0.49
1:K:10:TYR:C	1:K:10:TYR:CD1	2.91	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:137:GLU:OE2	5:K:504:ATP:O2G	2.31	0.49
1:D:158:ASP:OD1	3:D:504:PEG:H32	2.13	0.49
1:F:144:LYS:HZ3	2:F:503:EDO:H12	1.78	0.49
1:C:279:TYR:CE1	1:C:359:GLY:HA3	2.48	0.48
1:B:27:LEU:HB3	7:B:503:MOE:HD'2	1.96	0.48
1:G:331:ARG:HA	1:G:335:THR:OG1	2.14	0.48
1:H:336:ARG:HD2	5:H:603:ATP:C5	2.49	0.48
1:A:84:VAL:HG23	4:A:507:GOL:H11	1.95	0.48
1:B:336:ARG:HD2	5:B:506:ATP:C5	2.49	0.48
1:H:21:PHE:CZ	1:H:50:VAL:HG12	2.49	0.47
1:D:439:ASP:HB2	9:D:501:PG4:H81	1.95	0.47
1:E:17:LYS:O	1:E:17:LYS:HD3	2.14	0.47
1:J:206:PHE:HB3	5:J:805:ATP:H1'	1.97	0.47
1:E:10:TYR:C	1:E:10:TYR:CD1	2.91	0.47
1:E:224:LYS:O	1:E:228:GLU:HG2	2.15	0.47
1:G:21:PHE:CZ	1:G:50:VAL:HG12	2.49	0.47
1:G:175:ARG:HH21	3:G:601:PEG:H12	1.80	0.47
1:K:207:ASP:HB2	3:K:501:PEG:C4	2.45	0.47
1:D:219:PHE:O	1:D:223:ILE:HD13	2.14	0.47
1:F:252:HIS:HB3	1:F:336:ARG:HG3	1.97	0.47
1:D:224:LYS:O	1:D:228:GLU:HG2	2.15	0.47
1:H:303:ARG:HE	2:H:601:EDO:H21	1.79	0.46
1:K:206:PHE:HB3	5:K:504:ATP:H1'	1.97	0.46
1:B:256:TRP:HH2	1:B:333:LYS:HG2	1.81	0.46
1:A:224:LYS:O	1:A:228:GLU:HG2	2.15	0.46
1:F:224:LYS:O	1:F:228:GLU:HG2	2.16	0.46
1:J:336:ARG:HD2	5:J:805:ATP:C5	2.51	0.46
1:C:21:PHE:CZ	1:C:50:VAL:HG12	2.50	0.46
1:D:10:TYR:CD1	1:D:10:TYR:C	2.95	0.45
1:D:221:THR:O	1:D:225:THR:HG23	2.16	0.45
1:F:68:ILE:O	1:F:71:SER:OG	2.28	0.45
3:D:503:PEG:H11	3:D:503:PEG:H32	1.50	0.45
1:D:49:ASP:OD1	1:D:53:ASN:ND2	2.50	0.45
1:G:2:SER:O	1:G:6:GLN:HG3	2.16	0.45
1:I:320:ASN:HB2	10:I:642:HOH:O	2.17	0.45
1:F:21:PHE:CZ	1:F:50:VAL:HG12	2.51	0.45
1:A:440:TRP:HA	2:A:501:EDO:H22	1.99	0.45
1:D:329:ALA:HB1	1:F:104:THR:HG21	1.99	0.45
1:G:176:ASP:OD1	3:G:601:PEG:H32	2.17	0.45
1:I:96:ARG:HD2	1:I:96:ARG:C	2.41	0.45
1:J:331:ARG:HA	1:J:335:THR:OG1	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:TYR:C	1:A:10:TYR:CD1	2.95	0.45
1:A:221:THR:O	1:A:225:THR:HG23	2.16	0.44
1:K:17:LYS:NZ	1:L:182:GLU:OE2	2.50	0.44
9:D:501:PG4:H41	9:D:501:PG4:H22	1.78	0.44
1:L:49:ASP:OD1	1:L:53:ASN:ND2	2.51	0.44
1:E:49:ASP:OD1	1:E:53:ASN:ND2	2.49	0.44
1:H:74:MET:HE1	10:H:738:HOH:O	2.17	0.44
1:I:49:ASP:OD1	1:I:53:ASN:ND2	2.50	0.44
1:I:21:PHE:CZ	1:I:50:VAL:HG12	2.52	0.44
1:I:221:THR:O	1:I:225:THR:HG23	2.18	0.43
1:F:221:THR:O	1:F:225:THR:HG23	2.18	0.43
1:L:96:ARG:HD2	1:L:96:ARG:C	2.42	0.43
1:A:331:ARG:HA	1:A:335:THR:OG1	2.17	0.43
1:E:331:ARG:HA	1:E:335:THR:OG1	2.18	0.43
1:I:135:GLY:HA3	5:I:504:ATP:H1'	2.00	0.43
1:J:224:LYS:O	1:J:228:GLU:HG2	2.19	0.43
1:B:255:ILE:HG12	1:B:263:PHE:CE1	2.54	0.43
1:A:96:ARG:HD2	1:A:96:ARG:C	2.43	0.43
1:B:40:GLY:O	1:B:44:ILE:HG12	2.19	0.43
1:H:219:PHE:O	1:H:223:ILE:HD13	2.18	0.43
1:K:207:ASP:HB2	3:K:501:PEG:H42	2.01	0.43
1:H:262:SER:O	1:H:273:SER:OG	2.30	0.43
1:B:97:VAL:HG13	1:B:97:VAL:O	2.17	0.43
1:I:3:THR:HG22	1:I:6:GLN:OE1	2.18	0.43
1:E:17:LYS:NZ	1:G:182:GLU:OE2	2.52	0.43
1:B:10:TYR:CD1	1:B:10:TYR:C	2.97	0.43
1:G:49:ASP:OD1	1:G:53:ASN:ND2	2.52	0.43
1:I:255:ILE:HG12	1:I:263:PHE:CE1	2.54	0.43
1:D:157:ASP:HA	3:D:504:PEG:H12	2.00	0.42
1:F:144:LYS:NZ	2:F:503:EDO:H12	2.33	0.42
1:G:429:GLU:HG3	3:G:602:PEG:H22	2.00	0.42
1:J:49:ASP:OD1	1:J:53:ASN:ND2	2.52	0.42
1:J:255:ILE:HG12	1:J:263:PHE:CE1	2.54	0.42
1:C:395:ALA:CB	2:C:603:EDO:H11	2.48	0.42
1:D:255:ILE:HG12	1:D:263:PHE:CE1	2.54	0.42
1:A:337:ILE:O	1:A:337:ILE:HG13	2.20	0.42
1:D:96:ARG:HD2	1:D:96:ARG:C	2.44	0.42
1:H:49:ASP:OD1	1:H:53:ASN:ND2	2.52	0.42
1:H:224:LYS:O	1:H:228:GLU:HG2	2.19	0.42
1:A:329:ALA:HB1	1:L:104:THR:HG21	2.01	0.42
1:D:436:SER:HB2	2:D:502:EDO:H11	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:10:TYR:CD1	1:C:10:TYR:C	2.98	0.42
1:F:170:ALA:N	1:F:171:PRO:HD3	2.34	0.42
1:G:219:PHE:O	1:G:223:ILE:HD13	2.19	0.42
1:G:255:ILE:HG12	1:G:263:PHE:CE1	2.55	0.42
2:C:603:EDO:H12	1:F:434:ARG:HD2	2.02	0.41
1:I:224:LYS:O	1:I:228:GLU:HG2	2.19	0.41
1:L:221:THR:O	1:L:225:THR:HG23	2.20	0.41
1:C:221:THR:O	1:C:225:THR:HG23	2.19	0.41
1:D:443:THR:CB	9:D:501:PG4:H32	2.49	0.41
1:E:255:ILE:HG12	1:E:263:PHE:CE1	2.56	0.41
1:H:447:LYS:NZ	10:H:709:HOH:O	2.53	0.41
1:B:49:ASP:OD1	1:B:53:ASN:ND2	2.54	0.41
1:L:255:ILE:HG12	1:L:263:PHE:CE1	2.54	0.41
1:C:255:ILE:HG12	1:C:263:PHE:CE1	2.55	0.41
1:L:336:ARG:HD2	5:L:505:ATP:C5	2.54	0.41
1:D:301:TYR:HB2	9:D:505:PG4:C8	2.51	0.41
1:K:17:LYS:O	1:K:17:LYS:HD3	2.20	0.41
1:A:255:ILE:HG12	1:A:263:PHE:CE1	2.55	0.41
10:B:676:HOH:O	1:H:38:LYS:HE3	2.20	0.41
1:I:365:ASN:HB2	1:I:367:LEU:HD13	2.03	0.41
1:K:47:LEU:HA	1:K:50:VAL:CG2	2.50	0.41
1:C:49:ASP:OD1	1:C:53:ASN:ND2	2.52	0.41
1:E:221:THR:O	1:E:225:THR:HG23	2.20	0.41
1:G:221:THR:O	1:G:225:THR:HG23	2.21	0.41
1:K:207:ASP:CB	3:K:501:PEG:H41	2.51	0.41
1:E:47:LEU:HA	1:E:50:VAL:HG22	2.02	0.41
1:H:10:TYR:CD1	1:H:10:TYR:C	2.99	0.41
1:I:10:TYR:C	1:I:10:TYR:CD1	2.99	0.41
1:I:436:SER:HB2	2:I:501:EDO:H12	2.03	0.41
1:J:96:ARG:HD2	1:J:96:ARG:C	2.46	0.41
1:L:219:PHE:O	1:L:223:ILE:HD13	2.21	0.41
1:B:447:LYS:NZ	10:B:609:HOH:O	2.48	0.41
1:H:221:THR:O	1:H:225:THR:HG23	2.21	0.41
1:I:206:PHE:HB3	5:I:504:ATP:H1'	2.03	0.41
3:G:604:PEG:H31	1:L:433:PHE:HE2	1.85	0.40
1:L:219:PHE:O	1:L:223:ILE:CD1	2.69	0.40
1:L:228:GLU:OE2	1:L:228:GLU:HA	2.21	0.40
1:H:255:ILE:HG12	1:H:263:PHE:CE1	2.56	0.40
1:A:149:ASN:OD1	1:A:151:HIS:HB2	2.21	0.40
1:B:206:PHE:HB3	5:B:506:ATP:H1'	2.03	0.40
1:F:96:ARG:HD2	1:F:96:ARG:C	2.47	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:255:ILE:HG12	1:K:263:PHE:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	B	445/448 (99%)	437 (98%)	7 (2%)	1 (0%)	43	42
1	C	445/448 (99%)	437 (98%)	7 (2%)	1 (0%)	43	42
1	D	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	E	445/448 (99%)	435 (98%)	9 (2%)	1 (0%)	43	42
1	F	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	G	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	H	445/448 (99%)	435 (98%)	9 (2%)	1 (0%)	43	42
1	I	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	J	445/448 (99%)	436 (98%)	8 (2%)	1 (0%)	43	42
1	K	445/448 (99%)	434 (98%)	10 (2%)	1 (0%)	43	42
1	L	445/448 (99%)	435 (98%)	9 (2%)	1 (0%)	43	42
All	All	5340/5376 (99%)	5229 (98%)	99 (2%)	12 (0%)	43	42

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	170	ALA
1	E	170	ALA
1	H	170	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	170	ALA
1	C	170	ALA
1	D	170	ALA
1	F	170	ALA
1	G	170	ALA
1	I	170	ALA
1	J	170	ALA
1	K	170	ALA
1	L	170	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/383 (100%)	379 (99%)	3 (1%)	73	79
1	B	382/383 (100%)	380 (100%)	2 (0%)	81	86
1	C	382/383 (100%)	381 (100%)	1 (0%)	86	90
1	D	382/383 (100%)	380 (100%)	2 (0%)	81	86
1	E	382/383 (100%)	380 (100%)	2 (0%)	81	86
1	F	382/383 (100%)	380 (100%)	2 (0%)	81	86
1	G	382/383 (100%)	381 (100%)	1 (0%)	86	90
1	H	382/383 (100%)	381 (100%)	1 (0%)	86	90
1	I	382/383 (100%)	381 (100%)	1 (0%)	86	90
1	J	382/383 (100%)	381 (100%)	1 (0%)	86	90
1	K	382/383 (100%)	380 (100%)	2 (0%)	81	86
1	L	382/383 (100%)	381 (100%)	1 (0%)	86	90
All	All	4584/4596 (100%)	4565 (100%)	19 (0%)	84	88

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	VAL
1	A	337	ILE
1	B	17	LYS
1	B	32	ASN
1	C	32	ASN
1	D	32	ASN
1	D	90	SER
1	E	32	ASN
1	E	337	ILE
1	F	32	ASN
1	F	337	ILE
1	G	32	ASN
1	H	32	ASN
1	I	32	ASN
1	J	32	ASN
1	K	32	ASN
1	K	223	ILE
1	L	32	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	313	ASN
1	A	406	ASN
1	B	6	GLN
1	B	318	ASN
1	B	406	ASN
1	C	6	GLN
1	C	14	ASN
1	C	406	ASN
1	D	6	GLN
1	D	14	ASN
1	D	406	ASN
1	E	6	GLN
1	E	295	ASN
1	E	406	ASN
1	F	15	ASN
1	F	295	ASN
1	F	406	ASN
1	G	313	ASN
1	G	406	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	406	ASN
1	I	14	ASN
1	I	313	ASN
1	I	406	ASN
1	J	295	ASN
1	J	406	ASN
1	K	295	ASN
1	K	406	ASN
1	L	295	ASN
1	L	313	ASN
1	L	406	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 68 ligands modelled in this entry, 3 are monoatomic - leaving 65 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	AKG	K	503	-	9,9,9	1.81	1 (11%)	11,11,11	1.66	3 (27%)
6	AKG	D	507	-	9,9,9	1.75	1 (11%)	11,11,11	1.59	3 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	C	601	-	3,3,3	0.17	0	2,2,2	0.16	0
3	PEG	G	602	-	5,5,6	0.20	0	4,4,5	0.10	0
5	ATP	J	805	-	32,33,33	1.34	5 (15%)	48,52,52	1.74	11 (22%)
2	EDO	L	503	-	3,3,3	0.16	0	2,2,2	0.23	0
2	EDO	L	501	-	3,3,3	0.17	0	2,2,2	0.23	0
5	ATP	E	604	8	32,33,33	1.30	5 (15%)	48,52,52	1.75	10 (20%)
3	PEG	D	503	-	6,6,6	0.11	0	5,5,5	0.09	0
3	PEG	G	603	-	6,6,6	0.12	0	5,5,5	0.07	0
3	PEG	D	504	-	6,6,6	0.11	0	5,5,5	0.07	0
2	EDO	B	502	-	3,3,3	0.20	0	2,2,2	0.22	0
3	PEG	G	601	-	6,6,6	0.12	0	5,5,5	0.09	0
5	ATP	C	604	-	32,33,33	1.26	4 (12%)	48,52,52	1.70	9 (18%)
2	EDO	L	502	-	3,3,3	0.14	0	2,2,2	0.24	0
6	AKG	F	505	-	9,9,9	1.89	2 (22%)	11,11,11	1.12	0
5	ATP	F	506	-	32,33,33	1.31	5 (15%)	48,52,52	1.73	10 (20%)
2	EDO	F	504	-	3,3,3	0.16	0	2,2,2	0.23	0
5	ATP	L	505	-	32,33,33	1.34	5 (15%)	48,52,52	1.70	11 (22%)
6	AKG	C	605	-	9,9,9	2.22	2 (22%)	11,11,11	1.29	2 (18%)
6	AKG	G	606	-	9,9,9	1.69	1 (11%)	11,11,11	1.73	3 (27%)
6	AKG	E	603	-	9,9,9	2.29	2 (22%)	11,11,11	1.37	1 (9%)
2	EDO	I	502	-	3,3,3	0.14	0	2,2,2	0.22	0
2	EDO	C	603	-	3,3,3	0.16	0	2,2,2	0.23	0
2	EDO	B	501	-	3,3,3	0.37	0	2,2,2	0.38	0
2	EDO	B	504	-	3,3,3	0.16	0	2,2,2	0.23	0
2	EDO	A	506	-	3,3,3	0.16	0	2,2,2	0.18	0
2	EDO	F	502	-	3,3,3	0.66	0	2,2,2	0.31	0
2	EDO	I	505	-	3,3,3	0.72	0	2,2,2	0.28	0
7	MOE	B	503	-	4,4,4	0.21	0	3,3,3	0.18	0
2	EDO	J	803	-	3,3,3	0.16	0	2,2,2	0.23	0
3	PEG	J	801	-	6,6,6	0.13	0	5,5,5	0.25	0
9	PG4	D	501	-	12,12,12	0.15	0	11,11,11	0.16	0
5	ATP	B	506	-	32,33,33	1.32	5 (15%)	48,52,52	1.69	9 (18%)
6	AKG	J	804	-	9,9,9	1.81	1 (11%)	11,11,11	1.45	1 (9%)
2	EDO	J	802	-	3,3,3	0.16	0	2,2,2	0.23	0
3	PEG	A	502	-	6,6,6	0.08	0	5,5,5	0.06	0
2	EDO	D	502	-	3,3,3	0.16	0	2,2,2	0.23	0
2	EDO	G	605	-	3,3,3	0.17	0	2,2,2	0.36	0
2	EDO	C	602	-	3,3,3	0.17	0	2,2,2	0.32	0
5	ATP	K	504	8	32,33,33	1.31	5 (15%)	48,52,52	1.71	9 (18%)
6	AKG	H	602	-	9,9,9	1.86	2 (22%)	11,11,11	1.61	3 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	F	503	-	3,3,3	0.15	0	2,2,2	0.24	0
2	EDO	F	501	-	3,3,3	0.63	0	2,2,2	0.13	0
5	ATP	I	504	-	32,33,33	1.33	5 (15%)	48,52,52	1.69	9 (18%)
5	ATP	D	506	-	32,33,33	1.33	5 (15%)	48,52,52	1.71	10 (20%)
3	PEG	K	501	-	6,6,6	0.11	0	5,5,5	0.08	0
2	EDO	A	501	-	3,3,3	0.33	0	2,2,2	0.10	0
2	EDO	I	501	-	3,3,3	0.15	0	2,2,2	0.21	0
2	EDO	A	505	-	3,3,3	0.13	0	2,2,2	0.22	0
3	PEG	G	604	-	6,6,6	0.14	0	5,5,5	0.12	0
2	EDO	H	601	-	3,3,3	0.16	0	2,2,2	0.23	0
4	GOL	A	507	-	5,5,5	0.08	0	5,5,5	0.33	0
2	EDO	A	503	-	3,3,3	0.15	0	2,2,2	0.22	0
5	ATP	G	607	-	32,33,33	1.33	5 (15%)	48,52,52	1.71	10 (20%)
2	EDO	E	601	-	3,3,3	0.14	0	2,2,2	0.23	0
6	AKG	A	509	-	9,9,9	1.93	1 (11%)	11,11,11	1.95	2 (18%)
7	MOE	F	507	-	4,4,4	0.20	0	3,3,3	0.21	0
6	AKG	I	503	-	9,9,9	1.73	1 (11%)	11,11,11	1.13	1 (9%)
6	AKG	B	507	-	9,9,9	1.57	1 (11%)	11,11,11	1.51	2 (18%)
9	PG4	D	505	-	12,12,12	0.15	0	11,11,11	0.17	0
6	AKG	L	504	-	9,9,9	1.64	1 (11%)	11,11,11	1.52	1 (9%)
5	ATP	H	603	-	32,33,33	1.33	5 (15%)	48,52,52	1.70	10 (20%)
5	ATP	A	508	-	32,33,33	1.34	5 (15%)	48,52,52	1.74	10 (20%)
3	PEG	A	504	-	6,6,6	0.11	0	5,5,5	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	AKG	K	503	-	-	1/9/9/9	-
6	AKG	D	507	-	-	4/9/9/9	-
2	EDO	C	601	-	-	1/1/1/1	-
3	PEG	G	602	-	-	1/3/3/4	-
5	ATP	J	805	-	-	3/22/38/38	0/3/3/3
2	EDO	L	503	-	-	1/1/1/1	-
2	EDO	L	501	-	-	1/1/1/1	-
5	ATP	E	604	8	-	3/22/38/38	0/3/3/3
3	PEG	D	503	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	G	603	-	-	4/4/4/4	-
3	PEG	D	504	-	-	4/4/4/4	-
2	EDO	B	502	-	-	1/1/1/1	-
3	PEG	G	601	-	-	3/4/4/4	-
5	ATP	C	604	-	-	6/22/38/38	0/3/3/3
2	EDO	L	502	-	-	0/1/1/1	-
6	AKG	F	505	-	-	3/9/9/9	-
5	ATP	F	506	-	-	6/22/38/38	0/3/3/3
2	EDO	F	504	-	-	0/1/1/1	-
5	ATP	L	505	-	-	3/22/38/38	0/3/3/3
6	AKG	C	605	-	-	4/9/9/9	-
6	AKG	G	606	-	-	4/9/9/9	-
6	AKG	E	603	-	-	4/9/9/9	-
2	EDO	I	502	-	-	1/1/1/1	-
2	EDO	C	603	-	-	1/1/1/1	-
2	EDO	B	501	-	-	0/1/1/1	-
2	EDO	B	504	-	-	1/1/1/1	-
2	EDO	A	506	-	-	1/1/1/1	-
2	EDO	F	502	-	-	1/1/1/1	-
2	EDO	I	505	-	-	1/1/1/1	-
7	MOE	B	503	-	-	2/2/2/2	-
2	EDO	J	803	-	-	0/1/1/1	-
3	PEG	J	801	-	-	2/4/4/4	-
9	PG4	D	501	-	-	5/10/10/10	-
5	ATP	B	506	-	-	2/22/38/38	0/3/3/3
6	AKG	J	804	-	-	1/9/9/9	-
2	EDO	J	802	-	-	1/1/1/1	-
3	PEG	A	502	-	-	2/4/4/4	-
2	EDO	D	502	-	-	1/1/1/1	-
2	EDO	G	605	-	-	0/1/1/1	-
2	EDO	C	602	-	-	0/1/1/1	-
5	ATP	K	504	8	-	5/22/38/38	0/3/3/3
6	AKG	H	602	-	-	4/9/9/9	-
2	EDO	F	503	-	-	0/1/1/1	-
2	EDO	F	501	-	-	0/1/1/1	-
5	ATP	I	504	-	-	4/22/38/38	0/3/3/3
5	ATP	D	506	-	-	7/22/38/38	0/3/3/3
3	PEG	K	501	-	-	3/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	501	-	-	1/1/1/1	-
2	EDO	I	501	-	-	1/1/1/1	-
2	EDO	A	505	-	-	0/1/1/1	-
3	PEG	G	604	-	-	3/4/4/4	-
2	EDO	H	601	-	-	0/1/1/1	-
4	GOL	A	507	-	-	1/4/4/4	-
2	EDO	A	503	-	-	1/1/1/1	-
5	ATP	G	607	-	-	10/22/38/38	0/3/3/3
2	EDO	E	601	-	-	1/1/1/1	-
6	AKG	A	509	-	-	3/9/9/9	-
7	MOE	F	507	-	-	2/2/2/2	-
6	AKG	I	503	-	-	4/9/9/9	-
6	AKG	B	507	-	-	1/9/9/9	-
9	PG4	D	505	-	-	8/10/10/10	-
6	AKG	L	504	-	-	2/9/9/9	-
5	ATP	H	603	-	-	6/22/38/38	0/3/3/3
5	ATP	A	508	-	-	2/22/38/38	0/3/3/3
3	PEG	A	504	-	-	2/4/4/4	-

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	603	AKG	C2-C1	-6.00	1.44	1.53
6	C	605	AKG	C2-C1	-5.73	1.44	1.53
6	K	503	AKG	C2-C1	-4.70	1.46	1.53
6	A	509	AKG	C2-C1	-4.62	1.46	1.53
6	F	505	AKG	C2-C1	-4.56	1.46	1.53
6	J	804	AKG	C2-C1	-4.55	1.46	1.53
5	A	508	ATP	C5-C4	4.52	1.47	1.39
5	B	506	ATP	C5-C4	4.52	1.47	1.39
5	D	506	ATP	C5-C4	4.50	1.47	1.39
5	L	505	ATP	C5-C4	4.49	1.47	1.39
5	H	603	ATP	C5-C4	4.47	1.47	1.39
5	I	504	ATP	C5-C4	4.46	1.47	1.39
6	H	602	AKG	C2-C1	-4.43	1.46	1.53
5	F	506	ATP	C5-C4	4.41	1.47	1.39
5	J	805	ATP	C5-C4	4.39	1.46	1.39
5	C	604	ATP	C5-C4	4.31	1.46	1.39
5	G	607	ATP	C5-C4	4.25	1.46	1.39
5	K	504	ATP	C5-C4	4.23	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	606	AKG	C2-C1	-4.22	1.47	1.53
6	D	507	AKG	C2-C1	-4.16	1.47	1.53
5	E	604	ATP	C5-C4	4.15	1.46	1.39
6	B	507	AKG	C2-C1	-3.85	1.47	1.53
6	I	503	AKG	C2-C1	-3.84	1.47	1.53
6	L	504	AKG	C2-C1	-3.56	1.48	1.53
5	A	508	ATP	C5-C6	2.75	1.48	1.41
5	G	607	ATP	C5-C6	2.71	1.48	1.41
5	L	505	ATP	C5-C6	2.66	1.48	1.41
5	H	603	ATP	C5-C6	2.65	1.48	1.41
5	F	506	ATP	C5-C6	2.63	1.48	1.41
5	J	805	ATP	C5-C6	2.63	1.48	1.41
5	I	504	ATP	C5-C6	2.62	1.48	1.41
5	D	506	ATP	C5-C6	2.62	1.48	1.41
5	B	506	ATP	C5-C6	2.61	1.48	1.41
5	E	604	ATP	C5-C6	2.59	1.48	1.41
5	K	504	ATP	C5-C6	2.59	1.48	1.41
5	C	604	ATP	C5-C6	2.55	1.48	1.41
5	H	603	ATP	C5-N7	-2.45	1.34	1.39
5	J	805	ATP	C5-N7	-2.43	1.34	1.39
5	G	607	ATP	C5-N7	-2.42	1.34	1.39
5	I	504	ATP	C5-N7	-2.41	1.34	1.39
5	D	506	ATP	C5-N7	-2.40	1.34	1.39
5	F	506	ATP	C5-N7	-2.39	1.34	1.39
5	L	505	ATP	C5-N7	-2.39	1.34	1.39
6	H	602	AKG	O2-C1	-2.35	1.24	1.30
5	A	508	ATP	C5-N7	-2.35	1.34	1.39
5	B	506	ATP	C5-N7	-2.35	1.34	1.39
5	K	504	ATP	C5-N7	-2.34	1.34	1.39
5	C	604	ATP	C5-N7	-2.31	1.34	1.39
5	B	506	ATP	C4-N9	-2.25	1.33	1.37
6	E	603	AKG	O2-C1	-2.24	1.24	1.30
5	L	505	ATP	C8-N7	2.24	1.36	1.31
5	E	604	ATP	C4-N9	-2.24	1.33	1.37
5	E	604	ATP	C5-N7	-2.23	1.35	1.39
5	A	508	ATP	C8-N7	2.23	1.36	1.31
5	K	504	ATP	C8-N7	2.23	1.36	1.31
5	H	603	ATP	C8-N7	2.23	1.36	1.31
5	L	505	ATP	C4-N9	-2.21	1.33	1.37
5	K	504	ATP	C4-N9	-2.19	1.33	1.37
5	F	506	ATP	C8-N7	2.19	1.35	1.31
5	D	506	ATP	C4-N9	-2.16	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	506	ATP	C8-N7	2.16	1.35	1.31
5	I	504	ATP	C4-N9	-2.13	1.33	1.37
5	G	607	ATP	C8-N7	2.13	1.35	1.31
5	J	805	ATP	C8-N7	2.13	1.35	1.31
5	E	604	ATP	C8-N7	2.11	1.35	1.31
5	D	506	ATP	C8-N7	2.09	1.35	1.31
5	A	508	ATP	C4-N9	-2.09	1.33	1.37
5	F	506	ATP	C4-N9	-2.08	1.33	1.37
5	C	604	ATP	C4-N9	-2.08	1.33	1.37
5	J	805	ATP	C4-N9	-2.07	1.33	1.37
6	C	605	AKG	O2-C1	-2.07	1.24	1.30
6	F	505	AKG	O4-C5	-2.07	1.24	1.30
5	I	504	ATP	C8-N7	2.04	1.35	1.31
5	G	607	ATP	C4-N9	-2.03	1.33	1.37
5	H	603	ATP	C4-N9	-2.03	1.33	1.37

All (140) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	508	ATP	C5-C4-N3	-5.70	118.87	126.72
5	F	506	ATP	C5-C4-N3	-5.69	118.88	126.72
5	C	604	ATP	C5-C4-N3	-5.67	118.91	126.72
5	H	603	ATP	C5-C4-N3	-5.62	118.97	126.72
5	G	607	ATP	C5-C4-N3	-5.55	119.08	126.72
5	I	504	ATP	C5-C4-N3	-5.54	119.09	126.72
5	D	506	ATP	C5-C4-N3	-5.52	119.12	126.72
5	J	805	ATP	C5-C4-N3	-5.49	119.15	126.72
5	B	506	ATP	C5-C4-N3	-5.45	119.21	126.72
5	E	604	ATP	C5-C4-N3	-5.41	119.27	126.72
5	K	504	ATP	C5-C4-N3	-5.30	119.42	126.72
5	L	505	ATP	C5-C4-N3	-5.26	119.48	126.72
6	A	509	AKG	C3-C2-C1	4.56	123.60	115.86
5	H	603	ATP	N3-C4-N9	4.45	134.73	127.17
5	I	504	ATP	N3-C4-N9	4.44	134.72	127.17
5	C	604	ATP	N3-C4-N9	4.43	134.71	127.17
5	A	508	ATP	N3-C4-N9	4.43	134.70	127.17
5	F	506	ATP	N3-C4-N9	4.40	134.65	127.17
5	D	506	ATP	N3-C4-N9	4.35	134.57	127.17
5	E	604	ATP	N3-C4-N9	4.33	134.53	127.17
5	J	805	ATP	N3-C4-N9	4.31	134.49	127.17
5	G	607	ATP	N3-C4-N9	4.29	134.47	127.17
5	K	504	ATP	N3-C4-N9	4.17	134.26	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	506	ATP	N3-C4-N9	4.16	134.23	127.17
5	L	505	ATP	N3-C4-N9	4.10	134.14	127.17
5	G	607	ATP	C4-C5-N7	-3.80	106.24	110.58
5	C	604	ATP	C2-N3-C4	3.72	120.93	111.83
5	A	508	ATP	C4-C5-N7	-3.72	106.33	110.58
5	E	604	ATP	C2-N3-C4	3.70	120.87	111.83
5	F	506	ATP	C2-N3-C4	3.69	120.84	111.83
5	J	805	ATP	C4-C5-N7	-3.69	106.36	110.58
5	H	603	ATP	C2-N3-C4	3.67	120.81	111.83
5	K	504	ATP	C2-N3-C4	3.66	120.78	111.83
5	G	607	ATP	C2-N3-C4	3.66	120.76	111.83
5	B	506	ATP	C4-C5-N7	-3.65	106.40	110.58
5	J	805	ATP	C2-N3-C4	3.65	120.74	111.83
5	F	506	ATP	C4-C5-N7	-3.64	106.42	110.58
5	A	508	ATP	C2-N3-C4	3.63	120.69	111.83
5	C	604	ATP	C4-C5-N7	-3.63	106.44	110.58
5	D	506	ATP	C4-C5-N7	-3.61	106.45	110.58
5	L	505	ATP	C4-C5-N7	-3.58	106.49	110.58
5	B	506	ATP	C2-N3-C4	3.57	120.55	111.83
5	I	504	ATP	C2-N3-C4	3.56	120.53	111.83
5	E	604	ATP	C4-C5-N7	-3.53	106.54	110.58
6	L	504	AKG	C3-C2-C1	3.51	121.83	115.86
5	L	505	ATP	C2-N3-C4	3.51	120.40	111.83
5	E	604	ATP	N3-C2-N1	-3.50	123.29	128.58
5	K	504	ATP	C4-C5-N7	-3.49	106.59	110.58
5	D	506	ATP	C2-N3-C4	3.49	120.36	111.83
6	B	507	AKG	O1-C1-C2	-3.47	117.49	121.81
5	K	504	ATP	N3-C2-N1	-3.47	123.33	128.58
5	H	603	ATP	C4-C5-N7	-3.40	106.69	110.58
5	I	504	ATP	C4-C5-N7	-3.39	106.70	110.58
5	J	805	ATP	N3-C2-N1	-3.38	123.47	128.58
6	K	503	AKG	C3-C2-C1	3.35	121.54	115.86
5	H	603	ATP	N3-C2-N1	-3.34	123.53	128.58
5	C	604	ATP	N3-C2-N1	-3.33	123.54	128.58
5	G	607	ATP	N3-C2-N1	-3.29	123.60	128.58
5	E	604	ATP	C4-N9-C8	3.28	109.18	105.74
5	A	508	ATP	O4'-C1'-N9	3.28	114.38	108.09
5	L	505	ATP	N3-C2-N1	-3.27	123.63	128.58
5	F	506	ATP	N3-C2-N1	-3.27	123.63	128.58
6	G	606	AKG	O1-C1-C2	-3.23	117.80	121.81
5	I	504	ATP	N3-C2-N1	-3.20	123.74	128.58
5	B	506	ATP	N3-C2-N1	-3.19	123.75	128.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	508	ATP	N3-C2-N1	-3.11	123.88	128.58
5	D	506	ATP	N3-C2-N1	-3.08	123.92	128.58
5	B	506	ATP	O4'-C1'-N9	3.07	113.98	108.09
5	K	504	ATP	C4-N9-C8	3.02	108.91	105.74
5	I	504	ATP	O4'-C1'-N9	3.01	113.88	108.09
5	L	505	ATP	O4'-C1'-N9	2.97	113.80	108.09
5	F	506	ATP	O4'-C1'-N9	2.91	113.67	108.09
5	G	607	ATP	C4-N9-C8	2.87	108.75	105.74
5	L	505	ATP	C4-N9-C8	2.87	108.75	105.74
5	J	805	ATP	C4-N9-C8	2.84	108.72	105.74
6	H	602	AKG	C3-C2-C1	2.84	120.68	115.86
5	G	607	ATP	C5-N7-C8	2.83	107.89	103.45
5	D	506	ATP	C4-N9-C8	2.82	108.70	105.74
5	D	506	ATP	O4'-C1'-N9	2.82	113.50	108.09
6	G	606	AKG	O2-C1-C2	2.82	121.40	113.59
6	K	503	AKG	O1-C1-C2	-2.81	118.32	121.81
5	A	508	ATP	C4-N9-C8	2.80	108.68	105.74
5	H	603	ATP	O4'-C1'-N9	2.79	113.45	108.09
6	H	602	AKG	O1-C1-C2	-2.78	118.35	121.81
6	J	804	AKG	C3-C2-C1	2.77	120.57	115.86
5	J	805	ATP	O4'-C1'-N9	2.74	113.36	108.09
5	I	504	ATP	C4-N9-C8	2.74	108.61	105.74
5	C	604	ATP	C4-N9-C8	2.73	108.61	105.74
6	H	602	AKG	O2-C1-C2	2.71	121.10	113.59
5	F	506	ATP	C4-N9-C8	2.70	108.58	105.74
6	D	507	AKG	O2-C1-C2	2.69	121.03	113.59
5	J	805	ATP	C5-N7-C8	2.68	107.66	103.45
5	H	603	ATP	C4-N9-C8	2.67	108.55	105.74
5	E	604	ATP	C5-N7-C8	2.67	107.64	103.45
6	G	606	AKG	C3-C2-C1	2.65	120.35	115.86
5	A	508	ATP	C5-N7-C8	2.64	107.59	103.45
5	F	506	ATP	C5-N7-C8	2.62	107.57	103.45
5	C	604	ATP	C5-N7-C8	2.62	107.57	103.45
5	B	506	ATP	C4-N9-C8	2.62	108.48	105.74
6	B	507	AKG	O2-C1-C2	2.60	120.81	113.59
5	D	506	ATP	C5-N7-C8	2.59	107.52	103.45
5	L	505	ATP	C5-N7-C8	2.57	107.49	103.45
5	K	504	ATP	C5-N7-C8	2.56	107.48	103.45
5	B	506	ATP	C5-N7-C8	2.49	107.37	103.45
5	H	603	ATP	C5-N7-C8	2.49	107.37	103.45
6	D	507	AKG	O1-C1-C2	-2.48	118.72	121.81
5	E	604	ATP	N9-C8-N7	-2.46	110.45	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	604	ATP	C6-C5-N7	2.45	136.82	132.09
5	J	805	ATP	C6-C5-N7	2.45	136.81	132.09
5	K	504	ATP	C6-C5-N7	2.45	136.81	132.09
5	I	504	ATP	C5-N7-C8	2.42	107.25	103.45
5	G	607	ATP	C6-C5-N7	2.41	136.73	132.09
5	L	505	ATP	C6-C5-N7	2.39	136.70	132.09
5	B	506	ATP	C6-C5-N7	2.39	136.69	132.09
5	A	508	ATP	C6-C5-N7	2.35	136.62	132.09
5	C	604	ATP	C6-C5-N7	2.31	136.55	132.09
5	G	607	ATP	N9-C8-N7	-2.31	110.65	113.94
5	F	506	ATP	C6-C5-N7	2.29	136.51	132.09
5	E	604	ATP	O4'-C1'-N9	2.28	112.47	108.09
5	K	504	ATP	N9-C8-N7	-2.28	110.71	113.94
6	A	509	AKG	O2-C1-C2	2.24	119.79	113.59
5	D	506	ATP	C6-C5-N7	2.23	136.39	132.09
6	D	507	AKG	C3-C2-C1	2.23	119.65	115.86
6	I	503	AKG	C3-C2-C1	2.23	119.64	115.86
5	H	603	ATP	C6-C5-N7	2.22	136.36	132.09
6	C	605	AKG	O1-C1-C2	-2.21	119.07	121.81
6	E	603	AKG	O1-C1-C2	-2.18	119.10	121.81
5	I	504	ATP	C6-C5-N7	2.16	136.25	132.09
5	L	505	ATP	N9-C8-N7	-2.15	110.89	113.94
5	J	805	ATP	N9-C8-N7	-2.14	110.90	113.94
6	C	605	AKG	C3-C2-C1	2.12	119.46	115.86
5	L	505	ATP	C2-N1-C6	2.12	122.21	118.73
5	J	805	ATP	C2-N1-C6	2.10	122.18	118.73
5	F	506	ATP	N9-C8-N7	-2.10	110.96	113.94
5	A	508	ATP	N9-C8-N7	-2.10	110.96	113.94
5	G	607	ATP	O4'-C1'-N9	2.07	112.07	108.09
5	C	604	ATP	N9-C8-N7	-2.07	111.00	113.94
5	D	506	ATP	N9-C8-N7	-2.06	111.01	113.94
6	K	503	AKG	O2-C1-C2	2.01	119.16	113.59
5	H	603	ATP	N9-C8-N7	-2.00	111.10	113.94

There are no chirality outliers.

All (152) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	F	506	ATP	C5'-O5'-PA-O1A
5	G	607	ATP	PB-O3B-PG-O3G
5	H	603	ATP	C5'-O5'-PA-O1A
6	A	509	AKG	O2-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	507	AKG	O2-C1-C2-C3
6	C	605	AKG	O2-C1-C2-C3
6	D	507	AKG	O2-C1-C2-C3
6	F	505	AKG	O2-C1-C2-C3
6	G	606	AKG	O2-C1-C2-C3
6	H	602	AKG	O2-C1-C2-C3
6	I	503	AKG	O1-C1-C2-C3
6	I	503	AKG	O2-C1-C2-O5
6	I	503	AKG	O2-C1-C2-C3
6	J	804	AKG	O2-C1-C2-C3
6	K	503	AKG	O2-C1-C2-C3
6	L	504	AKG	O2-C1-C2-C3
3	D	503	PEG	C1-C2-O2-C3
9	D	505	PG4	C5-C6-O4-C7
9	D	505	PG4	O2-C3-C4-O3
3	A	502	PEG	C1-C2-O2-C3
5	G	607	ATP	O4'-C4'-C5'-O5'
5	G	607	ATP	C3'-C4'-C5'-O5'
3	G	603	PEG	O2-C3-C4-O4
3	D	503	PEG	O2-C3-C4-O4
3	K	501	PEG	O1-C1-C2-O2
3	A	504	PEG	O1-C1-C2-O2
9	D	505	PG4	O1-C1-C2-O2
3	G	601	PEG	O2-C3-C4-O4
2	I	501	EDO	O1-C1-C2-O2
3	G	603	PEG	O1-C1-C2-O2
9	D	501	PG4	C3-C4-O3-C5
3	A	502	PEG	O1-C1-C2-O2
3	A	504	PEG	O2-C3-C4-O4
3	D	504	PEG	O1-C1-C2-O2
3	J	801	PEG	O1-C1-C2-O2
7	F	507	MOE	O2'-CA'-CB'-OC'
9	D	501	PG4	O4-C7-C8-O5
9	D	505	PG4	O4-C7-C8-O5
3	J	801	PEG	O2-C3-C4-O4
2	C	603	EDO	O1-C1-C2-O2
2	F	502	EDO	O1-C1-C2-O2
2	I	505	EDO	O1-C1-C2-O2
2	L	501	EDO	O1-C1-C2-O2
9	D	501	PG4	O3-C5-C6-O4
5	F	506	ATP	PA-O3A-PB-O1B
3	D	504	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	EDO	O1-C1-C2-O2
2	B	502	EDO	O1-C1-C2-O2
2	D	502	EDO	O1-C1-C2-O2
2	I	502	EDO	O1-C1-C2-O2
5	C	604	ATP	O4'-C4'-C5'-O5'
4	A	507	GOL	O2-C2-C3-O3
3	G	601	PEG	C4-C3-O2-C2
3	G	604	PEG	C4-C3-O2-C2
3	K	501	PEG	C4-C3-O2-C2
6	A	509	AKG	O1-C1-C2-O5
6	C	605	AKG	O1-C1-C2-O5
6	D	507	AKG	O1-C1-C2-O5
6	G	606	AKG	O1-C1-C2-O5
6	H	602	AKG	O1-C1-C2-O5
6	I	503	AKG	O1-C1-C2-O5
3	D	504	PEG	C4-C3-O2-C2
6	A	509	AKG	O1-C1-C2-C3
6	C	605	AKG	O1-C1-C2-C3
6	D	507	AKG	O1-C1-C2-C3
6	E	603	AKG	O1-C1-C2-C3
6	G	606	AKG	O1-C1-C2-C3
6	H	602	AKG	O1-C1-C2-C3
6	L	504	AKG	O1-C1-C2-C3
5	A	508	ATP	PB-O3B-PG-O3G
5	H	603	ATP	PB-O3B-PG-O3G
3	G	604	PEG	C1-C2-O2-C3
9	D	505	PG4	C1-C2-O2-C3
3	G	604	PEG	O2-C3-C4-O4
9	D	505	PG4	C6-C5-O3-C4
5	C	604	ATP	C3'-C4'-C5'-O5'
5	C	604	ATP	C2'-C1'-N9-C8
5	E	604	ATP	C2'-C1'-N9-C8
5	F	506	ATP	C2'-C1'-N9-C8
5	G	607	ATP	C2'-C1'-N9-C8
5	H	603	ATP	C2'-C1'-N9-C8
5	K	504	ATP	C2'-C1'-N9-C8
5	L	505	ATP	C2'-C1'-N9-C8
5	I	504	ATP	PB-O3A-PA-O1A
7	B	503	MOE	CA'-CB'-OC'-CD'
5	B	506	ATP	C2'-C1'-N9-C8
5	J	805	ATP	C2'-C1'-N9-C8
7	F	507	MOE	CA'-CB'-OC'-CD'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	C	604	ATP	C5'-O5'-PA-O1A
5	D	506	ATP	C5'-O5'-PA-O2A
5	D	506	ATP	C5'-O5'-PA-O3A
5	G	607	ATP	C5'-O5'-PA-O1A
5	G	607	ATP	C5'-O5'-PA-O2A
5	G	607	ATP	C5'-O5'-PA-O3A
5	K	504	ATP	C5'-O5'-PA-O1A
6	C	605	AKG	O2-C1-C2-O5
6	D	507	AKG	O2-C1-C2-O5
6	E	603	AKG	O2-C1-C2-O5
6	G	606	AKG	O2-C1-C2-O5
6	H	602	AKG	O2-C1-C2-O5
3	G	602	PEG	O2-C3-C4-O4
3	G	601	PEG	C1-C2-O2-C3
3	D	504	PEG	C1-C2-O2-C3
5	D	506	ATP	PB-O3A-PA-O1A
5	F	506	ATP	PG-O3B-PB-O2B
5	K	504	ATP	PG-O3B-PB-O2B
2	B	504	EDO	O1-C1-C2-O2
5	A	508	ATP	C2'-C1'-N9-C8
6	E	603	AKG	O2-C1-C2-C3
9	D	501	PG4	C4-C3-O2-C2
5	I	504	ATP	C2'-C1'-N9-C8
5	D	506	ATP	PB-O3B-PG-O1G
2	A	503	EDO	O1-C1-C2-O2
9	D	505	PG4	C3-C4-O3-C5
7	B	503	MOE	O2'-CA'-CB'-OC'
5	G	607	ATP	PB-O3A-PA-O1A
3	G	603	PEG	C1-C2-O2-C3
5	L	505	ATP	O4'-C1'-N9-C8
2	J	802	EDO	O1-C1-C2-O2
2	L	503	EDO	O1-C1-C2-O2
6	E	603	AKG	O1-C1-C2-O5
5	H	603	ATP	C3'-C4'-C5'-O5'
5	D	506	ATP	PB-O3B-PG-O2G
5	D	506	ATP	PB-O3B-PG-O3G
6	F	505	AKG	C3-C4-C5-O3
5	B	506	ATP	O4'-C1'-N9-C8
5	G	607	ATP	O4'-C1'-N9-C8
5	J	805	ATP	O4'-C1'-N9-C8
2	C	601	EDO	O1-C1-C2-O2
2	E	601	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	D	505	PG4	O3-C5-C6-O4
3	G	603	PEG	C4-C3-O2-C2
5	C	604	ATP	PG-O3B-PB-O2B
5	E	604	ATP	PG-O3B-PB-O2B
5	F	506	ATP	PG-O3B-PB-O1B
5	I	504	ATP	PG-O3B-PB-O2B
5	I	504	ATP	PB-O3A-PA-O2A
5	J	805	ATP	PG-O3B-PB-O2B
5	L	505	ATP	PG-O3B-PB-O2B
3	K	501	PEG	O2-C3-C4-O4
5	C	604	ATP	O4'-C1'-N9-C8
5	H	603	ATP	O4'-C1'-N9-C8
5	K	504	ATP	O4'-C1'-N9-C8
6	F	505	AKG	C3-C4-C5-O4
2	A	506	EDO	O1-C1-C2-O2
5	H	603	ATP	O4'-C4'-C5'-O5'
5	F	506	ATP	O4'-C1'-N9-C8
9	D	501	PG4	C1-C2-O2-C3
5	E	604	ATP	O4'-C1'-N9-C8
5	D	506	ATP	PB-O3A-PA-O2A
5	G	607	ATP	PB-O3A-PA-O2A
5	K	504	ATP	PG-O3B-PB-O1B

There are no ring outliers.

31 monomers are involved in 56 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	602	PEG	1	0
5	J	805	ATP	2	0
5	E	604	ATP	1	0
3	D	503	PEG	1	0
3	G	603	PEG	2	0
3	D	504	PEG	3	0
3	G	601	PEG	2	0
5	C	604	ATP	2	0
5	F	506	ATP	1	0
5	L	505	ATP	2	0
2	C	603	EDO	2	0
7	B	503	MOE	1	0
2	J	803	EDO	1	0
3	J	801	PEG	1	0
9	D	501	PG4	6	0

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	506	ATP	2	0
2	D	502	EDO	1	0
5	K	504	ATP	2	0
2	F	503	EDO	2	0
5	I	504	ATP	3	0
5	D	506	ATP	2	0
3	K	501	PEG	4	0
2	A	501	EDO	2	0
2	I	501	EDO	1	0
3	G	604	PEG	1	0
2	H	601	EDO	1	0
4	A	507	GOL	1	0
9	D	505	PG4	2	0
5	H	603	ATP	2	0
5	A	508	ATP	1	0
3	A	504	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand ATP J 805







Ligand ATP C 604




Ligand AKG F 505




Ligand ATP F 506





Ligand ATP L 505




Ligand AKG C 605







Ligand ATP B 506




Ligand AKG J 804




Ligand ATP K 504




Ligand AKG H 602




Ligand ATP I 504







Ligand ATP G 607




Ligand AKG A 509




Ligand AKG I 503




Ligand AKG B 507




Ligand AKG L 504



Ligand ATP H 603





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	447/448 (99%)	-0.39	0 100 100	22, 33, 58, 81	0
1	B	447/448 (99%)	-0.41	2 (0%) 88 91	21, 34, 58, 78	0
1	C	447/448 (99%)	-0.31	1 (0%) 91 93	22, 35, 62, 78	0
1	D	447/448 (99%)	-0.35	3 (0%) 84 86	20, 32, 58, 76	1 (0%)
1	E	447/448 (99%)	-0.37	2 (0%) 88 91	21, 33, 59, 78	0
1	F	447/448 (99%)	-0.40	2 (0%) 88 91	22, 34, 57, 79	1 (0%)
1	G	447/448 (99%)	-0.32	3 (0%) 84 86	22, 36, 63, 83	0
1	H	447/448 (99%)	-0.25	4 (0%) 81 84	23, 35, 68, 89	0
1	I	447/448 (99%)	-0.30	2 (0%) 88 91	24, 36, 62, 81	0
1	J	447/448 (99%)	-0.39	0 100 100	21, 32, 58, 79	0
1	K	447/448 (99%)	-0.33	2 (0%) 88 91	23, 34, 58, 75	0
1	L	447/448 (99%)	-0.38	1 (0%) 91 93	23, 35, 60, 80	0
All	All	5364/5376 (99%)	-0.35	22 (0%) 88 91	20, 34, 61, 89	2 (0%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	2	SER	6.3
1	F	2	SER	5.8
1	H	2	SER	3.1
1	L	2	SER	3.1
1	I	148	HIS	2.8
1	E	2	SER	2.5
1	B	151	HIS	2.5
1	I	388	LEU	2.4
1	E	148	HIS	2.4
1	G	151	HIS	2.4
1	H	368	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	264	TYR	2.3
1	K	2	SER	2.3
1	K	148	HIS	2.2
1	G	148	HIS	2.2
1	D	151	HIS	2.2
1	D	388	LEU	2.2
1	H	151	HIS	2.1
1	C	2	SER	2.1
1	F	151	HIS	2.1
1	B	148	HIS	2.0
1	G	388	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	MOE	B	503	5/5	0.56	0.23	47,48,49,50	0
2	EDO	G	605	4/4	0.59	0.29	62,62,62,62	4
8	MG	E	602	1/1	0.61	0.36	50,50,50,50	1
3	PEG	D	504	7/7	0.62	0.24	52,54,57,58	7
3	PEG	G	604	7/7	0.66	0.21	41,42,42,42	7
2	EDO	I	502	4/4	0.68	0.20	52,52,53,54	4
9	PG4	D	505	13/13	0.72	0.17	27,31,34,34	13
2	EDO	H	601	4/4	0.73	0.21	59,59,60,60	0
3	PEG	K	501	7/7	0.75	0.17	32,35,37,37	7
3	PEG	G	602	6/7	0.76	0.22	54,56,56,56	6
8	MG	K	502	1/1	0.76	0.26	31,31,31,31	1
2	EDO	J	803	4/4	0.76	0.18	59,59,59,60	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	PG4	D	501	13/13	0.77	0.17	40,43,48,49	13
2	EDO	B	501	4/4	0.77	0.11	32,34,35,37	0
2	EDO	L	501	4/4	0.78	0.15	42,42,42,42	4
2	EDO	F	501	4/4	0.79	0.14	42,44,44,44	0
3	PEG	G	601	7/7	0.79	0.19	54,55,56,56	7
4	GOL	A	507	6/6	0.80	0.12	74,75,75,75	0
2	EDO	L	503	4/4	0.80	0.15	51,51,51,52	4
2	EDO	D	502	4/4	0.82	0.20	63,64,64,64	0
7	MOE	F	507	5/5	0.82	0.16	57,58,59,59	0
2	EDO	C	603	4/4	0.82	0.17	43,44,45,46	0
3	PEG	J	801	7/7	0.82	0.19	51,54,55,55	7
2	EDO	F	502	4/4	0.82	0.12	34,35,35,35	0
2	EDO	F	504	4/4	0.82	0.13	56,56,57,57	0
2	EDO	E	601	4/4	0.83	0.18	75,75,75,75	0
3	PEG	A	504	7/7	0.83	0.16	58,61,62,62	7
3	PEG	D	503	7/7	0.83	0.19	56,57,58,58	7
2	EDO	L	502	4/4	0.83	0.25	55,56,56,57	4
2	EDO	B	502	4/4	0.84	0.20	42,42,42,43	4
2	EDO	J	802	4/4	0.85	0.13	56,56,57,57	0
2	EDO	I	501	4/4	0.85	0.18	48,49,50,50	4
3	PEG	A	502	7/7	0.86	0.16	49,49,50,50	7
2	EDO	A	506	4/4	0.86	0.13	37,40,41,41	0
2	EDO	C	602	4/4	0.87	0.10	23,24,25,26	4
2	EDO	A	505	4/4	0.87	0.10	36,38,40,42	0
2	EDO	B	504	4/4	0.88	0.11	57,57,58,59	0
3	PEG	G	603	7/7	0.89	0.14	53,54,55,55	7
5	ATP	B	506	31/31	0.90	0.08	41,45,63,64	0
5	ATP	H	603	31/31	0.90	0.08	45,56,76,76	0
2	EDO	C	601	4/4	0.91	0.13	53,53,54,55	0
5	ATP	L	505	31/31	0.91	0.07	37,42,61,61	0
5	ATP	D	506	31/31	0.91	0.08	35,40,62,63	0
5	ATP	E	604	31/31	0.91	0.07	42,46,66,66	0
5	ATP	A	508	31/31	0.92	0.07	39,41,61,61	0
5	ATP	I	504	31/31	0.92	0.07	40,44,62,63	0
5	ATP	J	805	31/31	0.92	0.08	39,46,65,66	0
2	EDO	A	503	4/4	0.92	0.17	54,55,55,55	4
5	ATP	G	607	31/31	0.92	0.08	43,50,67,68	0
2	EDO	I	505	4/4	0.93	0.10	47,48,48,48	0
5	ATP	C	604	31/31	0.93	0.07	45,48,65,65	0
2	EDO	F	503	4/4	0.93	0.09	53,53,54,54	0
2	EDO	A	501	4/4	0.93	0.09	45,46,48,49	0
5	ATP	K	504	31/31	0.93	0.08	39,44,65,67	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ATP	F	506	31/31	0.93	0.07	40,45,66,68	0
8	MG	B	505	1/1	0.94	0.49	49,49,49,49	1
6	AKG	H	602	10/10	0.95	0.07	33,34,36,37	0
6	AKG	F	505	10/10	0.96	0.06	32,33,34,36	0
6	AKG	I	503	10/10	0.96	0.06	28,33,38,39	0
6	AKG	G	606	10/10	0.96	0.06	29,31,34,35	0
6	AKG	E	603	10/10	0.97	0.06	27,31,35,36	0
6	AKG	A	509	10/10	0.97	0.05	31,32,33,34	0
6	AKG	B	507	10/10	0.97	0.06	28,30,34,34	0
6	AKG	C	605	10/10	0.97	0.06	30,30,32,32	0
6	AKG	D	507	10/10	0.97	0.05	32,34,36,37	0
6	AKG	J	804	10/10	0.97	0.06	27,29,30,31	0
6	AKG	K	503	10/10	0.97	0.06	31,34,37,38	0
6	AKG	L	504	10/10	0.98	0.05	31,32,32,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around ATP H 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP L 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP D 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP E 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP A 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP I 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP J 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP G 607:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP C 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP K 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP F 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AKG H 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AKG F 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AKG I 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AKG G 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AKG E 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AKG A 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AKG B 507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AKG C 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AKG D 507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AKG J 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AKG K 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.