



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:09 PM UTC

PDB ID : 4OP2 / pdb_00004op2
Title : GKRP bound to AMG-0471 and Sorbitol-6-Phosphate
Authors : Jordan, S.R.; Chmait, S.
Deposited on : 2014-02-04
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	638	11% 68% 20% 8%
1	B	638	5% 76% 14% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IOD	B	713	-	-	X	-

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9391 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase Regulatory Protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	585	Total	C	N	O	S	0	0	0
			4521	2882	774	841	24			
1	B	590	Total	C	N	O	S	0	0	0
			4554	2901	781	848	24			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q14397
A	-10	ALA	-	expression tag	UNP Q14397
A	-9	HIS	-	expression tag	UNP Q14397
A	-8	HIS	-	expression tag	UNP Q14397
A	-7	HIS	-	expression tag	UNP Q14397
A	-6	HIS	-	expression tag	UNP Q14397
A	-5	HIS	-	expression tag	UNP Q14397
A	-4	HIS	-	expression tag	UNP Q14397
A	-3	ASP	-	expression tag	UNP Q14397
A	-2	GLU	-	expression tag	UNP Q14397
A	-1	VAL	-	expression tag	UNP Q14397
A	0	ASP	-	expression tag	UNP Q14397
A	626	GLY	-	expression tag	UNP Q14397
B	-11	MET	-	expression tag	UNP Q14397
B	-10	ALA	-	expression tag	UNP Q14397
B	-9	HIS	-	expression tag	UNP Q14397
B	-8	HIS	-	expression tag	UNP Q14397
B	-7	HIS	-	expression tag	UNP Q14397
B	-6	HIS	-	expression tag	UNP Q14397
B	-5	HIS	-	expression tag	UNP Q14397
B	-4	HIS	-	expression tag	UNP Q14397
B	-3	ASP	-	expression tag	UNP Q14397
B	-2	GLU	-	expression tag	UNP Q14397
B	-1	VAL	-	expression tag	UNP Q14397
B	0	ASP	-	expression tag	UNP Q14397

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	626	GLY	-	expression tag	UNP Q14397

- Molecule 2 is (2S)-2-{4'-[(6-aminopyridin-3-yl)sulfonyl]biphenyl-4-yl}-1,1,1-trifluoropropan-2-ol (CCD ID: 2UX) (formula: C₂₀H₁₇F₃N₂O₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			29	20	3	2	3	1		
2	B	1	Total	C	F	N	O	S	0	0
			29	20	3	2	3	1		

- Molecule 3 is D-SORBITOL-6-PHOSPHATE (CCD ID: S6P) (formula: C₆H₁₅O₉P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		
3	B	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 4 is IODIDE ION (CCD ID: IOD) (formula: I).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	12	Total	I	0	0
			12	12		
4	B	14	Total	I	0	0
			14	14		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	73	Total 73	O 73	0	0
7	B	106	Total 106	O 106	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glucokinase Regulatory Protein



• Molecule 1: Glucokinase Regulatory Protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	149.05Å 149.05Å 131.83Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.32 – 2.24 36.32 – 2.24	Depositor EDS
% Data completeness (in resolution range)	93.9 (36.32-2.24) 94.0 (36.32-2.24)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.44 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.219 , 0.270 0.227 , 0.275	Depositor DCC
R_{free} test set	3786 reflections (4.73%)	wwPDB-VP
Wilson B-factor (Å ²)	39.9	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 29.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	0.022 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9391	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, S6P, IOD, GOL, 2UX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	2/4603 (0.0%)	1.13	6/6228 (0.1%)
1	B	1.14	4/4637 (0.1%)	1.16	15/6274 (0.2%)
All	All	1.12	6/9240 (0.1%)	1.14	21/12502 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	436	LEU	CA-C	-5.76	1.46	1.53
1	A	276	ALA	C-O	5.50	1.30	1.24
1	A	244	VAL	C-O	-5.35	1.18	1.24
1	B	292	LEU	N-CA	5.22	1.52	1.46
1	B	180	VAL	N-CA	-5.17	1.40	1.46
1	B	434	GLN	CA-CB	5.02	1.62	1.53

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	259	ARG	NE-CZ-NH2	-8.33	111.70	119.20
1	A	434	GLN	N-CA-C	-7.47	98.93	109.69
1	A	414	ASP	N-CA-C	7.47	122.83	112.45
1	B	434	GLN	N-CA-C	-7.07	97.98	108.79
1	A	24	TYR	N-CA-C	-6.32	104.08	110.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	310	SER	CA-C-N	-6.09	112.73	119.19
1	B	310	SER	C-N-CA	-6.09	112.73	119.19
1	A	452	LEU	N-CA-C	-5.60	105.17	111.28
1	B	13	THR	CA-C-N	5.47	125.37	119.85
1	B	13	THR	C-N-CA	5.47	125.37	119.85
1	A	103	VAL	CB-CA-C	-5.43	102.73	110.83
1	B	153	GLU	N-CA-C	5.42	119.76	113.20
1	B	357	PHE	N-CA-C	5.40	118.66	111.75
1	B	336	GLN	CB-CA-C	-5.23	108.98	115.89
1	B	334	GLY	N-CA-C	5.17	118.67	110.96
1	B	528	GLY	N-CA-C	-5.14	108.16	115.30
1	B	389	GLN	N-CA-C	5.09	117.22	111.11
1	B	447	ILE	CA-C-N	-5.07	113.50	119.84
1	B	447	ILE	C-N-CA	-5.07	113.50	119.84
1	A	146	VAL	N-CA-CB	-5.07	105.35	111.94
1	B	259	ARG	NE-CZ-NH1	5.05	126.56	121.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	326	LYS	Peptide
1	A	451	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4618	94	0
1	B	4554	0	4647	56	0
2	A	29	0	17	0	0
2	B	29	0	17	1	0
3	A	16	0	13	0	0
3	B	16	0	13	0	0
4	A	12	0	0	1	0
4	B	14	0	0	7	0
5	B	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	15	0	0	0	0
7	A	73	0	0	1	0
7	B	106	0	0	1	0
All	All	9391	0	9333	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:337:THR:HG21	1:A:479:GLU:OE2	1.65	0.96
1:B:216:ASN:OD1	1:B:225:THR:HG21	1.74	0.87
1:B:140:GLY:O	1:B:149:ARG:NH2	2.09	0.86
1:A:447:ILE:HG22	1:A:449:LEU:C	2.08	0.78
1:A:447:ILE:O	1:A:450:LYS:HB2	1.86	0.75
1:A:36:PRO:O	1:A:39:GLN:HG2	1.90	0.71
1:A:140:GLY:H	1:A:158:HIS:HE1	1.38	0.71
1:A:6:ARG:HD3	1:A:555:ALA:O	1.91	0.71
1:A:529:GLN:HE22	1:A:533:ARG:HH21	1.39	0.69
1:A:430:THR:O	1:A:431:ASN:ND2	2.24	0.68
1:A:419:VAL:O	1:A:423:VAL:HG23	1.93	0.67
1:B:447:ILE:HD12	1:B:448:PRO:HD3	1.76	0.66
1:B:337:THR:HG21	1:B:479:GLU:OE1	1.96	0.65
1:A:46:ALA:HA	1:A:317:MET:HE2	1.80	0.63
1:B:532:ALA:O	1:B:536:GLU:HG3	1.99	0.63
1:A:512:ASN:C	1:A:512:ASN:HD22	2.07	0.62
1:B:389:GLN:HE21	1:B:418:GLU:HG3	1.63	0.62
1:A:532:ALA:O	1:A:536:GLU:HG3	2.00	0.62
1:A:46:ALA:HA	1:A:317:MET:CE	2.30	0.61
1:A:474:GLN:HA	1:A:477:GLN:HE21	1.65	0.61
1:A:447:ILE:O	1:A:450:LYS:CB	2.49	0.60
1:B:420:GLN:HA	1:B:423:VAL:CG1	2.32	0.60
1:A:6:ARG:HD2	1:A:554:ALA:O	2.02	0.59
1:A:145:VAL:HG12	1:A:146:VAL:HG23	1.85	0.57
1:A:125:MET:HE1	1:A:133:LEU:HG	1.87	0.57
1:A:228:GLN:HE22	1:B:228:GLN:HE22	1.53	0.56
1:B:419:VAL:O	1:B:423:VAL:HG12	2.07	0.55
1:A:474:GLN:O	1:A:478:ARG:HD3	2.06	0.55
1:A:414:ASP:O	1:A:415:ASN:CB	2.55	0.54
1:A:412:LEU:HD23	1:A:412:LEU:N	2.22	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:ASN:HD22	1:B:246:ASN:N	2.06	0.54
1:B:6:ARG:HD3	1:B:555:ALA:O	2.07	0.54
1:A:35:ASN:C	1:A:35:ASN:HD22	2.16	0.54
1:A:246:ASN:N	1:A:246:ASN:HD22	2.05	0.54
1:B:214:ALA:O	1:B:227:ARG:HD3	2.09	0.53
1:A:332:LEU:HB3	1:A:342:ALA:HB1	1.90	0.53
1:A:140:GLY:H	1:A:158:HIS:CE1	2.24	0.53
1:A:529:GLN:NE2	1:A:533:ARG:HH21	2.06	0.53
1:B:447:ILE:HA	1:B:450:LYS:HB3	1.91	0.52
1:B:445:LEU:HG	4:B:713:IOD:I	2.80	0.52
1:A:512:ASN:ND2	1:A:515:LEU:H	2.08	0.52
1:A:159:GLY:HA2	1:A:186:PHE:CE1	2.44	0.52
1:B:320:VAL:HG13	1:B:330:VAL:HG21	1.91	0.52
1:A:450:LYS:C	1:A:452:LEU:H	2.17	0.51
1:B:469:GLU:HG2	4:B:716:IOD:I	2.80	0.51
1:B:232:ARG:HA	1:B:235:LYS:HD3	1.91	0.51
1:B:322:THR:HG22	1:B:326:LYS:HE2	1.92	0.51
1:B:401:THR:CG2	1:B:403:ILE:HG12	2.41	0.50
1:B:529:GLN:HE22	1:B:533:ARG:HH21	1.60	0.50
1:B:447:ILE:CD1	1:B:448:PRO:HD3	2.42	0.50
1:B:458:SER:HB3	4:B:713:IOD:I	2.82	0.50
1:A:207:GLY:O	1:A:246:ASN:HA	2.12	0.49
1:A:246:ASN:HD22	1:A:246:ASN:H	1.60	0.49
1:A:327:LYS:CG	1:A:327:LYS:O	2.61	0.49
1:A:447:ILE:HG22	1:A:450:LYS:N	2.28	0.49
1:B:225:THR:H	1:B:228:GLN:HE21	1.61	0.49
1:A:273:LEU:C	1:A:273:LEU:HD23	2.38	0.49
1:B:286:ALA:HA	1:B:289:GLN:HE21	1.78	0.49
1:B:508:LEU:C	1:B:508:LEU:HD12	2.38	0.48
1:A:327:LYS:O	1:A:327:LYS:HG2	2.14	0.48
1:B:207:GLY:O	1:B:246:ASN:HA	2.13	0.48
1:A:30:ILE:HD12	1:A:210:PRO:HD3	1.96	0.48
1:A:117:MET:HE1	1:A:270:LEU:HD12	1.94	0.48
1:A:387:PHE:CD2	1:A:396:ILE:HD11	2.49	0.47
1:B:314:ALA:O	1:B:318:LYS:HG3	2.13	0.47
1:A:440:THR:N	1:A:443:GLN:OE1	2.47	0.47
1:B:445:LEU:O	1:B:446:PRO:C	2.57	0.47
1:A:49:ILE:CD1	1:A:317:MET:HE1	2.43	0.47
1:A:49:ILE:HD12	1:A:317:MET:HE1	1.96	0.47
1:A:280:THR:HB	1:A:285:ILE:O	2.15	0.47
1:A:44:ALA:HB1	1:A:48:ASN:HB3	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:LYS:HD3	1:A:164:LYS:HA	1.74	0.47
1:A:49:ILE:HB	1:A:317:MET:HE1	1.95	0.47
1:A:228:GLN:HE22	1:B:228:GLN:NE2	2.12	0.47
1:B:124:LEU:C	1:B:124:LEU:HD23	2.40	0.47
1:B:420:GLN:HA	1:B:423:VAL:HG13	1.96	0.47
1:B:301:ARG:HG2	7:B:836:HOH:O	2.15	0.46
1:B:273:LEU:C	1:B:273:LEU:HD23	2.40	0.46
1:A:46:ALA:CA	1:A:317:MET:HE2	2.45	0.46
1:A:113:MET:HA	1:A:113:MET:HE2	1.96	0.46
1:A:140:GLY:N	1:A:158:HIS:HE1	2.11	0.46
1:A:214:ALA:O	1:A:227:ARG:HD3	2.15	0.46
1:A:444:THR:O	1:A:446:PRO:HD3	2.14	0.46
1:A:126:LYS:O	1:A:129:GLY:N	2.38	0.46
1:B:48:ASN:ND2	1:B:51:ARG:HH21	2.14	0.46
1:A:146:VAL:CG1	1:A:146:VAL:O	2.63	0.46
1:A:591:LEU:HD11	1:A:597:VAL:HA	1.96	0.46
1:A:117:MET:HE1	1:A:270:LEU:CD1	2.46	0.46
1:A:393:LEU:O	1:A:397:LEU:HB3	2.15	0.46
1:B:529:GLN:NE2	1:B:533:ARG:HH21	2.13	0.46
1:A:473:ILE:HD13	1:A:473:ILE:O	2.15	0.46
1:A:46:ALA:CB	1:A:317:MET:HE2	2.46	0.45
1:A:529:GLN:HE21	1:A:533:ARG:HE	1.63	0.45
1:B:246:ASN:HD22	1:B:246:ASN:H	1.64	0.45
1:A:87:ALA:O	1:A:88:GLY:C	2.59	0.45
1:A:435:ALA:HB2	1:A:453:PHE:CE1	2.52	0.45
1:A:438:HIS:CG	1:A:478:ARG:HG2	2.51	0.45
1:B:4:THR:HG23	4:B:712:IOD:I	2.87	0.45
1:A:146:VAL:O	1:A:146:VAL:HG12	2.16	0.45
1:A:111:GLY:HA3	1:A:138:ILE:HG13	1.99	0.45
1:A:350:ILE:HA	1:A:355:ALA:O	2.17	0.45
1:B:25:GLU:OE2	4:B:711:IOD:I	3.05	0.45
1:A:452:LEU:H	1:A:452:LEU:HD12	1.82	0.44
1:B:48:ASN:HD22	1:B:51:ARG:HH21	1.65	0.44
1:A:396:ILE:O	1:A:399:SER:OG	2.34	0.44
1:A:450:LYS:C	1:A:452:LEU:N	2.75	0.44
1:A:278:HIS:O	1:A:281:VAL:HG22	2.18	0.44
1:A:450:LYS:HD2	1:A:452:LEU:HD13	1.99	0.44
1:B:422:ILE:O	1:B:426:VAL:HG23	2.18	0.44
1:A:245:LEU:HD13	1:A:269:LEU:HD21	1.99	0.43
1:B:451:LYS:HD3	1:B:451:LYS:HA	1.88	0.43
1:B:529:GLN:HE21	1:B:533:ARG:HE	1.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:480:LEU:HD21	1:A:484:TRP:CH2	2.52	0.43
1:B:481:SER:O	1:B:485:VAL:HG23	2.18	0.43
1:B:193:CYS:HA	4:B:714:IOD:I	2.89	0.43
1:A:121:PHE:HB3	1:A:134:TYR:CE1	2.53	0.43
1:A:144:SER:OG	1:A:149:ARG:NH1	2.51	0.43
1:A:449:LEU:O	1:A:449:LEU:HG	2.18	0.43
1:B:72:GLN:CD	1:B:78:SER:OG	2.61	0.43
1:A:475:LYS:HE2	1:A:479:GLU:OE2	2.19	0.43
1:A:91:GLN:O	1:A:92:GLU:C	2.61	0.43
1:A:317:MET:SD	1:A:492:GLY:HA3	2.58	0.43
1:A:317:MET:CE	1:A:496:LEU:HD11	2.49	0.42
1:A:91:GLN:NE2	1:A:280:THR:OG1	2.52	0.42
1:A:236:MET:HE3	1:A:241:LYS:HB2	2.02	0.42
1:A:14:PRO:HB3	1:A:22:SER:HB3	2.02	0.42
1:A:15:GLU:O	1:A:16:PRO:C	2.61	0.42
1:A:389:GLN:NE2	1:A:418:GLU:HG3	2.35	0.42
1:A:445:LEU:HD11	7:A:872:HOH:O	2.19	0.42
1:B:5:LYS:HB2	4:B:710:IOD:I	2.90	0.42
1:A:274:LEU:HD23	1:A:274:LEU:HA	1.92	0.41
1:B:65:GLY:O	1:B:66:GLN:HG2	2.20	0.41
1:B:475:LYS:HE2	1:B:479:GLU:OE1	2.20	0.41
1:A:29:PRO:O	1:A:30:ILE:C	2.61	0.41
1:A:449:LEU:C	1:A:451:LYS:N	2.78	0.41
1:B:159:GLY:HA2	1:B:186:PHE:CE1	2.56	0.41
1:A:468:TYR:HB2	4:A:703:IOD:I	2.91	0.41
1:B:146:VAL:O	1:B:347:VAL:HG21	2.21	0.41
1:A:272:THR:HA	1:A:295:ILE:HG21	2.01	0.41
1:A:317:MET:HE3	1:A:496:LEU:HD11	2.02	0.41
1:B:6:ARG:HD2	1:B:554:ALA:O	2.21	0.41
1:A:333:VAL:HG13	1:A:365:ILE:HD11	2.03	0.40
1:B:112:ARG:HD3	1:B:344:MET:HG2	2.02	0.40
1:B:445:LEU:HA	1:B:446:PRO:HD2	2.01	0.40
2:B:701:2UX:H13	2:B:701:2UX:F2	2.10	0.40
1:A:271:GLU:O	1:A:272:THR:C	2.63	0.40
1:B:106:GLY:O	1:B:138:ILE:HA	2.20	0.40
1:B:172:ARG:HD2	1:B:172:ARG:HA	1.76	0.40
1:B:30:ILE:HD12	1:B:210:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/638 (91%)	541 (93%)	27 (5%)	11 (2%)	6	2
1	B	584/638 (92%)	563 (96%)	16 (3%)	5 (1%)	14	11
All	All	1163/1276 (91%)	1104 (95%)	43 (4%)	16 (1%)	9	5

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	415	ASN
1	A	451	LYS
1	A	456	ILE
1	B	415	ASN
1	A	326	LYS
1	A	454	PRO
1	A	168	ALA
1	A	327	LYS
1	B	454	PRO
1	B	127	GLY
1	B	260	MET
1	B	446	PRO
1	A	447	ILE
1	A	449	LEU
1	A	462	PRO
1	A	360	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/542 (92%)	454 (91%)	44 (9%)	9	6
1	B	501/542 (92%)	463 (92%)	38 (8%)	12	9
All	All	999/1084 (92%)	917 (92%)	82 (8%)	10	7

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	6	ARG
1	A	18	LYS
1	A	20	GLU
1	A	25	GLU
1	A	35	ASN
1	A	131	LYS
1	A	143	ARG
1	A	164	LYS
1	A	166	VAL
1	A	170	LYS
1	A	172	ARG
1	A	198	THR
1	A	227	ARG
1	A	239	LYS
1	A	246	ASN
1	A	273	LEU
1	A	279	LYS
1	A	282	ASP
1	A	285	ILE
1	A	289	GLN
1	A	316	LEU
1	A	327	LYS
1	A	332	LEU
1	A	347	VAL
1	A	358	ARG
1	A	361	ARG
1	A	397	LEU
1	A	420	GLN
1	A	427	LYS
1	A	431	ASN
1	A	444	THR
1	A	449	LEU
1	A	451	LYS
1	A	458	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	460	THR
1	A	463	LEU
1	A	464	LEU
1	A	473	ILE
1	A	478	ARG
1	A	500	ILE
1	A	503	ASN
1	A	512	ASN
1	A	605	LEU
1	B	5	LYS
1	B	6	ARG
1	B	20	GLU
1	B	47	GLU
1	B	69	SER
1	B	72	GLN
1	B	84	VAL
1	B	96	GLU
1	B	126	LYS
1	B	143	ARG
1	B	149	ARG
1	B	166	VAL
1	B	171	LYS
1	B	172	ARG
1	B	225	THR
1	B	227	ARG
1	B	235	LYS
1	B	241	LYS
1	B	246	ASN
1	B	273	LEU
1	B	304	GLN
1	B	337	THR
1	B	347	VAL
1	B	401	THR
1	B	402	GLU
1	B	415	ASN
1	B	417	THR
1	B	423	VAL
1	B	433	ILE
1	B	434	GLN
1	B	444	THR
1	B	445	LEU
1	B	447	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	450	LYS
1	B	455	SER
1	B	463	LEU
1	B	500	ILE
1	B	503	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	HIS
1	A	35	ASN
1	A	85	GLN
1	A	91	GLN
1	A	123	GLN
1	A	158	HIS
1	A	190	GLN
1	A	196	ASN
1	A	246	ASN
1	A	289	GLN
1	A	309	GLN
1	A	415	ASN
1	A	420	GLN
1	A	425	GLN
1	A	477	GLN
1	A	503	ASN
1	A	512	ASN
1	A	529	GLN
1	A	569	GLN
1	B	9	HIS
1	B	39	GLN
1	B	48	ASN
1	B	196	ASN
1	B	197	ASN
1	B	228	GLN
1	B	234	GLN
1	B	246	ASN
1	B	289	GLN
1	B	309	GLN
1	B	336	GLN
1	B	384	GLN
1	B	389	GLN
1	B	431	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	503	ASN
1	B	529	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 34 ligands modelled in this entry, 26 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	SO4	B	720	-	4,4,4	0.36	0	6,6,6	0.72	0
2	2UX	B	701	-	31,31,31	1.98	8 (25%)	47,48,48	1.77	10 (21%)
6	SO4	B	719	-	4,4,4	0.48	0	6,6,6	0.40	0
2	2UX	A	701	-	31,31,31	1.50	3 (9%)	47,48,48	1.50	7 (14%)
3	S6P	A	702	-	15,15,15	1.26	2 (13%)	20,21,21	1.87	5 (25%)
5	GOL	B	717	-	5,5,5	0.67	0	5,5,5	0.93	0
3	S6P	B	702	-	15,15,15	1.57	3 (20%)	20,21,21	1.42	3 (15%)
6	SO4	B	718	-	4,4,4	0.59	0	6,6,6	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2UX	B	701	-	-	4/31/31/31	0/3/3/3
2	2UX	A	701	-	-	5/31/31/31	0/3/3/3
3	S6P	A	702	-	-	0/20/20/20	-
5	GOL	B	717	-	-	2/4/4/4	-
3	S6P	B	702	-	-	1/20/20/20	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	2UX	C5-S1	-7.27	1.65	1.77
2	A	701	2UX	C5-S1	-5.76	1.68	1.77
2	B	701	2UX	O2-S1	4.19	1.51	1.44
3	B	702	S6P	C2-C3	-3.51	1.47	1.53
3	B	702	S6P	P-O3P	3.43	1.61	1.50
2	A	701	2UX	O2-S1	3.15	1.49	1.44
2	B	701	2UX	C7-C2	-3.14	1.41	1.49
3	A	702	S6P	C2-C3	-2.71	1.48	1.53
2	A	701	2UX	C7-C2	-2.53	1.43	1.49
2	B	701	2UX	C4-C5	-2.47	1.35	1.38
2	B	701	2UX	C14-C13	2.34	1.58	1.52
3	B	702	S6P	P-O1P	-2.16	1.46	1.54
2	B	701	2UX	C11-C12	2.14	1.42	1.38
2	B	701	2UX	C17-N2	-2.04	1.29	1.35
3	A	702	S6P	P-O3P	2.02	1.56	1.50
2	B	701	2UX	C15-S1	-2.00	1.73	1.77

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	2UX	F2-C20-C13	-5.10	105.19	112.40
2	B	701	2UX	O3-S1-C5	4.90	113.98	107.96
2	A	701	2UX	F1-C20-C13	-4.31	106.30	112.40
2	A	701	2UX	C20-C13-C10	4.27	114.77	109.25
2	A	701	2UX	O1-C13-C20	-4.12	99.64	105.94
3	A	702	S6P	O1-C1-C2	-4.10	102.54	111.16
3	A	702	S6P	O6-P-O3P	3.91	117.02	106.44
2	B	701	2UX	C1-C6-C5	3.82	123.16	119.44
3	B	702	S6P	O2P-P-O6	3.60	116.06	106.67
2	B	701	2UX	C4-C5-S1	3.36	123.87	119.49
2	B	701	2UX	F3-C20-C13	-3.21	107.86	112.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	2UX	F3-C20-F2	2.98	116.60	107.54
3	A	702	S6P	C5-C4-C3	-2.98	107.91	112.48
3	B	702	S6P	O1-C1-C2	-2.90	105.06	111.16
2	A	701	2UX	C15-C16-N1	-2.69	119.91	123.19
2	B	701	2UX	O2-S1-C15	-2.50	104.89	107.96
3	B	702	S6P	C5-C4-C3	-2.37	108.85	112.48
2	B	701	2UX	C12-C7-C2	2.36	125.32	121.25
2	B	701	2UX	O1-C13-C14	2.35	114.63	108.56
3	A	702	S6P	O5-C5-C4	-2.30	103.86	109.25
3	A	702	S6P	O2P-P-O3P	-2.28	101.95	110.83
2	A	701	2UX	O1-C13-C14	2.21	114.29	108.56
2	B	701	2UX	C6-C5-S1	-2.07	116.80	119.49
2	A	701	2UX	F3-C20-C13	-2.06	109.49	112.40
2	A	701	2UX	C18-C17-N2	-2.04	117.33	121.08

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	2UX	C11-C10-C13-C20
5	B	717	GOL	O1-C1-C2-C3
5	B	717	GOL	O1-C1-C2-O2
2	A	701	2UX	C9-C10-C13-C14
2	B	701	2UX	C9-C10-C13-C14
2	A	701	2UX	C11-C10-C13-C20
2	A	701	2UX	C9-C10-C13-C20
2	B	701	2UX	C9-C10-C13-C20
2	A	701	2UX	C11-C10-C13-C14
2	B	701	2UX	C11-C10-C13-C14
3	B	702	S6P	O1-C1-C2-O2
2	A	701	2UX	C4-C5-S1-O3


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	2UX	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand S6P A 702





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	585/638 (91%)	0.75	70 (11%) 9 8	27, 47, 82, 116	0
1	B	590/638 (92%)	0.33	30 (5%) 33 32	24, 41, 68, 108	0
All	All	1175/1276 (92%)	0.54	100 (8%) 16 15	24, 44, 78, 116	0

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	449	LEU	7.9
1	A	465	PHE	6.4
1	A	447	ILE	6.1
1	A	387	PHE	5.4
1	A	448	PRO	5.2
1	B	21	LEU	5.2
1	B	465	PHE	4.9
1	A	164	LYS	4.7
1	A	445	LEU	4.5
1	B	447	ILE	4.5
1	A	357	PHE	4.5
1	A	464	LEU	4.3
1	A	1	MET	4.0
1	A	429	LYS	3.9
1	A	358	ARG	3.9
1	B	1	MET	3.8
1	A	410	PHE	3.8
1	A	452	LEU	3.8
1	A	21	LEU	3.7
1	A	454	PRO	3.7
1	A	403	ILE	3.7
1	B	451	LYS	3.6
1	B	454	PRO	3.6
1	A	393	LEU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	386	THR	3.5
1	A	469	GLU	3.5
1	B	66	GLN	3.4
1	A	430	THR	3.3
1	B	65	GLY	3.3
1	A	69	SER	3.3
1	B	366	GLY	3.2
1	A	365	ILE	3.2
1	B	5	LYS	3.1
1	B	4	THR	3.0
1	B	381	GLN	3.0
1	A	451	LYS	3.0
1	B	235	LYS	3.0
1	A	400	LEU	2.9
1	A	466	PHE	2.9
1	B	70	THR	2.9
1	A	327	LYS	2.8
1	A	408	PHE	2.8
1	A	460	THR	2.7
1	A	463	LEU	2.7
1	B	460	THR	2.7
1	A	437	ALA	2.6
1	B	22	SER	2.6
1	A	428	GLU	2.6
1	A	441	VAL	2.6
1	A	397	LEU	2.6
1	A	18	LYS	2.6
1	A	385	PHE	2.6
1	A	457	ILE	2.6
1	B	448	PRO	2.5
1	A	388	SER	2.5
1	A	131	LYS	2.5
1	A	312	LYS	2.5
1	A	453	PHE	2.5
1	B	385	PHE	2.5
1	A	315	THR	2.4
1	A	402	GLU	2.4
1	A	433	ILE	2.4
1	A	420	GLN	2.4
1	B	96	GLU	2.4
1	A	281	VAL	2.4
1	B	285	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	22	SER	2.4
1	B	463	LEU	2.4
1	A	142	ASP	2.4
1	A	467	GLU	2.4
1	A	168	ALA	2.3
1	A	444	THR	2.3
1	B	131	LYS	2.3
1	B	357	PHE	2.3
1	A	282	ASP	2.3
1	A	470	GLY	2.3
1	A	498	GLY	2.3
1	A	355	ALA	2.3
1	B	69	SER	2.3
1	A	66	GLN	2.3
1	A	363	PHE	2.2
1	A	361	ARG	2.2
1	A	401	THR	2.2
1	B	2	PRO	2.2
1	A	456	ILE	2.2
1	B	452	LEU	2.2
1	A	412	LEU	2.1
1	B	469	GLU	2.1
1	A	323	SER	2.1
1	A	127	GLY	2.1
1	A	450	LYS	2.1
1	A	394	THR	2.1
1	A	435	ALA	2.1
1	A	606	ALA	2.1
1	A	43	LYS	2.0
1	B	20	GLU	2.0
1	A	331	TYR	2.0
1	B	3	GLY	2.0
1	A	392	PHE	2.0
1	B	449	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	B	719	5/5	0.69	0.14	73,86,98,102	0
6	SO4	B	718	5/5	0.78	0.11	67,77,84,99	0
4	IOD	B	712	1/1	0.78	0.23	100,100,100,100	1
4	IOD	A	711	1/1	0.86	0.14	100,100,100,100	1
5	GOL	B	717	6/6	0.86	0.13	37,48,54,56	0
4	IOD	B	713	1/1	0.89	0.10	73,73,73,73	1
4	IOD	B	714	1/1	0.90	0.10	73,73,73,73	1
4	IOD	A	714	1/1	0.92	0.10	63,63,63,63	1
4	IOD	B	715	1/1	0.92	0.14	84,84,84,84	1
4	IOD	B	716	1/1	0.92	0.12	84,84,84,84	1
4	IOD	B	710	1/1	0.92	0.14	94,94,94,94	1
4	IOD	A	709	1/1	0.92	0.13	92,92,92,92	1
4	IOD	A	712	1/1	0.92	0.10	73,73,73,73	1
4	IOD	A	706	1/1	0.93	0.10	78,78,78,78	0
6	SO4	B	720	5/5	0.93	0.14	36,38,46,52	5
4	IOD	A	703	1/1	0.94	0.09	64,64,64,64	0
2	2UX	B	701	29/29	0.94	0.09	25,30,50,60	0
4	IOD	A	707	1/1	0.95	0.06	54,54,54,54	1
4	IOD	A	708	1/1	0.95	0.10	71,71,71,71	1
4	IOD	A	713	1/1	0.95	0.07	60,60,60,60	1
2	2UX	A	701	29/29	0.95	0.09	29,33,58,68	0
4	IOD	B	709	1/1	0.95	0.09	72,72,72,72	1
4	IOD	B	708	1/1	0.96	0.06	49,49,49,49	1
4	IOD	B	703	1/1	0.96	0.06	53,53,53,53	0
4	IOD	B	707	1/1	0.96	0.06	63,63,63,63	0
4	IOD	B	706	1/1	0.97	0.05	52,52,52,52	1
4	IOD	B	705	1/1	0.98	0.04	43,43,43,43	1
3	S6P	A	702	16/16	0.98	0.05	26,29,34,35	0
4	IOD	A	704	1/1	0.98	0.06	58,58,58,58	0
4	IOD	A	705	1/1	0.98	0.04	44,44,44,44	1
3	S6P	B	702	16/16	0.98	0.05	22,25,28,28	0
4	IOD	A	710	1/1	0.99	0.04	45,45,45,45	1

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	IOD	B	704	1/1	0.99	0.04	48,48,48,48	0
4	IOD	B	711	1/1	0.99	0.03	47,47,47,47	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 2UX B 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 2UX A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around S6P A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around S6P B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.