



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:22 PM UTC

PDB ID : 5OQN / pdb_00005oqn
Title : Crystal structure of the *S. cerevisiae* condensin Ycg1-Brn1 subcomplex bound to DNA (short kleisin loop)
Authors : Kschonsak, M.; Hassler, M.; Haering, C.H.
Deposited on : 2017-08-14
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2361 (3.20-3.12)
Clashscore	190562	2486 (3.20-3.12)
Ramachandran outliers	187476	2405 (3.20-3.12)
Sidechain outliers	187428	2404 (3.20-3.12)
RSRZ outliers	180081	2361 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	871	 80% 13% 7%
2	B	125	 2% 66% 10% 22%
3	C	18	 44% 56%
3	D	18	 72% 28%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15999 atoms, of which 7887 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Condensin complex subunit 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	813	Total	C	H	N	O	S	0	0	0
			13213	4180	6663	1110	1231	29			

There are 58 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	5	MET	-	initiating methionine	UNP Q06680
A	?	-	GLN	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	LYS	deletion	UNP Q06680
A	?	-	ILE	deletion	UNP Q06680
A	?	-	LYS	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	?	-	LYS	deletion	UNP Q06680
A	?	-	LYS	deletion	UNP Q06680
A	?	-	ILE	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	ARG	deletion	UNP Q06680
A	?	-	ARG	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	THR	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	GLY	deletion	UNP Q06680
A	?	-	THR	deletion	UNP Q06680

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	HIS	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	ILE	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	?	-	PHE	deletion	UNP Q06680
A	?	-	HIS	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	?	-	ALA	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	LEU	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	GLN	deletion	UNP Q06680
A	?	-	GLY	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	GLY	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680

- Molecule 2 is a protein called Condensin complex subunit 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	97	Total	C	H	N	O	S	0	0	0
			1647	534	817	144	148	4			

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	378	GLY	-	expression tag	UNP P38170

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	379	PRO	-	expression tag	UNP P38170
B	380	LEU	-	expression tag	UNP P38170
B	381	GLY	-	expression tag	UNP P38170
B	382	HIS	-	expression tag	UNP P38170
B	383	MET	-	expression tag	UNP P38170
B	?	-	LEU	deletion	UNP P38170
B	?	-	VAL	deletion	UNP P38170
B	?	-	ASN	deletion	UNP P38170
B	?	-	LYS	deletion	UNP P38170
B	?	-	GLU	deletion	UNP P38170
B	?	-	SER	deletion	UNP P38170
B	?	-	ASP	deletion	UNP P38170
B	?	-	LEU	deletion	UNP P38170
B	?	-	LEU	deletion	UNP P38170
B	?	-	GLU	deletion	UNP P38170
B	?	-	GLU	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	ARG	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	ILE	deletion	UNP P38170
B	?	-	GLY	deletion	UNP P38170
B	?	-	ASP	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	ASP	deletion	UNP P38170
B	?	-	LYS	deletion	UNP P38170
B	?	-	ASN	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	THR	deletion	UNP P38170
B	?	-	ASP	deletion	UNP P38170
B	?	-	ASP	deletion	UNP P38170

- Molecule 3 is a DNA chain called DNA (5'-D(*GP*AP*TP*GP*TP*GP*TP*AP*GP*CP*TP*AP*CP*AP*CP*AP*TP*C)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	C	18	Total	C	H	N	O	P	0	0	0
			569	176	203	67	106	17			
3	D	18	Total	C	H	N	O	P	0	0	0
			570	176	204	67	106	17			

Chain D:  72% 28%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.15Å 116.22Å 155.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.34 – 3.15 47.34 – 3.15	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.34-3.15) 98.0 (47.34-3.15)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 3.12Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.249 , 0.281 0.248 , 0.282	Depositor DCC
R_{free} test set	2000 reflections (6.99%)	wwPDB-VP
Wilson B-factor (Å ²)	79.0	Xtriage
Anisotropy	0.276	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 14.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15999	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.13	0/6651	0.29	0/8992
2	B	0.13	0/850	0.37	0/1135
3	C	0.22	0/410	0.62	0/631
3	D	0.21	0/410	0.55	0/631
All	All	0.14	0/8321	0.35	0/11389

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6550	6663	6674	65	0
2	B	830	817	817	13	0
3	C	366	203	205	9	0
3	D	366	204	205	5	0
All	All	8112	7887	7901	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:GLU:OE2	1:A:440:ARG:NH1	1.99	0.95
3:C:6:DG:N2	3:D:13:DC:O2	2.05	0.89
1:A:252:ARG:NH1	1:A:286:ASP:OD1	2.05	0.89
3:C:4:DG:N2	3:D:15:DC:O2	2.09	0.86
3:C:10:DC:O2	3:D:9:DG:N2	2.09	0.84
1:A:288:GLU:OE2	2:B:400:ARG:NH1	2.13	0.82
1:A:900:LEU:O	1:A:903:LEU:N	2.17	0.77
1:A:51:GLU:OE1	1:A:113:ARG:NH1	2.20	0.75
1:A:732:TYR:OH	2:B:404:GLY:O	2.05	0.74
2:B:492:ASN:OD1	2:B:494:THR:OG1	2.05	0.73
1:A:877:ASP:OD1	1:A:878:ASP:N	2.23	0.71
1:A:286:ASP:O	1:A:292:ARG:NH1	2.25	0.70
1:A:339:ASP:OD2	1:A:340:ILE:N	2.26	0.67
1:A:696:ASN:O	1:A:703:GLN:NE2	2.27	0.67
1:A:904:ILE:O	1:A:908:ASN:HB2	1.95	0.66
1:A:613:ASN:OD1	1:A:614:THR:N	2.29	0.65
1:A:152:ASP:OD1	1:A:153:GLU:N	2.31	0.63
1:A:175:ARG:NH1	1:A:217:ASP:OD1	2.32	0.62
1:A:11:THR:O	1:A:15:ASN:ND2	2.30	0.62
1:A:363:ARG:NE	1:A:424:GLN:OE1	2.34	0.60
1:A:99:GLN:N	1:A:99:GLN:OE1	2.36	0.59
1:A:883:ASP:OD2	1:A:884:ASN:N	2.36	0.58
1:A:223:ARG:HH21	1:A:246:ASP:CG	2.10	0.58
1:A:886:ASP:O	1:A:889:SER:N	2.36	0.58
1:A:223:ARG:NH2	1:A:246:ASP:OD2	2.38	0.56
3:C:3:DT:H2'	3:C:4:DG:C8	2.42	0.55
1:A:243:ARG:NH2	1:A:246:ASP:OD1	2.38	0.55
1:A:475:GLU:OE1	1:A:591:THR:OG1	2.24	0.54
1:A:59:ASP:OD2	1:A:117:GLN:NE2	2.41	0.54
1:A:621:LEU:O	1:A:625:ASN:ND2	2.40	0.54
1:A:437:GLU:CD	1:A:440:ARG:HH11	2.11	0.53
1:A:472:SER:OG	1:A:474:ASN:O	2.26	0.53
1:A:895:LYS:O	1:A:899:ASN:ND2	2.39	0.53
3:C:17:DT:H2''	3:C:18:DC:OP2	2.09	0.52
1:A:8:ASP:OD1	1:A:9:ILE:N	2.44	0.51
3:C:2:DA:H2''	3:C:3:DT:O5'	2.10	0.51
1:A:243:ARG:NH1	2:B:497:LEU:HD21	2.26	0.51
2:B:409:LYS:O	2:B:410:VAL:HG13	2.12	0.50
1:A:617:ASN:OD1	1:A:618:ILE:N	2.44	0.49
1:A:310:ASP:OD1	1:A:313:GLU:N	2.24	0.49
1:A:781:ASP:OD2	1:A:844:LYS:NZ	2.31	0.48
1:A:380:GLU:N	1:A:380:GLU:OE1	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:347:PRO:HB2	1:A:350:ILE:HG12	1.97	0.47
2:B:522:LEU:HD22	2:B:523:PHE:CD2	2.51	0.46
1:A:10:ASN:OD1	1:A:57:TRP:NE1	2.40	0.46
1:A:608:THR:HB	1:A:609:PRO:HD3	1.97	0.46
1:A:788:ILE:CG2	1:A:789:PRO:HD2	2.45	0.46
1:A:800:ASN:OD1	1:A:801:ILE:N	2.49	0.45
1:A:862:SER:HA	1:A:903:LEU:HD11	1.98	0.45
1:A:590:ASN:OD1	2:B:515:LYS:NZ	2.46	0.45
1:A:788:ILE:O	1:A:789:PRO:C	2.61	0.44
1:A:865:ASP:O	1:A:869:LEU:HD13	2.18	0.44
3:C:12:DA:H2''	3:C:13:DC:O4'	2.18	0.44
3:C:5:DT:H2''	3:C:6:DG:H8	1.82	0.43
1:A:788:ILE:O	1:A:791:VAL:HG13	2.18	0.43
1:A:106:ASP:OD2	1:A:113:ARG:NH2	2.51	0.43
1:A:865:ASP:OD2	1:A:867:SER:N	2.51	0.43
1:A:477:ASP:O	1:A:481:MET:HG3	2.18	0.43
1:A:603:MET:HA	1:A:607:ILE:HB	2.01	0.43
3:C:17:DT:C2'	3:C:18:DC:OP2	2.66	0.43
1:A:351:TRP:CD1	1:A:351:TRP:N	2.86	0.43
1:A:345:LYS:O	1:A:347:PRO:HD3	2.19	0.43
1:A:582:SER:OG	1:A:625:ASN:OD1	2.32	0.43
1:A:900:LEU:O	1:A:901:ASN:C	2.62	0.42
2:B:483:ILE:O	2:B:483:ILE:HD12	2.19	0.42
3:D:9:DG:H2'	3:D:10:DC:O4'	2.20	0.42
1:A:886:ASP:O	1:A:887:ASN:C	2.62	0.42
2:B:408:TRP:O	2:B:409:LYS:C	2.63	0.42
1:A:444:LEU:HD21	1:A:481:MET:HE1	2.01	0.42
2:B:522:LEU:H	2:B:522:LEU:CD1	2.33	0.41
2:B:522:LEU:O	2:B:523:PHE:HB2	2.20	0.41
1:A:176:ILE:O	1:A:179:VAL:HG22	2.20	0.41
1:A:751:ILE:HB	1:A:752:PRO:HD3	2.01	0.41
1:A:788:ILE:HG23	1:A:789:PRO:HD2	2.02	0.41
1:A:253:ARG:NH1	1:A:290:SER:OG	2.53	0.41
1:A:354:PHE:HB2	1:A:395:TYR:OH	2.19	0.41
1:A:110:ILE:HA	1:A:113:ARG:NH1	2.36	0.41
3:D:14:DA:H2'	3:D:15:DC:O4'	2.21	0.41
1:A:286:ASP:OD2	1:A:287:ARG:N	2.54	0.41
2:B:482:LYS:O	2:B:483:ILE:HG13	2.20	0.41
1:A:605:THR:O	1:A:609:PRO:HG2	2.21	0.41
1:A:619:ARG:O	1:A:623:VAL:HG23	2.22	0.40
1:A:697:ASN:HA	1:A:703:GLN:NE2	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:495:HIS:HB2	2:B:497:LEU:HD23	2.03	0.40
1:A:57:TRP:O	1:A:58:PHE:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	805/871 (92%)	775 (96%)	29 (4%)	1 (0%)	48	76
2	B	93/125 (74%)	80 (86%)	13 (14%)	0	100	100
All	All	898/996 (90%)	855 (95%)	42 (5%)	1 (0%)	48	76

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	318	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	739/794 (93%)	723 (98%)	16 (2%)	45	67
2	B	92/117 (79%)	89 (97%)	3 (3%)	33	60
All	All	831/911 (91%)	812 (98%)	19 (2%)	44	66

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	LEU
1	A	91	ARG
1	A	101	TYR
1	A	341	LEU
1	A	354	PHE
1	A	361	LEU
1	A	376	GLU
1	A	397	LEU
1	A	432	TYR
1	A	656	LYS
1	A	694	LEU
1	A	715	LEU
1	A	791	VAL
1	A	860	LEU
1	A	903	LEU
1	A	907	ILE
2	B	410	VAL
2	B	470	PHE
2	B	522	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	402	HIS
1	A	672	ASN
1	A	856	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	813/871 (93%)	-0.37	1 (0%) 92 88	31, 71, 108, 136	0
2	B	97/125 (77%)	-0.15	2 (2%) 63 42	39, 75, 112, 126	0
3	C	18/18 (100%)	-0.56	0 100 100	97, 119, 132, 135	0
3	D	18/18 (100%)	-0.70	0 100 100	76, 123, 138, 141	0
All	All	946/1032 (91%)	-0.36	3 (0%) 90 81	31, 72, 114, 141	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	523	PHE	3.0
2	B	524	SER	2.7
1	A	851	ILE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.